This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.

+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.

+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.

+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

Über dieses Buch

Dies ist ein digitales Exemplar eines Buches, das seit Generationen in den Regalen der Bibliotheken aufbewahrt wurde, bevor es von Google im Rahmen eines Projekts, mit dem die Bücher dieser Welt online verfügbar gemacht werden sollen, sorgfältig gescannt wurde.

Das Buch hat das Urheberrecht überdauert und kann nun öffentlich zugänglich gemacht werden. Ein öffentlich zugängliches Buch ist ein Buch, das niemals Urheberrechten unterlag oder bei dem die Schutzfrist des Urheberrechts abgelaufen ist. Ob ein Buch öffentlich zugänglich ist, kann von Land zu Land unterschiedlich sein. Öffentlich zugängliche Bücher sind unser Tor zur Vergangenheit und stellen ein geschichtliches, kulturelles und wissenschaftliches Vermögen dar, das häufig nur schwierig zu entdecken ist.

Gebrauchsspuren, Anmerkungen und andere Randbemerkungen, die im Originalband enthalten sind, finden sich auch in dieser Datei – eine Erinnerung an die lange Reise, die das Buch vom Verleger zu einer Bibliothek und weiter zu Ihnen hinter sich gebracht hat.

Nutzungsrichtlinien

Google ist stolz, mit Bibliotheken in partnerschaftlicher Zusammenarbeit öffentlich zugängliches Material zu digitalisieren und einer breiten Masse zugänglich zu machen. Öffentlich zugängliche Bücher gehören der Öffentlichkeit, und wir sind nur ihre Hüter. Nichtsdestotrotz ist diese Arbeit kostspielig. Um diese Ressource weiterhin zur Verfügung stellen zu können, haben wir Schritte unternommen, um den Missbrauch durch kommerzielle Parteien zu verhindern. Dazu gehören technische Einschränkungen für automatisierte Abfragen.

Wir bitten Sie um Einhaltung folgender Richtlinien:

+ *Nutzung der Dateien zu nichtkommerziellen Zwecken* Wir haben Google Buchsuche für Endanwender konzipiert und möchten, dass Sie diese Dateien nur für persönliche, nichtkommerzielle Zwecke verwenden.

+ *Keine automatisierten Abfragen* Senden Sie keine automatisierten Abfragen irgendwelcher Art an das Google-System. Wenn Sie Recherchen über maschinelle Übersetzung, optische Zeichenerkennung oder andere Bereiche durchführen, in denen der Zugang zu Text in großen Mengen nützlich ist, wenden Sie sich bitte an uns. Wir fördern die Nutzung des öffentlich zugänglichen Materials für diese Zwecke und können Ihnen unter Umständen helfen.

+ *Beibehaltung von Google-Markenelementen* Das "Wasserzeichen" von Google, das Sie in jeder Datei finden, ist wichtig zur Information über dieses Projekt und hilft den Anwendern weiteres Material über Google Buchsuche zu finden. Bitte entfernen Sie das Wasserzeichen nicht.

+ *Bewegen Sie sich innerhalb der Legalität* Unabhängig von Ihrem Verwendungszweck müssen Sie sich Ihrer Verantwortung bewusst sein, sicherzustellen, dass Ihre Nutzung legal ist. Gehen Sie nicht davon aus, dass ein Buch, das nach unserem Dafürhalten für Nutzer in den USA öffentlich zugänglich ist, auch für Nutzer in anderen Ländern öffentlich zugänglich ist. Ob ein Buch noch dem Urheberrecht unterliegt, ist von Land zu Land verschieden. Wir können keine Beratung leisten, ob eine bestimmte Nutzung eines bestimmten Buches gesetzlich zulässig ist. Gehen Sie nicht davon aus, dass das Erscheinen eines Buchs in Google Buchsuche bedeutet, dass es in jeder Form und überall auf der Welt verwendet werden kann. Eine Urheberrechtsverletzung kann schwerwiegende Folgen haben.

Über Google Buchsuche

Das Ziel von Google besteht darin, die weltweiten Informationen zu organisieren und allgemein nutzbar und zugänglich zu machen. Google Buchsuche hilft Lesern dabei, die Bücher dieser Welt zu entdecken, und unterstützt Autoren und Verleger dabei, neue Zielgruppen zu erreichen. Den gesamten Buchtext können Sie im Internet unter `http://books.google.com` durchsuchen.

600030669U

G.106. P. 41.

E. BIBL. RADCL.

18949 e 326/2

SYNONYMIA INSECTORUM,

oder:

Versuch

einer

SYNONYMIE

Aller bisher bekannten Insecten;

nach FABRICII Systema Eleutheratorum &c. geordnet,

von

C. J. SCHÖNHERR.

Mit Berichtigungen und Anmerkungen, wie auch Beschreibungen neuer Arten und illuminirten Kupfern.

ERSTER BAND.

ELEUTHERATA oder KÄFER.

ZWEITER THEIL.

Spercheus - - - Cryptocephalus.

STOCKHOLM,
Gedruckt bey CARL FRIEDR. MARQUARD, 1808.



Vorerinnerung.

Bey dieser Fortsetzung meines Versuchs einer einigermassen vollständigen Synonymie aller in den bis jetzt edirten Entomologischen Schriften angeführten Insecten sehe ich mich verpflichtet, die Gründe anzugeben, welche mich meinem im Ersten Hefte entworfenen Plan, der in den Werken des Etats-Raths *Fabricius* vorkommenden Systematischen Nomenclatur ausschliessend zu folgen, in etwas abwendig gemacht.

Zwar habe ich sowohl hier als da das System jenes weitberühmten Insectenkenners zum Grunde gelegt und darnach die verschiedenen Genera und Species geordnet; aber nach dem ich während des Verlaufs meiner Arbeit nähere Gelegenheit erhalten, die vom Herrn *Latreille* seitdem ausgegebenen *Genera Crustaceorum & Insectorum* gehörig zu prüfen, und in den von ihm aufgestellten Grundsätzen eine seltene Ordnung und Fassbarkeit zu meiner Verwunderung und Ueberzeugung wahrzunehmen, glaubte ich diese mir vom Herrn *Latreille* so häufig gegebenen zuverlässigen Winke nicht weiter übersehen zu dürfen, sondern in Folge derselben, das bereits angenommene System bestmöglichst verbessern zu müssen, und so wagte ich es denn, so viele neue Genera aufzunehmen, als nur immer zu meiner Kundschaft gekommen waren, und alle die Species zu trennen, welche nach meiner Einsicht nicht den ihnen gebührenden Platz erhalten hatten. — Gerne hätte ich meine ganze Synonymie nach diesen Grundsätzen neuerdings umgearbeitet und anders geordnet, wenn nur meine eigene Sammlung noch reicher gewesen wäre, um darnach alle noch nicht gehörig bestimmten und oft so gar ziemlich unrichtig beschriebenen Arten in ihre von der Natur angewiesene Geschlechter einzuschalten.

Was die vermehrte Zahl der Genera betrifft, welche ich aufzunehmen kein Bedenken gefunden habe, so weiss ich gar wohl, dass man mir dagegen einwenden wird: die Wissenschaft werde durch eine solche Vermehrung eher erschwert als erleichtert, aber da auf der andern Seite durch die Erfolgreichen Nachforschungen der Naturkundigen die Summa der bereits entdeckten Individuen beynahe unzählbar geworden ist, und folglich eine ganze Legio von Unterabtheilungen nothwendig wird, so lange man bey der geringeren Anzahl von Geschlechtern verharret, so dürfte jene grosse Menge von Unterabtheilungen dem Gedächtnisse beschwerlicher fallen, als diese gehörig bestimmten, obgleich der Zahl nach merklich vermehrten Genera, die von der Natur selbst gerechtfertigt zu werden scheinen.

Zugleich fühle ich mich gedrungen, dem mir übri
kannten Recensenten, welchem es gefallen hat, in der
Allgemeinen Litteratur Zeitung N. 68. d. 20. März
Erste Heft dieser Synonymie auf eine eben so bele
einnehmende Weise zu beurtheilen, und allen den S
keiten, welche sich mir bey der Ausführung dieses W
gegenstellten, volle Gerechtigkeit wiederfahren zu
meine Dankbarkeit und meine Hochachtung an den Ti
gen. Ich glaube diess aber auf keine würdigere
zu können, als wenn ich hierdurch offen und aufr
kläre, dass ich, nach sorgfältiger Prüfung seine
Berichtigungen wohl gegründet finde und das Verspre
zufüge, davon so wie von selbst entdeckten Mängeln
lern am Ende dieser Klasse den bestmöglichsten Ge
machen. Es jetzt gleich zu thun, hielt ich nicht
weil bey einer höchstwahrscheinlichen Vermehrung de
und Berichtigungen die Verwirrung zu gross werde
wenn ich solche zu voreilig jedem einzelnen Hefte a
und nicht lieber sammt und sonders für das letzte H
wahren wollte. — Möge denn dieses Zweyte Heft ei
so einsichtsvollen Recensenten finden als jenes Erste,
selbe mit eben der musterhaften Genauigkeit verfahre
einer ähnlichen Sorgfalt und Aufrichtigkeit alle Feh
gen, welche sich trotz meiner redlichsten Bemühu
noch eingeschlichen haben könnten!

Sehr schmeichelhaft und belohnend würde es
seyn, wenn man bey dieser Fortsetzung meinen ang
Fleiss und die vermehrten Hülfsmittel, welche mir d
nicht unbedeutende Vergrösserung meiner Entomologi
bliothek und die durch eine Donation von einem
Freunde, dem für die Wissenschaften zu früh verstorb
fessor und Doctor *Quensel*, entstandene Bereicheru
eigenen Sammlung dabey geworden sind, nicht verke
te. — Zu spät erschienen leider die von dem Major
ter *Gyllenhal* herausgegebenen *Insecta Svecica*, als das
ses verdienstvolle Werk an allen gehörigen Stellen
führen können, doch darf ich nicht verschweigen, dass
bey diesem Hefte dem Herrn Major u. Ritter manch
lichst mitgetheilte Aufklärung und Berichtigung schu
so wie ich hiemit den übrigen edlen Freunden, welch
Vervollkommnung dieses Versuches so eifrig und thäti
waren, und vor allen dem Herrn Professor und Ritter *O*
dessen verehrten Nahmen und zurechtweisende Hand
haber der Wissenschaft an vielen Stellen meines B
Vergnügen wiederfinden werden, noch einmahl herz
aufrichtig danksage und mich und meinen Zweck Ihre
ernden Gewogenheit dringendst anempfehle.

Stockholm im August 1808.

No 49. SPERCHEUS. Fabr. n. 45.

marginatus. * Fabr. S. El. I. p. 248. 1.
* Latr. Gen. Cr. & Ins. II. p. 63. 1. T. 9. f. 4. — Hist. N. d. Cr. & d. Ins. X. p. 71. T. 81. f. 8.
* Gyllenh. Ins. Sv. I. I. p. 125. 1.
* Panz. Fn. G. XCI. 4.
* Fallén Obs. Ent. I. p. 8.
Hydr. emarginatus. * Fabr. Ent. S. I. p. 183. 7.
* Illig. Kæf. Pr. I. p. 242. 1.
* Herbst Col. VII. p. 311. 21. T. 114. f. 6. F.
* Panz. Ent. G. I. p. 71. 3.
Dyt. emarginatus. * Schall. Acta Hal. I. p. 327.
Hydr. sordidus. * Marsh. Ent. Br. I. p. 403. 5.
Hydr. verrucosus. * Marsh. Ent. Br. I. p. 403. 6. alt. sexus vel var. præced.

No 50. HYDROPHILUS. Fabr. n. 46.

piceus. * Fabr. S. El. I. p. 249. 1. * Ent. S. I. p. 182. 1. * Mant. I. p. 188. 1. * Sp. Ins. I. p. 288. 1. * S. Ent. p. 228. 1.
* Illig. Kæf. Pr. I. p. 248. 10.
* Latr. Gen. Cr. & Ins. II. p. 65. 1. — Hist. N. d. Cr. & d. Ins. X. p. 61.
* Gyllenh. Ins. Sv. I. p. 113. 1.
* Payk. Fn. Sv. I. p. 178. 1.
* Oliv. Ent. III. 39. p. 9. 1. T. 1. f. 2. a—d.
* Herbst Col. VII. p. 294. 1. T. 113. f. 5.
* Panz. Ent. G. I. p. 70. 1.
* Marsh. Ent. Br. I. p. 401. 1.
* Cederh. Fn. Ingr. n. 86.
* Ross. Fn. Etr. I. p. 195. 481. * ed. Hellw. I. p. 226. 481.
Bergstr. Nom. I. 31. 3. T. 8. f. 1. 3. T. 6. f. 3. T. 9. f. 1.
* Schneid. Mag. p. 364. 1.
* Goeze Eur. Fn. VIII. p. 507. 1.
Fourer. Ent. Par. I. p. 65. 1.
Dyt. piceus. * Linn. Fn. Sv. 764. * Syst. Nat. I. II. p. 664. 1. * ed. Gmel. I. IV. p. 1941. 1.

* Blumenb. Handb. ed. 7:a p. 333.
* Scop. Carn. n. 293.
Vill. Ent. I. p. 340. 1.
* Bark. Gen. Ins. p. 74. T. 6. Ge
Müll. Linn. Nat. S. V. I. p. 344. 1.
Hydr. rufescens. * De Geer Ins. IV. p.
T. 14. f. 1. 2.
* Geoffr. Ins. I. p. 182. 1. T. 3. f. 1. 2.
* Roem. Ins. T. 6. f. 15.
° Sulz. Gesch. d. Ins. T. 6. f. 18.
* Frisch Ins. II. p. 25. T. 6. f. 1—6.
* Schaeff. Ic. T. 33. f. 1. 2. * Elem. T. 71.
Harrer Beschr. n. 177.
Lyonn. Less. I. p. 158. f. 12. 13. 15.
Borow. Naturg. VI. p. 165. 1. T. 25. f.
Bechst. Naturg. I. II. p. 878. 1.
Schmiedl. Eint. 240. — Bochs Naturg. V.
Mart. Engl. Ent. T. 32. f. 3. 4.
Shaw Nat. Misc. T. 292.
Schrank Fn. Boica. I. p. 448. 477.

2. Ater. * Fabr. S. El. I. p. 250. 2. * Ent. S. I. p.
* Oliv. Ent. III. 39. p. 10. 3. T. 2. f. 6.
* Herbst Col. VII. p. 306. 13.

3. Olivaceus. * Fabr. S. El. I. p. 250. 3. * Ent. S.
182. 2. * Mant. I. p. 188. 2. * Sp. Ins. I. p.
* Oliv. Ent. III. 39. p. 10. 2. T. 1. f. 1. a.
* Herbst Col. VII. p. 295. 2. T. 113. f. 6.
* Linn. S. Nat. Gmel. I. IV. p. 1941. 6.
Dyt. hastatus. ° Herbst Acta Soc. Ber.
Cur. IV. p. 317. 2. T. 7. f. 2. a. b.

4. Oblongus. * Oliv. Ent. III. 39. p. 11. 4. T. 2. f.

5. *Caraboides.* * Fabr. S. El. I. p. 250. 4. * Ent.
p. 183. 4. * Mant. I. p. 188. 3. * Sp. I
p. 289. 3. * S. Ent. p. 228. 2.
* Gyllenh. Ins. Sv. I. p. 114. 2.
* Illig. Kæf. Pr. I. p. 247. 9.
* Payk. Fn. Sv. I. p. 179. 2.
* Oliv. Ent. III. 39. p. 11. 2. T. 2. f. 8.
* Herbst Col. VII. p. 299. 5. T. 113. f. 9.
* Panz. Fn. G. LXVII. 10. * Ent. G. I p. 71
* Cederh. Fn. Ingr. n. 87.
* Ross. Fn. Etr. I. p. 195. 482. * Mant. I.
158. * ed. Helw. I. p. 227. 482. * Mant. I. p. 410
* Marsh. Ent. Br. I. p. 402. 2.
* Schwartz Nom. I. p. 28. 12.
* Müll. Zool. D. Pr. p. 68. 654. Fn. Fridr. p. 19
* Goeze Eur. Fn. VIII. p. 712. 2.
* Linn. Syst. Nat. Gmel. I. IV. p. 1941. 2.



* Müll. Linn. Nat. S. V. I. p. 346. 2.
Dyt. caraboides. * Linn. Fn. Sv. n. 765. * Syst. Nat. I. II. p. 664. 2.
Dyt. scarabæoides. * Linn. S. Nat. I. II. p. 664. 3. forte.
* Schrank En. Ins. Austr. p. 198. 371. Fn. Boica. I. p. 449. 448.
Hydr. nigricornis. * DeGeer Ins. IV. p. 376. 2.
* Goeffr. Ins. I. p. 183. 2.
* Roes. Ins. II. Aquat. I. p. 23. 4. T. 4. f. 1. 2.
* Schaeff. Ic. T. 33. f. 10.
Harrer Beschr. I. p. 110. 178.
Naturf. IX. p. 66.
Bergstr. Nom. I. T. 5. f. 8. 9. & T. 7. f. 8. 9. Larv. Pup.
* Sulz. Kennz. T. 6. f. 41.
* Frisch Ins. XIII. p. 24. T. 21.
Meiding. Nom. p. 138. 2.
Vill. Ent. I. p. 341. 2. T. 11. f. 43.
Pontopp. Dan. Atl. I. p. 441. 2.
Onomat. Hist. N. III. p. 678.
Ray. Ins. p. 95. 7.
Fuessl. n. Mag. III. p. 134.
Fourcr. Ent. Par. I. p. 65.
List. Goed. app. T. 6. f. 3.
Bechst. Naturg. I. II. p. 879. 2.
Mart. Engl. Ent. T. 34. f. 28.

8. Flavipes. Nov. Sp. *a*).
9. Scrobiculatus. * Panz. Fn. G. LXVII. 11.
10. Glaber. * Herbst Col. VII. p. 298. 4. T. 113. f. 8.
9. Ellipticus. * Fabr. S. El. I. p. 251. 5.
10. Violaceus. * Herbst Col. VII. p. 315. 28. T. 114. f. 13. N.
11. Lateralis. * Fabr. S. El. I. p. 251. 6. * Ent. S. I. p. 183. 5. * Mant. I. p. 188. 4. * Sp. Ins. I. p. 289. 4. * S. Ent. p. 228. 3.
* Herbst Col. VII. p. 296. 3. T. 113. f. 7.?
* Linn. S. Nat. Gmel. I. IV. p. 1942. 7.
12. Abbreviatus. * Fabr. S. El. I. p. 251. 7.
13. Rufipes. * Fabr. S. El. I. p. 251. 8. * Ent. S. I. p. 183. 6.
* Herbst Col. VII. p. 307. 14.

---

a HYDROPH. FLAVIPES: olivaceo-niger nitidus, elytris substriatis pedibus flavis.

Habitat Kislariæ, *H. caraboide* frequentior cujus Diagnosis e.. cyaneo-niger nitidus, elytris substriatis, pedibus nigris.

Similimus *Hydr. Caraboidi* sed paullo minor. Color ex obscure-cupreo vel olivaceo nec e chalybeo vel cyaneo-niger. Elytra similiter punctato-striata, sed inter strias nudis oculis conspicuas, hæ striæ e punctis minutissimis, sub lente tantum conspicuæ, æquales in *H. caraboide*. Pedes testacei absque patellis.

STEVEN.

* Müll. Linn. Nat. S. V. I. p. 346. 2.
Dyt. caraboides. * Linn. Fn. Sv. n. 765. * Syst. Nat. I. II. p. 664. 2.
Dyt. scarabæoides. * Linn. S. Nat. I. II. p. 664. 3. forte.
* Schrank En. Ins. Austr. p. 198. 371. Fn. Boica. I. p. 449. 448.
Hydr. nigricornis. * DeGeer Ins. IV. p. 376. 2.
* Goeffr. Ins. I. p. 183. 2.
* Roes. Ins. II. Aquat. I. p. 23. 4. T. 4. f. 1. 2.
* Schaeff. Ic. T. 33. f. 10.
Harrer Beschr. I. p. 110. 178.
Naturf. IX. p. 66.
Bergstr. Nom. I. T. 5. f. 8. 9. & T. 7. f. 8. 9. Larv. Pup.
* Sulz. Kennz. T. 6. f. 41.
* Frisch Ins. XIII. p. 24. T. 21.
Meiding. Nom. p. 138. 2.
Vill. Ent. I. p. 341. 2. T. 11. f. 43.
Pontopp. Dan. Atl. I. p. 441. 2.
Onomat. Hist. N. III. p. 678.
Ray. Ins. p. 95. 7.
Fuessl. n. Mag. III. p. 134.
Fourcr. Ent. Par. I. p. 65.
List. Goed. app. T. 6. f. 3.
Bechst. Naturg. I. II. p. 879. 2.
Mart. Engl. Ent. T. 34. f. 28.

6. Flavipes. Nov. Sp. *a*).
7. Scrobiculatus. * Panz. Fn. G. LXVII. 11.
8. Gaber. * Herbst Col. VII. p. 298. 4. T. 113. f. 8.
9. Elpticus. * Fabr. S. El. I. p. 251. 5.
10. Violaceus. * Herbst Col. VII. p. 315. 28. T. 114. f. 13. N.
11. *Lateralis.* * Fabr. S. El. I. p. 251. 6. * Ent. S. I. p. 183. 5. * Mant. I. p. 188. 4. * Sp. Ins. I. p. 289. 4. * S. Ent. p. 228. 3.
* Herbst Col. VII. p. 296. 3. T. 113. f. 7.?
° Linn. S. Nat. Gmel. I. IV. p. 1942. 7.
12. Abbreviatus. * Fabr. S. El. I. p. 251. 7.
13. Rufipes. * Fabr. S. El. I. p. 251. 8. * Ent. S. I. p. 183. 6.
° Herbst Col. VII. p. 307. 14.

---

a) HYDROPH. FLAVIPES: olivaceo-niger nitidus, elytris substriatis pedibus flavis.
Habitat Kislariæ, *H. caraboide* frequentior cujus Diagnosis erit: cyaneo-niger nitidus, elytris substriatis, pedibus nigris.
Simillimus *Hydr. Caraboidi* sed paullo minor. Color ex obscure-cupreo vel olivaceo nec e chalybeo vel cyaneo-niger. Elytra similiter punctato-striata, sed inter strias nudis oculis conspicuas, aliæ striæ e punctis minutissimis, sub lente tantum conspicuæ, equales in *H. caraboide*. Pedes testacei absque patellis.
STEVEN.

14. Scarabæoides. * Fabr. S. El. I. p. 251. 9. * Ent. S. I. p. 184. 8. * Mant. I. p. 188. 5. * Sp. Ins. I. p. 289. 5. * S. Ent. p. 228. 4.
* Payk. Fn. Sv. I. p. 180. 3.
* Herbst Col. VII. p. 301. 7. T. 113. f. 11.
* Herbst Arch. p. 121. 4.
* Panz. Fn. G. LXVII. 12. * Kr. Rev. d. Ins. Fn. I. p. 53. * Ent. G. I. p. 71 4.
* Ross. Fn. Etr. I. p. 196. 482. * ed. Hellw. I. p. 227. 483.
* Cederh. Fn. Ingr. n. 88.
* Goeze Eur. Fn. VIII. p. 714. 3.
* Linn. S. Nat. Gmel. I. IV. p. 1942. 3.
Dyt. fuscipes. * Linn. Fn. Sv. n. 760 * Syst. Nat. I. II. p. 661. 4. * ed. Gmel. I. IV. p. 1942. 4. Vill. Ent. Linn. I. p. 342. 4.
Hydr. fuscipes. * Illig. Kæf. Pr. I. p. 247. 8.
* Gyllenh. Ins. Sv. I. I. p. 114. 3.
* Oliv. Ent. III. 39. p. 12. 6. T. 2. f. 9. a. b.
* Müll. Zool. D. Pr. p. 69. 655.
* Marsh. Ent. Br. I. p. 403. 3.
* DeGeer Ins. IV. p. 377. 3.
Hydr. niger. * Lesk. Mus. I. p. 35. 769.
* Linn. S. Nat. Gmel. I. IV. p. 1941. 19.
Scarab. aquaticus. * Linn. Fn. Sv. n. 404.
Dyt. gyrinoides. * Schrank En. Ins. p. 199. 372.
Dyt. scarabæoides. * Brahm Ins. Kal. I. p. 185. 397.
* Geoffr. Ins. I. p. 184. 4.
Mart. Engl. Ent. T. 33. f. 15.

15. Picipes. * Fabr. S. El. I. p. 251. 10. * Ent. S. I. p. 184. 9. * Mant. I. p. 188. 6.
* Oliv. Ent. III. 39. p. 13. 7. T. 2. f. 10. ?
* Linn. S. Nat. Gmel. I. IV. p. 1942. 8.
H. oblongus. * Herbst Col. VII. p. 300. 6. T. 113. f. 10.

16. Gibbus. * Illig. Mag. I. p. 168. 4.

17. *Orbicularis.* * Fabr. S. El. I. p. 252. 11. * Ent. S. I. p. 184. 10. * Mant. I. p. 188. 7. * Sp. Ins. I. p. 290. 6. * S. Ent. p. 229. 5.
* Illig. Kæf. Pr. I. p. 246. 4.
* Gyllenh. Ins. Sv. I. p. 118. 7.
* Payk. Fn. Sv. I. p. 181. 4.
* Oliv. Ent. III. 39. p. 13. 8. T. 2. f. 11. a. b.
* Herbst Col. VII. p. 303. 9. T. 114. f. 1. A.
* Herbst Arch. p. 122. 8.
* Panz. Fn. G. LXVII. 13. * Ent. G. I. p. 71. 5.
* Thunb. Ins. Sv. p. 73.
* Ross. Mant. I. p. 65. 159. * ed. Hellw. I. p. 410. 159.
* Goeze Eur. Fn. VIII. p. 718. 5.



* Marsh. Ent. Br. I. p. 403. 4.
* Linn. S. Nat. Gmel. I. IV. p. 1942. 9.
Sphærid. immaculatum. * Ross. Fn. Etr. I. p. 48. 118. T. 3. f. 5.? * ed. Hellw. I. p. 50. 118. T. 3. f. 5.?
Hydr. Pilula. * Müll. Zool. D. Pr. p. 69. 659.
* Linn. S. Nat. Gmel. I. IV. p. 1943. 18.
Dyt. orbicularis. * Brahm Ins. Kal. I. p. 22. 78.
Vill. Ent. I. p. 350. 35.
* Geoffr. Ins. I. p. 184. 3.

18. *Globulus.* * Payk. Fn. Sv. I. p. 188. 13.
* Illig. Mag. I. p. 65. 3—4. a.
* Gyllenh. Ins. Sv. I. p. 117. 6.
Hydr. minutus. * Herbst Col. VII. p. 313. 23. T. 114. f. 8. H.
* Oliv. Ent. III. 39. p. 15. 12. T. 2. f. 13. a. b.
* Marsh. Ent. Br. I. p. 406. 12.
* Fabr. S. El. I. p. 254. 27. ? * Ent. S. I. p. 186. 20. ? * Mant. I. p. 188. 10. ? * Sp. Ins. I. p. 290. 9. ? * S. Ent. p. 229. 8. ?
* Ross. Fn. Etr. I. p. 197. 485. ? * ed. Hellw. I. p. 228. 485. ?.
* Panz. Ent. G. I. p. 72. 11. ?
* Goeze Eur. Fn. VIII. p. 719. 6. ?
* Linn. S. N. Gmel. I. IV. p. 1943. 11. ?

19. *Seminulum.* * Payk. Fn. Sv. I. p. 190. 16.
* Gyllenh. Ins. Sv. I. p. 118. 8.
* Herbst Col. VII. p. 314. 26. T. 114. f. 11. L.
Derm. nigrinus. * Marsh. Ent. Br. I. p. 77. 54. teste D. Kirby.

20. Subrotundus. * Fabr. S. El. I. p. 252. 12. * Ent. S. I. p. 184. 11.
* Herbst Col. VII. p. 307. 15.
— (*bicolor*). * Fabr. S. El. I. p. 252. 13. — vid. *Hydr. griseus.* N:o 32. huj. Operis.

21. Collaris. * Fabr. S. El. I. p. 252. 14. * Ent. S. I. p. 184. 13. * Mant. I. p. 188. 8. * Sp. Ins. I. p. 290. 7. * S. Ent. p. 229. 6.
* Herbst Col. VII. p. 308. 16.
* Linn. S. Nat. ed. Gmel. I. IV. p. 1942. 10.
— (Testaceus.) * Fabr. S. El. I. p. 252. 15. — vid. *Hydr. melanocephal. var.* ♂. n. 30. huj. Operis.

22. Undatus. * Fabr. S. El. I. p. 252. 16. * Ent. S. I. p. 185. 14.
* Herbst Col. VII. p. 308. 17.

23. Erythrocephalus. * Fabr. S. El. I. p. 252. 17. * Ent. S. I. p. 185. 15.
* Herbst Col. VII. p. 309. 18.

— (*Hæmorrhoidalis*). * Fabr. S. El. I. p. 252. 18.— *Sphærid. Hæmorrhoum.* (Gyllenh.) huj. O II. App. n. 11—12.

24. Hæmorrhoidalis. * Herbst Col. VII. p. 312. T. 114. f. 7. G.

25. *Marginellus.* * Fabr. S. El. I. p. 252. 19. * Ent. p. 185. 17.
* Illig. Kæf. Pr. I. p. 246. 5.
* Herbst Col. VII. p. 303. 10. T. 114. f. 2. I
* Panz. Ent. G. I. p. 71. 7.
var. β. * Illig. Mag. I. p. 66. 5. β.
Hydr. affinis. * Payk. Fn. Sv. I. p. 185. 9.
* Gyllenh. Ins. Sv. I. p. 123. 12.
* Thunb. Ins. Sv. VI. p. 73.
Dyt. dermestoides. * Forst. Cent. I. p. 53. 53.
Hydr. minutus. * Fabr. S. El. I. p. 254. 1
(vid. *H. Globulus* ante p. 5. 18.).

26. Attenuatus. * Fabr. S. El. I. p. 253. 20.

27. Obscurus. * Fabr. S. El. I. p. 253. 21. * En I. p. 185. 18.
* Herbst Col. VII. p. 317. 31.
* Panz. Ent. G. I. p. 72. 8.
* *Sphærid. littorale.* * Gyllenh. Ins. Sv. I. p. 13. var. c. ?

28. Peregrinus. * Herbst Col. VII. p. 314. 27. T. 114. f. 12

29. *Luridus.* * Fabr. S. El. I. p. 253. 22. * Ent. S. I 186. 19. * Mant. I. p. 188. 9. * Sp. In p. 290. 8. * S. Ent. p. 229. 7.
* Illig. Kæf. Pr. I. p. 244. 2.
* Latr. Gen. Cr. & Ins. II. p. 66. 2. — Hist d. Cr. & d. Ins. X. p. 66.
* Gyllenh. Ins. Sv. I. p. 115. 4.
* Payk. Fn. Sv. I. p. 181. 5,
* Oliv. Ent. III. 39. p. 13. 9. T. 1. f. 3. a. b.
* Herbst Col. VII. p. 302. 8. T. 113. f. 12. E
* Panz. Fn. G. VII. 3. * Ent. G. I. p. 72.
* Ross. Fn. Etr. I. p. 196. 484. * ed. Hellw p. 227. 484.
* Marsh. Ent. Br. I. p. 404. 7.
* Müll. Zool. D. Pr. p. 69. 656.
* Goeze Eur. Fn. VIII. p. 716. 4.
* Linn. S. Nat. Gmel. I. IV. p. 1943. 5.
Dyt. luridus. * Linn. Fn. Sv. n. 767. * Syst. I. II. p. 665. 5.
* Brahm Ins. Kal. I. p. 30. 103.
Hydr. fuscus. * DeGeer Ins. IV. p. 378. 4. T. 15. f. Müll. Linn. Nat. S. V. I. 347. 5.



* Linn. S. Nat. Gmel. I. IV. p. 1943.
Hydr. pallidus. * Ross. Mant. I. p. 66.
* ed. Hellw. I. p. 410. 160.
* Geoffr. Ins. I. p. 184. 5. *Hydroph.*
var. β. * Payk. Fn. Sv. I. p. 184. β.
* Illig. Mag. I. p. 67. β.
* Gyllenh. Ins. Sv. I. p, 122. 11. var. b.
Hydr. lividus. * Oliv. Ent. III. 39. p.
1. f. 4. a. b.
Hydr. variegatus. * Herbst Col. VII. p.
T. 114. f. 3. C.

33. Spinosus. Nov. Sp. *b*).

34. Fuscipes. Nov. Sp. *c*).

— (*Striatulus.*) * Fabr. S. El. I. p. 254. 25. — v
bipunctatus var. β. Nro 35. hujus Operis.

35

---

b) HYDROPH. SPINOSUS: ater supra griseus, elytris ver
cem appendiculo spinoso.

Habitat frequens Kislariæ in udis graminosis, et in a
gnantibus.

Magnitudo et statura omnino *H. luridi* a quo differt
haud æneo, elytrorumque structura.

Caput griseum punctatissimum, antennis palpisque palli
tus nigrum. Oculi nigri. Labium haud emarginatum (quod
H. lurido). Thorax longitudine duplo latior punctatissimus
cinereus, maculis duabus nigris in medio. Scutellum
triangulare. Elytra grisea maculis allquot nigris, latitudine
longiora, convexa, margine externo versus apicem proces
In singulis elytris striæ 10-punctatæ interjectis striolis
minoribus. Alæ albo-hyalinæ. Pectus et abdomen nigra cine
tia. Pedes pallidi.

STEVEN.

c) HYDR. FUSCIPES: niger nitidus, elytris punctato-substriatis;
domine pedibusque piceis.

Habitat Kislariæ in aquis stagnantibus.

Magnitudo *H. scarabæoidis* a quo differt statura magis obl
et elytrorum structura.

Habitus omnino *H. caraboidis* sed multo minor. Caput et
rax nitida obscurissime aeneo-nigra punctata. In Thorace p
discoidalia ita ac in *H. caraboide;* sed singulo puncto insertus
brevissimus flavescens, vix nisi certo situ lente conspicuus. El
punctatissima striis decem levissimis e punctis majoribus vix
nudis oculis conspicuis. Inter strias 2 et 3, 4 et 5, 6 et 7,
9 interjecta puncta paullo majora pariter pilifera ac in thorace.
domen dilute piceum. Pedes paullo obscuriores, absque patellis

Huic affinis nisi idem *Hydr. niger* Mus. Lesk. p. 35. n.
Linn. ed. Gmelin I. IV. p. 1944. sed antennae in nostro haud f
gineæ. A *H. picipede* differt elytris striatis.

STEVEN.



Libri
in Synonymia Insectorum citati
&
Abbreviationum Explicatio.
(Continuatio.)

A.

Act. Hist. Nat. Soc. Hafn. — Skrivter af Naturhistorie Selskabet. 1 — 5. Bind. Kiöbenhawn 1790—1799. 8:vo.

Act. Soc. Ber. Nat. Cur. — Beschäftigungen der Berlinischen Gesellschaft Naturforschender Freunde. Berlin 1775 — — 8:vo.

Admir. Verand. — Jacob L'Admiral Veranderingen van veele Insecten. Amsterdam 1774. fol.

Alb. Ins. Angl. — Insectorum Angliæ Naturalis Historia Illustrata Iconibus in centum Tabulis æneis eleganter ad vivum expressis &c. Auctore Eleazare Albin. Londini 1731. 4:to.
— A natural history of english Insects, with 100 copperpl. by Eleaz. Albin. Lond. 1720. 4:to.

B.

Berl. Naturf. — Beobachtungen und Entdeckungen aus der Naturkunde von der Gesellschaft Naturforschender Freunde zu Berlin. Berlin (2:ter Band 1788.) 8:vo.

Blanc. Belg. — Stephanus Blancard. Schou-burg der Rupsen, Wormen, Maden. Amsterdam 1688. 8:vo. — Lipsiæ 1690. 8:vo.

Bradl. Nat. — A Philosophical Account of the Works of Nature &c. by Richard Bradley. London 1721. 4to. & 1739. 8:vo.

Burdach. Handb. — Handbuch der neuesten deckungen in der Heilmittellehre, von D Friedr. Burdach. Leipzig 1806. 8:vo.

Busch Alman. — Busch Uebersicht (Almanacl fortschritte in Wissensch. Kunst und M ctur. Erfurt 1798 — — 8:vo.

C.

Czenpinski (Paul) totius regni animalis genera. maj. Vindob. 1778.

D.

Dict. d. Sciences Natur. — Dictionaire des Sc Naturelles. Par plusieurs Professeurs du M national d'Histoire naturelle et des autres pales écoles de Paris. (l'Histoire des Insec le Professeur C. Duméril.) Paris 1804 — —

Donov. Brit. Ins. — The Natural History of I Insects, explaining them in their several S illustrated with coloured Figures, &c. By I novan. London 1792. 8:vo X vol.

E.

Eph. Nat. Cur. — Ephemerides Academiæ Ca Naturæ Curiosorum. 4:to. Francofurt. Li Norimbergæ. —

F.

Fallén Mon. Canth. & Mal. — Dissert. Monographi tharidum & Malachiorum Sveciæ. Auctor Fredr. Fallén. Lundæ 1807.

G.

Gled. Abhandl. — Gleditsch (J. G.) Vermischte sicalisch-Botanisch-Oeconomische Abhandl I. II. III. Th. 8:vo. Halle 1765—67.

Goed. Metam. — Metamorphosis & historia na Insectorum, cum commentariis & append I. de Mey & P. Veezaerdt. Medioburgi 166[illegible]—

Goldf. Enum. Ins. — Georgii Augusti Goldfuss meratio Insectorum Eleutheratorum Capitis

Spei totiusque Africæ. Descriptione Iconibusque nonnullarum specierum novarum illustrata. Erlangæ 1805. 8:vo.

Gyllenh. *Ins. Sv.* — Insecta Svecica descripta a Leonardo Gyllenhal. Classis I. Coleoptera sive Eleutherata. Tomus I. Scaris 1808. 8:vo.

H.

Henn. *Raupenfr.* — Ueber den Raupenfrass und Windbruch in den Jahren 1791 bis 1794. von C. W. Hennert. Berlin 1797. 4:o. mit Kupf.

Herbst Einleit. — Kurze Einleitung zur Kenntniss der Insekten. Berlin 1784. 8:vo mit 36 illum. Kupf.

Hollar. Ins. — Muscarum Scarabæorum Vermiumque variæ figuræ & formæ omnes primo ad vivum coloribus depictæ & ex collectione Arundelian Wenceslao Hollar aqua forti æri insculptæ. Antverpiæ 1646.

I.

Jacquin *Misc.* — Nicolai Josephi Jacquin Miscellanea austriaca ad Botanicam, Chemiam & Historiam Naturalem — Vindobonæ 1781. 4:to.

Journ. *de Moscou.* — Journal de la Société des Naturalistes de l'Université Imperiale de Moscou. Premiere année. No 1 & 2. Avec Figures. Moscou 1805. 4 to. — vid. continuatio: *Mem. des Nat. de Moscou.*

Iser. *Entom.* — Svensk Entomologi af Carl Iser. Linköping 1806. 8:vo.

L.

Latr. *Gen. Cr. & Ins.* — P. A. Latreille Genera Crustaceorum & Insectorum secundum ordinem naturalem in Familias disposita, Iconibus exemplisque plurimis explicata. Parisiis & Argentorati Tom. 1—3. 1806—1807. 8:vo.

Latr. Hist. Nat. d. Cr. & d. Ins. — Histoire n relle, général & particuliere des Crustacé des Insectes. Par P. A. Latreille. Paris.

Latr. Hist. N. d. Fourm. — Histoire naturell Fourmis, & recueil de Mémoires & d'Ob tions sur les *Abeilles*, les *Araignées*, le *cheurs*, & autres insectes. Par P. A. Latrei Paris An 10. (1802) 8:vo.

Latr. Préc. d. caract. gén. d. Ins. — Précis d ractères génériques des Insectes. Par P. A treille.

Less. Theol. — Friedr. Christ. Lessers Insecto- logia, oder Vernuffe- und Schrifftmässiger Ver wie ein Mensch durch aufmercksame Betrach derer sonst wenig geachteten Insecten &c. Fra furt und Leipzig 1738. 8:vo.

— Theologie des Insectes de Lesser, avec de marques de Lyonnet, à la Haye. 1747. Tom. I. II

Lichtenb. & Voigt Magaz. für. das Neueste. &c. — gazin für das Neueste aus der Physik und N geschichte, zuerst herausgegeben von Lic berg, fortgesetzt von Joh. Heinr. Voigt. 178 — — 8:vo.

Lichtenst. Catal. — Lichtenstein Catal. Mus. Holthuy

Linn. Pand. & Fl. Ryb. — Pandora & Flora Ry ensis. Dissertatio Academica &c. Præside C lo à Linné &c. Upsaliæ 1771.

List. Goed. — Johannes Goedartius de Insectis Methodum redactis, cum notularum additi oper. M. Lister. Londini 1685. 8:vo.

Lyonn. Less — Theologie des Insectes, ou Dém stration des Perfections de Dieu dans tout ce concerne les Insectes. Traduit de L'Alle de Mr. Lesser, avec des Remarques de Mr. L net. A la Haye 1742. 8:vo.

M.

Mayer Aufs. Böhm. Naturg. — Sammlung Physi



scher Aufsätze, besonders die Böhmische Naturgeschichte betreffend, von einer Gesellschaft Böhmischer Naturforscher; herausgegeben von Dr. Johann Mayer. Mit Kupfern. Dresden 1791. 8:vo.

Mart. Engl. Ent. — The English Entomologist, exhibiting all the Coleopterous Insects found in England, &c. by Thomas Martyn. London 1792. fol.

Mem. des Nat. de Moscou. — Memoires de La Société Naturalistes de l'Université Impériale de Moscou. Moscou 1806. 4:to. — vid. *Journ. de Moscou.*

Merret Pin. — Christ. Merret Pinax rerum naturalium Britannicarum. London 1667. 8:vo.

N.

Naturforsch. — Der Naturforscher. Halle 1774 — — — 8:vo.

P.

Pallis. Beauv. *Ins. Afr. & Amer.* — Insects recueillés en Afrique & en Amérique, dans les Royaumes d'Ovare & de Benin, a saint-Domingue & dans les Etats unis, pendant les Années 1786 —1797; Par A. F. J. Palisot de Beauvois. Paris 1805 — — Fol.

Pall. *Naturg.* — Peter Simon Pallas Naturgeschichte merkwürdiger Thiere, in welcher vornehmlich neue und unbekannte Thierarten durch Illuminirte Abbildungen, Beschreibungen und Erklärungen erläutert werden. (Durch den Verfasser verdeutscht.) Berlin und Stralsund 1778 — — 4:to.

Pall. spic. *Zool.* — Spicilegia Zoologica quibus nova imprimis & obscuræ animalium species iconibus, descriptionibus atque commentariis illustrantur a Petr. Sim. Pallas. Berlin 1767—1780. 4:to.

Pontopp. *Nachricht.* — Eric Pontoppidans Kurzgefasste Nachrichten, die Naturhistorie in Dänne-

mark betreffend. Aus dem Dänischen übers
Kopenhagen und Hamburg 1765. 4:o.

S.

Schæff. Zw. u. Schw. — Jacobi Chr. Schæffers
fel und Schwürigkeiten welche in der In
lehre annoch vorwalten. Regensburg 176
Schmid Vers. — Versuche über die Insekt
Beytrag zur Verbreitung des Nützlichen un
senwürdigen aus der Insektenkunde; von C
gust Schmid. 1:ster Theil. Gotha 1803.
Schrank Physik. Aufsäze. — Sammlung Naturh
scher und Physikalischer Aufsätze von Fra
Paula Schrank.. Nürnberg 1796. 8:vo.
Schrift. d. Berl. Ges. N. Fr. — Schriften der B
schen Gesellschaft Naturforschenden Freunde
lin 1780. — 8:vo.
Scop. An. Hist. Nat. — Joann. Antonii Scopoli
Historico-Naturales. Lipsiæ 1769. 8:vo.
Shaw Nat. Misc. — Vivarium Naturæ, or Th
turalist Miscellany, by Georg Shaw. The
res by E. P. Nodder. London 1790. 8:vo.
Sloan. Hist. Jam. — A Voyage to the Islands
dera, Barbados, Jamaica with the Natural Hi
ry &c. By Hans Sloane. Lond. 1707. Fol.
Swammerd. Bibl. Nat. — Joh. Swammerdammii B
Naturæ, sive Historia Insectorum, in Cl
certas redacta, nec non exemplis, & anat
co variorum animalculorum examine &c. L
1737. Fol. (ed. Germ. Leipz. 1752. Fol.)
Svensk Zoologi. — Svensk Zoologi, eller Sv
Djurens Historia, börjad af C. Quensel, fo
af O. Swartz, utgifven med illuminerad
gurer af J. W. Palmstruch. Stockholm 18
— 8:vo.

T.

Towns. Voy. en Hongr. — Voyage en Hongrie;
cédé d'une Description de la ville de Vien



des Jardins impériaux de Schoenbrun; Par Robert Townson; Publié a Londres an 1797. Traduit de l'anglais par Cantwel. Tom. 3. Paris. 1803. 8:vo.

V.

Voigt Mag. für den neuesten &c. — Magazin für den neuesten Zustand der Naturkunde mit Rücksicht auf die dazu gehörigen Hülfswissenschaften von Joh. Heinr. Voigt. Weimar 1798 — 8:vo.

Walth. Forstphysiogr. — Walthers Forstphysiographie. Heiborn. &c. 1800.

Web. & Mohr Iter. — Naturhistorische Reise durch einen Theil Schwedens von Dr. Fr. Weber, und D. M. H. Mohr. Göttingen 1804. 8:vo.

Z.

Zinke Nadelh. Ins. — Naturgeschichte der schädlichen Nadelholz-Insekten, nebst Anweisung zu ihrer Vertilgung. (Ein nützliches Lesebuch für Naturforscher, Forstmänner und Oekonomen.) von Georg Gottfr. Zinke. Mit Kupfern. Weimar 1798. 8vo.

Specifica nomina Insectorum, quæ typo distant gr. p. 9. n. 36. Hydroph. bipustulatus) sup pressa, Insectum europæum esse indicant; litter cursivæ (ex. c. p. 9. n. 35. Hydroph. *bipunctatus* ciam Insecti esse patriam denotant; Insectorum ex ropam habitantium nomina, typo usuali excusa (ex. 9. n. 37. Hydroph. pygmæus) occurrunt.

Auctorum libros asterisco (*) notatos ipse vidi minavi; reliquos aliorum auctoritate suffultus adleg



Bipunctatus. * Fabr. S. El. I. p. 254. 26. * Ent. S. I. p. 186. 22. * Mant. I. p. 189. 12. * Sp. Ins. I. p. 290. 10. * S. Ent. p. 229. 9.
* Payk. Fn. Sv. I. p. 188. 14.
* Oliv. Ent. III. 39. p. 16. 13. T. 2. f. 14. a. b.
* Herbst Col. VII. p. 309. 20. T. 114. f. 5. E.
* Panz. Fn. G. LXVII. 14. * Ent. G. I. p. 72. 13.
* Marsh. Ent. Br. I. p. 406. 11.
Chrysom. minuta. * Linn. Fn. Sv. n. 533. * Syst. Nat. I. II. p. 593. 50.
Hydr. minutus. * Illig. Kæf. Pr. I. p. 245. 3.
* Gyllenh. Ins. Sv. I. I. p. 116. 5.
Hydr. chrysomelinus. * Müll. Zool. D. Pr. p. 69. 660.
Hydr. coccinelloides. * Ross. Fn. Etr. I. p. 197. 486. * ed. Hellw. I. p. 228. 486.
Dyt. coccinelloides. * Schrank Enum. p. 199. 373.
Dyt. marginellus. * Herbst Arch. p. 129. 29.
* Linn. S. Nat. Gmel. I. IV. p. 1954. 80. Mart. Engl. Ent. T. 33. f. 9.

var. β. *Hydr. striatulus.* * Fabr. S. El. I. p. 254. 25.

β. Bipustulatus. * Marsh. Ent. Br. I. p. 406. 13.

—(*minutus.*) * Fabr. S. El. I. p. 254. 27. — vid. *H. Globulus.* N:o 18. huj. Operis.

γ. Pygmæus. * Fabr. S. El. I. p. 254. 28. * Ent. S. I. p. 186. 23.
* Herbst Col. VII. p. 309. 19.

δ. Nigriceps. * Fabr. S. El. I. p. 254. 29.

ε. *Truncatellus.* * Fabr. S. El. I. p. 255. 30.
* Gyllenh. Ins. Sv. I. I. p. 123. 13.
* Illig. Mag. I. p. 65. 3—4. b.
* Payk. Fn. Sv. I. p. 189. 15.
* Thunb. Ins. Sv. VI. p. 73.
Hydr. parvulus. * Herbst Col. VII. p. 314. 25. T. 114. f. 10. K.
H. nitidus. * Marsh. Ent. Br. I. p. 407. 15.

var. ζ. * Gyllenh. Ins. Sv. I. I. p. 124. 13.
H. mollis. * Marsh. Ent. Br. I. p. 407. 16.

ζ. Tricolor. * Herbst Arch. p. 122. 6.
* Linn. S. Nat. Gmel. I. IV. p. 1943. 13.

η. Picinus. *d*) * Marsh. Ent. Br. I. p. 407. 17.

c) Species recognoscenda, sicut quamplurimæ quibus opus suum ditavit Auctor Entomol. Britann. An multum in eo consecuta sit, alii rem judicio submittimus. Nullas interim in Synonymia Generis insectorum eliminandas esse duxi. Causam haud paucas enodandi libenter mihi suppeditavit amicitia Ill. Gyllenhal, qui ipse de va-

. *Bipunctatus.* * Fabr. S. El. I. p. 254. 26. * Ent. S. I. p. 186. 22. * Mant. I. p. 189. 12. * Sp. Ins. I. p. 290. 10. * S. Ent. p. 229. 9.
* Payk. Fn. Sv. I. p. 188. 14.
* Oliv. Ent. III. 39. p. 16. 13. T. 2. f. 14. a. b.
* Herbst Col. VII. p. 309. 20. T. 114. f. 5. E.
* Panz. Fn. G. LXVII. 14. * Ent. G. I. p. 72. 13.
* Marsh. Ent. Br. I. p. 406. 11.
Chrysom. minuta. * Linn. Fn. Sv. n. 533. * Syst. Nat. I. II. p. 593. 50.
Hydr. minutus. * Illig. Kæf. Pr. I. p. 245. 3.
* Gyllenh. Ins. Sv. I. I. p. 116. 5.
Hydr. chrysomelinus. * Müll. Zool. D. Pr. p. 69. 660.
Hydr. coccinelloides. * Ross. Fn. Etr. I. p. 197. 486. * ed. Hellw. I. p. 228. 486.
Dyt. coccinelloides. * Schrank Enum. p. 199. 373.
Dyt. marginellus. * Herbst Arch. p. 129. 29.
* Linn. S. Nat. Gmel. I. IV. p. 1954. 80.
Mart. Engl. Ent. T. 33. f. 9.
var. β. *Hydr. striatulus.* * Fabr. S. El. I. p. 254. 25.

5. Bipustulatus. * Marsh. Ent. Br. I. p. 406. 13.

– (*Minutus.*) * Fabr. S. El. I. p. 254. 27. — vid. *H. Globulus.* N:o 18. huj. Operis.

7. Pygmæus. * Fabr. S. El. I. p. 254. 28. * Ent. S. I. p. 186. 23.
* Herbst Col. VII. p. 309. 19.

8. Nigriceps. * Fabr. S. El. I. p. 254. 29.
Truncatellus. * Fabr. S. El. I. p. 255. 30.
* Gyllenh. Ins. Sv. I. I. p. 123. 13.
* Illig. Mag. I. p. 65. 3- 4. b.
* Payk. Fn. Sv. I. p. 189. 15.
* Thunb. Ins. Sv. VI. p. 73.
H. dr. parvulus. * Herbst Col. VII. p. 314. 25. T. 114. f. 10. K.
H. nitidus. * Marsh. Ent. Br. I. p. 407. 15.
var. β. * Gyllenh. Ins. Sv. I. I. p. 124. 13.
H. mollis. * Marsh. Ent. Br. I. p. 407. 16.

10. Tricolor. * Herbst Arch. p. 122. 6.
* Linn. S. Nat. Gmel. I. IV. p. 1943. 13.

11. Picinus. *d*) * Marsh. Ent. Br. I. p. 407. 17.

---

c) Species recognoscenda, sicut quamplurimæ quibus opus suum ditavit Auctor Entomol. Britann. An multum in eo consecuta scientia sit, aliorum judicio submittimus. Notas interim in Synonymia Generum Insectorum elimandas esse dixi. Causam hanc primas enodandi feliciter mihi suppeditavit amicitia Ill. Gyllenhal, qui ipse de va-

42. Lutosus. * Marsh. Ent. Br. I. p. 407. 14.

N:o 51. DYTISCUS. Fabr. n. 48. (*Dyticus.* Latr. Illig.)

A) *Scutellati.*

1. ***Latissimus.*** * Fabr. S. El. I. p. 257. 1. * Ent. S. I. p. 187. 1. * Mant. I. p. 189. 1. * Sp. Ins. I. p. 290. 1. * S. Ent. p. 230. 1.
* Linn. Fn. Sv. n. 768. * Syst. Nat. I. II. p. 665. 6. * ed. Gmel. I. IV. p. 1944. 6.
* Illig. Kæf. Pr. I. p. 250. 1.
* Latr. Gen. Cr. & Ins. I. p. 229. 1. ♂. ♀. — Hist. N. d. Cr. & d. Ins. VIII. p. 160.
* Payk. Fn. Sv. I. p. 190. 1.
* Oliv. Ent. III. 40. p. 9. 1. T. 2. f. 8. a—b.
* Panz. Fn. G. LXXXVI. 1. ♂. 2. ♀. * Ent. G. I. p. 73. 1.
* DeGeer Ins. IV. p. 390. 1.
* Cederh. Fn. Ingr. n. 89.
* Müll. Zool. D. Pr. p. 69. 661.
* Goeze Eur. Fn. VIII. p. 723. 1.
Vill. Ent. I. p. 342. 6.
Dyt. amplissimus. * Müll. Zool. D. Pr. p. 69. 662. ♀.
Dyt. anastomozans. * Jacquin Misc. II. p. 386. T. 23. f. 3. a. b. fœmin. forte var.
* Roem. Ins. T. 6. f. 19. ♀.
* Schaeff. Ic. T. 217. f. 1. ♂. 2. ♀.
Harrer Beschr. n. 179. ♂. n. 180. ♀.
Acta Upsal. 1736. p. 14. 1.
Bergstr. Nom. I. T. 5. f. 1. 2. & T. 9. f. 3.
* Sulz. Gesch. d. Ins. T. 6. f. 19. ♀.
* Frisch Ins. II. p. 33. T. 7. f. 1. 2.
Müll. Linn. Nat. Syst. V. I. p. 347. 6.
Borow. Naturg. VI. p. 167. 4.
Bechst. Naturg. I. II. p. 879. 1.
Schrank Fn. Boica. I. p. 708. 995.

2. Limbatus. * Fabr. S. El. I. p. 258. 2. * Ent. S. I. p. 188. 6. * Mant. I. p. 189. 5. * Sp. Ins. I. p. 292. 5. * S. Ent. p. 230. 4.
* Herbst Arch. p. 123. 3. ♂.
* Linn. S. N. Gmel. I. IV. p. 1946. 3.
Dyt. aciculatus. * Oliv. Ent. III. 40. p. 13. 6. ♂. ♀. T. 3. f. 30. a. b.
* Herbst Arch. p. 123. 4. ♀.
* Linn. S. Nat. ed. Gmel. I. IV. p. 1952. 64.

---

riis a D. Kirby, conterraneo Auctoris & Entomologo percelebri, *certior factus*, annotationes suas generose mihi impertivit.



Marginalis. * Fabr. S. El. I. p. 258. 3. Ent. S. I. p. 187. 3. * Mant. I. p. 186. 3. * Sp. Ins. I. p. 291. 3. * S. Ent. p. 230. 2.
* Linn. Fn. Sv. n. 769. ♂. * Syst. Nat. I. II. p. 665. 7. ♂. * ed. Gmel. I. IV. p. 1944. 7. ♂.
* Illig. Kæf. Pr. I. p. 253. 3. var. α. ♂. ♀.
* Latr. Gen. Cr. & Ins. I. p. 230. 2. — Hist. N. d. Cr. & d. Ins. VIII. p. 161. T. 70.
* Payk. Fn. Sv. I. p. 192. 2. ♂. ♀.
* Oliv. Ent. III. 40. p. 10. 3. T. 1. f. 1. a. — d. & f. 6. a.
* Panz. Fn. G. LXXXVI. 3. ♂. 4. ♀. * Ent. G. I. p. 73. 2.
* O. Fabr. Fn. Grœnl. p. 189. 138. ♂.?
* Cederh. Fn. Ingr. n. 90.
* Preysl. Böhm. Ins. I. p. 19. 15.
* Marsh. Ent. Br. I. p. 411. 1.
* Fisch. Naturg. v. Livl. p. 137. 287. ?
* Petagn. Ins. Cal. p. 24. 115.
* Scop. Carn. n. 294. ♂.
* Müll. Zool. D. Pr. p. 70. 663. ♂.
* Ross. Fn. Etr. I. p. 198. 488. * ed. Hellw. I. p. 229. 488.
* Brahm Ins. Kal. I. p. 212. 715. ♂.
* Schwartz Nom. I. p. 30. 13.
* Goeze Eur. Fn. VIII. p. 725. 2.
* Barb. Gen. Ins. p. 75. T. 6. Gen. 24. 2.
Müll. Fn. Fridr. p. 10. 186. ♂.
Fuessl. n. Mag. III. II. p. 134. ♂.
Fourcr. Ent. Par. I. p. 66. 2.
Vill. Ent. I. p. 343. 7.
Bergstr. Nom. T. I. f. 1. 2. & T. 6. f. 1. ♂. f. 2. ♀.
Dyt. toto marginalis. * DeGeer Ins. IV. p. 391. 2. T. 16. f. 1. 2.
* Geoffr. Ins. I. p. 187. 3. T. 3. f. 2. ♀.
* Roes. Ins. II. Aquat. 1. T. 1. f. 1 — 7. Larva. f. 8. Pupa. f. 9. ♂. f. 10. 11. ♀.
* Schæff. Ic. T. 8. f. 8. ♂. f. 7. ♀.
* Sulz. Kennz. T. 6. f. 42. ♂.
Meiding. Nom. p. 138. 7. ♂. n. 8. ♀.
Naturf. VII. p. 99. IX. p. 66. ♂. ♀.
Harrer Beschr. I. p. 112. n. 181. ♂. p. 113. 182. ♀.
Onomat. Hist. N. III. p. 691. ♂. p. 704. ♀.
List. Goed. App. T. 6. f. 5. — List. Mut. T. 5. f. 2.
Aldr. Ins. 707. ♂.
Seba Thes. IV. p. 89. T. 88. f. 25.
Mouff. Ins. p. 164. Append. Tab. 1.
Ray Ins. p. 93. n. 1. ♂. p. 94. n. 2. ♀.

Poda Mus. Græc. p. 43. ♂.
Müll. Linn. Nat. S. V. I. p. 344. 7. T. 4. f. 6. 7. ♂. p. 347. 8. ♀.
Bechst. Naturg. I. II. p. 879. 2.
Schmiedl. Einl. it. 242.
Bocks Naturg. V. p. 45. 28.
Less. Theol. 273.
Schrank Fn. Boic. I. p. 709. 996.
Donov. Brit. Ins. T. 161.
Mart. Engl. Ent. T. 34. f. 25. 26.
Leske Naturg. I. p. 471. 3. ♀.
Borowsk. Naturg. VI. p. 166. 12. T. 25. f. 2. ♀.
Pontopp. D. Atl. I. p. 441. n. 8. ♀.
Bradl. Nat. T. 26. f. 2.

Dyt. semistriatus. * Linn. Fn. Sv. n. 772. ♀. Syst. Nat. I. II. p. 665. 8. ♀. ° ed. Gmel. I. IV. p. 1941. 8. ♀.
* Blumenb. Handb. ed. 3:a p. 334. 2. ♀.
* Müll. Zool. D. Pr. p. 70. 665. ♀.
* Brahm Ins. Kal. I. p. 212. 716. ♀.
* Schrank En. Ins. Austr. p. 200. 374. ♀.
Müll. Fn. Fr. p. 19. 188. ♀.
Fourcr. Ent. Par. I. p. 67. 3.
Vill. Ent. I. p. 344. 8.

4. Circumflexus. *Fabr. S. El. I. p. 258. 4.
* Illig. Mag. I. p. 370. 4. * III. p. 155. 2.
Dyt. flavoscutellatus. * Latr. Gen. Cr. & Ins. I. p. 231. *Obs.* 3. — Hist. Nat. d. Cr. & d. Ins. VIII. p. 162.

5. *Lapponicus.* Gyllenh. Ins. Sv.

6. *Dimidiatus.* Bergstr. Nom. T. 7. f. 1.
° Illig. Mag. III. p. 155. 3.
* Schneid. Mag. p. 365. 1.

7. *Punctulatus.* * Fabr. S. El. I. p. 259. 5. * Ent. S. I. p. 188. 4. ° Mant. I. p. 189. 4. * Sp. Ins. I. p. 292. 4. * Gen. Ins. Mant. p. 238. 3—4.
* Illig. Mag. I. p. 67. 3—4.
* Latr. Gen. Cr. & Ins. I. p. 230. *Obs.* 1.
° Payk. Fn. Sv. I. p. 193. 3.
* Marsh. Ent. Br. I. p. 412. 2.
° Panz. Ent. G. I. p. 73. 3.
* Ross. Fn. Etr. I. p. 198. 487. ° ed. Hellw. I. p. 229. 487.
* Goeze Eur. Fn. VIII. p. 736. 3.
° Linn. S. Nat. Gmel. I. IV. p. 1945. 2.
Dyt. punctatus. ° Oliv. Ent. III. 40. p. 12. 4. T. 1. f. 6. b. & f. 1. e.

Dyt. marginalis var. β. * Illig. Kæf. Pr. I. p. 253. 3.
Dyt. lateralimarginalis. * DeGeer Ins. IV. p. 396. 3.
Dyt. porcatus. * Thunb. Ins. Sv. p. 74. ♀.
Dyt. Frischii. * Schneid. Mag. p. 365. 2.
Dyt. semisulcatus. * Müll. Zool. D. Pr. p. 70. 666. ♀.
Bergstr. Nom. T. 8. f. 6. 7.
* Frisch Ins. II. p. 35. T. 7. f. 4. ♀.
* Geoffr. Ins. I. p. 186. 2. ♂.
Schrank Fn. Boica. I. p. 710. 997. — p. 711. 798.
Mart. Engl. Ent. T. 34. f. 24.

8. Immarginatus. * Fabr. S. El. I. p. 259. 6. * Ent. S. IV. App. p. 414. 4—5.

9. Roeselii. * Fabr. S. El. I. p. 259. 7. * Ent. S. I. p. 188. 5.
* Illig. Kæf. Pr. I. p. 251. 2. ♂. ♀. * Mag. I. p. 67. 2. * III. p. 155. 5.
* Oliv. Ent. III. 40. p. 13. 5. T. 3. f. 21. a. b.
* Panz. Ent. G. I. p. 74. 4.
* Schneid. Mag. p. 365.
* Hoppe En. Ins. El. I. p. 31. (obs. erron.)
Dyt. dispar. * Ross. Fn. Etr. I. p. 199. 489. * ed. Hellw. I. p. 230. 489.
Dyt. dissimilis. * Ross. Mant. I. p. 66. 161. * ed. Hellw. I. p. 411. 161.
Dyt. glaber. Bergstr. Nom. T. 6. f. 4. 5. T. 8. f. 4. T. 9. f. 2.
Dyt. virens. * Müll. Zoll. D. Pr. p. 70. 664.
Dyt. virescens. * Linn. S. Nat. Gmel. I. IV. p. 1958. 119. ♂.
Dyt. intricatus. * Schall. Acta Hal. I. p. 311. ♀.
* Linn. S. Nat. Gmel. I. IV. p. 1952. 60.
Dyt. punctulatus * Schwartz Nom. I. p. 34. 14.
* Roes. Ins. II. Aquat. I. T. 2. f. 1—5.
* Leske Mus. p. 35. 778. T. 1. f. 778. ♂.

10. Atratus. * Fabr. S. El. I. p. 259. 8.

11. Costalis. * Oliv. Ent. III. 40. p. 9. 2. T. 1. f. 7.

12. Costalis. * Fabr. S. El. I. p. 259. 9. * Ent. S. I. p. 187. 2.
* Mant. I. p. 189. 2. * Sp. Ins. I. p. 291. 2.
* S. Ent. p. 230. 2.
* Linn. S. Nat. Gmel. I. IV. p. 1944. 1.

13. Lateralis. * Fabr. S. El. I. p. 260. 10. * Suppl. p. 64. 6—7.
Dyt. tripunctatus. * Oliv. Ent. III. 40. p. 14. 8. T. 3. f. 24.

14. Lævigatus. * Fabr. S. El. I. p. 260. 11.
* Oliv. Ent. III. 40. p. 14. 7. T. 3. f. 23.

15. Latus. * Fabr. S. El. I. p. 260. 12.
16. Ruficollis. * Fabr. S. El. I. p. 261. 13. * Ent. S. I. p. 189. 7. * Mant. I. p. 189. 6.
* Oliv. Ent. III. 40. p. 15. 9. T. 2. f. 10.
— Dict. Ins. *Dytique* n. 8.
* Linn. S. Nat. Gmel. I. IV. p. 1946. 4.
17. *Sulcatus.* * Fabr. S. El. I. p. 261. 14. * Ent. S. I. p. 189. 8. * Mant. I. p. 190. 7. * Sp. Ins. I. p. 292. 6. * S. Ent. p. 231. 6.
* Linn. Fn. Sv. n. 778. ♀. * Syst. Nat. I. II. p. 666. 13. ♀. * ed. Gmel. I. IV. p. 1947. 13. ♀.
* Illig. Kæf. Pr. I. p. 254. 4.
* Oliv. Ent. III. 40. p. 16. 10. T. 4. f. 31. a. b. ♂. ♀.
* Payk. Fn. Sv. I. p. 195. 4.
* Panz. Fn. G. XXXI. 9. ♂. 10. ♀. * Ent. G. I. p. 74. 5.
* Ross. Fn. Etr. I. p. 200. 491. ♀. * ed. Hellw. I. p. 232. 491. ♀.
* Goeze Eur. Fn. VIII. p. 339. 4.
* Cederh. Fn. Ingr. n. 91.
* Schrank En. Ins. Austr. p. 201. 376. ♀. — Fn. Boica. I. p. 711. 999.
* Schwartz Nom. I. p. 36. 15.
Vill. Ent. I. p. 345. 12.
Fourcr. Ent. Par. I. p. 67. 5.
Müll. Fn. Fr. p. 19. 189.
Naturf. IX. p. 66. ♀.
Dyt. cinereus. * Ross. Fn. Etr. I. p. 200. 490. ♂. * ed. Hellw. I. p. 232. 490. ♂.
* Marsh. Ent. Br. I. p. 413. 3. ♂. ♀.
* Schrank En. Ins. Austr. p. 200. 375. ♂.
* Müll. Zoll. D. Pr. p. 70. 667.
Naturf. IX. p. 66. ♂.
Dyt. punctatus. * Scop. Carn. n. 295.
Dyt. Scopolii. * Linn. S. Nat. Gmel. I. IV. p. 1954. 85.
Dyt. fasciatus. * DeGeer Ins. IV. p. 397. 4.
Bergstr. Nom. T. 5. f. 3. ♂. f. 4. 5. ♀.
* Roes. Ins. II. Aquat. I. T. 3. f. 6. 7. 8. ♂. ♀.
* Geoffr. Ins. I. p. 188. 4. ♂. p. 189. 5. ♀.
* Schæff. Ic. T. 90. f. 7. ♂. T. 3. f. 3. ♀.
* Schæff. Elem. T. 59. ♂.
* Barb. Gen. Ins. Tab. 6. fig. ultim.
* Frisch. Ins. XIII. p. 13. 8. T. 7. f. 1. 2. ♀.
Bradl. Nat. T. 26. f. 2. a.
Onomat. Hist. Nat. III. p. 705.
Mart. Engl. Ent. T. 32. f. 7. ♂. f. 8. ♀.
Donov. Brit. Ins. T. 68. f. 5.



Harrer. Beschr. n. 183. ♂. ♀.
Bechst. Naturgesch. I. II. p. 880. 3.
Müll. Linn. Nat. S. V. I. p. 349. 13. ♀.
Barowsk. Naturg. VI p. 167. 3. T. 25. f. 3. 4. ♂. ♀.
Acta Nidr. IV. 25. T. 16. f. 11.
Meiding. Nom. p. 138. 13.

18. Fasciatus. * Fabr. S. El. I. p. 261. 15. * Ent. S. I. p. 189. 9. * Mant. I. p. 190. 8. * Sp. Ins. I. p. 293. 7. * S. Ent. App. p. 825.
* Oliv. Ent. III. 40. p. 18. 12. T. 2. f. 19.
* Linn. S. Nat. Gmel. I. IV. p. 1947. 28.

19. Festivus. * Illig. Mag. I. p. 166. 3.

20. *Striatus.* * Fabr. S. El. I. p. 261. 16. * Ent. S. I. p. 189. 10. * Mant. I. p. 190. 9. * Sp. Ins. I. p. 293. 8. * S. Ent. p. 231. 7.
* Payk. Fn. Sv. I. p. 202. 11.
* Cederh. Fn. Ingr. n. 92.
* Panz. Ent. Germ. I. p. 74. 6.
* Linn. S. Nat. Gmel. I. IV. p. 1946. 9.
Dyt. fuscus. * Linn. S. Nat. I. II. p. 665. 10. ? * ed. Gmel. I. IV. p. 1946. 10.
° Geoffr. Ins. I. p. 185. 1.

21. *Fuscus.* ° Fabr. S. El. I. p. 261. 17. * Ent. S. I. p. 189. 11.
° Payk. Fn. Sv. I. p. 203. 12.
° Thunb. Ins. Sv. VI. p. 74.
° Cederh. Fn. Ingr. n. 93.
* Panz. Ent. Germ. I. p. 74. 7.
Dyt. striatus. * Linn. Fn. Sv. n. 770. * Syst. Nat. I. II. p. 665. 9.
° Illig. Kæf. Pr. I. p. 257. 7. * Mag. I. p. 69. 7.
° Oliv. Ent. III. 40. p. 18. 13. T. 2. f. 20.
* Panz. Fn. G. LXXXVI. 5. ♂.
* Ross. Fn. Etr. I. p. 201. 494. * ed. Hellw. I. p. 233. 494.
° Marsh. Ent. Br. I. p. 414. 4.
Dyt. transverse striatus. * DeGeer Ins. IV. p. 399. 5. T. 15. f. 16.
Mart. Engl. Ent. T. 34. f. 27.

Dyt. bicarinatus. * Payk. Fn. Sv. I. p. 204. 13.

Linn. * Fabr. S. El. I. p. 262. 18. * Ent. S. I. p. 190. 12. * Mant. I. p. 190. 10. * Sp. Ins. I. p. 293. 10. * S. Ent. p. 231. 8.
* Oliv. Ent. III. 40. p. 19. 14. T. 2. f. 9.
* Linn. S. Nat. Gmel. I. IV. p. 1946. 5.

Cicur. ° Fabr. S. El. I. p. 262. 19.
Dyt. cicurus. ° Fabr. Ent. S. I. p. 190. 13.

Dyt. cicurius. * Fabr. Mant. I. p. 190. 11.
* Linn. S. N. Gmel. I. IV. p. 1946. 24.

25. Vittatus. * Fabr. S. El. I. p. 262. 20. * Ent. S. p. 190. 14. * Mant. I. p. 190. 12. * Sp. In I. p. 293. 10. * S. Ent. App. p. 825. 8—9.
* Oliv. Ent. III. 40. p. 20. 15. T. 1. f. 5.
* Linn. S. N. Gmel. I. IV. p. 1946. 25.

26. *Glaber.* * Forst. Cent. I p. 55. 55.
* Linn. S. N. Gmel. I. IV. p. 1955. 86.

27. *Bilineatus.* e). * Payk. Fn. Sv. I. p. 196. 5.
* DeGeer Ins. IV. p. 400. 6. *a.*
* Linn. S. N. Gmel. I. IV. p. 1957, 115.

28. *Cinereus.* * Fabr. S. El. I. p. 262. 21. * Ent. S. I. p. 19 15. * Mant. I. p. 190. 13. * Sp. Ins. I. 293. 11. * S. Ent. p. 231. 9.
* Linn. Fn. Sv. n. 771. * Syst. Nat. I. II. 666. 11. * ed. Gmel. I. IV. p. 1946. 11.
* Illig. Kæf. Pr. I. p. 256. 5. * Mag. I. p. 68. 5
* Oliv. Ent. III. 40. p. 17. 11. T. 4. f. 32.
— Enc. Meth. VI. p. 309. 10.
* Panz. Fn. G. XXXI. 11. ♀. * Ent. G. I. p. 74.
* Goeze Eur. Fn. VIII. p. 742. 5.
* Cederh. Fn. Ingr. n. 94.
Vill. Ent. I. p. 345. 11.
Dyt. tæniatus. * Ross. Mant. I. p. 69 166. T. fig. P. * ed. Hellw. I. p. 414. 166.
Hœfn. Ins. II. T. 12.
List. Mut. T. 5. f. 1.
Ray Ins. p. 94. 3.

29. *Zonatus.* * Fabr. S. El. I. p. 262. 22.
* Illig. Kæf. Pr. I. p. 25[illegible]. 6. * Mag. I. p. 69.
* Panz. Fn. G. XXXVIII. 13.
* Hoppe En. Ins. p. 33.
Dyt. cinereus. * Payk. Fn. Sv. I. p. 197. 6.

30. Unifasciatus. * Fabr. S. El. I. p. 263. 23.

31. Sticticus. * Fabr. S. El. I. p. 263. 24. * Ent. S. I. 191. 17. * Mant. I. p. 190. 15. * Sp. Ins. I. 294. 13. * S. Ent. p. 232. 10.
* Linn. Syst. Nat. I. II. p. 666. 12. * ed. Gme I. IV. p. 1947. 12.
* Oliv. Ent. III. 40. p. 21. 17. T. 2. f. 11.

va

---

e) Minime *Dyt. zonatus* ut autumat Cl Illiger; at vere distinctus es præsertim elytris depressioribus, versusque medium magis dilatatis



var. β. *Dyt. griseus.* * Fabr. S. El. I. p. 263. 25. * Ent. S. I. p. 191. 16. * Mant. I. p. 190. 14. * Sp. Ins. I. p. 293. 12.
* Oliv. Ent. III. 40. p. 20. 16. T. 2. f. 12.
* Linn. S. N. Gmel. I. IV. p. 1947. 26.

2. Decempunctatus. * Fabr. S. El. I. p. 263. 26. * Ent. S. I. p. 191. 18. * Mant. I. p. 190. 16. * Sp. Ins. I. p. 294. 14. * S. Ent. p. 232. 11.
* Linn. S. N. Gmel. I. IV. p. 1947. 27.

3. *Fuliginosus.* * Fabr. S. El. I. p. 263. 27. * Ent. S. I. p. 191. 19.
* Payk. Fn. Sv. I. p. 210. 19.
* Thunb. Ins. Sv. p. 75.
* Panz. Ent. G. I. p. 74. 9.
Dyt. lacustris. * Fabr. S. El. I. p. 264. 34.
* Illig. Kæf. Pr. I. p. 258. 10.
* Panz. Fn. G. XXXVIII. 14.
Dyt. uliginosus. * Schrank En. Ins. p. 202. 378.
* Thunb. n. Acta Ups. V. p. 114. 48.
Dyt. fœtidus. * Müll. Zool. D. Pr. p. 71. 674.
* Linn. S. N. Gmel. I. IV. p. 1955. 93.
var. β. *Dyt. lacustris.* β. * Illig. Mag. I. p. 70. 10.
Dyt. Hybneri. * Marsh. Ent. Br. I. p. 417. 12.

4. *Carbonarius.* * Fabr. S. El. I. p. 263. 28.
Dyt. bipustulatus. * Illig. Kæf. Pr. I. p. 260. 14.
Dyt. acuductus. * Marsh. Ent. Br. I. p. 416. 8.

5. *Bipustulatus.* * Fabr. S. El. I. p. 263. 29. * Ent. S. I. p. 191. 20. * Mant. I. p. 190. 17. * Sp. Ins. I. p. 294. 15. * S. Ent. p. 232. 12.
* Linn. S. Nat. I. II. p. 667. 17. * ed. Gmel. I. IV. p. 1948. 17.
* Latr. Gen. Cr. & Ins. I. p. 231. 3. — Hist. Nat. d. Cr. & d. Ins. VIII. p. 168.
* Payk. Fn. Sv. I. p. 208. 17.
* Oliv. Ent. III. 40. p. 21. 18. T. 3. f. 26.
* Marsh. Ent. Br. I. p. 415. 7.
* Panz. Ent. G. I. p. 75. 10.
* Müll. Zool. D. Pr. p. 71. 672.
Müll. Linn. Nat. S. V. I. p. 349. 17.
* Goeze Eur. Fn. VIII. p. 744. 6.
* Brahm Ins. Kal. I. p. 116. 400.
* Geoffr. Ins. I. p. 189. 6.
* Schæff. Ic. T. 8. f. 9.
Harrer Beschr. n. 184.
Bechst. Naturg. I. II. p. 880. 4.
Vill. Ent. I. p. 347. 16.
Dyt. luctuosus. Fourcr. Ent. Par. I. p. 67. 6.

36. *Fuscipennis.* * Payk. Fn. Sv. I. p. 209. 18.

37. Cinctus. * Fabr. S. El. I. p. 264. 30. * Ent. S. p. 191. 21. * Mant. I. p. 190. 18. * Sp. I. I. p. 294. 16. * S. Ent. p. 232. 13. * Linn. S. N. ed. Gmel. I. IV. p. 1948. 35.

38. *Bipunctatus.* * Fabr. S. El. I. p. 264. 31. * Ent. I. p. 192. 22. * Mant. I. p. 190. 19. * Illig. Kæf. Pr. I. p. 262. 17. * Payk. Fn. Sv. I. p. 216. 25. * Oliv. Ent. III. 40. p. 22. 20. T. 2. f. 15. * Panz. Fn. G. XCI. 6. * Ent. G. I. p. 75. 11 * Thunb. Ins. Sv. p. 75. * Ross. Mant. I. p. 69. 167. * ed. Hellw. I. 415. 167. * Linn. S. N. ed. Gmel. I. IV. p. 1948. 36. * Marsh. Ent. Br. I. p. 418. 15. *Dyt. nebulosus.* * Forst. Cent. I. p. 56. 56. * Linn. S. N. Gmel. I. IV. p. 1955. 87. Donov. Brit. Ins. T. 303. Mart. Engl. Ent. T. 33. f. 19.

39. Pustulatus. * Ross. Mant. I. p. 68. 164. T. 5. f. * ed. Hellw. I. p. 413. 164.

40. *Serricornis.* * Payk. Fn. Sv. III. App. p. 443. 16. * Acta Holm. 1799. p. 49.

41. *Sturmii.* * Nov. Sp. *f*).

42. *Fenestratus.* * Fabr. S. El. I. p. 264. 32. * Ent. S. p. 192. 23. * Mant. I. p. 190. 20. * Sp. I. I. p. 294. 17.

---

f) DYTISCUS STURMII: ovatus niger, subtilissime reticulato-ru gosus, antennis, pedibus, thoracis elytrorumque lateribus ferrugin Habitat in Sveciæ aquis passim; etjam a D. *Sturm* Norimber missus, nomine *D. umbrinus.*

Medius, *Dyt. serricorni* fœmina fere æqualis et similis, sed b vior, minus convexus. Caput porrectum nigrum, antice truncatu obtuse angulatum, punctis duobus verticis ferrugineis; superficies ta capitis, thoracis et elytrorum, lineolis subtilissimis creberri confluentibus reticulata; Labrum late emarginatum et os pallide f ruginea. Antennæ thorace paulo longiores obscurius ferrugine Thorax brevis transversus, antice late emarginatus, angulis porrec acutis, postice subsinuatus, supra modice convexus, disco niger tridus lateribus late ferrugineis; intra basin et apicem linea tra versa e punctis parvis obsoletis impressis. Scutellum parvum tria gulare piceum. Elytra magna ovata, lateribus dilatata, apice su acuminata, supra parum convexa, fusco-brunnea, lateribus late determinate ferrugineis; præter lineolas reticulatas supra memorata in singulo elytro striæ tres obsoletissimæ e punctis minutis impr sis. Corpus nigro-piceum subtilissime strigulosum, segmentoru marginibus anoque ferrugineis. Pedes ferruginei, femoribus, pr sertim posticis, basi et subtus obscurioribus. GYLLENHAL.



* Oliv. Ent. III. 40. p. 24. 21. T. 3. f. 27. b.
* Panz. Ent. G. I. p. 75. 12.
* Marsh. Ent. Br. I. p. 416. 10.
* Linn. S. Nat. Gmel. I. IV. p. 1949. 37.
Dyt. ciliatus. Oliv. Dict. Ins. *Dytique* n. 23.
Dyt. æneus. * Illig. Kæf. Pr. I. p. 259. 12. β.
Dyt. fenestrat. var. * Payk. Fn. Sv. I. p. 207. 16. *var.* β. *Dyt. æneus.* * Illig. Kæf. Pr. I. p. 259. 12. α.
* Panz. Fn. G. XXXVIII. 16.
Dyt. ciliatus. Oliv. Dict. Ins. *Dytique.* n. 23.
Dyt. concinnus. * Marsh. Ent. Br. I. p. 427. 38. var. forte.
Chalconatus. g). * Panz. Fn. G. XXXVIII. 17.
Illig. Kæf. Pr. I. p. 260. 13.
Dyt. bipustulatus. * Herbst Arch. p. 124. 10. forte.
Dyt. nigro-æneus. * Marsh. Ent. Br. I. p. 428. 41. ?
Dyt. immaculatus. * Schrank En. Ins. p. 201. 377. ?
Ater. * Fabr. S. El. I. p. 264. 33.
* Illig. Kæf. Pr. I. p. 259. 11.
* Panz. Fn. G. XXXVIII. 15.
* DeGeer Ins. IV. p. 401. 8.
Dyt. fenestratus. * Payk. Fn. Sv. I. p. 207. 16.
* Oliv. Ent. III. 40. p. 23. 21. var. T. 3. f. 27. a.
* Thunb. Ins. Sv. p. 75.
* Thunb. n. Acta Ups. V. p. 115. 49.
* Ross. Fn. Etr. I. p. 201. 493.? * ed. Hellw. I. p. 233. 493.
Dyt. obscurus. * Marsh. Ent. Br. I. p. 414. 5.
Dyt. bipustulatus. var. major β. * Ross. Mant. I. p. 66. 162. * ed. Hellw. I. p. 411. 162.
Latreus. * Payk. Fn. Sv. I. p. 217. 27.
Guttatus. * Payk. Fn. Sv. I. p. 211. 20.
Dyt. fenestratus. * Panz. Fn. G. XC. 1. * Kr. Rev. der Ins. Fn. I. p. 55.
Dyt. picinus. * Marsh. Ent. Br. I. p. 428. 42. ? teste D. *Kirby.*
Guttulus. (*Dyt. guttatus.*) * Illig. Mag. I. p. 72. n. 19–20. & II. p. 297.
Affinis. * Payk. Fn. Sv. I. p. 211. 21.
Biguttatus. * Oliv. Ent. III. 40. p. 26. 25. T. 4. f. 36. (*Lacustris.*) * Fabr. S. El. I. p. 264. 34. — vid. *D. fuliginosus.* n. 33. huj. Op.
Hybneri. * Fabr. S. El. I. p. 265. 35. * Ent. S. I. p. 192. 24. * Mant. I. p. 190. 21.

---

a) An varietas *Dyt. fenestrati* Fabr. ?

* Illig. Kæf. Pr I. p. 258. 9.
* Payk. Fn. Sv. I. p. 205. 14.
* Oliv. Ent. III. 40. p. 24. 22. T. 4. f. 33.
* Panz. Ent. G. I. p. 75. 13.
* Ross. Mant. I. p. 68. 165. * ed. Hellw. I. p. 414
* Linn. S. Nat. Gmel. I. IV. p. 1949. 38.
Dyt. semi-niger. * DeGeer Ins. IV. p. 401. 7
* Linn. S. N. Gmel. I. IV. p. 1957. 1
Dyt. bistriatus. Bergstr. Nom. T. 8. f. 5.
Dyt. cinctus. * Müll. Zool. D. Pr. p. 71. 669
Dyt. Danicus. * Linn. Syst. Nat. Gmel. I. I
1955. 89. ?
Dyt. parapleurus. * Marsh. Ent. Br. I. p. 42

51. Nitidus. * Fabr. S. El. I. p. 265. 36.

52. Stagnalis. * Fabr. S. El. I. p. 265. 37. * Ent. S. I. p
25. * Mant. I. p. 191. 22.
* Illig. Mag. I. p. 70. n. 7—8.
* Panz. Fn. G. XCI. 7. * Ent. G. I. p. 75. 14.
* Linn. S. Nat. Gmel. I. IV. p. 1949. 39.

53. *Transversalis.* * Fabr. S. El. I. p. 265. 38. * Ent
I. p. 192. 26. * Mant. I. p. 191. 23.
Ins. I. p. 294. 18.
* Illig. Kæl. Pr. I. p. 257. 8.
* Payk. Fn. Sv. I. p. 206. 15.
* Oliv. Ent. III. 40. p. 24. 23. T. 3. f. 22.
* Panz. Fn. G. LXXXVI. 6. ♀. * Ent.
p. 75. 17.
* Herbst Arch. p. 123. 7.
* Ross. Mant. I. p. 68. 163. * ed. Hellw.
413. 163.
Bergstr. Nom. I. p. 36. n. 6. T. 5. f. 6.
* Müll. Zool. D. Pr. p. 71. 668.
* Goeze Eur. Fn. VIII. p. 746. 8.
Bechst. Naturg. I. II. p. 280. 5.
* Brahm Ins. Kal. I. p. 116. 402.
* Linn. S. Nat. Gmel. I. IV. p. 1949. 40.
Pontopp. Dan. Atl. I. T. 29. * Nachricht
209. 14. T. 16.

54. Leander. * Ross. Fn. Etr. I. p. 202. 495.
Hellw. I. p. 234. 495.
* Oliv. Ent. III. 40. p. 22. 19. T. 3. f. 25.

55. Calidus. * Fabr. S. El. I. p. 265. 39. * Ent. S. I. p. 19

56. *Abbreviatus.* * Fabr. S. El. I. p. 265. 40. * Ent.
p. 193. 29. * Mant. I. p. 191. 25.
* Illig. Kæf. Pr. I. p. 263. 19.
* Payk. Fn. Sv. I. p. 217. 26.
* Panz. Fn. G. XIV. 1. * Ent. G. I. p. 76.



* Oliv. Ent. III. 40. p. 26. 27. T. 4. f. 38.
* Cederh. Fn. Ingr. n. 95.
* Linn. S. N. Gmel. I. IV. p. 1949. 42.
Dyt. undulatus. * Herbst Arch. p. 125. 11.
* Schrank En. Ins. p. 202. 379. — Beytr. p. 70. 18.
var. β. * Illig. Kæf. Pr. l. c.
Dyt. didymus. * Oliv. Ent. III. 40. p. 26. 26. T. 4. f. 37.

§§. *Maculatus.* * Fabr. S. El. I. p. 266. 45. * Ent. S. I. p. 194. 34. * Mant. I. p. 191. 30. * Sp. Ins. I. p. 295. 23. * S. Ent. p. 233. 17.
* Linn. Fn. Sv. n. 777. * Syst. Nat. I. II. p. 666. 15. * ed. Gmel. I. IV. p. 1948. 15.
* Illig. Kæf. Pr. I. p. 262. 18.
* Payk. Fn. Sv. I. p. 219. 28. α. β.
* Oliv. Ent. III. 40. p. 27. 29. T. 2. f. 16.
* Panz. Ent. G. I. p. 77. 23.
* Marsh. Ent. Br. I. p. 418. 14.
Vill. Ent. I. p. 346. 14.
Bergstr. Nom. I. 8. 45. 13. T. 8. f. 13.
Dyt. ornatus. * Herbst Arch. p. 125. 15. T. 28. b. fig. B.
* Linn. S. Nat. Gmel. I. IV. p. 1953. 67.
* Uddm. Diss. n. 43.
Mart. Engl. Ent. T. 33. f. 18.
var. β. ♀ Payk. Fn. Sv. I. c. var. γ.
* Illig. Kæf. Pr. I. c. var. β.
Dyt. inæqualis. * Panz. Fn. G. XIV. 8.
* Marsh. Ent. Br. I. p. 417. 11.

§§ Castaneus. Nov. Sp. *h*).

---

h) DYTISCUS CASTANEUS: ovatus lævissimus, supra dilute castaneus, subtus brunneus, elytris striis tribus punctatis obsoletis.

Habitat in Barbariæ aquis. Dom. *de Paykull.*

Magnitudo et statura *D. maculati* et ejus varietati pallidæ similis. Caput magnum porrectum ferrugineo-castaneum lævе nitidum, antice truncatum, supra os punctis duobus remotis impressis; oculi depressi glaucescentes. Antennæ ferrugineæ, vix thoracе longiores. Thorax brevis transversus, antice late emarginatus, angulis porrectis acutis, supra modice convexus, ferrugineo-castaneus lævissimus, intra margines undique linea punctata obsoleta notatus. Scutellum parvum triangulare concolor. Elytra ovata, antice thorace paulo latiora, versus apicem attenuata, apice rotundata, supra modice convexa, saturatius castanea nitida lævissima, striis tribus disco e punctis obsoletis inordinatis impressis. Corpus totum subtus brunneum seu nigro-piceum, ano dilutiore. Pedes quatuor antice ferruginei, femorum basi subtus brunnea; postici longiores nigro-brunnei, spinis et ciliis ferrugineis.

GYLLENHAL.

59. *Uliginosus.* * Fabr. S. El. I. p. 266. 41. * Ent. S. I. p. 194. 31. * Mant. I. p. 191. 28. * Sp. Ins. I. p. 295. 21. * S. Ent. p. 232. 15.
* Linn. Fn. Sv. n. 776. * Syst. Nat. I. II. p. 667. 20. * ed. Gmel. I. IV. p. 1950. 20.
* Illig. Mag. I. p. 74. 19—20.
* Payk. Fn. Sv. I. p. 212. 22.
* Panz. Ent. G. I. p. 77. 21.
* Ross. Mant. I. p. 69. 167. 2. * ed. Hellw. I. p. 416. 167. 2.
* Müll. Zool. D. Pr. p. 71. 675.
* Marsh. Ent. Br. I. p. 416. 9. ?
Vill. Ent. I. p. 348. 19.
Mart. Engl. Ent. T. 32. f. 2. & 5.

60. *Femoralis.* * Payk. Fn. Sv. I. p. 215. 24.
Dyt. labialus. * Brahm Ins. Kal. I. p. 27. 94. ?

— (*Paludosus*). * Fabr. S. El. I. p. 266. 42. — vid. *Dyt. congener var.* β. n. 61. huj. Op.

61. *Congener.* * Payk. Fn. Sv. I. p. 214. 23.
* Illig. Mag. I. p. 73. n. 19—20. b.
* Thunb. Ins. Sv. p. 75. ?
var. β. *Dyt. paludosus.* * Fabr. S. El. I. p. 266. 42.
var. γ. *Dyt. congener var.* β. * Payk. Fn. Sv. I. c.
Dyt. politus. * Marsh. Ent. Br. I. p. 419. 16.

62. Irroratus. * Fabr. S. El. I. p. 266. 43. Ent. S. I. p. 194. 32. * Mant. I. p. 191. 21. * Sp. Ins. I. 295. 22. * S. Ent. p. 233. 16.
* Linn. S. N. Gmel. I. IV. p. 1950. 50.

— (*Agilis.*) * Fabr. S. El. I. p. 266. 44. — vid. n. 68. huj. Operis.

— (*Maculatus*. * Fabr. S. El. I. p. 266. 45. vid. n. 57. huj. Op.

63. Brunneus. * Fabr. S. El. I. p. 266. 46. * Suppl. p. 64. n. 34—35.

— (*Erythrocephalus*). * Fabr. S. El. I. p. 267. 47. vide *Hyphydr. erythrocephalus.* n. 27. huj. Op.

64. Varius. * Fabr. S. El. I. p. 267. 48. * Ent. S. I. p. 195. 37 * Mant. I. p. 192. 33. * Sp. Ins. I. p. 295. 25. * S. Ent. p. 232. 19.
* Oliv. Ent. III. 40. p. 28. 30. T. 2. f. 17.
* Illig. Mag. I. p. 372. 48.
* Linn. S. Nat. Gmel. I. IV. p. 1947. 30.

65. Interrogationis. * Fabr. S. El. I. p. 267. 49. (thorace rufo "*lege*" thorace nigro.)

66. Conspersus. * Marsh. Ent. Br. I. p. 427. 37.

67. *Notatus.* * Fabr. S. El. I. p. 267. 50. * Ent. S. I. p.



195. 38. * Mant. I. p. 192. 34. * Sp. Ins. I. p. 296. 26. ?
* Illig. Kæf. Pr. I. p. 261. 15. * Mag. I. p. 71. 15. & V. p. 225. 50.
* Payk. Fn. Sv. I. p. 198. 7.
* Oliv. Ent. III. 40. p. 29. 32. T. 5. f. 47.
* Panz. Ent. Germ. I. p. 78. 27.
* Thunb. Ins. Sv. p. 74.
* Linn. S. Nat. Gmel. I. IV. p. 1948. 31.
Bergstr. Nom. I. T. 5. f. 10.
Dyt. *punctatus.* * Hoppe En. Ins. Elytr. p. 32.
Dyt. *frontalis.* * Marsh. Ent. Br. I. p. 425. 33.
Dyt. *collaris var.* * Marsh. Ent. Br. I. p. 415. 6.
Dyt. *foridus.* * Müll. Zoll. D. Pr. p. 72. 771.
* Linn. S. N. ed. Gmel. I. IV. p. 1956. 98.
* Schaeff. Ic. T. 8. f. 10.
Harrer Beschr. n. 183.
Agilis. * Fabr. S. El. I. p. 266. 44. * Ent. S. I. p. 194. 33.
* Payk. Fn. Sv. I. p. 199. 8.
* Panz. Fn. G. XC. 2. ♂. * Ent. G. I. p. 77. 22.
* Thunb. Ins. Sv. p. 74.
Dyt. *bilineatus var.* β. * DeGeer Ins. IV. p. 400. 6.
Aspersus. * Fabr. S. El. I. p. 267. 51.
* Illig. Kæf. Pr. I. p. 261. 16. ? * Mag. I. p. 71. 16. ?
* Panz. Fn. G. XXXVIII. 18. ?
Dyt. *collaris.* * Payk. Fn. Sv. I. p. 200. 9. ?
* Marsh. Ent. Br. I. p. 415. 6. ?
Dyt. *oculatus.* * Herbst Arch. p. 125. 13. ?
* Linn. S. Nat. Gmel. I. IV. p. 1953. n. 66.
* Brahm. Ins. Kal. I. p. 22. 79.
Arcticus. * Payk. Fn. Sv. I. p. 201. 10.
Elongatus. * Illig. Mag. I. p. 72. 17–18.
Hæmorrhoidalis. * Fabr. S. El. I. p. 268. 52. * Suppl. p. 64. 38–39.
Bicolor. * Fabr. S. El. I. p. 268. 53. * Ent. S. I. p. 195. 39.
Fasciatus. * Fabr. S. El. I. p. 268. 54.
* Illig. Mag. I. p. 373. 54.
var. β. * Illig. Mag. V. p. 225. *Elytra tota nigra.*
Reticollis. * Schall. Acta Hal. I. p. 313.
Dyt. *Schalleri.* * Linn. S. Nat. Gmel. I. IV. p. 1952. 62.
Simplex. * Herbst Arch. p. 127. 24.
* Linn. S. N. Gmel. I. IV. p. 1953. 75.
Scoletus. * Forst. Cent. I. p. 57. 57.
* Linn. S. N. Gmel. I. IV. p. 1955. 88.

B). *Exscutellati*.*).

78. *Minutus*. * Fabr. S. El. I. p. 272. 78. * Ent. S. p. 200. 63. * Mant. I. p. 193. 51. * Sp. Ins. p. 297. 36. * S. Ent. p. 234. 26.
* Linn. Fn. Sv. n. 778. ? * Syst. Nat. I. II. p. 66 23. ? * ed. Gmel. I. IV. p. 1951. 23.
* Illig. Kæf. Pr. I. p. 264. 20. var. β.
* Payk. Fn. Sv. I. p. 229. 40.
* Marsh. Ent. Br. I. p. 419. 18.
* Panz. Ent. G. I. p. 81. 47.
* Müll. Illig. Mag. IV. p. 212.
* Goeze Eur. Fn. VIII. p. 747. 9.
Müll. Linn. Nat. Syst. V. I. p. 351. 23.
Mart. Engl. Ent. T. 13. f. 13.
var. β. * Illig. Kæf. Pr. I. p. 264. 20. a. * Mag. p. 75. 20.
Dyt. obscurus. * Panz. Fn. G. XXVI. 3. * En G. I. p. 77. 24.
D. variolosus. * Herbst Arch. p. 128. 26.
* Linn. S. Nat. Gmel. I. IV. p. 1954. 77.
D. virescens. * Brahm Ins. Kal. I. p. 27. 95.
var. γ. *D. interruptus*. * Panz. Fn. G. XXVI. 3. Ent. G. I. p. 80. 43.
D. marmoreus. * Oliv. Ent. III. 40. p. 27. 28. 5. f. 49. a. b.
D. hyalinus. * DeGeer Ins. IV. p. 406. 14. T. f. 21. 22. 23.
* Linn. S. Nat. ed. Gmel. I. IV. p. 1957. 11
var. δ. Illig. Kæf. Pr. I. p. 264. 20. var. γ.
D. gilvus. * Müll. Zool. D. Pr. p. 72. 778.
D. gibbus. * Linn. S. Nat. Gmel. I. IV. 1957. 112.
* Geoffr. Ins. I. p. 191. 11.

79. *Grassicornis*. * Fabr. S. El. I. p. 273. 81. * Ent. S. I. p 201. 66. * Mant. I. p. 193. 52.
* Illig. Kæf. Pr. I. p. 267. 25.
* Latr. Gen. Cr. & Ins. I. p. 232. 4. — Hist. N d. Cr. & d. Ins. VIII. p. 173.
* Payk. Fn. Sv. I. p. 227. 38.
* Oliv. Ent. III. 40. p. 37. 45. T. 4. f. 34. a. b.
* Marsh

*) Cæteri *Dytisci exscutellati* ab Entomologis memorati, quosque exa mini subjicere potui, tarsos quatuor anteriores modo 4-articulate gerunt. Nutu Cl. *Mülleri* (Illig. Mag. IV. p 211.) quoque fultu hos omnes *Hyphydris* adjungere præelegi; reliquos vero, forsan ple rosque ejusdem generis, quorum tamen cognitio me latet, subdivi sione insequenti (C) interim collocavi.

* Marsh. Ent. Br. I. p. 420. 20.
* Panz. Ent. G. I. p. 81. 48.
* Müll. Illig. Mag. IV. p. 212.
* Müll. Zool. D. Pr. p. 72. 779.
* Linn. S. Nat. Gmel. I. IV. p. 1951. 56.
Dyt. capricornis. * Herbst Arch. p. 128. 25. T. 28. b. fig. C. b. c.
* Linn. S. Nat. Gmel. I. IV. p. 1954. 76.
Dyt. clavicornis. * DeGeer Ins. IV. p. 402. 10.
* Herbst Arch. p. 125. 18.
* Geoffr. Ins. I. p. 193. 15.

C) *dubiæ.*

Ovatus. * Fabr. S. El. I. p. 269. 60. * Ent. S. I. p. 196. 45. * Mant. I. p. 192. 39. * Sp. Ins. I. p. 296. 30. * S. Ent. p. 233. 22.
* Cederh. Fn. Ingr. n. 99.
* Panz. Ent. G. I. p. 78. 30.
* Linn. S. Nat. Gmel. I. IV. p. 1950. 18.

Ignatus. * Fabr. S. El. I. p. 270. 63. * Ent. S. I. p. 197. 49. * Mant. I. p. 192. 43. * Sp. Ins. I. p. 296. 32. * S. Ent. p. 234. 23.
* Linn. S. Nat. Gmel. I. IV. p. 1950. 48.

Hopustulatus. * Fabr. S. El. I. p. 270. 65. * Ent. S. I. p. 197. 51.

Semipunctatus. * Fabr. S. El. I. p. 271. 72. * Ent. S. I. p. 199. 58.

Pygmæus. * Fabr. S. El. I. p. 272. 79. * Ent. S. I. p. 200. 64.

Flavipes. * Fabr. S. El. I. p. 273. 82. * Ent. S. I. p. 201. 67.

Pusillus. * Fabr. S. El. I. p. 273. 85. * Ent. S. I. p. 201. 70. * Mant. I. p. 194. 54. * Sp. Ins. I. p. 297. 37.
* Ross. Fn. Etr. I. p. 203. 502. * ed. Hellw. I. p. 235. 502.
* Panz. Ent. G. I. p. 368. 50 -51.
* Linn. S. Nat. Gmel. I. IV. p. 1952. 58.

Parvulus. * Fabr. S. El. I. p. 273. 86. * Ent. S. I. p. 201. 71.

Scaber. * Illig. Käf. Pr. I. p. 266. 23.
Dyt. æquaticus. * Herbst Arch. p. 127. 21.
* Linn. S. Nat. Gmel. I. IV. p. 1953. 72.

Flavipes. * Oliv. Ent. III. 40. p. 38. 47. T. 5. f. 52. a. b.

90. Pygmæus. * Oliv. Ent. III. 40. p. 39. 48. 5. f. 45. a. b.
91. Hyalinus. * Marsh. Ent. Br. I. p. 420. 19.
92. Insulanus. * Herbst Arch. p. 127. 20.
Dyt. insularius. * Linn. S. N. Gmel. I. IV. 1953.
93. Pedicularius. * Herbst Arch. p. 128. 28.
* Linn. S. N. Gmel. I. IV. 1954. 79.
94. Seminulum. * Herbst Arch. p. 129. 30.
* Linn. S. N. Gmel. I. IV. p. 1953. 81.
95. Oblongus. * Herbst Arch. p. 129. 31.
* Linn. S. N. Gmel. I. IV. p. 1953. 82.
96. Dispar. * Herbst Arch. p. 126. 18.
* Linn. S. N. Gmel. I. IV. p. 1953. 69.
97. Piceolus. * Herbst Arch. p. 127. 23.
* Linn. S. N. Gmel. I. IV. p. 1953. 74.

N:o 52. HALIPUS. Latr. n. 106. (*Cnemidotus.* Illig

1. *Ferrugineus.* *k*) *Dyt. ferrugineus.* * Payk. Fn. Sv. p. 234. 48.
* Linn. S. Nat. I. II. p. 666. 16. ? * Gmel. I. IV. p. 1948. 16. ?
* Ross. Fn. Etr. I. p. 203. 500. ? * Hellw. I. p. 235. 500?
var. β. Dyt. fulvus. * Fabr. S. El. I. p. 271. 70.
Dyt. interpunctatus. * Marsh. Ent. Br. I. p. 429.
Dyt. assimilis. * Marsh. Ent. Br. 429. 44. ?
2. *Impressus.* * Latr. Gen. Cr. & Ins. I. p. 234. 2. T. f. 6. — Hist. N. d. Cr. & d. Ins. VIII. p. 1
Dyt. impressus. * Fabr. S. El. I. p. 271. 71. Ent. S. I. p. 199. 57. * Mant. I. p. 193.
* Illig. Kæf. Pr. I. p. 269. 30.
* Payk. Fn. Sv. I. p. 235. 49.
* Oliv. Ent. III. 40. p. 34. 42. T. 4. f. 40. a
* Thunb. Ins. Sv. p. 77.
* Schneid. Mag. p. 367.
* Panz. Fn. G. XIV. 7. * Ent. G. I. p. 79.
* Goeze Eur. Fn. VIII. p. 745. 7.
* Brahm Ins. Kal. I. p. 2 82.
* Linn. S. Nat. Gmel. I. IV. p. 1951. 53.

---

k) Ad mentem Cl. Illig. Mag. I. p. 79. a *Halipo impresso* haud versus esset, quod tamen ipso facto absonum mihi videtur; *ferrugineus* ad minimum penitus dupla magnitudine *H. impresso* antecellit; porroque sunt elytra ejusdem evidentius punctato-stri striis alternis profundioribus.



Dyt. laminatus. * Schall. Acta Hal. I. p. 314.
* Linn. S. N. Gmel. I. IV. p. 1952. 63.
Dyt. ruficollis. * DeGeer Ins. IV. p. 404. 13. T. 16. f. 9. 10.
* Marsh. Ent. Br. I. p. 428. 43.
Dyt. minutus. * Ross. Mant. I. p. 70. 168. * ed. Hellw. I. p. 416. 168.
Donov. Brit. Ins. T. 68. f. 1. 2.
Dyt. curculinus. * Müll. Zool. D. Pr. p. 73. 787.
Dyt. thoracicus. Fourcr. Ent. Par. I. p. 69. 12.
Dyt. ferrugineus. * Schrank En. Ins. p. 204. 383. ?
Dyt. flavicollis. * Marsh. Ent. Br. I. 430. 47. var. parva, pallida.
* Geoffr. Ins. I. p. 191. 12.

3. Marginepunctatus. l) *Dyt. marginepunctatus.* * Panz. Fn. G. XIV. 10. * Ent. G. I. p. 80. 39. * Krit. Rev. d. Ins. Fn. I. p. 58.

4. Lineato-collis. m) *Dyt. lineato-collis.* * Marsh. Ent. Br. I. p. 429. 25.

5. *Obliquus.* * Latr. Gen. Cr. & Ins. I. p. 231. 1. — Hist. N. d. Cr. &. d. Ins. VIII. p. 182.
Dyt. obliquus. * Fabr. S. El. I. p. 270. 69. * Ent. S. I. p. 198. 56. * Mant. I. p. 193. 47.
* Illig. Käf. Pr. I. p. 268. 29. * Mag. I. p. 373. 69.
* Payk. Fn. Sv. I. p. 235. 50.
* Panz. Fn. G. XIV. 6. * Kr. Rev. d. Ins. Fn. I. p. 58. * Ent. G. I. p. 79. 36.
* Linn. S. N. Gmel. I. IV. p. 1951. 52.
Dyt. amoenus. * Oliv. Ent. III. 40. p. 32. 38. T. 5. f. 50. a. b.

6. *Elevatus.* n) *Dyt. elevatus.* * Panz. Fn. G. XIV. 9. * Ent. G. I. p. 81. 41. * Kr. Rev. d. Ins. Fn. I. p. 59.

7. Sparsus. *Dyt. sparsus.* * Marsh. Ent. Br. I. p. 430. 49.

No 53. PÆLOBIUS. Nov. Gen. o).

1. Tardus. *Dyt. tardus.* * Herbst Acta Soc. Berol.

---

l) Forte idem cum præcedenti.

m) Affinis *Halipo impresso*, sed spec. dist.

n) Habitat in Lapponia. D. *Forsström.*

o) Sub distincto quasi genere dubiam speciem hic proponere periculum feci. Etym. a vocibus πηλος *cænum* & βιοω *vivo*, quibus vitæ

Nat. Cur. IV. p. 318. 3. T. 7. f.
*Herbst Arch. p. 124. 8.
Hyphydr. Hermanni. * Latr. Gen. Cr. & Ins. I. 233. T. 6. f. 5.
Hydrachna Hermanni. * Fabr. S. El. I. p. 255.
* Illig. Mag. I. p. 369. 47. & III. p. 7.
* Müll. Illig. Mag. IV. p. 212.
Dyt. Hermanni. * Fabr. Ent. S. I. p. 193. 2
Mant. I. p. 191. 24. * Sp. Ins. I. p. 19. * S. Ent. p. 232. 14.
Latr. Hist. N. d. Cr. & d. Ins. VIII. p.
* Oliv. Ent. III. 40. p. 25. 24. T. 2. f. 14.
* Panz. Ent. G. I. p. 76. 18.
* Marsh. Ent. Br. I. p. 418. 13.
Vill. Ent. I. p. 349. 25.
Mart. Engl. Ent. T. 33. f. 17.

N:o 54. HYPHYDRUS. Illig. *p*) (*Hydrachna* Fabr.

1. *Gibbus.* * Müll. Illig. Mag. IV. p. 211. & p. 212.
Hyphydr. ferrugineus. * Latr. Gen. Cr. & Ins. p. 253. 2.
Hydrachna gibba. Fabr. S. El. I. p. 256. 2.
* Panz. Fn. G. XCI. 5.
Dyt. gibbus. * Fabr. Ent. S. I. p. 193. 30? Mant. I. p. 191. 26? * Sp. Ins. I. p. 2 20? * Gen. Ins. Mant. p. 238. 14—15?
* Panz. Ent. G. I. p. 77. 20?
* Linn. S. N. Gmel. I. IV. p. 1949. 43?
Dyt. ovatus. * Linn. Fn. Sv. p. 547. n. 228:
* Syst. Nat. I. II. p. 667. 18?

---

genus Insecti indicatur. Habitu & numero 5-nario articulorum t sorum pedum omnium a veris *Hyphydris* reapse discrepat. Gen næ quidem ejus notæ characteristicæ adhuc mihi latent; a *Dyti* tamen æque alienum suspicor quam capite exserto, corpore gibbosi & indole ab eis differre videtur, si modo animalculum a Cl. Her in Act. Soc. Bar. N. C. quondam illustratum animadvertimus. Fa elytra lævia descripsit quæ in *Dyt. tardo* Herbsti evidentissi punctulata sunt (wie narbigtes Leder). An igitur idem? Mirum sa Cl. Latreille, suum ad *Hyphydros* iterum reduxisset, quamvis oli & merito, a ceteris speciebus disjunxerit.

p) Ad conditiones quas tulit Cl. Illig. Mag. I. p. 299. loco nomi *Hydrachna*, præstantius illud: *Hyphydrus*, præ io etiam Cl. Latreil lubenter assumsi. In optatis vero fuit, Virum inclytum notæ s gularis hujus generis, alias insolitæ, in Opere suo de Gen. Crust Ins. mentionem fecisse, tarsis nempe pedum anteriorum tantum 4-ticulatis præditi.



* Illig. Kæf. Pr. I. p. 270. 31.
* Latr. Hist. N. d. Cr. & d. Ins. VIII. p. 178.
* Payk. Fn. Sv. I. p. 234. 47. ♀.
* Herbst Arch. p. 124. 9.
* Ross. Fn. Etr. I. p. 202. 496. * ed. Hellw. I. p. 234. 496.
* Schrank Enum. p. 203. 380.
Vill. Ent. I. p. 247. 17.
Fourcr. Ent. Par. I. p. 68. 10.
Dyt. sphæricus. * DeGeer Ins. IV. p. 402. 9. T. 14. f. 17—20.
Dyt. grossus. * Müll. Zool. D. Pr. p. 72. 777.
* Geoffr. Ins. I. p. 191. 10.
Acta Ups. 1736. p. 15. 5.
Mart. Engl. Ent. T. 33. f. 12.
Donov. Brit. Ins. T. 68. f. 3—4.

2. *Ovalis.* * Müll. Illig. Mag. IV. p. 211. & p. 212.
Hydrachna ovalis. * Fabr. S. El. I. p. 256. 3.
Dyt. ovalis. * Illig. Kæf. Pr. I. p. 271. 32.
Dyt. ovatus. * Oliv. Ent. III. 40. p. 33. 39. T. 3. f. 28. a. b.
* Payk. Fn. Sv. I. p. 234. 47. ♂.
* Marsh. Ent. Br. I. p. 419. 17. var.
* Latr. Gen. Cr. & Ins. I. p. 234. annot. ad *Hyph. ferrugineus.*

3. Scriptus. *Hydrachna scripta.* * Fabr. S. El. I. p. 257. 4.
Dyt. scriptus. * Fabr. Suppl. p. 65. 40—41.

4. Lyratus. * Nov. Sp. *q*).

5. *Æqualis.* * Müll. Illig. Mag. IV. p. 212.
Dyt. inæqualis. * Fabr. S. El. I. p. 272. 77. * Ent. S. I. p. 200. 62. * Mant. I. p. 195. 59. * Sp. Ins. I. p. 297. 35. * Gen. Ins. Mant. p. 139. 25—26.

---

q) HYPHYDRUS LYRATUS: ovalis gibbus ferrugineus, basi thoracis maculisque elytrorum nigris.
Habitat in India orientali. *Dr. Gründal.*
Statura *H. ferruginei* at oblongior. Clypeus integer, foveolis duabus anticis. Antennæ palpique ferrugineæ. Oculi nigri. Thorax ad marginem posticum fascia transversa nigra angulos haud attingente, punctulatus. Elytra colore vix pallidiore, confertissime punctulata; sutura basi nigra decurrente in maculam concolorem singulis oblongam extus in intimum cum pari junctam Lyræ figuram exhibentes. Alterum discoidale minor linearis ad latera demum minuta postice ad extimum marginem, & strea dimidiata ad basin utrinque. Pedes ferruginei.
Tab. 4. fig. 1. b. magnit. natur. — a. magn. aucta.
Elytris pallide ferrugineis, sutura tota nigra, singulis maculis nigris una discoidea longitudinalis, antice posticeque latior; binæ utrumque latus, breves, difformes.

OL. SWARTZ.

* Illig. Kæf. Pr. I. p. 268. 28. * Mag. I. p. 79.
* Payk. Fn. Sv. I. p. 237. 52. a.
* Oliv. Ent. III. 40. p. 36. 44. T. 3. f. 29. a
* Herbst Arch. p. 126. 77.
* Panz. Ent. G. I. p. 80. 42.
* Linn. S. Nat. Gmel. I. IV. p. 1951. 55
Dyt. versicolor. * Schall. Acta Hal. I. p. 313.
* Linn. S. Nat. Gmel. I. IV. p. 1952. 6
var. β. * Fabr. Ent. S. I. p. 200. 62. var. * Gen.
Mant. p. 139. var.
* Payk. Fn. Sv. I. p. 237. 52. var. β.

6. *Reticulatus.* *Dyt. reticulatus.* * Fabr. S. El. I. p.
80. * Ent. S. I. p. 200. 65.
Dyt. collaris. * Panz. Fn. G. XXVI. 4. * E
G. I. p. 79. 38.
Dyt. inæqualis var. γ. * Payk. Fn. Sv. I. p. 238.
Dyt. ovalis. * Marsh. Ent. Br. I. p. 424.
var. obscura.
var. β. *Dyt. recurvus.* * Marsh. Ent. Br. I. p. 424.
var. pallida.

7. *Confluens.* * Müll. Illig. Mag. IV. p. 211.
Dyt. confluens. * Fabr. S. El. I. p. 270. 68. * Ent.
I. p. 198. 55. * Mant. I. p. 193. 46.
* Payk. Fn. Sv. I. p. 230. 42.
* Oliv. Ent. III. 40. p. 34. 41. T. 5. f. 44. a
* Panz. Fn. G. XIV. 5. * Ent. G. I. p. 79.
* Marsh. Ent. Br. I. p. 424. 28.
* Linn. S. Nat. Gmel. I. IV. p. 1951. 51.

8. Lepidus. *r*).

---

r) HYPHYDRUS LEPIDUS: ovatus niger punctatissimus, ely albidis, cruce communi sinuata, punctisque quatuor nigris.
Dyt. lepidus. * Oliv Ent III. 40. p. 32. 37. T. 5. f. 51. a. l
Habitat in Algiriæ aquis. Dom. *de Paykull.*
Magnitudo *D. inæqualis*, sed paulo longior, et minus conve
Caput porrectum nigropiceum punctatissimum, antice rotundat
foveis duabus supra os impressis. Antennæ thorace longiores p
dæ, apice fuscescentes. Thorax brevissimus transversus, antice
emarginatus, angulis porrectis acutis, postice sinuatus, loco scu
productus, supra parum convexus, niger, creberrime punctula
foveis obsoletis hinc inde impressus. Scutellum nullum. Elytra
tice thorace latiora, apicem versus attenuata, sub-acuminata, s
parum convexa, creberrime punctulata, cinereo-albida, cruce comm
angulato-sinuata nigra; pone humerum punctum nigrum, interdum
vum rotundatum, alia vice majus, ad basin usque dilatatum; j
medium elytri punctum alterum oblongum nigrum, sæpe cum n
dine suturæ connexum; per medium elytri lineæ duæ albidiores
bræ vix elevatæ decurrunt. Corpus brunneum creberrime punct
tum. Pedes tenues elongati pallidi, tarsis posticis obscuris.
Tab. 4 fig. 3. b. magritudo naturalis; a. aucta. GYLLENH
Icon hujus, quæ in Tabula mea sistitur, jam excusa erat anteq



icipes. * Müll. Illig. Mag. IV. p. 211.
Dyt. picipes. * Fabr. S. El. I. p. 269. 61. * Ent. S. I. p. 196. 46. * Mant. I. p. 192. 40.
* Illig. Käf. Pr. I. p. 267. 26.
* Payk. Fn. Sv. I. p. 228. 39.
* Panz. Fn. G. XIV. 3. * Ent. G. I. p. 78. 31.
* Thunb. Ins. Sv. p. 76.
* Ceder. Fn. Ingr. n. 100. T. 2. fig. M.
* Brahm Ins. Kal. I. p. 23. 81.
* Linn. S. Nat. Gmel. I. IV. p. 1950. 45.
Dyt. rufipes. * Fabr. Ent. S. I. p. 195. 40.
Dyt. oculis. * Thunb. n. Acta Ups. IV. p. 19. 33.
* Linn. S. N. Gmel. I. IV. p. 1952. 59.
Dyt. impresso-punctatus. * Schall. Acta Hal. I. p. 312.
Dyt. punctatus. * Marsh. Ent. Br. I. p. 426. 36.
Dyt. lineatus. * Müll. Zool. D. Pr. p. 74. 790.?
Dyt. flavicans. * Linn. S. Nat. Gmel. I. IV. p. 1957. 108?
Lineatus. s) * Marsh. Ent. Br. I. p. 426. 35.?
Costatus. Nov. Sp. t)

...ma *Olivierii* circa fig. ejusd. Insecti (inter corrigenda Operis ...) ad manus fuere. Eousque novam putavi speciem, cujus de... apud Oliv. quidem exstat; accuratius tamen exarata locum ... meneat.

...*Hyph. picipedi*; statura et magnitudo eadem omnino, sed te...tatus et aliter coloratus.

GYLLENHAL.

HYDRUS COSTATUS: ovatus niger punctatissimus, tho...cia ferruginea, elytris pallidis nigromaculatis, costis duabus ...

...est in Algiriæ aquis. Dom. *de Paykull.*

...us, *Dyt. picto* fere minor. Caput porrectum nigro-piceum ...ssimum, antice rotundatum, foveis duabus oblongis supra os ...s. Antennæ ferrugineæ thorace paulo longiores. Thorax ...us transversus, antice late emarginatus, angulis porrectis ..., postice subsinuatus, loco scutelli productus, supra parum ..., creberrime punctulatus, antice posticeque niger, medio ...ea ferruginea, lateribus dilatata. Scutellum nullum. Elytra ..., antice thorace multo latiora, lateribus dilatata, apicem ver...sus rotundata, dorso fere plana, undique creberrime pun...ta, pallida, seu cinereo-albida, basi interiore, sutura, fascia me...diana, macula postica suturæ connexa, et puncto intra margi...nalem nigris; in quovis elytro costa lateralis a basi ultra ... producta, et alia interior vix medium attingens, ambæ ele...ę, carinatæ. Corpus nigro-piceum, crebre et profunde puncta...us. Pedes elongati tenues, pallide testacei.

GYLLENHAL.

12. *Pictus.* * Müll. Illig. Mag. IV. p. 211.
Dyt. pictus. * Fabr. S. El. I. p. 273. 83. * S. I. p. 201. 68. * Mant. I. p. 194. 53. * Illig. Mag. I. p. 78. 24—25. b. * Payk. Fn. Sv. I. p. 233. 46. * Panz. Ent. G. I. p. 81. 49. * Linn. S. N. Gmel. I. IV. p. 1952. 57.
Dyt. arcuatus. * Panz. Fn. G. XXVI. 1. * G. I. p. 75. 15.
Dyt. flexuosus. * Marsh. Ent. Br. I. p. 425. var. β. * Illig. Mag. I. p. 78. 24—25. b. β.
Dyt. Crux. * Fabr. S. El. I. p. 271. 73. * Ent. p. 199. 59.
Dyt. arcuatus. * Fabr. S. El. I. p. 274. 74.

13. *Geminus.* * Müll. Illig. Mag. IV. p. 211.
Dyt. geminus. * Fabr. S. El. I. p. 272. 75. * S. I. p. 199. 60.
* Illig. Mag. I. p. 77. 24—25.
* Panz. Ent. G. I. p. 80. 40.
Dyt. trifidus. * Panz. Fn. G. XXVI. 2. * Ent. I. p. 76. 16.
* Marsh. Ent. Br. I. p. 423. 27?
Dyt. parvulus. β. * Payk. Fn. Sv. I. p. 233.
Dyt. unistriatus. * Schrank Enum. p. 205. 38

14. *Unistriatus.* * Müll. Illig. Mag. IV. p. 211.
Dyt. unistriatus * Illig. Kæf. Pr. I. p. 266
* Mag. I. p. 77. 24.
* Oliv. Ent. III. 40. p. 37. 46. T. 4. f. 41
* Linn. S. N. Gmel. I. IV. p. 1957. 11
Dyt. parvulus. * Payk. Fn. Sv. I. p. 232. 4
* Panz. Fn. G. XCIX. 2.
* Müll. Zool. D. Pr. p. 73. 784.
Dyt. Nanus. * Linn. S. N. Gmel. I. IV. p. 1956
Dyt. monostriatus. Foucr. Ent. Par. I. p. 69
* Geoffr. Ins. I. p. 192. 14.

15. *Lineatus.* * Müll. Illig. Mag. IV. p. 211.
Dyt. lineatus. * Fabr. S. El. I. p. 722. 76. * S. I. p. 200. 61. * Mant. I. p. 193. 49. Ins. I. p. 297. 34. * S. Ent. p. 234. 25
* Illig. Kæf. Pr. I. p. 268. 27.
* Payk. Fn. Sv. I. p. 277. 37.
* Oliv. Ent. III. 40. p. 35. 43. — *Hyd* Tab. 1. f. 5. a. b. (non. *Dyt.* T. 5. f. 4
* Panz. Ent. G. I. p. 80. 41.
* Thunb. Ins. Sv. p. 76.
* Linn. S. N. Gmel. I. IV. p. 1951. 54. Bergstr. Nom. I. p. 32. 8. 9. T. 6. f. 8.

Dyt. ovatus. * Thunb. n. Acta Ups. V. p. 113. 46.
Dyt. parvulus. * Herbst Arch. p. 127. 22.?
* Linn. S. N. Gmel. I. IV. p. 1953. 73.

16. Nigrolineatus. Nov. Sp. *a*).

17. *Halensis.* * Müll. Illig. Mag. IV. p. 211.
Dyt. halensis. * Fabr. S. El. I. p. 270. 66. * Ent. S. I. p. 198. 52. * Mant. I. p. 192. 44.
* Payk. Fn. Sv. I. p. 230. 41.
* Panz. Ent. Germ. I. p. 79. 33.
* Linn. S. N. Gmel. I. IV. p. 1950. 49.
Dyt. griseo-striatus. * DeGeer Ins. IV. p. 103. 11.?
Dyt. nubilus. * Linn. S. Nat. ed. Gmel. I. IV. p. 1957. 117.?

18. *Duodecimpustulatus.* *Dyt. 12-pustulatus.* * Fabr. S. El. I. p. 270. 64. * Ent. S. I. p. 197. 50.
* Payk. Fn. Sv. I. p. 220. 29.
* Oliv. Ent. III. 40. p. 31. 55. T. 5. f. 46. a. b.
* Marsh. Ent. Br. I. p. 422. 23.

19. *Dorsalis.* *Dyt. dorsalis.* * Fabr. S. El. I. p. 269. 57. * Ent. S. I. p. 196. 42. * Mant. I. p. 192. 36.
* Payk. Fn. Sv. I. p. 222. 31.
* Oliv. Ent. III. 40. p. 30. 34. T. 1. f. 3. a. b.
* Thunb. Ins. Sv. p. 77.
* Panz. Ent. G. I. p. 78. 28.
* Marsh. Ent. Br. I. p. 421. 21.
* Cederh. Fn. Ingr. n. 97.
* Linn. S. N. ed. Gmel. I. IV. p. 1948. 33.
Dyt. rufifrons. * Fabr. Ent. S. I. p. 198. 53.
Dyt. fimbriatus. * Schrank Enum. p. 205. 381.?
var. β. *Dyt. dorsalis.* * Panz. Fn. G. XIV. 2. * Kr. Rev. d. Ins. Fn. I. p. 57.
var. γ. * Payk. Fn. Sv. I. p. 222. 31. *var.* β.

C

---

a) HYPHYDR. NIGROLINEATUS: exsanguellatus ater, supra pallidus, coleoptris lineis novem longitudinalibus distinctis nigris.
Habitat in humidis Kiloriæ frequens.
Magnitudo sem. Cannabis, seu *Hyph. lineato* paullo major.
Caput flavo-ferrugineum, nucha oculisque nigris. Thorax pallidus longitudine triplo latior. Elytra thorace in medio duplo, antice vero parum latiora, pallida, sutura lineisque 4 nigris, quæ nec confluunt nec apicem attingunt. Lineola extima a margine remota. Ad suturam stria unica impressa. Pectus et abdomen atra. Pedes ferruginei. Tab. 4. fig. 2. b. magn. natural. fig. 2. a. aucta.
Differt a *H. confluente* cui proxime accedit, elytrorum lineis a basi fere ad apicem productis, suturaque nigra.

STEVEN.

20. *Sexpustulatus.* *Dyt. sexpustulatus.* * Fabr. S. El. 269. 58. * Ent. S. I. p. 196. 43. * Man p. 192. 37. * Sp. Ins. I. p. 296. 28. * Ins. Mant. p. 239. 21—22.
* Payk. Fn. Sv. I. p. 225. 35.
* Oliv. Ent. III. 40. p. 31. 36. T. 4. f. 35.
* Linn. S. N. Gmel. I. IV. p. 1948. 34.
Dyt. palustris. α. * Illig. Mag. I. p. 76. 21—
Dyt. lituratus. * Panz. Fn. G. XIV. 4. * En I. p. 78. 32.
* Marsh. Ent. Br. I. p. 423. 26.
Dyt. variegatus. Fourcr. Ent. Par. I. p. 68. 8.
var. β. *Dyt. palustris.* * Fabr. S. El. I. p. 269. 5 Ent. S. I. p. 196. 44. * Mant. I. p. 192. * Sp. Ins. I. 296. 29. * S. Ent. p. 233.
* Linn. Fn. Sv. n. 775. * Syst. Nat. I. II 667. 19. * ed. Gmel. I. IV. p. 1950. 19.
* Illig. Mag. I. p. 76. 21—22. b. var. β.
* Panz. Ent. G. I. p. 78. 29.
* Cederh. Fn. Ingr. n. 98.
* Ross. Fn. Etr. I. p. 203. 501. * ed. Hö I. p. 235. 501.
Dyt. fimbriatus. * Linn. Syst. Nat. Gmel. I. p. 1957. 110.
* Geofr. Ins. I. p. 190. 8.
var. γ. *Dyt. sexpustulatus var.* β. * Payk. Fn. Sv p. 226. 35.
Dyt. erythrocephalus var. elytris antice rufo culatis. * DeGeer Ins. IV. p. 404. 12.

21. *Depressus.* * Müll. Illig. Mag. IV. p. 211.
Dyt. depressus. * Fabr. S. El. I. p. 268. 56 Ent. S. I. p. 195. 41, * Mant. I. p. 192. * Sp. Ins. I. p. 296. 27. * S. Ent. p. 233.
* Payk. Fn. Sv. I. p. 221. 30.
* Linn. S. Nat. Gmel. I. IV. p. 1948. 32.
Dyt. elegans. * Illig. Kæf. Pr. I. p. 265. 22.
* Panz. Fn. G. XXIV. 5. * Ent. G. I. p. 81.
* Kr. Rev. d. Ins. Fn. I. p. 57.
* Marsh. Ent. Br. I. p. 421. 22.
Dyt. Neuhoffi. * Cederh. Fn. Ingr. p. 32. T. 2. f. 1.

22. *Assimilis.* *Dyt. assimilis.* * Payk. Fn. Sv. I. p. 236.

23. *Alpinus.* *Dyt. alpinus.* * Payk. Fn. Sv. I. p. 226. 3

24. Lituratus. * Müll. Illig. Mag. IV. p. 211.
Dyt. lituratus. * Fabr. S. El. I. p. 269. 62. * E S. I. p. 197. 47. * Mant. I. p. 192. 42. * Ins. I. p. 296. 31.



* Ross. Fn. Etr. I. p. 203. 499. 2. * ed. Hellw. I. p. 235. 499.
* Linn. S. Nat. Gmel. I. IV. p. 1950. 46.

Planus. * Müll. Illig. Mag. IV. p. 211.
Dyt. planus. * Fabr. S. El. I. p. 268. 55. * Ent. S. I. p. 195. 36. * Mant. I. p. 192. 36. Sp. Ins. App.
* Payk. Fn. Sv. I. p. 223. 33.
* Thunb. Ins. Sv. p. 76.
* Ross. Fn. Etr. I. p. 202. 497. * ed. Hellw. I. p. 234. 497.
* Panz. Ent. G. I. p. 77. 26.
* Marsh. Ent. Br. I. p. 425. 30.
* Linn. S. N. Gmel. p. 1947. 29.
Vill. Ent. I. p. 350. 34.
Dyt. erythrocephalus. * Linn. S. Nat. I. II. p. 666. 14.
* DeGeer Ins. IV. p. 404. 12. var. capite nigro.
Dyt. fusculus. * Illig. Kæf. Pr. I. p. 264. 21. * Mag. I. p. 75. 21.
* Latr. Gen. Cr. & Ins. I. p. 232. 5. — Hist. Nat. d. Cr. & d. Ins. VIII. p. 172.
* Schrank Enum. Ins. p. 203. 382.
* Schrank Füessl. n. Mag. I. p. 266. 382.
* Linn. S. Nat. Gmel. I. IV. p. 1952. 65.
Dyt. rufipes. * Oliv. Ent. III. 40. p. 30. 33. T. 4. f. 39. a. b.
* Müll. Zool. D. Pr. p. 73. 782.
* Linn. S. Nat. Gmel. I. IV. p. 1957. 111.
Dyt. sordidus. * Herbst Arch. p. 126. 19.
* Linn. S. N. Gmel. I. IV. p. 1953. 70.
Dyt. humeralis. * Marsh. Ent. Br. I. p. 422. 24.
Dyt. lividus. Fourcr. Ent. Par. I. p. 68. 9.
Dyt. nigricans. * Schrank Enum. p. 205. 386. ?
Dyt. ater. * Forst. Cent. I. p. 54. 54. ?
* Geoffr. Ins. I. p. 190. 9.

Holosericeus. *Dyt. holosericeus.* * Marsh. Ent. Br. I. p. 427. 39.

Erythrocephalus. * Müll. Illig. Mag. I. IV. p. 211.
Dyt. erythrocephalus. * Fabr. S. El. I. p. 267. 47. * Ent. S. I. p. 194. 35. * Mant. I. p. 192. 31. * Sp. Ins. I. p. 295. 24. * S. Ent. p. 233. 18.
* Linn. Fn. Sv. n. 774.
* Illig. Mag. I. p. 75. 21—22. a.
* Payk. Fn. Sv. I. p. 223. 32.
* Ross. Fn. Etr. I. p. 203. 498. * ed. Hellw. I. p. 235. 498.
* DeGeer Ins. IV. p. 404. 12.
* Cederh. Fn. Ingr. n. 96.

* Panz. Ent. G. I. p. 77. 23.
* Linn. S. N. Gmel. I. IV. p. 1947. 14.

28. *Nigrita.* * Müll. Illig. Mag. IV. p. 211.
Dyt. nigrita. * Fabr. S. El. I. p. 273. 84. * Ent. S. I. p. 201. 69.
* Payk. Fn. Sv. I. p. 224. 34.
* Thunb. Ins. Sv. p. 76.
* Panz. Ent. G. I. p. 82. 50.
Dyt. melanocephalus. * Marsh. Ent. Br. I. p. 4[illegible]

29. *Tristis.* * Müll. Illig. Mag. IV. p. 211.
Dyt. tristis. * Payk. Fn. Sv. I. p. 232. 44.

30. *Granularis.* * Müll. Illig. Mag. IV. p. 211.
Dyt. granularis. * Fabr. S. El. I. p. 270. [illegible] Ent. S. I. p. 198. 54. * Mant. I. p. 19[illegible]
* Sp. Ins. I. p. 296. 33. * S. Ent. p. [illegible]
* Linn. S. Nat. I. II. p. 667. 22. * ed. [illegible] I. IV. p. 1950. 22.
* Payk. Fn. Sv. I. p. 231. 43.
* Oliv. Ent. III. 40. p. 33. 40. T. 2. f. 13. a.
* Thunb. n. Acta Ups. V. p. 114. 47.
* Ross. Fn. Etr. I. p. 204. 503. * ed. Hellw. p. 236. 503.
* Panz. Ent. G. I. p. 79. 34.
* Marsh. Ent. Br. I. p. 426. 34.
Dyt. unilineatus. * Schrank Enum. p. 204. 38[illegible]
* Linn. S. Nat. Gmel. I. IV. p. 1953. 6[illegible]
Dyt. minimus. * Scop. Ent. Carn. n. 297.
* Schrank Enum. p. 205. 385. an var. ?
* Brahm Ins. Kal. I. p. 27. 93 ?

55. GYRINUS. Fabr. n. 49.

1. *Natator.* * Fabr. S. El. I. p. 274. 1. * Ent. S. p. 202 1. * Mant. I. p. 194. 1. * Sp. Ins. p. 297. 1. * S. Ent. p. 234. 1.
* Linn. * Syst. Nat. I. II. p. 567. 1. * ed. Gm. I. IV. p. 1611. 1.
* Gyllenh. Ins. Sv. I. I. p. 141. 1.
* Illig. Kæf. Pr. I. p. 271. 1.
* Latr. Gen. Crust. & Ins. II. p. 60. 1. — H. Nat. d. Cr. & d. Ins. VIII. p. 153. T. 69. f. 1.
* Payk. Fn. Sv. I. p. 238. 1.
* Oliv. Ent. III. 41. p. 10. 1. T. 1. f. 1. a—e
* Panz. Fn. G. III. 5. * Ent. G. I. p. 82. 1.
* Ross. Fn. Etr. I. p. 204. 504. * ed. Hellw. I. 236. 504.
* DeGeer Ins. IV. p. 355. 1. T. 13. f. 4.
* Marsh. Ent. Br. I. p. 99. 1.

* Goeze Eur. Fn. VIII. p. 243. 1.
* Cederh. Fn. Ingr. n. 102.
* Petagn. Ins. Cal. p. 24. 116.
* Acta Holm. 1770. p. 324.
* Blumenb. Handb. ed. 7ma. p. 323. 1.
Bergstr. Nom. I. p. 43. 8. T. 8. f. 8.
Meiding Nom. p. 119. 1.
Naturf. IX. p. 70.
Onomat. Hist. Nat. IV. p. 115.
* Müll. Zool. D. Pr. p. 68. 651. — Fn. Fr. p. 19. 193.
— Linn. Nat. Syst. V. I. p. 117. 1.
* Schwartz Nom. I. p. 38. 16.
Vill. Ent. I. p. 169. 1.
* Schrank En. Ins. Austr. p. 40. 72. — Fn. Boica I. p. 450. 451.
* Brahm Ins. Kal. I. p. 4. 11.
Schr iedl. Einl. 206.
Bocks Naturg. V. 29. 17.
Bechst. Naturg. I. II. p. 829.
Borow. Naturg. VI. p. 69. 11. T. 6. f. 1. 2.
* Dunk. Ent. Bild. I. p. 13. T. 1. f. 5.
Bomare Dict. VI. p. 126. & p. 200.
Fourcr. Ent. Par. I. p. 71. 1.
Füessl. N. Mag. I. p. 382. 42.
* Barb. Gen. Ins. p. 26. T. 3. f. 6.
* Roem. Ins. T. 2. f. 10.
Poda Mus. Græc. p. 44. 4.
Dytiscus natator. * Linn. Fn. Sv. n. 779.
* Scop. Carn. n. 299.
Pontopp. Dan. Atl. I. p. 441. 15.
* — Nachr. p. 209. 15.
Onomat. Hist. Nat. III. p. 669.
* Geoffr. Ins. I. p. 194. 1. T. 3. f. 3. *Gyrinus.*
* Roes. Ins. III. p. 194. T. 1. f. 1—2.
* Schæff. Ic. T. 134. f. 5. a. b.
* Schaeff. Elem. T. 67.
Harrer Beschr. n. 176.
* Sulz. Kennz. T. 6. f. 43.
* — Gesch. d. Ins. T. 2. f. 10.
n. Schaupl. d. Nat. II. p. 400.
Beckm. Phys. œcon. Bibl. V. p. 259.
Leske Naturg. I. p. 470. 8.
Trembly Gesch. d. Polyp. p. 188.
Merret Pin. p. 203. *Pulex aquaticus.*
Petiv. Gaz. p. 21. T. 13. f. 9.
Ray Ins. p. 87. 10.
Aldrov. Ins. C. I.
Jonst. Hist. Nat. L. 4. C. 1. Art. 2.
Strœm Acta Nidr. IV. p. 329. 27. T. 16. f. 13.

2. *Marinus.* * Gyllenh. Ins. Sv. I. I. p. 143. 4.
3. *Dorsalis.* * Gyllenh. Ins. Sv. I. I. p. 142. 3.
4. *Bicolor.* * Fabr. S. El. I. p. 274. 2. * Ent. S. 202. 2. * Mant. I. p. 194. 2.
* Gyllenh. Ins. Sv. I. I. p. 142. 2.
* Payk. Fn. Sv. I. p. 239. 2.
* Web. & Mohr It. p. 182.
* Linn. S. N. ed. Gmel. I. IV. p. 1611. 3.
Gyr. elongatus. * Marsh. Ent. Br. I. p. 1[illegible]
5. Australis. * Fabr. S. El. I. p. 275. 3. * Ent. [illegible] 203. 3. * Mant. I. p. 194. 3. * Sp. Ins. [illegible] 2. * S. Ent. 235. 2.
* Oliv. Ent. III. 41. p. 12. 4. T. 1. f. 4.
* Linn. S. Nat. Gmel. I. IV. p. 1611. 4.
6. Americanus. * Fabr. S. El. I. p. 275. 4. * Ent. S. [illegible] 203. 4. * Mant. I. p. 194. 4. * Sp. Ins. [illegible] 298. 3. * S. Ent. p. 235. 3.
* Linn. S. Nat. I. II. p. 568. 2. * ed. Gmel. IV. p. 1611. 2.
* Oliv. Ent. III. 41. p. 12. 5. f. 1. 5.?
7. Micans. * Fabr. S. El. I. p. 275. 5. * Ent. [illegible] p. 203. 5.
8. Longimanus. * Oliv. Ent. III. 41. p. 11. 3. T. [illegible]
9. Præmorsus. * Fabr. S. El. I. p. 275. 6.
Gyr. indus. * Fabr. Suppl. p. 65. 5—6.
10. Bidens. * Oliv. Ent. III. 41. p. 13. 6. T. 1. f. [illegible]
11. Hastatus. * Fabr. S. El. I. p. 275. 7.
12. Spinosus. * Fabr. S. El. I. p. 275. 8. * Ent. S. p. 203. 6. * Mant. I. p. 194. 5. * Sp. Ins. p. 298. 4.
* Oliv. Ent. III. 41. p. 13. 7. T. 1. f. 7.
* Linn. S. N. ed. Gmel. I. IV. p. 1612. 5.
13. Striatus. * Fabr. S. El. I. p. 275. 9. * Ent. I. p. 203. 7.
* Oliv. Ent. III. 41. p. 11. 2. T. 1. f. 2. a. [illegible]
Gyr. capensis. * Thun. Nov. Ins. Sp. p. 27.
14. *Minutus.* * Fabr. S. El. I. p. 276. 10. * Suppl. p. 6.
* Gyllenh. Ins. Sv. I. I. p. 143. 5.
* Latr. Gen. Cr. & Ins. II. p. 61. 2. — Hist. Nat. Cr. & d. Ins. VIII. p. 153.
Gyr. natator. * Payk. Fn. Sv. I. p. 239. 1. var.
Gyr. bicolor. * Oliv. Ent. III. 41. p. 14. 8. T. f. 8. a. b.
Gyr. Kirby. * Marsh. Ent. Br. I. p. 100. 2.
15. Nitidulus. * Fabr. S. El. I. p. 276. 11. * Suppl. p. 6[illegible]



trigosus. * Fabr. S. El. I. p. 276. 12.
Rufipes. * Fabr. S. El. I. p. 276. 13.
Villosus. * Fabr. S. El. I. p. 276. 14.
* Illig. Kæf. Pr I. p. 271. 2.
* Gyllenh. Ins. Sv. I. I. p. 146. 6.
* Fallén Obs. Ent. I. p. 9.
* Müll. Zool. D. Pr. p. 68. 652.
Gyr. *Modeeri.* * Marsh. Ent. Br. I. p. 100. 3.

56. ELOPHORUS. Fabr. 50.

Grandis. * Illig. Kæf. Pr. I. p. 272. 1.
* Müll. Illig. Mag. I. p. 208.
El. aquaticus. * Gyllenh. Ins. Sv. I. I. p. 126. 1.
* Panz. Fn. G. XXVI. 6.
* Oliv. Ent. III. 38. p. 5. 1. T. 1. f. 1. a.—e.
* Latr. Gen. Cr. & Ins. II. p. 68. 1. — Hist. N. d. Cr. & d. Ins. X. p. 74. T. 81. f. 9.
* Payk. Fn. Sv. I. p. 240. 1. var. major.
* Scriba Journ. p. 163. 101.
* Preysl. Böhm. Ins. I. p. 58. 60.
* Ross. Fn. Etr. I. p. 46. 113. * ed. Hellw. I. p. 48. 113. var. maj.
* Roem. Ins. p. 41. 18. T. 34. f. 8. c.
El. flavipes. * Herbst Col. V. p. 138. 1. T. 49. fig. 6. f. F.
Silpha aquatica. * Linn. Fn. Sv. n. 461. * Syst. Nat. I. II. p. 573. 25.
* Fisch. Naturg. v. Livl. p. 132. 257.
* Schrank Enum. p. 46. 82.
Schrank Fn. Boica. I. II. p. 440. 423.
Vill. Ent. I. p. 82. 22.
Nitid. aquatica. * Goeze Ent. Fn. VIII. p. 292. 1.
* Linn. S. N. Gmel. I. IV. p. 1628. 1.
Peltis aquatica. * Müll. Zool. D. Pr. p. 65. 606.
Hydroph. æneus. * DeGeer Ins. IV. p. 379. 5. T. 15. f. 5. 6.
Hydr. stagnalis. * Marsh. Ent. Br. I. p. 409. 23.
Derm. aquaticus. Fourcr. Ent. Par. I. p. 21. 15.
* Geoffr. Ins. I. p. 105. 15. *Dermest.* var. maj.
Müll. Linn. Nat. Syst. V. I. p. 131. 25.
Acta Nidr. III. 387.
Granularis. * Gyllenh. Ins. Sv. I. I. p. 127. 2. a.
El. aquaticus. * Fabr. S. El. I. p. 277. 1. * Ent. S. I. p. 204. 1. * Mant. I. p. 42 1. * Sp. Ins. I. p. 97. 1. * S. Ent. p. 66. 1.
* Illig. Kæf. Pr. I. p. 273. 2.

* Herbst. Col. V. p. 139. 2. T. 49. f. 7.
* Panz. Ent. G. I. p. 83. 1.
* Ross. Fn. Etr. I. p. 46. 113. * ed. Helw. p. 48. 113. var. min.
* Müll. Illig. Mag. IV. p. 208.
* Cederh. Fn. Ingr. n. 103.
* Geoffr. Ins. I. p. 105. 13. *Dermestes.* var. γ. var. β. * Gyllenh. Ins. Sv. I. I. p. 127. 2. var. *Bupr. granularis.* * Linn. Fn. Sv. n. 763. Nat. I. II. p. 663. 29. * ed. Gmel. I. 1938. 29.
El. aquaticus. * Illig. Kæf. Pr. I. p. 273. 2. var. γ. * Gyllenh. Ins. Sv. I. I. p. 127. 2. var.
El. flavipes. * Fabr. S. El. I. p. 278. 5. * Ent. p. 205. 5.
* Oliv. Ent. III. 38. p. 7. 4. T. 1. f. 3.
* Panz. Ent. G. I. p. 83. 5.
* Cederh. Fn. Ingr. n. 104.

3. *Griseus.* * Gyllenh. Ins. Sv. I. I. p. 128. 3.
* Illig. Kæf. Pr. I. p. 273. 3.
* Herbst Col. V. p. 143. 7. T. 49. f. 12.
* Müll. Illig. Mag. IV. p. 208.
* Panz. Ent. G. I. p. 84. 10.
El. minutus. * Fabr. Mant. I. p. 42. 3. Ins. I. p. 77. 3. * S. Ent. p. 66. 2.
* Oliv. Ent. III. 38. p. 7. 5. T. 1. f. 6.
Nitid. minuta. * Linn. S. Nat. Gmel. I. IV. 1628. 4.
El. flavipes. * Thunb. Ins. Sv. V. p. 66.
Hydr. affinis. * Marsh. Ent. Br. I. p. 409. 24.

4. *Tuberculatus.* * Gyllenh. Ins. Sv. I. I. p. 129. 4.

5. *Fennicus.* * Payk. Fn. Sv. I. p. 243. 4.
* Gyllenh. Ins. Sv. I. I. p. 129. 5.
Hydr. cinereus. * Marsh. Ent. Br. I. p. 410. 25.

6. Dorsalis. *Hydr. dorsalis.* * Marsh. Ent. Br. I. 410. 25.

7. Rugosus. * Oliv. Ent. III. 38. p. 6. 2. T. 1. f. 5.

8. *Nubilus.* * Fabr. S. El. I. p. 277. 2. * Ent. S. I. 204. 2. * Mant. I. p. 42. 2. * Sp. Ins. I. 77. 2. * Gen. Ins. Mant. p. 213. 1—2.
* Gyllenh. Ins. Sv. I. I. p. 130. 6.
* Illig. Kæf. Pr. I. p. 274. 4.
* Payk. Fn. Sv. I. p. 244. 5.
* Herbst Col. V. p. 140. 3. T. 49. f. 8. h. H.
* Oliv. Ent. III. 38. p. 6. 3. T. 1. f. 2. a. b.
* Thunb. Ins. Sv. p. 66.

Pa

* Panz. Ent. G. I. p. 83. 2.
* Müll. Illig. Mag. IV. p. 208.
Hydroph. nubilus. * Marsh. Ent. Br. I. p. 410. 27.
Nitid. nubila. * Linn. S. N. Gmel. I. IV. p. 1628. 3.
Opatr. minutum. * Fabr. S. El. I. p. 120. 27. ?
* Ent. S. I. p. 91. 15. * Mant. I. p. 51. 9. ?
* Sp. Ins. I. p. 90. 8. ? * S. Ent. p. 77. 5. ?
* Oliv. Ent. III. 56. p. 11. 12. T. 1. f. 12. a. b. ?
* Linn. S. N. Gmel. I. IV. p. 1632. 9. ?
* Herbst Col. V. p. 223. 15. ?
* Panz. Ent. G. I. p. 36. 6. ?

Elongatus. * Fabr. S. El. I. p. 277. 3. * Ent. S. I. p. 204. 3.
* Latr. Gen. Cr. & Ins. II. p. 69. 2. — Hist. Nat. d. Cr. & d. Ins. X. p. 75.
* Gyllenh. Ins. Sv. I. I. p. 131. 7.
* Illig. Kæf. Pr. I. p. 274. 5.
* Payk. Fn. Sv. I. p. 242. 2.
* Herbst Col. V. p. 141. 4. T. 49. f. 9. i. J.
* Panz. Fn. G. XXVI. 7. * Ent. G. I. p. 83. 3.
* Thunb. Ins. Sv. p. 67.
* Müll. Illig. Mag. IV. p. 208.
Silpha elongata. * Schall. Acta Hal. I. p. 257.
Nitid. elongata. * Linn. S. N. Gmel. I. IV. p. 1628. 2.
Hydroph. cicindeloides. * Marsh. Ent. Br. I. p. 411. 28.

var. β. * Gyllenh. Ins. Sv. I. I. p. 131. 7. var. b.
* Illig. Kæf. Pr. I. p. 274. 5. var. β & γ.

Humeralis. c) * Fabr. S. El. I. p. 273. 4.
* Ent. S. I. p. 205. 4.
* Herbst Col. V. p. 143. 8.
* Panz. Ent. G. I. p. 83. 4.

— (*Flavipes*). * Fabr. S. El. I. p. 278. 5. — vid. *Eloph. granularis var.* γ. p. 40. n. 2. huj. Op.

Crenatus. * Fabr. S. El. I. p. 278. 6. * Ent. S. I. p. 205. 6.
* Herbst Col. V. p. 144. 9.
* Panz. Ent. G. I. p. 84. 6.
* Müll Illig. Mag. IV. p. 208.
El. elongatus. * Oliv. Ent. III. 38. p. 8. 6. T. 1. f. 4. a. b. — Dict. Ins. *Elophore* n. 4.
El. brevis. * Herbst Col. V. p. 141. 5. T. 49. f. 10. k. K.
* Gyllenh. Ins. Sv. I. I. p. 132. 8.

c) Forte idem ac *Lyct. Juglandis.*

* Payk. Fn. Sv. I. p. 242. 3.
* Panz. Ent. G. I. p. 84. 9.
— (*Pygmæus.*) * Fabr. S. El. I. p. 278. 7. — vid. *Hydræna riparia.* n. 3. huj. Op.
— (*Minimus.*) * Fabr. S. El. I. p. 278. 8. vid. — *Hydræna longipalpis.* n. 1. huj. Op.

N:o 57. HYDRÆNA. Kugel. Illig. Latr. n. 194.

1. *Longipalpis.* *Hydræna riparia.* * Kugel. Schneid. Mag. p. 578. *x*).
Hydroph. longipalpis. * Marsh. Ent. Br. I. p. 407. 1.
Eloph. minimus. * Fabr. S. El. I. p. 278. 1.
* Ent. S. I. p. 205. 8.
* Gyllenh. Ins. Sv. I. I. p. 134. 11.
* Payk. Fn. Sv. I. p. 246. 8.
* Müll. Illig. Mag. IV. p. 209.
* Panz. Ent. G. I. p. 84. 8.
var. β. El. minimus. * Gyllenh. Ins. Sv. I. c. var. b.
2. *Margipallens.* * Latr. Gen. Cr. & Ins. II. p. 70. 2.
Eloph. marinus. * Gyllenh. Ins. Sv. I. I. p. 134. 12.
* Payk. Fn. Sv. I. p. 245. 7.
Hydroph. margipallens. * Marsh. Ent. Br. I. p. 408. 2.
3. *Riparia.* * Latr. Gen. Cr. & Ins. II. p. 70. 1. — Hist. Nat. d. Cr. & d. Ins. X. p. 76.
* Illig. Kæf. Pr. I. p. 279. 1.
* Müll. Illig. Mag. IV. p. 208. & 209.
Eloph. pygmæus. * Fabr. S. El. I. p. 278.
* Ent. S. I. p. 205. 7.
* Gyllenh. Ins. Sv. I. I. p. 133. 9.
* Payk. Fn. Sv. I. p. 245. 6.
* Herbst Col. V. p. 145. 10.
* Panz. Ent. G. I. p. 84. 7.
Hydr. impressus. * Marsh. Ent. Br. I. p. 408.
4. *Minutissima.* *y*) *Eloph. minutissimus.* * Web. & Mohr Iter p. 64.
* Gyllenh. Ins. Sv. I. I. p. 136. 12.

N:o 58. CLERUS. Fabr. n. 51.

1. Mutillarius. * Fabr. S. El. I. p. 279. 1. * Ent. S. I. p. 206. 1. * Mant. I. p. 125. 1. * Gyllenh. Ins. I. p. 201. 1. * S. Ent. p. 157. 1.

---

x) Cfr. obs. in Gyllenh. Ins. Sv. I. I. p. 135.
y) Forsan hujus generis.



* Illig. Kæf. Pr. I. p. 285. 6.
* Herbst Col. VII. p. 207. 1. T. 109. f. 1.
* Herbst Arch. p. 87. 1. T. 25. f. 2.
* Oliv. Ent. IV. 76. p. 11. 12. T. 1. f. 12.
Oliv. Enc. Meth. *Clairon* n. 1.
* Panz. Fn. G. XXXI. 12. * Ent. G. I. p. 85. 1.
* Hoppe Taschenb. 1797. p. 134. 1.
Clerus fasciatus. * Geoffr. Ins. ed. nov. I. Suppl. p. 536. 5.
Dermest. formicaroides. * Schrank En. Ins. Austr. p. 20. 34. ? — Beytr. p. 65. ?
Attelab. mutillarius. * Linn. S. Nat. Gmel. I. IV. p. 1810. 19.
* Schæff. Icon. T. 186. f. 5.
Harrer Beschr. I. p. 233. n. 391.

Dubius. * Fabr. S. El. I. p. 280. 2. * Ent. S. I. p. 206. 2. * Mant. I. p. 125. 2. * Sp. Ins. I. p. 201. 2. * Gen. Ins. Mant. p. 229. n. 1—2.
* Herbst Col. VII. p. 211. 5.
Attelab. dubius. * Linn. S. Nat. Gmel. I. IV. p. 1810. 20.

Ichneumoneus. * Fabr. S. El. I. p. 280. 3. * Ent. S. I. p. 206. 3. * Mant. I. p. 125. 3. * Sp. Ins. I. p. 201. 3. * Gen. Ins. Mant. p. 230. 1—2.
* Herbst Col. VII. p. 212. 6.
* Oliv. Ent. IV. 76. p. 13. 15. T. 1. f. 15.
Oliv. Enc. Meth. VI. p. 13. 3.
Attelab. Ichneumoneus. * Linn. S. N. Gmel. I. IV. p. 1811. 21.

Sphegeus. * Fabr. S. El. I. p. 280. 4. * Ent. S. I. p. 207. 4. * Mant. I. p. 125. 4.
* Herbst. Col. VII. p. 212. 7.
* Oliv. Ent. IV. 76. p. 12. 14. T. 1. f. 14.
Oliv. Enc. Meth. *Clairon* n. 4.
Attelab. Sphegeus. * Linn. S. Nat. Gmel. I. IV. p. 1811. 22.

Formicarius. * Fabr. S. El. I. p. 280. 5. * Ent. S. I. p. 207. 5. * Mant. I. p. 125. 5. * Sp. Ins. I. p. 201. 4. * S. Ent. p. 157. 2.
* Illig. Kæf. Pr. I. p. 285. 7.
* Payk. Fn. Sv. I. p. 247. 1.
* Oliv. Ent. IV. 76. p. 12. 13. T. 1. f. 13.
Oliv. Enc. Meth. *Clairon* n. 6.
* Herbst Col. VII. p. 208. 2. T. 109. f. 2.
* Panz. Fn. G. IV. 8. * Ent. G. I. p. 85. 2.
* DeGeer Ins. V. p. 160. 3. T. 5. f. 8.
* Ross. Fn. Etr. I. p. 137. 351. * ed. Hellw. I. p. 147. 351.

* Hoppe Taschenb. 1797. p. 135. 2.
* Marsh. Ent. Br. I. p. 321. 1.
Attelabus formicarius. * Linn. Fn. Sv. n.
* Syst. Nat. I. II. p. 620. 8. * ed. Gm
IV. p. 1811. 8.
* Müll. Zool. D. Pr. p. 95. 1077.
Vill. Ent. I. p. 219. 6.
Laich. Tyr. Ins. I. II. p. 245. 2.
Poda Mus. Græc. p. 31. 1.
* Scop. Carn. n. 111.
* Brahm Ins. Kal. I. p. 65. 208.
* Goeze Eur. Fn. VIII. p. 522. 4.
Thanasimus formicarius. * Latr. Gen. Cr
I. p. 270. 1.
Tillus formicarius. Latr. Hist. N. d. Cr.
Ins. IX. p. 144.
Clerus fasciatus var. thorace ruso. * Geoffr.
Suppl. p. 537.
Fourcr. Ent. Par. I. p. 135. var. A.
Dermest. formicarius. * Schrank En. Ins. p.
* Sulz. Kennz. T. 4. fig. a.
* Schæff. Icon. T. 186. f. 4.
* Schæff Elem. Tab. 137. *Cleroides.*
* Schæff. Zw. u. Schw. Tab. fig. 15.
Harrer Beschr. I. p. 233. n. 329.
Donov. Brit. Ins. T. 231. f. 2.
Mart. Engl. Ent. T. 23. f. 8.
Jonst. Hist. Nat. Tab. 15.
Voet Col. II. T. 41. f. 2. B.
List. mut. T. 31. f. 1.
Raj Ins. p. 103. 29.
Müll. Linn. Nat. S. VI. p. 246. 8.
Barow. Naturg. VI. p. 117. 3.

6. Rufipes. * Brahm in Hoppe Tasch. 1797. p. 13
7. Rufipes. * Weber Obs. Ent. p. 46. 1.
8. Rufus. * Oliv. Ent. IV. 76. p. 14. 16. T. 1. f. 16.
Oliv. Enc. Meth. *Clairon* n. 5.
9. Sexguttatus. * Fabr. S. El. I. p. 280. 6. * Ent. S
p. 207. 6. * Mant. I. p. 125. 6. * Sp.
I. p. 201. 5. * S. Fnt. App. p. 823. 2—
* Herbst Col. VII. p. 213. 8.
Attelab. sexguttatus. * Linn. S. N. Gmel. I. IV
1811. 23.
10. Spinosus. * Fabr. S. El. I. p. 280. 7.
11 Quadrimaculatus. * Fabr. S. El. I. p. 28
* Ent. S. I. p. 207. 7. * Mant. I. p. 125.
* Panz. Fn. G. XLIII. 15. * Ent. G. I. p. 8

* Hoppe Taschenb. 1797. p. 137. 4.
* Herbst Col. VII. p. 213. 9.
Attelab. 4 maculatus. * Schall. Acta Hal. I. p. 288.
* Linn. S. N. ed. Gmel. I. IV. p. 1811. 24.
(Unifasciatus.) * Fabr. S. El. I. p. 281. 9. — vid. *Tillus unifasciatus.* n. 2. huj. Op.
Univittatus. * Ross. Mant. I. p. 44. 112. * ed. Hellw. I. p. 383. 112.
Thoracicus. * Oliv. Ent. IV. 76. p. 18. 22. T. 2. f. 22. a. b.
Quadriguttatus. * Oliv. Ent. IV. 76. p. 18. 23. T. 2. f. 23. a. b.
Bifasciatus. *Anob. bifasciatum.* * Thunb. Nov. Ins. Sp. p. 9. fig. 9.
Derm. cafer. * Linn. S. Nat. Gmel. I. IV. p. 1598. 47.
Capensis. *Anob. capense.* * Thunb. Nov. Ins. Sp. p. 9. fig. 8.
Derm. capensis. * Linn. S. Nat. Gmel. I. IV. p. 1598. 46.

59. TILLUS. Fabr. n. 52.

Elongatus. * Fabr. S. El. I. p. 281. 1. * Ent. S. I. II. p. 77. 1.
* Latr. Gen. Cr. & Ins. I. p. 269. 1. — Hist. Nat. d. Cr. & d. Ins. IX. p. 143. T. 76. f. 8.
* Payk. Fn. Sv. II. p. 153. 1.
* Oliv. Ent. II. 22. p. 4. 1. T. 1. f. 1. a—e.
* Panz. Fn. G. XLIII. 16. * Ent. G. I. p. 201. 1.
* Marsh. Ent. Br. I. p. 229. 1.
Chrysom. elongata. * Linn. S. N. I. II. p. 603. 122. * Pontopp. Nachricht. p. 202. 38. T. 16.
Clerus elongatus. * Illig. Kæf. Pr. I. p. 286. 8.
Lagria elongata. * Fabr. Mant. I. p. 93. 8. * Sp. Ins. I. p. 160. 8. * S. Ent. p. 125. 6.
* Linn. S. N. Gmel. I. IV. p. 1729. 221.
Lagria ruficollis. * Herbst Arch. p. 68. 2. T. 23. f. 35.
Onic. elongata. * Müll. Zool. D. Pr. n. 958.
Cryptoceph. Marchiæ. * Linn. S. N. Gmel. I. IV. p. 1751. 256.
Voet Col. I. T. 41. f. 1.
Pontopp. Dan. Atl. I. 671. 38. T. 29. f. ult.
var. β. * Payk. Fn. Sv. I. p. 154. 1. β.
Till. ambulans. * Fabr. S. El. I. p. 282. 4. * Ent. S. I. II. p. 78. 2.
* Panz. Ent. G. I. *p. 201. 2.*

* Marsh. Ent. Br. I. p. 230. 2.
Lagria ambulans. * Fabr. Mant. I. p. 93. 9.
* Linn. S. N. ed. Gmel. I. IV. p. 1736.
Clerus elongatus var. γ. * Illig. Kæf. Pr. I. p.
Lagria atra. * Panz. Fn. G. VIII. 9.
var. χ. * ferrugineus, antennis nigris.

2. Unifasciatus. z) * Latr. Gen. Cr. & I
269. 2. — Hist. Nat. d. Cr. & d. Ins. IX.
* Marsh. Ent. Br. I. p. 231. 5.
Cler. unifasciatus. * Fabr. S. El. I. p.
* Ent. S. I. p. 207. 8. * Mant. I. p.
* Oliv. Ent. IV. 76. p. 17. 21. T. 2. f.
c. — Enc. Meth. *Clairon* n. 11.
* Herbst Col. VII. p. 209. 3. T. 109. f.
* Ross. Fn. Etr. I. p. 138. 352. * ed. Hell
p. 147. 352.
* Hoppe Taschenb. 1796. p. 124. 18. &
p. 138. 5.
* Hoppe Enum. Ins. Elytr. I. p. 33.
* Roem. Ins. T. 4. f. 13. a. b.
Cler. formicarius. * Petagn. Ins. Gal. p.
T. 1. f. 10.
Attel. serraticornis. Vill. Ent. I. p. 222. 16.
Attel. unifasciatus. * Linn. S. Nat. Gmel.
p. 1811. 25.
* Sulz. Gesch. d. Ins. T. 4. f. 13. a. b.

— (Damicornis.) * Fabr. S. El. I. p. 282. 2. —
Enoplium damicorne. n. 3. huj. Op.

—(Weberi.) * Fabr. S. El. I. p. 282. 3. — vid. *En*
Weberi. n. 2. huj. Op.

— (*Ambulans.*) * Fabr. S. El. I. p. 282. 4. — vid.
elongatus β. n. 1. huj. Op.

—(Serraticornis.) * Fabr. S. El. I. p. 282. 5.
vid. *Enopl. serraticorne.* n. 1. huj. Op.

N:o 60. ENOPLIUM. Latr. Gen. n. 189

1. Serraticorne. * Latr. Gen. Cr. & Ins. I. p.
1. — Hist. Nat. d. Cr. & d. Ins. IX. p.
T. 76. f. 9.
Till. serraticornis. * Fabr. S. El. I. p. 282. 5
* Ent. S. I. II. p. 78. 3.

---

z) *var. β.* Corpore duplo majore, fascia nec marginem nec sutu attingente. * Oliv. Ent. IV. 76. p. 17. 21.
Habitat in Algier.

* Oliv. Ent. II. 22. p. 4. 2. T. 1. f. 2. a—d.
* Panz. Fn. G. XXVI. 13. * Ent. G. I. p. 369. 2.
* Dunk. Ent. Bild. I. p. 27. T. 2. f. 38. a.
Derm. dentatus. * Ross. Fn. Etr. I. p. 34. 82. T. 3. f. 2. & Add. p. 341. 34. 82. * Mant. I. p. 16. 30. * Mant. II. App. p. 129. * ed. Hellw. I. p. 37. 82. & Mant. I. p. 351. 30. & p. 450. 82.
Weberi. *a)* * Latr. Gen. Cr. & Ins. I. p. 271. 2. — Hist. N. d. Cr. & d. Ins. IX. p. 147.
Till. Weberi. * Fabr. S. El. I. p. 282. 3. * Suppl. p. 117. 1—2.
Damicorne. *Till. damicornis.* * Fabr. S. El. I. p. 282. 2. * Suppl. p. 117. 1—2.
Cr. Illig. Mag. I. p. 376. 2.
Dermestoide. *b) Dermestoides.* * Schæff. Elem. Tab. 138.

No 61. TRICHODES. *c)* Fabr. n. 53.

Octopunctatus. * Fabr. S. El. I. p. 283. 1. * Herbst Col. IV. p. 158. 2. T. 41. f. 12.
Clerus 8 punctatus. * Fabr. S. El. I. p. 208. 9. * Mant. I. p. 126. 9.
* Oliv. Ent. IV. 76. p. 9. 8. T. 1. f. 8. a. b. — Enc. Meth. *Clairon* n. 12.
Attelab. 8 maculatus. Vill. Ent. I. p. 222. 15. T. 1. f. 26.
* Linn. S. Nat. Gmel. I. IV. p. 1811. 26.
Ticolor. * Fabr. S. El. I. p. 283. 2.
Cler. tricolor. * Fabr. S. El. I. p. 208. 10. * Mant. I. p. 126. 10. * Sp. Ins. I. p. 202. 6.
* Oliv. Ent. IV. 76. p. 16. 20. T. 2. f. 20. a. b. — Enc. Meth. VI. p. 13. 15.
Attelab. tricolor. * Linn. S. N. Gmel. I. IV. p. 1811. 27.
Bifasciatus. * Fabr. S. El. I. p. 283. 3.
* Herbst Col. IV. p. 159. 3. T. 41. f. 13.
Cler. bifasciatus. * Fabr. Ent. S. I. p. 208. 11. * Mant. I. p. 126. 11. * Sp. Ins. I. p. 202. 7.
* Herbst Arch. p. 87. 3. T. 25. f. 3.

An idem ac *Coryn. sanguinicolle.* n. 7.

Forsan hujus generis. LATR.

Tarsis articulis quinque, primo brevissimo, sequentis basi superne recondito; cæteris quadri distinctis. LATR.

* Oliv. Ent. IV. 76. p. 9. 9. T. 1. f. 9. — Meth. VI. p. 15. 14.
Attelab. bifasciatus. * Linn. S. N. Gmel. I. I. 18 1. 28.

4. Sipylus. * Fabr. S. El. I. p. 284. 4.
Cler. sipylus. * Fabr. Ent. S. I. p. 208. 12. * I. p. 126. 12. * Sp. Ins. I. p. 202. Ent. p. 158. 3.
* Oliv. Ent. IV. 76. p. 8. 7. T. 1. f. 7.
Attelab. sipylus. * Linn. Mus. L. Ulr. n. 6. Nat. I. II. p. 620. 9. * ed. Gmel. 1812. 9.

5. Ammios. *d)* * Fabr. S. El. I. p. 284. 5.
Cler. Ammios. * Fabr. Ent. S. I. * Mant. I. p. 126. 13.
* Oliv. Ent. IV. 76. p. 6. 3. T. 1. f. 3. Meth. *Clairon* n. 16.
Attelab. Ammios. * Linn. S. Nat. Gmel. I. I. 1812. 29.

6. Apiarius. * Fabr. S. El. I. p. 284. 6.
* Herbst Col. IV. p. 156. 1. T. 41. f. 11.
Clerus apiarius. * Fabr. Ent. S. I. p. 208. 14. * I. p. 126. 14. * Sp. Ins. I. p. 202. 9. Ent. p. 158. 4.
* Illig. Kæf. Pr. I. p. 283. 3. * Mag. I. p.
* Latr. Gen. Cr. & Ins. I. p. 273. 2. — N. d. Cr. & d. Ins. IX. p. 153.
* Oliv. Ent. IV. 76. p. 7. 4. T. 1. f. 4.
* Panz. Fn. G. XXXI. 13. * Ent. G. I. p. 85
* Ross. Fn. Etr. I. p. 138. 353. * ed. Hel I. p. 147. 353.
* DeGeer Ins. V. p. 157. 1. T. 5. f. 3.
* Preysl. in Mayers Aufs. Böhm. Naturg. p. 203. 13.
Attel. apiarius. * Linn. S. Nat. I. II. p. 620. ed. Gmel. I. IV. p. 1812. 10.
* Scop. Carn. n. 110.
* Blumenb. Handb. ed. 3:a. p. 329. 2.
* Goeze Eur. Fn. VIII. p. 524. 5.
* Brahm Ins. Kal. I. p. 95. 318.
* Laich. Tyr. Ins. I. II. p. 244. 1.
Derm. apiarius. * Schrank Enum. Ins. p. 21. 36.
* Swammerd. Bibl. Nat. p. 284. & p. 526. T. f. 3. a. b. c.

Sch

d) Pariter in Lusitania.

* Schæff. Abhandl. II. T. 5. f. 10. — f. 5. 6. Larva.
* Roem. Ins. T. 4. f. 14.
Schrank Fn. Boica. I. p. 519. 592.
Lepichin Tageb. I. p. 219.
Poda Mus. Græc. p. 31.
Borows Naturg. VI. p. 118. 5. T. 15. f. 4.
Bechst. Naturg. I. p. 855. 2.
Pontopp. Naturg. p. 205. 3. * Nachr. p. 205. 3.

Favarius. (*Clerus*) * Illig. Mag. I. p. 80.
Cler. apiarius var. * Illig. Kæf. Pr. I. p. 283. 3.

Alvearius. * Fabr. S. El. I. p. 284. 7.
Cler. alvearius. * Fabr. Ent. S. I. p. 209. 15.
* Latr. Gen. Cr. & Ins. I. p. 273. 1. — Hist. N. d. Cr. & d. Ins. IX. p. 154. T. 77. f. 4.
* Illig. Kæf. Pr. I. p. 284. 4.
* Oliv. Ent. IV. 76. p. 7. 5. T. 1. f. 5. a—b.
* Panz. Fn. G. XXXI. 14. * Ent. G. I. p. 86. 5.
* Hoppe Taschenb. 1797. p. 139. 6.
Cler. apiarius * Petagn. Ins. Cal. p. 15. 74.
Oliv. Enc. Meth. VI. 16. 17.
Trich. apiarius var. * Herbst Col. IV. p. 156. 1.
Attelab. apiarius. * Müll. Zool. D. Pr. p. 95. 1076.
* Geoffr. Ins. I. p. 304. 1. T. 5. f. 4.
* Sulz. Kennz. T. 4. fig. b.
* Schæff. Elem. T. 46.
* Schæff. Icon. T. 48. f. 11.
Harrer Beschr. n. 393.
Reaum. Ins. VI. p. 99. T. 8. f. 8. 10.

Leucopsideus. *Cler. leucopsideus.* * Oliv. Ent. IV. 76. p. 8. 6. T. 1. f. 6.

Cyaneus. * Fabr. S. El. I. p. 285. 8.
Cler. cyaneus. * Fabr. Ent. S. I. p. 209. 16. * Mant. I. p. 126. 15.
Attelab. cyaneus. * Linn. S. Nat. ed. Gmel. I. IV. p. 1812. 30.

Crabroniformis. * Fabr. S. El. I. p. 285. 9.
Cler. crabroniformis. * Fabr. Ent. S. I. p. 209. 17. * Mant. I. p. 126. 16.
* Oliv. Ent. IV. 76. p. 5. 1. T. 1. f. 1. a. b.
Attelab. crabroniformis. * Linn. S. N. Gmel. I. IV. p. 1812. 31.

Umbellatarius. *Clerus Umbellatarum.* * Oliv. Ent. IV. 76. p. 5. 2. T. 1. f. 2. a. b.
var. β. * Oliv. Ent. l. c. var.

13. Fasciculatus. *(Clerus.)* * Schreiber Acta S. Linn. V
195. T. 20. f. 6.

N:o 62. CORYNETES. e) Fabr. n.

1. *Violaceus.* * Fabr. S. El. I. p. 285. 1.
* Herbst Col. IV. p. 150. 1. T. 47. f. 8. h.
* Payk. Fn. Sv. I. p. 275. 1.
Derm. violaceus. * Fabr. Ent. S. I. p. 230.
* Mant. I. p. 35. 15. * Sp. Ins. I. p. 65.
* S. Ent. p. 57. 10.
* Linn. Fn. Sv. n. 422. * Syst. Nat. I. I
563. n. 13. * ed. Gmel. I. IV p. 1594
* Panz. Fn. G. V. 6. * Ent. G. I. p. 98. 1
* Cederh. Fn. Ingr. n. 129.
* Scop. Carn. n. 51.?
* Ross. Fn. Etr. I. p. 33. 78. * ed. Hellw
p. 35. 78.
* Dunk. Ent. Bild. I. p. 22. T. 2. f. 27.
* Goeze Eur. Fn. VIII. p. 190. 4.
* Schrank En. Ins. Austr. p. 26. 45. —
Boica I. p. 516. 595.
* Barb. Gen. Ins. p. 20. T. 3. f. 4.
* Müll. Zool. D. Pr. p. 56. 487.
* Brahm Ins. Kal. I. p. 121. 422.
Poda Mus. Græc. p. 22.
Müll. Linn. Nat. Syst. V. I. p. 105. 13
Clerus violaceus. * Illig. Kæf. Pr. I. p. 282. 2
Oliv. Enc. Meth. VI. p. 17. 24.
Fourcr. Ent. Par. I. p. 134. 2.
Clerus Quadra. * Marsh. Ent. Br. I. p. 323.
Clerus cæruleus. * DeGeer Ins. V. p. 163. 4. T. 5.
Necrobia violacea. * Latr. Gen. Cr. & Ins. I. p.
— Hist. N. d. Cr. & d. Ins. IX. p.
T. 77. f. 5.
* Oliv. Ent. IV. 76 bis. p. 5. 1. T. 1. f. 1. a.
Attel. Geoffroyanus. * Laich. Tyr. Ins. I. II. p. 24
Cler. violaceus. * Marsh. Ent. Br. I. p. 32
fœmina l. var.
* Geoffr. Ins. I. p. 304. 2. *Clerus.*
* Schæff. Icon. T. 166. f. 4. a. b. ?
* Panz. En. S. Schæff. Ic. p. 152. 4. a. b.
Harrer Beschr. n. 396. ed. II. n. 48.
Ray Ins. p. 100. 12.

---

e) Tarsi omnes tantum quadri articulati.



4. Rufipes. * Fabr. S. El. I. p. 286. 2.
* Herbst Col. IV. p. 151. 2.
Derm. rufipes. * Fabr. Ent. S. I. p. 230. 17.
* Mant. I. p. 35. 16. * Sp. Ins. I. p. 65. 14.
* Ross. Fn. Etr. I. p. 33. 79. & App. p. 341.
* ed. Hellw. I. p. 35. 79. & p. 450. 79.
* Panz. Ent. Germ. I. p. 99. 19.
* Linn. S. N. Gmel. I. IV. p. 1594. 16.
Necrobia rufipes. * Oliv. Ent. IV. 76 bis. p. 5. 2. T. 1. f. 2. a. b.
Anob. rufipes. * Thun. Nov. Ins. Sp. I. p. 10.
Clerus rufipes. * DeGeer Ins. V. p. 165. 1.
Tenebr. dermestoides. Piller & Mitterp. Iter.
* Scriba Journ. p. 96.
* Schæff. Icon. T. 166. f. 4. a. b.
5. Scutellaris. (*Clerus.*) * Panz. Fn. G. XXXVIII. 19.
* Illig. Kæf. Pr. I. p. 282. 1.
6. Ruficollis. * Fabr. S. El. I. p. 286. 3.
* Herbst Col. IV. p. 152. 3. T. 41. f. 9.
Derm. ruficollis. * Fabr. Ent. S. I. p. 230. 18.
* Mant. I. p. 35. 17. * Sp. Ins. I. p. 65. 15.
* S. Ent. I. p. 57. 11.
* Linn. S. Nat. Gmel. I. IV. p. 1593. 17.
Necrobia ruficollis. * Oliv. Ent. IV. 76 bis. p. 6. 3. T. 1. f. 3. a. b.
* Latr. Gen. Cr. & Ins. I. p. 274. 2. — Hist. Nat. d. Cr. & d. Ins. IX. p. 156.
Anob. ruficolle. * Thunb. Nov. Ins. Sp. p. 8. f. 7.
Clerus ruficollis. * Marsh. Ent. Br. I. p. 384. 5.
7. Collaris. Nov. Sp. *f*).
8. Abdominalis. * Fabr. S. El. I. p. 286. 4.
9. Sanguinicollis. * Fabr. S. El. I. p. 287. 5.
* Herbst Col. IV. p. 153. 4. T. 41. f. 10. k. K.
Derm. sanguinicollis. * Fabr. Ent. S. I. p. 231. 19.
* Mant. I. p. 35. 18.
* Panz. Ent. G. I. p. 99. 20.
* Linn. S. N. Gmel. I. IV. p. 1596. 39.

---

f) CORYN. COLLARIS: niger, villosus, thorace antennarumque basi rufo; elytris æneo-nigris.
Habitat extra Europam. E Musæo *Schönh.*
Statura et magnitudine *Cor. violacei* at paulo brevior. Caput nigrum, punctulatum, villosum, os rufum, antennis nigris articulo primo rufo; Thorax tam supra, quam subtus rufus, nigro-villosus. Elytra thorace latiora & triplo longiora, nigro-ænea, excavato-punctata, pilis nigris adspersis. Pedes rufo-fusci, villosi.
BILLBERG.

* Panz. Naturf. XXIV. p. 10. 13. T. 1.
* Ross. Fn. Etr. I. p. 34. 80. * ed. He
p. 36. 80.
* Schæff. Icon. T. 220. f. 4. a. b.
Harrer Beschr. n. 229.
Cfr. *Enopl. Weberi.* p. 47. n. 2. huj. Op.

8. Viridis. *Anobium viride.* * Thunb. Nov. Ins. Sp
Derm. viridis. * Linn. S. N. Gmel. I. IV. p.
9. Cæruleus. *Anob. cæruleum.* * Thunb. Nov.
Sp. p. 10.
Derm. cæruleus. * Linn. S. N. Gmel. I.
1594. 24.

No 63. NOTOXUS. g) Fabr.

1. Porcatus. * Fabr. S. El. I. p. 287. 1. * Ent.
210. 1. * Mant. I. p. 127. n. 1.
* Linn. S. N. Gmel. I. IV. p. 1813. 1.
Clerus porcatus. * Oliv. Ent. IV. 76. p.
2. f. 17. — Enc. Meth. *Clairon*
2. Violaceus. * Fabr. S. El. I. p. 287. 2. * En
p. 210. 2. * Mant. I. p. 127. 2.
* Linn. S. N. Gmel. I. IV. p. 1813. 2.
Clerus violaceus. * Oliv. Ent. IV. 76. p.
T. 2. f. 18. — Enc. Meth. *Clairon*
3. *Mollis.* * Fabr. S. El. I. p. 287. 3. * Ent.
211. 5. * Mant. I. p. 127. 3. * Sp. I
203. 1. * S. Ent. p. 158. 1.
* Gyllenh. Ins. Sv. I. I. p. 312. 1.
* Payk. Fn. Sv. I. p. 218. 1.
* Panz. Fn. G. V. 5. * Ent. G. I. p. 87.
* Cederh. Fn. Ingr. n. 105.
* Ruem. Gen. Ins. T. 34. f. 21.
* Goeze Eur. Fn. VIII. p. 531. 1.
* Linn. S. N. Gmel. I. IV. p. 1813. 3.
Attelab. mollis. * Linn. Fn. Sv. n. 642.
Nat. I. II. p. 621. 11.
* Müll. Zool. D. Pr. p. 95. 1078.
Laich. Tyr. Ins. I. II. p. 246. 3.
Poda Mus. Græc. p. 31. 3.
Vill. Ent. I. p. 220. 8.
Clerus mollis. * Illig. Kæf. Pr. I. p. 285.
* Oliv. Ent. IV. 76. p. 10. 10. T. 1.
Oliv. Enc. Meth. VI. p. 17. 20.

---

g) Tarsi ut in *Trichode* vid. supr. p. 47. Not. c).

* Herbst Col. VII. p. 210. 4. T. 109. f. 4.
* Marsh. Ent. Br. I. p. 322. 2.
Clerus fusco-fasciatus. * DeGeer Ins. V. p. 159. 2. T. 5. f. 6.
Opilus mollis. * Latr. Gen. Cr. & Ins. I. p. 272. 1. — Hist. N. d. Cr. & d. Ins. IX. p. 149. T. 77. f. 2. 3.
Derm. mollis. * Schrank En. Ins. Austr. p. 22. 37.
* Geoffr. Ins. I. p. 805. n. 3.
* Uddm. Diss. p. 15. n. 28. T. 1. f. 9. a. b. *Curcul.*
* Schæff. Icon. T. 60. f. 2. & T. 86. f. 5. var. minor.
Harrer Beschr. n. 395.
Mart. Engl. Ent. T. 23. f. 7.
Müll. Linn. Nat. Syst. V. I. p. 247. 41.
Borows. Naturg. VI. p. 119. 6.
Bechst. Naturg. I. II. p. 856. 2.
Voet Col. II. T. 41. f. 3. B.
4. Indicus. * Fabr. S. El. I. p. 288. 4. * Ent. S. IV. App. p. 444. n. 4—5.
5. Chinensis. * Fabr. S. El. I. p. 288. 5. * Ent. S. IV. App. p. 444. n. 4—5.
6. Illigeri. Nov. Sp. *h*).
7. Schædia. * Ross. Fn. Etr. I. p. 140. 355. * ed. Hellw. I. p. 150. 355.

---

h) NOTOXUS ILLIGERI: oblongo-ovatus nigro-æneus sub-nitens, profunde punctatus, thoracis lateribus, elytrorumque fasciis duabus flexuosis albidis.

Habitat in India Orientali. Dom. *J. Lund.* E Mus. *Schönherri.* Statura *Cleri* Generis, sed palpi quatuor securiformes, anteriores multo majores; magnitudo *Malachii bipustulati.* Caput magnum porrectum nigro-æneum nitidum, crebre et profunde punctatum, pilis longioribus fuscis sparsis erectis obsitum; oculi globosi brunnei; Palpi pallide ferruginei. Antennæ thorace longiores, basi ferrugineæ, extrorsum crassiores nigræ pubescentes. Thorax brevis transversus, antice truncatus, lateribus et postice rotundatus, supra modice convexus, crebre et profunde punctatus, nigro-æneus nitidus, lateribus albico-testaceis, densius pallido pubescentibus. Scutellum minutum rotundatum fuscum pubescens. Elytra oblongo-ovata, lateribus marginata, apice rotundata, supra modice convexa, parce fusco-pilosa, profunde punctata, nigro-ænea nitida, margine exteriore, fasciis duabus flexuosis albidis abbreviatis, suturam non attingentibus, quarum altera paulo ante medium, latior, altera intra apicem, angusta, magis flexuosa, ambæ cum margine pallido connexæ. Corpus et femora nigro picea pubescentia; tibiæ et tarsi pallidi.

Obs. *N. chinensi* Fabr. affinis videtur, sed ille secundum descriptionem *N. molli* major, elytris pallidis nigro-fasciatis.

Tab. 4. fig. 7. b. magnit. naturalis — a. aucta.

GYLLENHAL.

8. Pallidus. *i*) *Clerus pallidus.* * Oliv. Ent. IV. 11. 11. T. 1. f. 11.

9. Scabrosus. *i*) *Clerus scabrosus.* * Oliv. Ent. IV. p. 16. 19. T. 2. f. 19.

10. Fasciatus. *i*) *Attelabus fasciatus.* Pillet. terp. Iter.
* Scriba Journ. p. 80.

64. STEROPES. Steveni.

1. Caspius. *k*) Steven. Mem. des Natur. de M. 166. 10. T. 10. f. 9. 10.

N:o 65. ANTHICUS. Fabr. n. g.

A) *Thorace cornuto.*

1. *Monoceros.* * Fabr. S. El. I. p. 288. n. 1.
* Payk. Fn. Sv. I. p. 254. n. 1.
* Dict. des Sciences Natur. II. p. 202. 1.
Notox. Monoceros. * Fabr. S. El. I. p. 211.
* Mant. I. p. 127. 4. * Sp. Ins. I. 2. * S. Ent. p. 158. 2.
* Latr. Gen. Cr. & Ins. II. p. 202. Hist. Nat. d. Cr. & d. Ins. X. T. 89. f. 7.
* Illig. Kæf. Pr. I. p. 287. 1.
* Oliv. Ent. III. 51. p. 4. 1. T. 1. f. 2. a. b. c.
* Herbst Arch. p. 88. 2. T. 25. f. 4.
* Panz. Fn. G. XXVI. 8. * Ent. G. I. p. 87.
* Ross. Fn. Etr. I. p. 139. n. 354. *a.* * Hellw. I. p. 149. 354. *a.*
* Ceslerh. Fn. Ingr. n. 106.
* Goeze Eur. Fn. VIII. p. 532. 2.
* Linn. S. N. ed. Gmel. I. IV. p. 1813. 4.
Meloë Monoceros. * Linn. S. Nat. I. II. p. 681. 14.
* Schrank En. Ins. p. 223. 421. var. *a.* — Boica. I. p. 574. 730.
* Brahm Ins. Kal. I. p. 106. 361.

---

i) An hujus generis?

k) STEROPES. Palpi quatuor inæquales securiformes. Maxilla u dentata. Antennæ articulis tribus ultimis filiformibus longissimis. Genus *Anthico* proximum, a quo antennarum structura differt. — C pus cylindricum testaceum; Mas macula elytrorum holosericea, tida nigra; fœmina immaculata.

STEVEN.



Attelab. Monoceros. * Linn. Fn. Sv. n. 639.
Lytta Monoceros. * Marsh. Ent. Br. I. p. 487. 8.
* Geoffr. Ins. I. p. 356. 1. T. 6. f. 8. C. D.
* Schæff. Elem. Tab. 140. f. 1—6.
* Schæff. Icon. T. 188. f. 3. a. b.
Herrer Beschr. n. 397.
Müll. Linn. Nat. S. V. I. p. 384. 14.
Bechst. Naturg. I. II. p. 855. 1.

1. *Cornutus. l)* * Fabr. S. El. I. p. 289. 2.
* Dict. d. Sciences Natur. II. p. 202. 2.
Notox. cornutus. * Fabr. Ent. S. I. p. 211. 7.
* Panz. Fn. G. LXXIV. 7.
Not. trifasciatus. * Ross. Mant. I. p. 45. 113. * ed. Hellw. I. p. 384. 113.
Not. Monoceros. β. * Ross. Fn. Etr. I. p. 139. 354. T. 2. f. 14. * ed. Hellw. I. p. 149. 354. T. 2. f. 14. *β.*
Meloë Monoceros. β. * Schrank Enum. p. 224. 421.

2. Cornutus. (*Notoxus.*) * Thunb. N. Ins. Sp. p. 100.

3. Rhinoceros. * Fabr. S. El. I. p. 289. 3.
* Dict. d. Sciences Nat. II. p. 202. 3.
Notox. Rhinoceros. * Fabr. Suppl. p. 66. 7—8.
Not. serricornis. * Panz. Fn. G. XXXI. 17.?

4. Monodon. * Fabr. S. El. I. p. 289. 4.

B.) *Thorace mutico.*

5. Ruficollis. * Fabr. S. El. I. p. 289. 5.
6. Fabricollis. * Fabr. S. El. I. p. 290. 6.
7. Abdominalis. * Fabr. S. El. I. p. 290. 7.
8. Fuscipennis. * Fabr. S. El. I. p. 290. 8.
9. Fasciatus. * Fabr. S. El. I. p. 290. 9.
10. Elegans. * Steven. Mem. des Nat. de Mosc. I. p. 161. 5.
11. Paykulli. Nov. Sp. *m).*

---

l) Prope Holmiam invenit. *D. Hæffner.*

m) ANTHICUS PAYKULLII: elongatus niger pubescens, subtilissime punctulatus, thorace postice, et triaque fascia duabus albido-villosis.

Habitat Algiriæ. Dom. *de Paykull.*

Statura fere *A. floralis*, sed paullo longior. Caput magnum rotundatum nigrum, creberrime punctulatum, ocellis glaucis atris. Antennæ thorace longiores crassæ, totæ nigræ. Thorax oblongus, antice latior, rotundatus, posterius angustior, basi truncatus, supra convexus, niger, pubescens, creberrime punctulatus, lateribus et postice villositate densiore albido-argentea tectus. Scutellum parvum triangulare

13. Thoracicus. * Fabr. S. El. I. p. 291. 10.
14. Coeruleus. (*Notoxus*) * Thunb. Nov. Ins. Sp. p.
15. *Ater.* * Payk. Acta Holm. 1801. p. 117.
Anth. antherinus var. γ, * Payk. Fn. Sv. I. p.
Notox. ater. * Illig. Kæf. Pr. I. p. 290. 7.
* Panz. Fn. G. XXXI. 15.
— (Bipunctatus.) * Fabr. S. El. I. p. 291.
— vid. Gen. *Latridius?* Huj. Op. I. IV.
16. Pedestris. * Fabr. S. El. I. p. 291. 12.
* Illig. Mag. V. p. 225.
Notox. pedestris. * Fabr. Suppl. p. 66. 9—10.
var. β. *Notox. pedestris.* * Ross. Mant. I. p. 45.
T. 2. fig. C. * ed. Hellw. I. p. 384. 114.
Carab. pedestris. * Ross. Fn. Etr. I. p. 224.
* ed. Hellw. I. p. 270. 557.
Notox. thoracicus. * Panz. Fn. G. XXIII.
* Kr. Rev. d. Ins. Fn. I. p. 60. * Ent.
I. p. 88. 10.
var. γ. *Notox. equestris.* * Panz. Fn. G. LXXIV.
17. Nectarinus. *Notox. nectarinus.* * Panz. Fn.
XXIII. 7. * Kr. Rev. d. Ins. Fn. I. p.
* Ent. G. I. p. 87. 9.
Not. bifasciatus. * Ross. Mant. I. p. 48. 122.
* ed. Hellw. I. p. 389. 122. ?
18. Quadriguttatus. *Not. 4-guttat.* * Ross. Mant.
I. p. 48. 121. & II. App. p. 131. * ed. Hellw.
I. p. 388. 121.
19. Cinctellus. *Notox. cinctellus.* * Ross. Mant.
p. 46. 115. T. 2. fig. D. * ed. Hellw. I.
386. 115.
20. *Antherinus.* * Fabr. S. El. I. p. 291. 13.
* Payk. Fn. Sv. I. p. 255. 2.
* Dict. des Sciences Nat. II. p. 202. 4.
Notox. antherinus. * Fabr. Ent. S. I. p. 212.
* Illig. Kæf. Pr. I. p. 288. 3.
* Latr. Gen. Cr. & Ins. II. p. 202. 2. — H
Nat. d. Cr. & d. Ins. X. p. 355.

P

---

nigrum. Elytra thorace multo latiora, elongata, fere linearia,
ce rotundata, dorso parum convexa, creberrime punctulata, nig
ante medium fascia lata integra et pone medium altera obliqua,
turam vix attingens, e villis depressis albido-argenteis nitidis. C
pus nigrum punctulatum, albido-pubescens. Pedes elongati ten
toti nigri.

GYLLENHAL.



* Panz. Fn. G. XL. 14. * Ent. G. I. p. 87. 6.
* Cederh. Fn. Ingr. n. 107.
Lagria antherina. * Fabr. Mant. I. p. 94. 24. * Sp. Ins. I. p. 160. 14. * S. Ent. p. 126. 11.
* Linn. S. Nat. Gmel. I. IV. p. 1731. 234.
* Ross. Fn. Etr. I. p. 109. 278. * ed. Hellw. I. p. 115. 278.
Meloë antherinus. * Linn. Fn. Sv. n. 829. * Syst. Nat. I. II. p. 681. 16.
Vill. Ent. I. p. 402. 11.
Lyta antherina. * Marsh. Ent. Br. I. p. 485. 3.
Mart. Engl. Ent. T. 39. f. 3.
var. β * Payk. Fn. Sv. I. p. 255.
Ant. sellatus. Notox. sellatus. * Panz. Fn. G. XXXVIII. 20.
* Illig. Kæf. Pr. I. p. 288. 2.
Anth. antherinus. var. γ. * Payk. Acta Holm. 1801. p. 116.
Bimaculatus. Notox. bimaculatus. * Illig. Mag. IV. p. 80. 4—5.
Gracilis. *Notox. gracilis.* * Panz. Fn. Germ. XXXVIII. 21.
* Illig. Kæf. Pr. I. p. 289. 5.
Trifasciatus. * Fabr. S. El. I. p. 291. 14.
Floralis. * Fabr. S. El. I. p. 291. 15.
* Payk. Fn. Sv. I. p. 256. 3.
* Dict. des Sciences Natur. II. p. 203. 5.
Notox. floralis. * Fabr. Ent. S. I. p. 212. 10.
* Illig. Kæf. Pr. I. p. 288. 4.
* Panz. Fn. G. XXIII. 4. * Ent. G. I. p. 87. 7.
* Cederh. Fn. Ingr. n. 108.
Lagria floralis. * Fabr. Mant. I. p. 94. 25. * Sp. Ins. I. p. 161. 15. * S. Ent. p. 126. 12.
* Linn. S. N. Gmel. I. IV. p. 1731. 235.
* Ross. Fn. Etr. I. p. 109. 279. * ed. Hellw. I. p. 115. 279.
Meloë floralis. * Linn. Fn. Sv. n. 830. ? * Syst. Nat. I. II. p. 681. 15.
Vill. Ent. I. p. 402. 10.
Not. formicarius. * Oliv. Ent. III. 51. p. 4. 2. T. 1. f. 3. a. b.
Meloë pedicularius. * Schrank. En. Ins. p. 224. 422.
Lytta floralis. * Marsh. Ent. Br. I. p. 485. 2.?
Lytta fusca. * Marsh. Ent. Br. I. p. 486. 4.
* Geoffr. Ins. I. p. 344. 8.
* Mart. Engl. Ent. T. 39. f. 4.
var. β. *Not. floralis.* * Illig. Kæf. Pr. I. p. 289. 4. β.
Not. bicolor. * Oliv. Ent. III. 51. p. 5. 3. T. 1. f. 4. a. b.

var. γ. *Notox. calycinus.* * Panz. Fn. G. VIII. 3. * G. I. p. 87. 8. * Kr. Rev. d. Ins. Fn. I. *Not. myrmicocephalus.* * Ross. Mant. I. p. 46. * ed. Hellw. I. p. 387. 117.
Lytta Boleti. * Marsh. Ent. Br. I. p. 486. 6.

26. Castaneus. *Notox. castaneus.* * Panz. Fn. XXXI. 16.

27. Bicolor. * Fabr. S. El. I. p. 292. 16.

28. Limbatus. * Fabr. S. El. I. p. 292. *Notox. limbatus.* * Fabr. Suppl. p. 67. n.

29. Hirtellus. * Fabr. S. El. I. p. 292. 18.
Notox. hirtellus. * Fabr. Suppl. p. 67. 12. * Panz. Fn. G. XXXV. 3. ?
Not. hispidus. * Ross. Mant. I. p. 46. 116. Hellw. I. p. 386. 116.
Not. humeralis. var. Frölich.

30. *Rufipes.* * Payk. Fn. Sv. III. App. p. 444. * Acta Holm. 1801. p. 117.
var. β. *Notoxus flavipes.* * Illig. Kæf. Pr. I. p. * Panz. Fn. G. XXXVIII. 22. * Dict. d. Sciences Nat. II. p. 203. 6.

31. *Populneus.* * Fabr. S. El. I. p. 292. 19. * Dict. d. Sciences Nat. II. p. 202. 7.
Notox. populneus. * Fabr. Suppl. p. 67. 13. * Panz. Fn. G. XXXV. 4.
Anth. ferrugineus. * Payk. Fn. Sv. I. p. 257.

32. *Melanocephalus. Notox. melanocephalus.* * Panz. G. XXXV. 5.

33. *Oculatus. n)* * Payk. Fn. Sv. I. p. 256. 4.
Lytta nigricollis. * Marsh. Ent. Br. I. p. 487.

34. Hispidulus. *Not. hispidulus.* * Ross. Mant. 47. 118. * ed. Hellw. I. p. 387. 118.

35. Tenuicollis. *Not. tenuicollis.* * Ross. Mant. p. 47. 120. * ed. Hellw. I. p. 388. 120.

36. Ruficollis. *Not. ruficollis.* * Mant. II. p. 96. 50.

37. Fulvus. *Notoxus fulvus.* * Oliv. Ent. III. 51. p. T. 1. f. 5. a. b.

— (*Minutus.*) * Fabr. S. El. I. p. 292. 20. — vid. *mæus minutus.* p. 59. n. 3. huj. Operis.

— (*Hellwigii.*) * Fabr. S. El. I. p. 292. 21. — *Scydmæus Hellwigii.* n. 1. huj. Operis.

---

n) Forte alter sexus *Anth. melanocephali.*





anguineus.) * Fabr. S. El. I. p. 293. 22. — vid. *Pselaph. sanguineus.* huj. Op. IV.

Dresdensis.) * Fabr. S. El. I. p. 293. 23. — vid. *Pselaph. Dresdensis.* huj. Op. IV.

Bifasciatus. o) *Lagria? bifasciata.* * Ross. Fn. Etr. I. p. 108. 276. * ed. Hellw. I. p. 114. 276.

No 66. MASTIGUS. Latr. n. 137.

Palpalis. * Latr. Gen. Cr. & Ins. I. p. 281. 1. T. 8. f. 5. — Hist. N. d. Cr. & d. Ins. IX. p. 186.

Deustus. *Notox. deustus.* * Thunb. Nov. Ins. Sp. p. 101.

Pinus spinicornis. * Fabr. S. El. I. p. 327. 12. * Ent. S. I. p. 241. 10. * Mant. I. p. 40. 7. * Oliv. Ent. II. 17. p. 10. 10. T. 1. f. 5. a. b. * Linn. S. N. Gmel. I. IV. p. 1607. 20.

Flavus. *Notox. flavus.* * Thunb. N. Ins. Sp. p. 101.

No 67. SCYDMÆUS. Latr. n. 138.

Hellwegii. * Latr. Gen. Cr. & Ins. I. p. 282. 1. — Hist. N. d. Cr. & d. Ins. IX. p. 186.

* Gyllenh. Ins. Sv. I. I. p. 254. 1.

* Illig. Mag. III. p. 38. 59.

Anthicus Hellwigii. * Fabr. S. El. I. p. 292. 21.

Pselaphus Hellwigii. * Illig. Kæf. Pr. I. p. 291. 3.

* Payk. Fn. Sv. III. p. 366. 5.

* Herbst Col. IV. p. 111. 3. T. 39. f. 12. a.

* Schneid. Mag. p. 580. 2.

Notox. minutus. * Panz. Fn. G. XXIII. 5. * Kr. Rev. d. Ins. Fn. I. p. 61.

Hirticollis. * Gyllenh. Ins. Sv. I. I. p. 286. 2.

Pselaphus hirticollis. * Illig. Kæf. Pr. I. p. 292. 4.

* Payk. Fn. Sv. III. p. 367. 6.

Scydmæus Godarti. * Latr. Gen. Cr &. Ins. I. p. 282. 2. T. 8. f. 6. forte.

Minutus. * Gyllenh. Ins. Sv. I. I. p. 286. 3.

Anthicus minutus. * Fabr. S. El. I. p. 292. 20.

Notox. minutus. * Fabr. Ent. S. I. p. 212. 11.

* Panz. Ent. G. I. p. 88. 11.

Notox. Non plus ultra. * Ross. Mant. I. p. 47. 119.?

* ed. Hellw. I. p. 387. 119.?

Vix hujus generis.

Carab. Non plus ultra. * Ross. Fn. Etr. I. 566. ? * ed. Hellw. I. p. 272. 566. ?
Lytta picea. * Marsh. Ent. Br. I. p. 486.
var. β. * Gyllenh. Ins. Sv. I. c. var. b.

N:o 68. PSOA. Fabr. n. 57.

1. Viennensis. * Fabr. S. El. I. p. 293. 1.
* Latr. Gen. Cr. & Ins. III. p. 8. 1.
* Herbst Col. VII. p. 215. 1. T. 109. f. 5.
* Panz. Fn. G. XCVI. 3.
Derm. dubius. * Ross. Mant. I. p. 17. 34.
fig. F. * ed. Hellw. I. p. 353. 34.
Bostr. capucinus. * Roem. Ins. T. 2. f. 5. c
* Sulz. Gesch. d. Ins. T. 2. f. 5. c.
2. Americana. * Fabr. S. El. I. p. 294. 2.

N:o 69. CANTHARIS. Fabr. n. 58.

1. *Fusca.* * Fabr. S. El. I. p. 294. 1. * Ent. S. 213. 1. * Mant. I. p. 167. 1. * Sp. Ins 257. 1. * S. Ent. p. 205. 1.
* Linn. Fn. Sv. n. 700. * Syst. Nat. I. II. 2. * ed. Gmel. I. IV. p. 1890. 2. * It. Oel
* Gyllenh. Ins. Sv. I. 1. p. 329. 1.
* Payk. Fn. Sv. I. p. 258. 1.
* Illig. Kæf. Pr. I. p. 295. 2.
* Fallén Mon. Canth. & Mal. p. 8. 1.
* Preysl. Böh. Ins I. p. 59. 61. T. 3. f. 4.
* Panz. Ent. G. I. p. 88. 1.
* Marsh. Ent. Br. I. p. 365. 1.
* Ross. Fn. Etr. I. p. 107. 414. *C. fuscam parem* in annotatione permiscuit.
* Ross. Fn. ed. Hellw. I. p. 190. 414. var.
* Herbst Arch. p. 107. 1. *C. fuscam* & n. confudit.
* Cederh. Fn. Ingr. n. 109.
* Blumenb. Handb. ed. 3:a. p. 331. 1.
* Scop. Ent. Carn. n. 120. β.
* Goeze Eur. Fn. VIII. p. 638. 1.
* Bechst. & Scharfenb. Forstins. III. p. 908
* Brahm Ins. Kal. I. p. 113. 392.
Vill. Ent. I. p. 289. 1.
Poda Mus. Græc. p. 40. 2.
Teleph. fuscus. * Latr. Gen. Cr. & Ins. I.
– Hist. Nat. d. Cr. & d. Ins. IX. p
* Geoffr. Ins. I. p. 170. 1. T. 2. f. 8. *Cicin*



* Frisch. Ins. XII. p. 36. 30. Pl. 3. Tab. 6. f. 5.
* Schæff. Elem. Tab. 123. f. 1.
* Schæff. Icon. T. 16. f. 10. 11.
Harrer Beschr. n. 122.
* Sulz. Kennz. T. 5. f. 33.
* Barb. Gen. Ins. T. 6. f. 3.
Ray Ins. p. 84. 29. & p. 101. 2.
Bechst. Naturg. I. II. p. 870. 1.
Barows. Naturg. VI. p. 143. 1. T. 20. f. 1.
Schmiedl. Einl. 233.
Müll. Linn. N. S. V. I. p. 307. 2. T. 6. f. 12.
Müll. Fn. Fridr. 143.
Mart. Engl. Ent. T. 29. f. 13. 14.
Acta Holm. 1749. p. 77. (DeGeer.)
Acta Ups. 1736. p. 19. 2.
Ephem. Nat. Cur. 1674. Obs. 79.
Voet Col. I. T. 46. f. 2.
var. β. * Illig. Kæf. Pr. I. p. 295. 2. β.
Rustica. * Gyllenh. Ins. Sv. I. I. p. 330. 2.
* Fallén Mon. Canth. & Mal. p. 9. 2.
Teleph. fuscus. * Oliv. Ent. II. 26. p. 6. 1. T. 1. f. 1. a. b. c.
* DeGeer Ins. IV. p. 60. 1. T. 2. f. 12.
* Müll. Zool. D. Pr. p. 61. 556.
Canth. fusca. * Schrank Enum. p. 176. 325. — Fn. Boica p. 580. 739.
* Illig. Kæf. Pr. I. p. 295. 2. var. γ.
Dispar. * Fabr. S. El. I. p. 295. 3. * Ent. S. I. p. 213. 3.
* Gyllenh. Ins. Sv. I. I. p. 331. 3.
* Payk. Fn. Sv. I. p. 259. 3. ♀.
* Fallén Mon. Canth. & Mal. p. 9. 3.
* Panz. Ent. G. I. p. 89. 3.
* Cederh. Fn. Ingr. n. 111.
Canth. livida. * Illig Kæf. Pr. I. p. 296. 3. α.
Teleph. opacus. * Müll. Zool. D. Pr. p. 61. 559.
Canth. rufipes. * Herbst Arch. p. 107. 2.
* Linn. S. N. ed. Gmel. I. IV. p. 1896. 49.
Canth. canescens. * Schall. Acta Hal. I. p. 302.
* Linn. S. N. Gmel. I. IV. p. 1894. 57.
Canth. media. * Linn. S. N. Gmel. I. IV. p. 1891. 74.
Canth. fusca. * Scop. Ent. Carn. n. 120 α.
* Ross. Fn. Etr. I. p. 167. 414. var. β. * ed. Hellw. I. p. 190. 414. annot. var. β.
* Geoffr. Ins. I. p. 172. 2. b.
* Leske Mus. I. p. 29. 632.
* Schæff. Icon. T. 16. f. 9.
Harrer Beschr. n. 122.

Ray Ins. p. 101. 3.
Müll. Fn. Fr. 144. β.

4. *Livida.* * Fabr. S. El. I. p. 295. 2. * Ent. S. I 213. 2. * Mant. I. p. 167. 2. * Sp. Ins. I 258. 2. * S. Ent. p. 205. 2.
* Linn. Fn. Sv. n. 701. * Syst. Nat. I. II 647. 3. * ed. Gmel. I. IV. p. 1892. 3
* Gyllenh. Ins. Sv. I. I. p. 346. 22.
* Illig. Kæff. Pr. I. p. 296. 3. β. * Mag. I. p. 81
* Fallén Mon. Canth. & Mal. p. 17. 22.
* Marsh. Ent. Br. I. p. 366. 4.
* Panz. Ent. G. I. p. 89. 2.
* Cederh. Fn. Ingr. n. 110.
* Ross. Fn. Etr. I. p. 167. 415. ? * ed. Hellw p. 191. 415. ?
* Schrank Enum. p. 176. 326. — Fn. Boica. p. 580. 740.
* Goeze Eur. Fn. VIII. p. 646. 2.
Teleph. lividus. * Oliv. Ent. II. 26. p. 7. T. 2. f. 8.
* Müll. Zool. D. Pr. p. 62. 566.
Teleph. flavus. * DeGeer Ins. IV. p. 70. 2.
Canth. dispar. ♂. * Payk. Fn. Sv. I. p. 259. 3.
Canth. fusca. * Ross. Fn. Etr. ed. Hellw. I. 190. 414. var. γ.
* Geoffr. Ins. I. p. 171. 2. α.
* Barb. Gen. Ins. T. 6. f. 8.
* Schæff. Elem. T. 123. f. 2. ?
* Schæff. Icon. T. 16. f. 12.
Harrer Beschr. n. 122.
Voet Col. I. p. 121. 1. T. 46. f. 1.
Ray Ins. p. 84. 28.
Acta Ups. 1736. p. 19. 1.
Mart. Engl. Ent. T. 29. f. 7.

5. Coronata. Nov. Sp. *p*).

---

p) CANTHARIS CORONATA: brevior, supra rufo-testacea, t race macula tricuspidata nigra, subtus nigra, tibiis anoque testa Habitat in Lusitania. D. *Lundstedt.* Mus. *Schönherr.*

Statura et magnitudo *C. assimilis* Payk. et *C. liturata* Fa affinis. Caput breve latum rufo-testaceum, crebre punctulatum, tice utrinque oblique nigro; prope basin antennarum in fr plerumque puncta quatuor parva nigra; oculi parvi nigri, parum minuli. Antennæ corpore paulo breviores nigræ, articulis pr baseos rufo-testaceis. Thorax capite paulo latior, antice et la bus rotundatus, postice truncatus, undique marginatus, disco vexus, canaliculatus, crebre punctatus, rufo-testaceus pubescens medio posteriore macula nigra, antice emarginata, bicuspis, po tricuspis, coronam inversam mentiens, et versus basin puncta





6. Palliata. Nov. Sp. q)

7. Rufa. * Illig Kæf. Pr. I. p. 297. 4.
* Gyllenh. Ins. Sv. I. I. p. 350. 26.
* Fallén Mon. Canth. & Mal. p. 21. 31.
* Linn. Fn. Sv. n. 703. ? * Syst. Nat. I. II. p. 647. 1. ?. * ed. Gmel. I. IV. p. 1892. 4. ?
* Schrank Enum. p. 177. 327.
Teleph. rufus. * Müll. Zool. D. Pr. p. 62. 564.
Canth. livida. * Herbst Arch. p. 107. 3. ?
* Scop. Ent. Carn. p. 39. 122. ?
* Panz. Fn. G. LVII. 3. ?
var. β. * Gyllenh. Ins. Sv. I. I. p. 350. 26. var. b.

8. *Assimilis.* * Gyllenh. Ins. Sv. I. I. p. 347. 23.
* Fallén Mon. Canth. & Mal. p. 18. 23.
* Payk. Fn. Sv. I. p. 261. 6.
var. β. ♀ * Gyllenh. Ins. Sv. l. c. var. b.
var. γ. ♂ * Gyllenh. Ins. Sv. l. c. var. c.
* Fallén Mon. Canth. l. c. var. β.
* Payk. Fn. Sv. l. c. Not.

9. *Livrata.* * Fallén Mon. Canth. & Mal. p. 18. 24.
* Gyllenh. Ins. Sv. I. I. p. 348. 24.
Canth. assimilis. var. β. var. * Payk. Fn. Sv. I. p. 262. 6.
var. β. * Fallén Mon. l. c. var. β.
* Gyllenh. Ins. Sv. l. c. var. b.
var. γ. * Fallén Mon. l. c. var. γ.
var. δ. * Fallén Mon. l. c. var. δ.
* Gyllenh. Ins. Sv. l. c. var. c.

10. *Plosa.* * Payk. Fn. Sv. I. p. 164. 9.

---

oblonga transversa nigra. Scutellum triangulare nigrum, punctatum. Elytra thorace latiora, minus elongata creberrime et sat profunde rugoso-punctata, rufo-testacea immaculata. Corpus nigrum pubescens punctulatum, ano late testaceo. Pedes validi pubescentes, femoribus totis nigris, tibiis rufo-testaceis, tarsis fuscis.
GYLLENHAL.

q) CANTHARIS PALLIATA: brevior nigra, thorace transverso, elytris ochraceis, abdominis lateribus anoque testaceis.
Habitat in Hispania. D. *Silfversvärd.*
Magnitudo et Statura præcedentis. Caput breve, latum, subtilissime punctulatum, totum nigrum immaculatum; oculi parum prominuli. Antennæ corpore breviores, totæ nigræ. Thorax brevis transversus, antice et lateribus rotundatus, postice truncatus, undique marginatus, disco convexus canaliculatus, punctatus, hinc inde foveolatus, totus niger, sub-nitidus. Scutellum triangulare obtusum nigrum. Elytra thorace latiora, antice dilatata, modice elongata, crebre rugoso-punctata, lineis nonnullis elevatis notata, tota pallide ochracea. Corpus nigrum pubescens, abdominis margine anguste, ano late testaceis. Pedes toti nigri. GYLLENH.

* Fallén Mon. Canth. & Mal. I. p. 20. 28.
var. β. Fallén Mon. l. c. p. 21. var.

11. *Alpina.* * Payk. Fn. Sv. I. p. 259. 2.
* Gyllenh. Ins. Sv. I. p. 346. 21.
* Fallén Mon. Canth. & Mal. p. 17. 21.
var. β. Gyllenh. Ins. Sv. l. c. var. b.

12. Abdominalis. * Fabr. S. El. I. p. 295. 4. * Suj
p. 67. 3—4.

13. *Violacea.* * Gyllenh. Ins. Sv. I. I. p. 333. 5.
* Fallén Mon. Canth. & Mal. p. 10. 5.
* Payk. Fn. Sv. I. p. 260. 4. δ. var.
Canth. abdominalis. * Panz. Fn. G. LXXXIV.
* Kr. Rev. d. Ins. Fn. I. p. 62. ?

14. Analis. * Fabr. S. El. I. p. 295. 5. * Ent. S
p. 214. 4.

— (Viridescens.) * Fabr. S. El. I. p. 295. 6. — vid.
smaragdula, n. 25. huj. Op.

15. *Obscura.* * Fabr. S. El. I. p. 296. 7. * Ent.
I. p. 214. 6. * Mant. I. p. 167. 4. * Sp.
I. p. 258. 3. * S. Ent. p. 205. 3.
* Linn. Syst. Nat. I. II. p. 648. 5 * ed. G
I. IV. p. 1892. 5.
* Gyllenh. Ins. Sv. I. I. p. 334. 7.
* Illig. Kæf. Pr. I. p. 295. 1. * Mag. I. p. 37
* Payk. Fn. Sv. I. p. 262. 7.
* Fallén Mon. Canth. & Mal. p. 11. 6.
* Panz. Ent. G. I. p. 89. 4.
* Ross. Fn. Etr. I. p. 68. 416. * ed. Hell
p. 191. 416.
* Petagn. Ins. Cal. p. 20. 97.
* Cederh. Fn. Ingr. n. 113.
* Schrank En. Ins. p. 181. 335. — Fn. Boic
p. 581. 742.
* Goeze Eur. Fn. VIII. p. 647. 3.
* Marsh. Ent. Br. I. p. 365. 2. Descr. I
Syst. Nat.
Teleph. obscurus. * Oliv. Ent. II. 26. p. 8. 3
2. f. 10. a. b.?
* Müll. Zool. D. Pr. p. 61. 558.
Müll. Linn. Nat. S. V. I. p. 303. 5.
Acta Nidr. III. 386. T. 6. f. 5.
* Schæff. Icon. T. 16. f. 8.
Harrer Beschr. n. 124.
Bechst. Naturg. I. II. p. 871. 2.
Botows. Naturg. VI. 144. 2. T. 20. f. 2.

16. Carolina. * Fabr. S. El. I. p. 296. 8.

17. *Nigric*



17. *Nigricans.* r). * Fabr. S. El. I. p. 296. 9.
* Gyllenh. Ins. Sv. I. I. p. 333. 6.
* Illig. Kæf. Pr. I. p. 298. 5. α.
* Fallén Mon. Canth. & Mal. p. 11. 7.
Canth. obscura. * Linn. Fn. Sv. n. 706.
* Payk. Fn. Sv. I. p. 262. 7. var.
* Marsh. Ent. Br. I. p. 365. 2. Descr. Linn. Fn. Sv.
* Oliv. Ent. II. 26. T. 2. f. 10. c. d. ?
Harrer Beschr. n. 123. ?
* Schæff. Icon. T. 16. f. 13. ?
var. β. * Illig. Kæf. Pr. l. c. var. β.
* Gyllenh. Ins. Sv. I. c. var. b.
var. γ. * Illig. Kæf. Pr. l. c. var. γ.
Teleph. nigricans. * Müll. Zool. D. Pr. p. 61. 557.
Müll. Fn. Fridr. 144.

18. *Pellucida.* * Fabr. S. El. I. p. 296. 10. * Ent. S. I. p. 214. 7.
* Gyllenh. Ins. Sv. I. I. p. 332. 4.
* Payk. Fn. Sv. I. p. 261. 5.
* Fallén Mon. Canth. & Mal. p. 10. 4.
* Panz. Ent. G. I. p. 89. 5.
* Cederh. Fn. Ingr. n. 112.
var. β. * Gyllenh. Ins. Sv. I. c. var. b.

19. Ruficornis. * Fabr. S. El. I. p. 296. 11.

20. Flavipennis. * Weber Obs. Ent. p. 46. 1.

21. Limbata. s) * Fabr. S. El. I. p. 296. 12. * Ent. S. I. p. 215. 8. * Mant. I. p. 167. 5. * Sp. Ins. I. p. 258. 4.
* Linn. S. N. Gmel. I. IV. p. 1892. 20.

22. Rubens. * Fabr. S. El. I. p. 297. 13.

23. *Lateralis.* * Fabr. S. El. I. p. 297. 14. * Ent. S. I. p. 215. 9. * Mant. I. p. 167. 6. * Sp. Ins. I. p. 258. 5. * S. Ent. p. 206. 4.

r) Non facile crederem *Canth. obscuram* Linn. Fn. Sv. n. 706, & *Mal. angulatum* re unum sonare, ut opinatur Cl. Illig. Mag. I. p. 378. 7. hic enim in Svecia non occurrit. Dictum Linn. *parva est*, in dubium quidem adducit, *C. nigricantem* hujus loci esse. Legitur tamen l. c. Fn. Sv. *parva* quoque sub specie insequenti, omnium rarissima s. *C. laterali*, quamvis magnitudine *C. fulvicolli* non cedat. Unicum tantum specimen (*C. lateralis*) adhuc vidi, quod in Mus. Thunb. asservatur.
An figura ex Opere Oliv. citata exacte convenit vix persuasum habeo, attamen *C. obscuræ* non est.

s) Forsan idem ac *C. brunnicollis* n. 36. ex sententia *D. Illig.*

* Linn. Fn. Sv. n. 707. * Syst. Nat. I. II. 648. 6. * ed. Gmel. I. IV. p. 1892. (Cfr. Gyllenh. Ins. Sv. I. I. p. 329. N & huj. Op. p. 65 Not. s)
* Panz. Ent. G. I. p. 89. 6.
* Schrank En. Ins. p. 177. 328.
* Fallén Mon. Canth. & Mal. p. 22.

24. Argentea. * Thunb. N. Ins. Sp. p. 84.
* Linn. S. Nat. Gmel. I. IV. p. 1895. 46.

25. Smaragdula. * Fabr. S. El. I. p. 297. 15. * E
S. I. p. 215. 10. * Mant. I. p. 167. 7. * S
Ins. I. p. 259. 6.
* Linn. S. N. Gmel. I. IV. p. 1892. 22.
Canth. viridescens. * Fabr. S. El. I. p. 295.
* Ent. S. I. p 214. 5. * Mant. I. p. 167
* Linn. S. N. Gmel. I. IV. p. 1890. 1.
Teleph. smaragdulus. * Oliv. Ent. II. 26. p. 9.
T. 2. f. 13.
Canth. violacea. * Thunb. Nov. Ins. Sp. p. 84.
Canth. janthina. * Linn. S. N. Gmel. I. I
p. 1895. 47.

26. Emarginata. Nov. Sp. *t*).

27. Tristis. * Fabr. S. El. I. p. 297. 16. * Sup
p. 68. 11—12.
* Panz. Fn. G. LXXXIV. 6. ? conf. Panz. R
Rev. d. Ins. Fn. I. p. 62.

28. Lugubris. * Fabr. S. El. I. p. 297. 17.

29. *Elongata.* * Fallén Mon. Canth. & Mal. p. 11. 8.
* Gyllenh. Ins. Sv. I. I. p. 335. 8.

---

t) CANTHARIS EMARGINATA: brevior nigro-fusca, the cis lateribus, abdomine pedibusque rufo-testaceis, thorace ut que exciso.

Habitat ad Caput bonæ spei.

Statura omnino *Cantharidis Smaragdulæ* Fabr. seu *Cantha fusca* paulo minor, præsertim brevior. Caput parvum, t race angustius, creberrime punctulatum, totum nigrum obscur oculi parvi, globosi, nigri, prominuli. Antennæ corpore paulo brev res, totæ nigræ. Thorax brevior, antice et lateribus rotundat postice sinuato-transversus, undique marginatus, supra parum co vexus, medio canaliculatus, crebre subtilissime punctulatus, nige lateribus late rufo-testaceis; in utroque margine, versus angul posticum emarginatura parva rotundata excisus, unde angulus acut prominet. Scutellum rotundatum fuscum. Elytra thorace latior anterius dilatata, creberrime subtilissime granulato-punctata, nigr fusca, pube vel squamulis minutissimis cinereis obducta. Pectus n grum pubescens; Abdomen rufo-testaceum pubescens, basi in med fuscum. Pedes pallide rufo-testacei, tibiarum basi tarsisque fuscis.

GYLLENHAL.



Canth. atra. * Payk. Fn. Sv. I. p. 266. 13. ?
* Herbst Arch. p. 108. 5.
aludosa. * Fallén Mon. Canth. & Mal. p. 11. 10.
* Gyllenh. Ins. Sv. I. I. p. 336. 9.
Canth. atra. * Thunb. n. Acta Ups. V. p. 106.
tra. * Fabr. S. El. I. p. 297. 18. * Ent. S. I. p. 215. 11. * Mant. I. p. 167. 8. * Sp. Ins. I. p. 259. 7. * S. Ent. p. 206. 5.
* Linn. S. Nat. I. II. p. 649. 16. * ed. Gmel. I. IV. p. 1893. 16.
* Gyllenh. Ins. Sv. I. I. p. 336. 10.
* Fallén Mon. Canth. & Mal. p. 12. 9.
* Illig. Kæf. Pr. I. p. 301. 10.
* Panz. Ent. G. I. p. 90. 7.
Teleph. ater. * Oliv. Ent. II. 26. p. 13. 12. T. 1. f. 3. a. b.
Canth. plumbea. * Ross. Mant. I. p. 56. 137. ?
* ed. Hellw. I. p. 398. 137. ?
Fourcr. Ent. Par. I. p. 63. 15. ?
Vill. Ent. IV. p. 320. 20. ?
31. *Flavilabris.* * Fallén Mon. Canth. & Mal. p. 11. 11.
* Gyllenh. Ins. Sv. I. I. p. 337. 11.
32. *Pulicaria.* * Fabr. S. El. I. p. 303. 50. * Ent. S. I. p. 220. 31. * Mant. I. p. 168. 21. * Sp. Ins. I. p. 260. 17.
* Gyllenh. Ins. Sv. I. I. p. 338. 12.
* Fallén Mon. Canth. & Mal. p. 13. 12.
* Panz. Ent. G. I. p. 220. 31.
* Linn. S. N. Gmel. I. IV. p. 1894. 36.
Teleph. pulicarius. * Oliv. Ent. II. 26. p. 16. 17. T. 3. f. 20. a. b.
33. *Thoracica.* * Gyllenh. Ins. Sv. I. I. p. 338. 13.
Teleph. thoracicus. * Oliv. Ent. II. 26. p. 12. 10. T. 1. f. 2. a. b.
Canth. fulvicollis. * Illig. Kæf. Pr. I. p. 302. 11.
* Payk. Fn. Sv. I. p. 266. 12.
* Fallén Mon. Canth. & Mal. p. 13. 13.
Canth. bicolor. * Herbst Arch. p. 108. 11.
Canth. ruficollis. * Ross. Fn. Etr. I. p. 169. 419.
* ed. Hellw. I. p. 193. 419. sine var.
Canth. fulva. * Linn. S. N. Gmel. I. IV. p. 1896. 51.
var. β. Gyllenh. Ins. Sv. I. c. var. b.
Canth. fulvicollis var. β. * Illig. Kæf. Pr. I. c.
Teleph. niger. * DeGeer Ins. IV. p. 72. 5.
Canth. carulocephala. * Thunb. n. Acta Ups. IV. p. 18. 31.
* Linn. S. N. Gmel. I. IV. p. 1899. 64.
var. γ. *C. fulvicollis* var. γ. * Illig. Mag. I. p. 81.

35. Marginata. *u*) * Fabr. S. El. I. p. 298. 19. * S. I. p. 216. 12. * Mant. I. p. 167. 9. * Ins. I. p. 256. 8. * S. Ent. p. 206. 6.
* Linn. S. Nat. Gmel. I. IV. p. 1893. 23.
* Illig. Mag. I. p. 379. 19.

36. Brunnicollis. * Fabr. S. El. I. p. 298. 20.
Canth. limbata. * Fabr. S. El. I. p. 296. 12. * S. I. p. 215. 8. * Mant. I. p. 167. 5. * Ins. I. p. 258. 4. var. ?
Teleph. lateralis. * Oliv. Ent. II. 26. p. 15. 15. 3. f. 17. a. b.?

37. Flavicollis. * Fabr. S. El. I. p. 298. 21.

38. Diadema. * Fabr. S. El. I. p. 298. 22. * Suppl 68. 12—13.

39. Bimaculata. * Fabr. S. El. I. p. 298. 23. * Ent. S p. 213. 13. * Mant. I. p. 167. 10. * Sp. I. p. 259. 9.
* Linn. S. Nat. Gmel. I. IV. p. 1893. 25.
Teleph. bimaculatus. * Oliv. Ent. II. 26. p. 1 T. 2. f. 11.
Teleph. pensylvanicus. * DeGeer Ins. IV. p. T. 17. f. 15.
Canth. americana. * Forst. Cent. I. p. 50. 50.
* Linn. S. Nat. Gmel. I. IV. p. 1895. 48.

— (*Pallipes.*) * Fabr. S. El. I. p. 299. 24. — vid. *C. lida var.* β. n. 42 huj. Operis.

40. Barbara. * Fabr. S. El. I. p. 299. 25.

41. Hæmorrhoidalis. * Fabr. S. El. I. p. 299 * Ent. S. I. p. 216. 15.
* Panz. Ent. G. I. p. 90. 9.

42. *Pallida.* * Fabr. S. El. I. p. 299. 27. * Ent. p. 217. 16. * Mant. I. p. 167. 12.
* Gyllenh. Ins. Sv. I. I. p. 354. 31.
* Illig. Kæf. Pr. I. p. 301. 9.
* Payk. Fn. Sv. I. p. 264. 10.
* Fallén Mon. Canth. & Mal. p. 21. 29. ♀.
* Panz. Fn. G. LXXXV. 7. * Ent. G. I. p. 90
* Ross. Mant. I. p. 55. 136. * ed. Helw p. 398. 136.
* Linn. S. N. Gmel. I. IV. p. 1893. 29.
* Cederh. Fn. Ingr. n. 114.
* Marsh. Ent. Br. I. p. 368. 6.
Teleph. pallidus. * Oliv. Ent. II. 26. p. 14. 1 2. f. 9. a. b.

---

u) Varitatem *Canth. bimaculata* putat D. Illiger. an recte?

* Geoffr. Ins. I. p. 173. 6. a.
var. β. * Illig. Kæf. Pr. I. p. 301. 9. var. β.
* Gyllenh. Ins. Sv. I. I. p. 355. 31. var. b.
* Payk. Fn. Sv. I. p. 265. 10. var. β.
* Fallén Mon. Canth. & Mal. p. 21. 29. δ.
Canth. pallipes. * Fabr. S. El. I. p. 299. 24. * Ent. S. I. p. 216. 14. * Mant. I. p. 167. 11. * Sp. Ins. I. p. 259. 10.
* Panz. Ent. Germ. I. p. 90. 8.
* Ross. Fn. Etr. I. p. 168. 417. * ed. Hellw. I. p. 192. 417.
* Linn. S. N. Gmel. I. IV. p. 1893. 28.
Canth. melanocephala. * Herbst Arch. p. 108. 10.
Canth. berolinensis. * Linn. S. Nat. Gmel. I. IV. p. 1896. 50.
Teleph. pallipes. * Oliv. Ent. II. 26. p. 14. 13. T. 1. f. 5. a. b.
var. γ. * Illig. Kæf. Pr. I. p. 301. 9. γ.
Ruficollis. * Fabr. S. El. I. p. 299. 28. * Ent. S. I. p. 217. 17. * Mant. I. p. 168. 13. * Sp. Ins. I. p. 259. 11. * S. Ent. p. 206. 7.
* Marsh. Ent. Br. I. p. 366. 3.
* Panz. Ent. G. I. p. 90. 11.
* Linn. S. N. ed. Gmel. I. IV. p. 1894. 30.
Vill. Ent. I. p. 297. 25.
Mart. Engl. Ent. T. 29. f. 11.
Nigripennis. * Fabr. S. El. I. p. 299. 29.
Flavipes. * Fabr. S. El. I. p. 300. 30. * Ent. S. I. p. 217. 18. * Mant. I. p. 168. 14. * Sp. Ins. I. p. 259. 12.
* Linn. S. N. Gmel. I. IV. p. 1894. 31.
Teleph. flavipes. * Oliv. Ent. II. 26. p. 10. 7. T. 3. f. 13.
* Pallas Icon. Tab. F. fig. 23.
Melanocephala. * Fabr. S. El. I. p. 300. 31. * Ent. S. I. p. 217. 19. * Mant. I. p. 168. 15. * Sp. Ins. I. p. 260. 13.
* Linn. S. N. Gmel. I. IV. p. 1894. 32.
Teleph. melanocephalus. * Oliv. Ent. II. 26. p. 9. 5. T. 2. f. 7.
Dimidiata. * Fabr. S. El. I. p. 300. 32. * Suppl. p. 68. 19—20.
Canth. bicolor. * Thunb. Nov. Ins. Sp. p. 81.
* Linn. S. N. Gmel. I. IV. p. 1895. 39.
Bipunctata. * Fabr. S. El. I. p. 300. 33. * Ent. S. I. p. 218. 21. * Mant. I. p. 168. 16. * Sp. Ins. I. p. 260. 14. * S. Ent. p. 206. 8.
* Panz. Ent. G. I. p. 90. 12.

* Illig. Mag. I. p. 380. 33.
* Linn. S. N. Gmel. I. IV. p. 1894. 33.
Vill. Ent. I. p. 297. 26. T. 1. f. 36.
Teleph. bipunctatus. * Oliv. Ent. II. 26. p. 15. 1
T. 3. f. 16. a. b.

49. Læta. * Fabr. S. El. I. p. 300. 34. * Ent.
I. p. 218. 22.

50. Fulvicollis. * Fabr. S. El. I. p. 300. 35. * En
S. I. p. 218. 23.
* Panz. Ent. G. I. p. 90. 13.
* Geoffr. Ins. I. p. 172. 3. *Cicindela.*
Fourcr. Ent. Par. p. 60. 3.

51. Lineola. * Fabr. S. El. I. p. 301. 36. * Ent. S
I. p. 219. 24.
* Coqueb. Illustr. Ins. III. p. 127. T. 29. f. 1.

52. Abbreviata. * Fabr. S. El. I. p. 301. 37.

53. Brevipennis. * Fabr. S. El. I. p. 301. 38.

54. Manca. * Fabr. S. El. I. p. 301. 39.

55. Bilineata. * Thunb. N. Spec. Ins. p. 81.
* Linn. S. Nat. Gmel. I. IV. p. 1895. 40.

56. Trilineata. * Thunb. N. Spec. Ins. I. p. 82.
* Linn. S. Nat. Gmel. I. IV. p. 1895. 41.

57. Bivittata. * Fabr. S. I. p. 302. 40. * Suppl. p. 69. 27-28.

58. Fumosa. Nov. Sp. *v*).

59. Longicornis. * Fabr. S. El. I. p. 302. 41.

— (*Nigripes.*) * Fabr. S. El. I. p. 302. 42. vid. *Necydal.*
Notata. Payk. Tom. III. hujus Operis.

60. *Melanura. x*). * Fabr. S. El. I. p. 302. 45. * Ent. S
I. p. 219. 26. * Mant. I. p. 168. 19. * Sy
Ins. I. p. 260. 16. * S. Ent. p. 206. 9.
* Illig. Kæf. Pr. I. p. 299. 6. * Mag. I. p. 380. 4
* Gyllenh. Ins. Sv. I. I. p. 353. 29.
* Payk. Fn. Sv. I. p. 263. 8.

---

v) CANTHARIS FUMOSA, fusca, antennis longitudine corpo
thoraceque abdomineque nigris.
Habitat ad promont. bonæ spei. D. *Gröndal.* E Musæo *Schönh.*
Magnitudo fere *C. pilosæ.* Caput, partibus oris oculisque exse
omnia nigra. Antennæ fusco-nigricantes elytrorum longitudine
mare evidentius serratæ. Thorax subquadratus angulis rotund
convexo-planus, niger, pubescens. Scutellum fuscum. Elytra
convoluta, cinereo-fusca hirtella, oculo armato scabriuscula, li
elevatis duabus obsoletis notata, una ab angulo exteriore oblique
apicem producta, altera interior brevior. Abdomen fuscum. Pe
pallide fusci. Alæ fusco-hyalinæ, versicolores.
SWARTZ.

x) Thorace rotundato "lege" marginato.



* Fallén Mon. Canth. & Mal. p. 20. 26.
* Panz. Fn. G. LXXXV. 6. * Ent. G. I. p. 91. 14.
* Ross. Fn. Etr. I. p. 169. 420. * ed. Hellw. I. p. 193. 420.
* Cederh. Fn. Ingr. n. 115.
* Brahm Ins. Kal. I. p. 180. 595.
* Marsh. Ent. Br. I. p. 368. 7.
Vill. Ent. I. p. 300. 35.
Teleph. melanurus. * Oliv. Ent. II. 26. p. 8. 4. T. 5. f. 21.
Teleph. bimaculatus. * DeGeer Ins. IV. p. 71. 3.
* Müll. Zool. D. Pr. p. 62. 565.
Canth. fulva. * Scop. Carn. n. 124.
* Géoffr. Ins. I. p. 173. 5.
* Panz. En. S. Schæff. Ic. p. 22. 14.
* Schæff. Icon. T. 16. f. 14.
Harrer Beschr. n. 127.
Voet Col. II. p. 126. 2. T. 46. f. 2.
Ray Ins. p. 84. n. 27.
Fuscicornis. * Fallén Mon. Canth. & Mal. p. 20. 27.
* Gyllenh. Ins. Sv. I. I. p. 352. 28.
Teleph. fuscicornis. * Oliv. Ent. II. 26. p. 11. 9. T. 1. f. 4. a. b.
Canth. melanocephala. * Panz. Fn. G. XXXIX. 12.
Flavicollis. * Marsh. Ent. Br. I. p. 375. 22.
Pectoralis. y) * Fabr. S. El. I. p. 302. 44.
Vittata. z) * Fabr. S. El. I. p. 303. 45. * Ent. S. I. p. 219. 27.
Nitidula. z) Fabr. S. El. I. p. 303. 46. * Ent. S. I. p. 220. 28.
* Panz. Ent. G. I. p. 91. 15.
Necydalis ruficollis. * Fabr. S. El. II. p. 370. 11.? teste D. Illig. in Mag. I. p. 380. 43. Not. vix rite.
Ornata. z) * Fabr. S. El. I. p. 303. 47.
Color. * Fabr. S. El. I. p. 303. 48. * Suppl. p. 69. 29–30.
* Gyllenh. Ins. Sv. I. I. p. 351. 27.
* Panz. Fn. G. XXXIX. 13. ?
* Illig Kæf. Pr. I. p. 297. 4. Not. ?
* Fallén Mon. Canth. & Mal. p. 22. 32.?
* Schæff. Icon. T. 16. f. 15.
Teleph. pallidus. Harrer Beschr. n. 128.

---

erte *Cantharis*, sed thorax marginatus nec rotundatus.

a species *Necydalis?* confr. Illig. Mag. I. p. 380. 43. Not.

* Geoffr. Ins. I. p. 173. 4.?

— (*Nigra.*) * Fabr. S. El. I. p. 303. 49. — vid. *Dasytes ger.* Hujus Operis I. III.

— (*Pulicaria.*) *Fabr. S. El. I. p. 303. 50. — vide ante n.

68. *Clypeata.* * Illig. Kæf. Pr. I. p. 299. 7.
* Gyllenh. Ins. Sv. I. I. p. 349. 25.
Canth. nivea. * Panz. Fn. G. LVII. 5.
* Fallén Mon. Canth. & Mal. p. 19. 25.
Canth. testacea. * Scop. Carn. n. 123.
var. β. * Gyllenh. Ins. Sv. I. I. p. 350. 25. var.

69. *Testacea.* * Fabr. S. El. I. p. 304. 52. * Ent. S p. 220. 33. * Mant. I. p. 168. 23. * Sp. I. p. 261. 19. * S. Ent. p. 207. 11.
* Linn. Fn. Sv. n. 714. * Syst. Nat. I. II. p. 15. * ed. Gmel. I. IV. p. 1893. 15.
* Gyllenh. Ins. Sv. I. I. p. 355. 32.
* Illig. Kæf. Pr. I. p. 300. 8.
* Payk. Fn. Sv. I. p. 265. 11.
* Panz. Ent. G. I. p. 92. 20.
* Fallén Mon. Canth. & Mal. p. 21. 30.
* Ceterh. Fn. Ingr. n. 118.
* Goeze Eur. Fn. VIII. p. 649. 5.
* Schrank En. Ins. p. 180. 333. — Fn. Boica p. 582. 747.
* Marsh. Ent. Br. I. p. 367. 5.
Acta Nidr. IV. 325. 20.
Vill. Ent. I. p. 295. 14.
Teleph. testaceus. * DeGeer Ins. IV. p. 71. 4.
Canth. pellucida. * Brahm Ins. Kal. I. p. 110.
* Geoffr. Ins. I. p. 173. 6. B.
Müll. Linn. Nat. S. V. I. p. 310. 15.
Borows. Naturg. VI. p. 14. 2. T. 20. f. 5.
Mart. Engl. Ent. T. 29. f. 6.
var. β. * Illig. Kæf. Pr. I. p. 300. 8. β.
* Gyllenh. Ins. Sv. I. I. p. 356. 32. var. b.
* Payk. Fn. Sv. l. c. var
Canth. testacea. * Panz. Fn. G. LVII. 4.
Teleph. testaceus. * Müll. Zool. D. Pr. p. 62. 5
* Oliv. Ent. II. 26. p. 12. 11. T. 3. f. 19. a

70. Angulata. Nov. Sp. *a*)

71. Du

---

a) CANTHARIS ANGULATA: nigro-fusca pubescens, th postice rectangulo, lateribus late pallido, antennis subserratis l pedibusque fusco-pallidis.
Habitat in America. Donum Dom. *T. Lund.*
Parva, *C. testacea* brevior. Caput breve latum nigrum niti

(Dubia. Nov. Sp. b).
– (*Minima.*) * Fabr. S. El. I. p. 304. 51. — vid. *Malthin. marginatus.* p. 75. n. 7. huj. Op.
– (*biguttata.*) * Fabr. S. El. I. p. 304. 53. — vid. *Malthinus. biguttatus.* n. 5. huj. Op.
– (*cardiacæ.*) * Fabr. S. El. I. p. 304. 54. — vid. *Malachius Cardiacæ* ♂. n. 23. huj. Operis.

No 70. MALTHINUS. Latr. n. 119.

L. Flavus. * Latr. Gen. Cr. & Ins. I. p. 262. 4.
Canth. *flaveola.* * Payk. Fn. Sv. III. App. p. 446. 16.
* Gyllenh. Ins. Sv. I. I. p. 340. 14.
* Fallén Mon. Canth. & Mal. p. 14. 14.
* Herbst Arch. VIII. p. 171. 12.
* Linn. S. N. Gmel. I. IV. p. 1896. 54.

---

toto pallido in mare, in foemina mandibulæ tantum pallidæ. Antennæ corpore breviores fuscæ, subserratæ, basi subtus pallidæ. Thorax brevis transversus, antice rotundatus, postice truncatus, angulis rectis; supra parum convexus lævis, pubescens, intra margines impressus, margine omni reflexo; medio longitudinaliter nigro-fuscus, lateribus late pallidis. Scutellum triangulare fuscum. Elytra thorace paulo latiora, elongata, fusca, mollia, obsolete rugulosa, tenue pubescentia. Corpus nigro-fuscum pubescens, angulis segmentorum omnibus pallescentibus. Pedes cinereo-pallescentes, tibiarum apice tarsique obscurioribus.

GYLLENHAL.

CANTH. DUBIA: elongata, pallide testacea, antennis, oculis, femorum apice, pedibusque nigris, femoribus basi testaceis.
Habitat in India orientali. *D. Kymell.*
Corpus angustum, magnitudine *C. pallidæ*; facies fere *Zonitis*; capitis, antennarum et thoracis structura ab hoc genere nonnihil diversa; sed palpi securiformes, et tarsi omnes 5 articulati, quare huic generi proxima videtur. Caput elongatum angustum testaceum; oculi maximi nigri granulati, in fronte fere conniventes; vertex triangularis nigro-fuscus lævis. Antennæ corpore breviores nigro-fuscæ pubescentes, articulo ultimo reliquis longiore. Thorax latitudine longior, lateribus antice rotundatis dilatatis, posterius angustior, undique tenue marginatus, supra parum convexus, punctulatus, pallide testaceus immaculatus. Scutellum rotundatum pallidum. Elytra thorace basi latiora, valde elongata, mollia, creberrime punctulata, pubescentia, pallide testacea, apice rotundata nigra. Alæ corpore longiores fuscæ. Corpus nigro-testaceum pubescens immaculatum. Pedes elongati nigri, femoribus basi ultra medium oblique pallidis; tarsi omnes evidenter 5-articulati, sed articulus quartus non bilobus ut in congeneribus.

GYLLENH.

Canth. immunis. * Marsh. Ent. Br. I. p. 374.
Teleph. minimus. * Oliv. Ent. II. 26. T.
6. a—d. ?
* Geoffr. Ins. I. p. 372. 1. *Necydalis.* var
thorace flavo. ?

2. Humeralis. *Canth. humeralis.* * Marsh. Ent. I
p. 374. 19.

3. *Fasciatus.* *Teleph. fasciatus.* * Oliv. Ent. II. 2
18. 20. T. 3. f. 14. a. b.
Canth. fasciata. * Gyllenh. Ins. Sv. I.
341. 15.
* Fallén Mon. Canth. & Mal. p. 16. 2
4. *Biguttulus.* *Canth. biguttula.* * Payk. Fn. Sv. III.
p. 445. 15.
* Gyllenh. Ins. Sv. I. I. p. 341. 16.
* Fallén Mon. Canth. & Mal. p. 14. 15.
Canth. biguttata. * Payk. Fn. Sv. I. p. 267. 1
Teleph. biguttatus. * DeGeer Ins. IV. p. 77.
* Oliv. Ent. II. 26. T 2. f. 12. a. b.
Latr. Hist. Nat. d. Cr. & d. Ins. IX. p.
Malthin. collaris. * Latr. Gen. Cr. & Ins. I. p. 262
Canth. minima. * Marsh. Ent. Br. I. p. 373.
* Geoffr. Ins. I. p. 176. 11. *Cicindela.*
var. β. *Canth. biguttula.* * Payk. Fn. Sv. III. A
p. 446. var. β.
* Gyllenh. Ins. Sv. I. I. p. 342. 16. var.
* Fallén Mon. Canth. & Mal. p. 14. 15. va
Canth. frontalis. * Marsh. Ent. Br. I. p. 373.

5. *Biguttatus.* *Canth. biguttata.* * Fabr. S. El. I. p.
53. * Ent. S. I. p. 221. 34. * Mant. I
168. 24. * Sp. Ins. I. p. 261. 20. * S.
p. 207. 12.
* Linn. Fn. Sv. n. 712. * Syst. Nat. I. II
648. 11. * ed. Gmel. I. IV. p. 1892. 1
* Gyllenh. Ins. Sv. I. I. p. 342. 17.
* Payk. Fn. Sv. III. App. p. 415. 14.
* Fallén Mon. Canth. & Mal. p. 14. 16.
* Marsh. Ent. Br. I. p. 372. 15.
* Thunb. n. Acta Ups. V. p. 86. 2.
* Ross. Fn. Etr. I. p. 169. 421. * Mant.
App. p. 132. * ed. Hellw. I. p. 194. 4
* Panz. Ent. G. I. p. 92. 21.
* Cederh. Fn. Ingr. n. 119.
* Schrank En. Ins. p. 179. 332. — Fn. B
I. 582. 748.
* Goeze Eur. Fn. VIII. p. 648. 4.
Vill. Ent. I. p. 294. 10.
Müll. Linn. N. Syst. V. I. p. 310. 11.





Acta Nidr. IV. 19.
Mart. Engl. Ent. T. 29. f. 5.
Teleph. biguttatus. * Oliv. Ent. II. 26. p. 16. 18. T. 2. f. 12. c. d.
* Müll. Zool. D. Pr. p. 61. 561.
Latr. Hist. N. d. Cr. & d. Ins. IX. p. 111. ?
Malthin. collaris. * Latr. Gen. Cr. & Ins. I. p. 262. 3.?
Canth. biguttata. * Gyllenh. Ins. Sv. I. c. var. b.
Canth. biguttata. * Fallén Mon. Canth. & Mal. p. 15. 16. var β.
Canth biguttata. * Fallén Mon. l. c. var. γ.
Sanguinicollis. Canth. sanguinicollis. * Fallén Mon. Canth. & Mal. p. 15. 17.
* Gyllenh. Ins. Sv. I. I. p. 343. 18.
Canth minima. * Payk. Fn. Sv. I. p. 268. 15. var .,
* Linn. Fn. Sv. n. 713. var. β.
Malthin. ruficollis. * Latr. Gen. Cr. & Ins. I. p. 261. 1. ?
Marginatus. * Latr. Gen. Cr. & Ins. I. p. 261. 2.
Canth. minima. * Fabr. S. El. I. p. 304. 51. * Ent. S. I. p. 220. 32. * Mant. I. p. 168. 22. * Sp. Ins. I. p. 260. 18. * S. Ent. p. 207. 10.
* Linn. Fn. Sv. n. 713. α. * Syst. Nat. I. II. p. 649. 12. * ed. Gmel. I. IV. p. 1892. 12.
* Gyllenh. Ins. Sv. I. I. p. 344. 19.
* Payk. Fn. Sv. I. p. 268. 15. & III. App. p. 417. 17.
* Fallén Mon. Canth. & Mal. p. 15. 18.
* Thunb. n. Acta Ups. V. p. 86. 1.
* Ross. Fn. Etr. I. p. 170. 422. * ed. Hellw. I. p. 195. 422.
* Panz. Ent. G. I. p. 91. 19.
* Gedern. Fn. Ingr. n. 117.
* Scop. Ent. Carn. n. 128.
Leske Icer. p. 47. Tab. A. f. 14.
Vill. Ent. I. p. 292. 11.
Canth. melanocephala. * Marsh. Ent. Br. I. p. 374. 18.?
Canth. biguttata. * Panz. Fn. G. XI. 15.
Teleph. minimus. * Oliv. Ent. II. 26. p. 17. 19. T. 3. f. 15. a. b.
* Müll. Zool. D. Pr. p. 62. 567.
* Geoffr. Ins. I. p. 170. 10. *Cicindela.* & p. 372. 1. T. 7. f. 2. *Necydalis*, var. thorace nigro. ?
var. β C. minima. * Fallén Mon. Canth. p. 16. 18. var. β.
* Gyllenh. Ins. Sv. I. c. var. b.
Brevicollis. Canth. brevic. * Payk. Fn. Sv. I. p. 269. 16.
* Fallén Mon. Canth. & Mal. p. 16. 19.
* Gyllenh. Ins. Sv. I. I. p. 345. 20.

N:o 71. MALACHIUS. Fabr. n.

1. Pulcher. * Fabr. S. El. I. p. 305. 1.
2. Laetus. * Fabr. S. El. I. p. 305. 2.
Canth. fasciata. * Fabr. Ent. S. I. p. 21
3. *Aeneus.* * Fabr. S. El. I. p. 306. 3. * En
221. 1. * Mant. I. p. 169. 1. * Sp.
261. 1. * S. Ent. I. p. 207. 1.
* Latr. Gen. Cr. &. Ins. I. p. 265. 1.
Nat. d. Cr. & d. Ins. IX. p. 115.
* Illig. Kæf. Pr. I. p. 302. 1. *α.*
* Gyllenh. Ins. Sv. I. 1. p. 356. 1.
* Payk. Fn. Sv. I. p. 269. 1.
* Panz. Fn. G. X. 2. * Ent. G. I. p. 9
* Fallén Mon. Canth. & Mal. p. 23. 1.
* Ross. Fn. Etr. I. p. 170. 423. * ed.
p. 195. 423.
* Creutzer. Fn. Ingr. n. 120.
Canth. ænea. * Linn. Fn. Sv. n. 708. * S
p. 648. 7. * ed Gmel. I. IV. 189
* Scop. Carn. n. 126.
* Schrank En. Ins. p. 178. 329. —
I. p. 584. 752.
* Goeze Eur. Fn. VIII. p. 650. 6.
* Brahm Ins. Kal. I. p. 105. 358.
* Marsh. Ent. Br. I. p. 369. 8.
Vill. Ent. I. p. 292. 6.
Teleph. æneus. * DeGeer. Ins. IV. p.
2. f. 16. 17.
* Müll. Zool. D. Pr. p. 62. 568.
* Geoffr. Ins. I. p. 174. 7.
* Schæff. Abhandl. II. p. 82. T. 2. f. 1
Voet Col. II. p. 129. T. 46. f. 7.
Ray Ins. p. 77. 12.
Pod. Mus. Græc. p. 40.
Müll. Linn. Nat. S. V. I. p. 309. 7.
Borowsk. Naturg. VI. p. 14. 4. T. 2
Bechst. Naturg. I. II. p. 872. 5.
Donov. Britt. Ins. T. 96. f. 2.
Mart. Engl. Ent. T. 29. f. 4.
var. *β.* * Illig. Kæf. Pr. I. p. 302. 1. *β.*
Malach. æneus. * Oliv. Ent. II. 27. p.
f. 6. a.—d.
* Schæff. Elem. T. 123. f. 3.
* Schæff. Icon. T. 18. f. 12. 13.
Harrer Beschr. n. 129.



var. γ. *Mal. rufus.* * Fabr. S. El. I. p. 306. 5. * Ent. S. I. p. 222. 3.
* Oliv. Ent. II. 27. p. 4. 1. T. 1. f. 4. a. b.
bipustulatus * Fabr. S. El. I. p. 306. 4. * Ent. S. I. p. 222. 2. * Mant. I. p. 169. 2. * Sp. Ins. I. p. 262. 2. * S. Ent. p. 208. 2.
* Illig. Kæf. Pr. I. p. 303. 2. α.
* Gyllenh. Ins. Sv. I. I. p. 357. 2.
* Payk. Fn. Sv. I. p. 270. 2.
* Oliv. Ent. II. 27. p. 5. 3. T. 1. f. 1. a. b. c.
* Panz. Fn. G. X. 3. * Ent. G. I. p. 92. 2.
* Fallén Mon. Canth. & Mal. p. 23. 2.
* Ross. Fn. Etr. I. p. 171. 424. * ed. Hellw. I. p. 196. 423.
* Cederh. Fn. Ingr. n. 121. T. 1. fig. E.
* Petagn. Ins. Cal. p. 20. 98.
* Dunk. Ent. Bild. I. p. 26. T. 2. f. 35.
Canth. bipustulata. * Linn. Fn. Sv. n. 709. * It. Oel. p. 127. * Syst. Nat. I. II. p. 648. 8. * ed. Gmel. I. IV. p. 1898. 8.
* Marsh. Ent. Br. I. p. 369. 9.
* Scop. Ent. Carn. n. 127.
* Goeze Eur. Fn. VIII. p. 652. 7.
* Schrank En. Ins. p. 179. 330. — Fn. Boica I. p. 585. 753.
Vill. Ent. I. p. 292. 7.
Telesph. bipustulatus. * DeGeer Ins. IV. p. 75. 7.
* Müll. Zool. D. Pr. p. 62. 569.
* Geoffr. Ins. I. p. 175. 8.
* Schæff. Icon. T. 18. f. 10. 11. 14.
Harrer Beschr. n. 130.
Acta Ups. 1736. p. 19. 5.
Voet Col. II. 6. p. 128. T. 46. f. 8.
Poda Mus. Gr. p. 40.
* Sulz. Gesch. d. Ins. T. 6. f. 5.
* Roemer Ins. T. 6. f. 5.
Müll. Linn. Nat. S. V. I. p. 309. 8.
Bechst. Naturg. I. II. p. 872. 6.
Mart. Engl. Ent. T. 29. f. 1.
var. β. * Illig. Kæf. Pr. I. p. 303. 2. β.
* Gyllenh. Ins. Sv. I. I. p. 358. 2. var.
rufus.) * Fabr. S. El. I. p. 306. 5. — vid. *Mal. aeneus* var. γ. ante n. 3.
argin ellus. * Fabr. S. El. I. p. 307. 6. * Ent. S. I. p. 222. 4.
* Oliv. Ent. II. 27. p. 6. 5. T. 3. f. 18. a. b.
Mal. bipustulatus var. γ. * Illig. Kæf. Pr. I. p. 303. 2.
* Geoffr. Ins. I. p. 176. 9. B.

ans). * Fabr. S. El. I. p. 307. 7. —
viridis var. β. n. 6. huj. Op.

6. *Viridis*. * Fabr. S. El. I. p. 307. 8. * Ent.
223. 5. * Mant. I. p. 169. 63.
* Gyllenh. Ins. Sv. I. I. p. 358. 3.
* Payk. Fn. Sv. I. p. 271. 3.
* Oliv. Ent. II. 27. p. 7. 6. T. 3. f. 14. a
* Linn. S. Nat. Gmel. I. IV. p. 1898. 57.
* Preysl. Böh. Ins I. p. 91. 87. T. 3. f. 1.
Mal. bipustulatus var. γ. * Fallén Mon.
& Mal. p. 23.
* Illig. Kæf. Pr. I. p. 303. 2. var. δ. var.
Canth. cyanea. * Thunb. Mus. Acad. IV. p.
var. β. * Gyllenh. Ins. Sv. I. I. p. 359. 3. var.
* Payk. Fn. Sv. III. App. p. 447. 3. β.
Mal. elegans. * Fabr. S. El. I. p. 307. 7. *
p. 70. 4—5.
* Oliv. Ent. II. 27. p. 6. 4. T. 3. f. 12.
* Illig. Mag. I. p. 381. 7.
Mal. bipustulatus var. β. * Fallén Mon.
& Mal. p. 23. 2.
Cicind. elegans. Fourcr. Ent. Par. I. p. 62.
* Geoffr. Ins. I. p. 175. 9. α.
Ray Ins. p. 101. 7.

7. *Sanguinolentus*. * Fabr. S. El. I. p. 307. 9. * E
p. 223. 6. * Mant. I. p. 169. 4.
* Oliv. Ent. II. 27. p. 7. 7. T. 3. f. 13. a.
* Gyllenh. Ins. Sv. I. I. p. 359. 4.
* Illig. Kæf. Pr. I. p. 304. 3.
* Fallén Mon. Canth. & Mal. p. 24. 3.
* Panz. Ent. G. I. p. 93. 3.
* Ross. Fn. Etr. I. p. 172. 425. * ed. H
p. 196. 425.
* Linn. S. Nat. Gmel. I. IV. p. 1898. 58.
Canth. sanguinolenta. * Marsh. Ent. Br. I. p.
Mal. rufus. * Herbst Arch. p. 108. 5.
Mal. erythromelas. * Linn. S. N. Gmel. I.
1899. 67.
Canth. coccinea. * Schall. Acta Hal. I. p. 3
* Linn. S. Nat. Gmel. I. IV. p. 1894. 3

8. Ruficollis. * Fabr. S. El. I. p. 307. 10. * I
I. p. 223. 7.
* Panz. Fn. G. II. 8. vel 10. * Ent. G. I. p

9. Quadrimaculatus. * Fabr. S. El. I. p. 30
* Suppl. p. 70. 7—8.

10. Viridipennis. * Fabr. S. El. I. p. 308. 12. *
p. 70. 7—8. * Ent. S. IV. App. p. 44





11. Oculatus. *Canth. oculata.* * Thunb. N. Ins. Sp. IV. p. 83.
* Linn. S. N. Gmel. I. IV. p. 1895. 43.

12. Collaris. *Canth. collaris.* * Thunb. N. Ins. Sp. IV. p. 83.
* Linn. S. Nat. Gmel. I. IV. p. 1895. 44.

13. Bilbergi. Nov. Sp. c).

14. Cyaneus. * Fabr. S. El. I. p. 308. 13. * Ent. S. I. p. 223. 8. * Mant. I. p. 169. 5.
* Linn. S. N. Gmel. I. IV. p. 1898. 59.

15. Thoracicus. * Fabr. S. El. I. p. 308. 14. * Suppl. p. 70. 7—8.
* Oliv. Ent. II. 27. p. 9. 11. T. 2. f. 10. a. b.
* Illig. Mag. I. p. 382. 14.
Cicind. thoracica. Fourcr. Ent. Par. I. p. 63. 13.
* Geoffr. Ins. I. p. 177. 13.

16. Chrysomeloides. d) *Canthar. chrysomeloides.*
* Thunb. N. Acta Ups. IV. p. 17. 30.
* Linn. S. N. Gmel. I. IV. p. 1899. 63.

17. Angulatus. * Fabr. S. El. I. p. 308. 15. * Ent. S. I. p. 223. 9.
* Panz. Ent. G. I. p. 93. 5.
* Illig. Mag. I. p. 382. 15. e).
Canth. albicans. * Linn. Syst. Nat. I. II. p. 649. 14. δ. * ed. Gmel. I. IV p. 1893. 14.

18. Abdominalis. * Fabr. S. El. I. p. 308. 16.
* Suppl. p. 71. 9—10.
* Illig. Mag. I. p. 382. 16.

19. *Praustus.* ♂. * Fabr. S. El. I. p. 308. 17. * Ent. S. I. p. 224. 10.
* Gyllenh. Ins. Sv. I. I. p. 364. 9.
* Panz. Ent. Germ. I. p. 93. 6.
Mal. productus. * Oliv. Ent. II. 27. p. 13. 18. T. 3. f. 17. a. b.

---

c) MALACH. BILLBERGI: æneo-violaceus, ore thoracisque margine rufis.
Habitat in Cap. b. Spei. E Musæo D. *Billbergi.*
Magnitudine *Mal. elegantis* Fabr. æquat, sed fere latior; æneo-violaceus, hirtus. Os rubrum. Antennæ basi dilatato-rubræ. Thorax convexus, transverse sulcatus, marginibus antico et postico rubris. Elytra immaculata, nitida, hirta. Femora ænea, genicula rufescentia, tibiæ tarsique pallidæ.
G. J. BILLBERG Camer. Prov. Gottland: Insect. scrutator eximius. THUNBERG.

An hujus generis?

) Vide supra p. 65 annot. sub *Canth. nigricante.*

Mal. flavipes var. β. * Fallén Mon. Canth
Mal. p. 26. 8. (♂)
* Illig. Mag. I. p. 382. 17. & 23. sed. non j
Mal. flavipes var. * Fabr. Ent. S. I. p. 225. 15. ♀
* Oliv. Ent. II. 27. p. 14. 19. T. 3. f. 19. a. b. ♀ f
20. *Flavipes.* * Fabr. S. El. I. p. 309. 23. * En
I. p. 225. 15. * Mant. I. p. 169. 10.
* Gyllenh. Ins. Sv. I. I. p. 365. 10.
* Payk. Fn. Sv. I. p. 274. 7.
* Fallén Mon. Canth. & Mal. p. 26. 8. α (♀)
* Panz. Ent. G. I. p. 94. 11.
Mal. pallipes. * Oliv. Ent. II. 27. p. 11. 14
2. f. 7. a. b. ♀.
Cicind. rotundata. Fourcr. Ent. Par. I. p. 64. 1
Canth. ochropus. * Linn. S. Nat. ed. Gmel. I
p. 1899. 62.
* Geoffr. Ins. I. p. 179. 17. ♀.
21. Lobatus. * Oliv. Ent. II. 27. p. 12. 15. T
f. 8. a. b.
22. Cephalotes. * Oliv. Ent. II. 27. p. 12. 16. T
f. 15. a. b.
23. *Cardiacæ.* ♂. * Payk. Fn. Sv. I. p. 272. 5. ♂.
* Fallén Mon. Canth. & Mal. p. 24. 4. ♂. ♀.
* Gyllenh. Ins. Sv. I. I. p. 363. 8. ♂. ♀.
Canth. Cardiacæ. * Linn. Fn. Sv. n. 720. * S
Nat. I. II. p. 649. 13. * ed. Gmel. I.
p. 1893. 13.
* Fabr. S. El. I. p. 304. 54. * Ent. S. I. p. 221
* Preysl. in Mayers Anfs. Böhm. Naturg.
65. 5. Tab. f. 5. ♂.
♀. *Mal. Cardiacæ.* * Payk. Fn. Sv. I. p. 272. 5.
Mal. pedicularius. * Fabr. S. El. I. p. 308.
* Ent. S. I. p. 224. 11. ? * Mant. I. p.
6. ? * Sp. Ins. I. p. 262. 3. ? * S.
p. 208. 3. ?
* Ross. Fn. Etr. I. p. 172. 426. ? * ed. He
I. p. 196. 426. ?
* Cederh. Fn. Ingr. n. 122. ?
* Panz. Ent. G. I. p. 93. 7. ?
* Linn. S. N. Gmel. I. IV. p. 1878. 9. ?
Canth. pedicularia. * Linn. Fn. Sv. n. 710. ? * S
Nat. I. II. p. 648. 9. ?
* Brahm Ins. Kal. I. p. 180. 596.
24. Pedicularius. * Oliv. Ent. II. 27. p. 8. 8
1. f. 3. a. b.

Ca





Canth. pedicularia. * Schrank Enum. p. 179. 331.

Pulicarius. *. Fabr. S. El. I. p. 308. 19. * Ent. S. I. p. 224. 12. * Mant. I. p. 169. 7. * Sp. Ins. I. p. 262. 4. * Gen. Ins. Mant. p. 234. 3—4.
* Gyllenh. Ins. Sv. I. I. p. 361. 6.
* Illig. Kæf. Pr. I. p. 306. 6.
* Payk. Fn. Sv. I. p. 272. 4.
* Panz. Fn. G. X. 4. ♂. * Ent. G. I. p. 93. 8.
* Oliv. Ent. II. 27. p. 8. 9. T. 1. f. 5. a. b.
* Fallén Mon. Canth. & Mal. p. 24. 5. ♀. var. β. ♂.
* Towns. Voy. en Hongr. III. p. 166. 38.
Canth. leucogastra. * Preysl. in Mayers Aufs. Böhm. Naturg. I. p. 58. 1. Tab. fig. 1.
Canth. nemoralis. * Linn. S. N. Gmel. I. IV. p. 1898. 60.

Rubricollis. * Gyllenh. Ins. Sv. I. I. p. 362. 7.
* Fallén Mon. Canth. & Mal. p. 25. 6.
Mal. ruficollis. * Oliv. Ent. II. 27. p. 9. 10. T. 2. f. 9. a. b.
* Towns. Voy. en Hongr. III. p. 165. 67.
Canth. rubricollis. * Marsh. Ent. Br. I. p. 371. 12.
Mal. pulicarius var. β. * Illig. Kæf. Pr. I. p. 306. 6.

Analis. *f)* * Panz. Fn. Germ. LVII. 6.

Quadripustulatus. * Illig. Kæf. Pr. I. p. 306. 5.

Fasciatus. * Fabr. S. El. I. p. 309. 20. * Ent. S. I. p. 224. 13. * Mant. I. p. 169. 8. * Sp. Ins. I. p. 262. 5. * S. Ent. p. 208. 4.
* Gyllenh. Ins. Sv. I. I. p. 360. 5.
* Illig. Kæf. Pr. I. p. 304. 4. α.
* Payk. Fn. Sv. I. p. 273. 6.
* Oliv. Ent. II. 27. p. 10. 12. T. 1. f. 2. a. b.
* Panz. Fn. G. X. 5. * Ent. G. I. p. 93. 9.
* Fallen Mon. Canth. & Mal. p. 25. 7.
* Gebeth. Fn. Ingr. n. 123. T. 1. fig. D.
Canth. fasciata. * Linn. Fn. Sv. n. 711. * Syst. Nat. I. II. p. 643. 10. * ed. Gmel. I. IV. p. 1899. 10.
* Marsh. Ent. Br. I. p. 371. 11.
* Scop. Carn. n. 120.
* Goeze Ent. Fn. VIII. p. 611. 8.
* Brahm Ins. Kal. I. p. 22. 70.
Vill. Ent. I. p. 262. 9

F

---

f) An *Mal. pulicarius* ♀. ?

Teleph. fasciatus. * DeGeer Ins. IV. p. 76.9
* Müll. Zool. D. Pr. p. 61. 560.
* Geoffr. Ins. I. p. 177. 12.
* Schæff. Icon. T. 189. f. 3. a. b.
Harrer Beschr. n. 131.
Acta Ups. 1736. p. 19. 6.
Ray Ins. p. 102. 22.
Müll. Linn. Nat. S. V. I. p. 309. 10.
Schrank Fn. Boica. I. p. 585. 755.
var. β. * Illig. Kæf. Pr. I. p. 304. β.
var. γ. * Illig. Kæf. Pr. I. p. 304. γ.
Malach. equestris. * Fabr. S. El. I. p. 22. * Ent. S. I. p. 224. 14. * Ma p. 169. 9. Sp. Ins. App. p. 500. 6.
* Oliv. Ent. II. 27. p. 11. 13. T. 2. f. 11.
* Panz. Fn. G. X. 6. * Ent. G. I. p. 94.
* Linn. S. Nat. Gmel. I. IV. p. 1899. 6
Mal. bipunctatus. * Herbst Arch. p. 108. 4.
Mal. Herbstii. * Linn. S. N. Gmel. I. p. 1899. 66.
Meloë Govani. * Linn. S. Nat. I. II. add. p. * ed. Gmel. I. IV. p. 2021. 29.
* Schæff. Icon. T. 41. f. 15. 16. & T. 105 a. b. var.
Harrer Beschr. n. 132. 133.

30. Limbatus. * Fabr. S. El. I. p. 309. 21. * Suppl. p. 71.
— (Equestris.) * Fabr. S. El. I. p. 309. 22. —
Mal. fasciatus var. γ. n. 29. hujus Ope
— (*Flavipes.*) * Fabr. S. El. I. p. 309. 23. — vid. ante
31. Albifrons. * Fabr. S. El. I. p. 310. 24.
S. I. p. 225. 16.
* Oliv. Ent. II. 27. p. 13. 17. T. 3. f. 16.
32. Rufipes. * Fabr. S. El. I. p. 310. 25.
33. Labiatus. * Fabr. S. El. I. p. 310. 26.
34. Concolor. * Fabr. S. El. I. p. 310. 27.
35. Nitidulus. * Fabr. S. El. I. p. 310. 28. * Ent p. 225. 17.
36. Altica. *Canth. Altica.* * Thunb. Nov. Ins. Sp. * Linn. S. N. Gmel. I. IV. p. 1895. 42.
37. Quadriguttatus. *Canth. 4-guttata.* * Thunb. I Sp. p. 85.

N:o 72. MELYRIS. Fabr. n. 60.

1. Abdominalis. * Fabr. S. El. I. p. 310. 1.
* Oliv. Ent. II. 21. p. 4. 2. T. 1. f. 7.



Legria abdominalis. * Fabr. Ent. S. I. II. p. 79. 5. * Mant. I. p. 93. 14.

Cryptoceph. ventralis. * Linn. S. N. Gmel. I. IV. p. 1730. 228.

2. Viridis. * Fabr. S. El. I. p. 311. 2. * Ent. S. I. p. 226. 1. * Mant. I. p. 36. 1. * Sp. Ins. I. p. 67. 1. * S. Ent. p. 58. 1.

* Latr. Gen. Cr. & Ins. I. p. 263. 1. — Hist. Nat. d. Cr. & d. Ins. IX. p. 124.

* Oliv. Ent. II. 21. p. 4. 1. T. 1. f. 1. a—d.

* Panz. Naturf. XXIV. p. 11. 15. T. 1. f. 15.

* Linn. S. Nat. Gmel. I. IV. p. 1604. 1.

* Roem. Ins. p. 40. T. 34. f. 6.

3. Bicolor. * Fabr. S. El. I. p. 311. 3.

4. Nigra. * Fabr. S. El. I. p. 311. 4. * Ent. S. I. p. 226. 2. * Mant. I. p. 36. 2. * Sp. Ins. I. p. 67. 2.

* Oliv. Ent. II. 21. p. 5. 3. T. 1. f. 3. a. b.

* Linn. S. N. Gmel. I. IV. p. 1604. 2.

Lineata. * Fabr. S. El. I. p. 311. 5. * Ent. S. I. p. 226. 3.

Melyr. pubescens. * Oliv. Ent. II. 21. p. 5. 4. T. 1. f. 5. a. b.

Ciliatus. * Oliv. Ent. II. 21. p. 6. 5. T. 2. f. 11. a. b.

No 73. DERMESTES. Fabr. n. 61.

Lardarius. * Fabr. S. El. I. p. 312. 1. * Ent. S. I. p. 227. 1. * Mant. I. p. 34. 1. * Sp. Ins. I. p. 63. 1. * S. Ent. p. 55. 1.

* Linn. Fn. Sv. n. 408. * S. Nat. I. II. p. 561. 1. * ed. Gmel. I. IV. p. 1592. 1.

* Gyllenh. Ins. Sv. I. I. p. 146. 1.

* Illig. Kæf. Pr. I. p. 311. 1.

* Latr. Gen. Cr. & Ins. II. p. 31. 1. — Hist. N. d. Cr. & d. Ins. IX. p. 240.

* Payk. Fn. Sv. I. p. 276. 1.

* Oliv. Ent. II. 9. p. 6. 1. T. 1. f. 1. a. b. Oliv. Enc. Meth. VI. p. 266. 1.

* Herbst Col. IV. p. 115. 1. T. 40. f. 1. a. Tab. G. f. 4—7. * Arch. p. 20. 1.

* Panz. Ent. G. I. p. 91. 1.

* Preysl. Böhm. Ins. I. p. 13. 10.

* Ross. Fn. Etr. I. p. 31. 73. * ed. Hellw. I. p. 32. 73.

* Blumenb. Handb. ed. 7:a p. 321. 1.

* Scop. Carn. n. 34.

* Cederh. Fn. Ingr. n. 124.

* Fisch. Naturg. v. Livl. p. 132. 251.
* DeGeer Ins. IV. p. 192. 1. T. 7. f. 15.
* Marsh. Ent. Br. I. p. 60. 1.
* Brahm Ins. Kal. I. p. 47. 155. & p. 238. 81
* Schneid. Mag. p. 478. 1.
* Barb. Gen. Ins. p. 18. T. 3. f. 1.
* Goeze Eur. Fn. VIII. p. 176. 1.
* Müll. Zool. Dan. Pr. p. 56. 485.
* Laich. Tyr. Ins. I. II. p. 59. 1.
* Schrank En. Ins. p. 24. 40. Fn. Boica. I. p. 4
* Pontopp. Nachricht. p. 199. 1.
Naturf. III. 61.
Poda Mus. Græc. p. 22.
Fourcr. Ent. Par. I. p. 18. 5.
Vill. Ent. I. p. 44. 1.
Müll. Linn. N. S. V. I. p. 100. 1. T. 3. f. 1.
Borows. Naturg. VI. p. 59. 1. T. 3. f. A. 1.
Bechst. Naturg. I. II. p. 822. 1.
Lichtenberg und Voigt Magaz. für das neues
&c. VII. 4. p. 34.
Bocks Naturg. V. p. 24. 11.
* Geoffr. Ins. I. p. 101. 5.
* Frisch. Ins. V. p. 25. T. 9.
* Schæff. Icon. T. 42. f. 3.
Harrer Beschr. n. 41. ed. 2:a n. 42.
Merian Ins. II. T. 31.
List. Goed. p. 276. f. 14.
Goed. Belg. II. p. 145. f. 4. — Gall. III. T.
Goed. Metam. II. Tab. 41. fig. ult.
Ray Ins. p. 107. 4.
Blanc. Belg. p. 95. T. 11. fig. k. l. m.
Schmiedl. Einl. 203.
Krünitz Encyclopedie VII. 345.
Voet Col. T. 31. f. 1.
v. Gleichen neustes aus dem Reiche der Pfla
zen. Anhang. T. 9. p. 21.

2. Carnivorus. * Fabr. S. El. I. p. 312. 2. * E
S. I. p. 227. 2. * Mant. I. p. 34. 2. * Sp. I
I. p. 63. 2. * S. Ent. p. 55. 2.
* Oliv. Ent. II. 9. p. 7. 2. T. 2. f. 8. a. b.
* Herbst Col. IV. p. 126. 8.
* Panz. Ent. G. I. p. 95. 2.
* Linn. S. N. Gmel. I. IV. p. 1593. 8.
* Thunb. Ins. Sv. p. 78. (forte specimen detrit
D. lardarii.
* Panz. En. S. Schæff. Icon. p. 152. 167. 1.
Schæff. Icon. T. 167. f. 1. ?
Harrer Beschr. n. 42. ed. 2:a n. 43.



. Cadaverinus. * Fabr. S. El. I. p. 312. 3. * Ent. S. I. p. 228. 3. * Mant. I. p. 34. 3. * Sp. Ins. I. p. 63. 3. * S. Ent. p. 55. 3.
* Oliv. Ent. II. 9. p. 7. 3. T. 2. f. 9. a. b.
* Herbst Col. IV. p. 127. 9.
* Panz. Ent. G. I. p. 95. 3.
* Linn. S. N. ed. Gmel. I. IV. p. 1953. 7.

4. Coronatus. Nov. Sp. g).

5. *Megatoma.* ♂. * Fabr. S. El. I. p. 313. 5. * Suppl. p. 71. 4—5.
* Illig. Mag. I. p. 383. 5. & V. p. 226. 5.
Derm. Schæfferi. * Illig. Kæf. Pr. I. p. 319. 7.
* Gyllenh. Ins. Sv. I. I. p. 152. 8.
* Payk. Fn. Sv. I. p. 281. 6.
* Panz. Ent. G. I. p. 95. 6.
Megat. Schæfferi. * Herbst Col. IV. p. 93. 1. T. 39. f. 1. a. b.
* Schneid. Mag. p. 46. & p. 480. 1.
* Hoppe Taschenb. 1797. p. 147.
* *Schæff.* Zw. u. Schw. Tab. fig. 8. h.
Anthren. glaber. * Herbst Arch. p. 26. 4. ?
* Linn. S. N. Gmel. I. IV p. 1615. 6. ?

6. *Derm. macellarius.* * Fabr. S. El. I. p. 313. 4.
* Ent. S. I. p. 228. 4. * Mant. I. p. 34. 4.
* Sp. Ins. I. p. 63. 4. (Cfr. Fabr. Suppl. p. 72. Not. ad *Derm. Megatom.*)
* Illig. Mag. V. p. 226. 4.
* Oliv. Ent. II. 9. p. 10. 8. T. 2. f. 13. a. b.
* Thunb. Ins. Sv. p. 80.
* Panz. Ent. G. I. p. 95. 4. *h.*)
* Linn. S. N. Gmel. I. IV. p. 1593. 5.

---

f) DERMESTES CORONATUS: nigro cinereoque nebulosus, thorace fascia dentata alba tomentosa.

Habitat in carne adservata rarior in oppidis Kislar et Georgiefsu. Magnitudo *Derm. lardarii.*

Caput cinereo-fulvum tomentosum. Thorax antice valde gibbus, postice sinuatus cum capite concolor, fascia media tomentosa alba, antice sinuata, postice dentata, lineola nigra cincta. Scutellum griseum. Elytra nigro-cinereo fulvoque nebulosa. Pectus et abdomen alba, hujus apex et maculæ marginales nigræ. Pedes obscure fulvo-cinerei.

STEVEN.

g) Allegatio Cl. Illig. *D. megatomam* & *D. macellarium* Fabr. marem & foeminam ejusdem speciei efficere vero non abhorret. At enim *D. macellarius* Panz. Fn. XL. 9. certe huc non pertineat, quum elytra punctato-striata ejus icon exhibet, quæ forsan potius *Mycetoph. dermestoidem* Fabr. representat.

Megat. frontinervis. * Herbst Col. IV. p. 95. 3. 38. f. 3. a. b.
Derm. frontinervis. * Panz. Fn. G. I. p. 96. 8.
Derm. Pellio var. g. * Illig. Kaf. Pr. I. p. 317.
Derm. unicolor. * Brahm Ins. Kal. I. p. 144. 479.
6. *Pellio.* 3. * Fabr. S. El. I. p. 303. 6. * Ent. S. I. p. 2
5. * Mant. I. p. 34. 5. * Sp. Ins. I. p.
5. * S. Ent. p. 55. 4.
* Linn. Fn. Sv. n. 411. * S. Nat. I. II. p. 561.
* ed. Gmel. I. IV. p. 1593. 4.
* Gyllenh. Ins. Sv. I. II. p. 151. 7.
* Payk. Fn. Sv. I. p. 279. 4.
* Illig. Kaf. Pr. I. p. 316. 6. a.
* Latr. Gen. Cr. & Ins. II. p. 32. 2. — Hist. N.
d. Cr. & d. Ins. IX. p. 241.
* Oliv. Ent. II. 9. p. 11. 10. T. 2. f. 11. a. b.
* Herbst Col. IV. p. 123. 11. T. 40. f. 8. F.
* Ross. Fn. Etr. I. p. 32. 75. * ed. Helw.
p. 34. 75.
* Ceder. Fn. Ingr. n. 126.
* Panz. Ent. G. I. p. 95. 5.
* Hoppe Taschenb. 1797. p. 146.
* Blumenb. Handb. ed. 3:a p. 321. 2.
* Marsh. Ent. Br. I. p. 63. 6.
* Scriba Journ. p. 152. 78.
* Scop. Carn. n. 37.
* Müll. Zool. D. Pr. p. 56. 486.
* Laich. Tyr. Ins. I. II. p. 62. 4.
* Schrank. En. Ins. p. 28. n. 48. — Fn. Boica
p. 426. 404.
* Goeze Eur. Fn. VIII. p. 183. 2.
* Brahm. Ins. Kal. I. p. 9. 32. p. 238. 816.
Poda. Mus. Græc. p. 22. 3.
Fourcr. Ent. Par. I. p. 18. 4.
Naturf. III. 63.
Vill. Ent. I. p. 45. 4.
Derm. bipunctatus. * DeGeer Ins. IV. p. 197.
* Geoffr. Ins. I. p. 100. 4.
Acta Ups. 1736. p. 117. 11.
* Schæff. Icon. T. 42. f. 4.
Harrer Beschr. n. 45. ed. 2:a n. 46.
Müll. Linn. Nat. S. V. I. p. 101. 4. T.
f. 2. Larva.
Borowsk. Naturg. VI. p. 60. 2. T. 3. fig. B.
Bechst. Naturg. I. II. p. 822. 2.
* Frisch. Ins. V. p. 22. T. 8.
Bocks Naturg. V. p. 25. 12.
Müll. Fn. Fridr. 2. 16.

Megat. brevicornis. * Herbst Col. IV. p. 95. 3. T
39. f. 3. a. b.
Derm. brevicornis. * Panz. Ent. G. I. p. 96. 8.
Derm. Pellio var. ε. * Illig. Kæf. Pr. I. p. 317.
Derm. unicolor. * Brahm Ins. Kal. I. p. 144. 479.

6. *Pellio.* ♀. * Fabr. S. El. I. p. 313. 6. * Ent. S. I. p. 228
5. * Mant. I. p. 34. 5. * Sp. Ins. I. p. 63
5. * S. Ent. p. 55. 4.
* Linn. Fn. Sv. n. 411. * S. Nat. I. II. p. 562. 4
* ed. Gmel. I. IV. p. 1593. 4.
* Gyllenh. Ins. Sv. I. II. p. 151. 7.
* Payk. Fn. Sv. I. p. 279. 4.
* Illig. Kæf. Pr. I. p. 316. 6. *a.*
* Latr. Gen. Cr. & Ins. II. p. 32. 2. — Hist. N
d. Cr. & d. Ins. IX. p. 241.
* Oliv. Ent. II. 9. p. 11. 10. T. 2. f. 11. a. b.
* Herbst Col. IV. p. 128. 11. T. 40. f. 8. F.
* Ross. Fn. Etr. I. p. 32. 75. * ed. Hellw. I
p. 34. 75.
* Cederh. Fn. Ingr. n. 126.
* Panz. Ent. G. I. p. 95. 5.
* Hoppe Taschenb. 1797. p. 146.
* Blumenb. Handb. ed. 7:a p. 321. 2.
* Marsh. Ent. Br. I. p. 63. 6.
* Scriba Journ. p. 152. 78.
* Scop. Carn. n. 37.
* Müll. Zool. D. Pr. p. 56. 486.
* Laich. Tyr. Ins. I. II. p. 62. 4.
* Schrank. En. Ins. p. 28. n. 48. — Fn. Boica I
p. 426. 404.
* Goeze Eur. Fn. VIII. p. 183. 2.
* Brahm. Ins. Kal. I. p. 9. 32. p. 238. 816.
Poda. Mus. Græc. p. 22. 3.
Fourcr. Ent. Par. I. p. 18. 4.
Naturf. III. 63.
Vill. Ent. I. p. 45. 4.
Derm. bipunctatus. * DeGeer Ins. IV. p. 197. 3
* Geoffr. Ins. I. p. 100. 4.
Acta Ups. 1736. p. 117. 11.
* Schæff. Icon. T. 42. f. 4.
Harrer Beschr. n. 45. ed. 2:a n. 46.
Müll. Linn. Nat. S. V. I. p. 101. 4. T. 3
f. 2. Larva.
Borowsk. Naturg. VI. p. 60. 2. T. 3. fig. B.
Bechst. Naturg. I. II. p. 822. 2.
* Frisch. Ins. V. p. 22. T. 8.
Bocks Naturg. V. p. 25. 12.
Müll. Fn. Fridr. 2. 16.



Ray Ins. p. 85. 35.
Donov. Britt. Ins. T. 231. 3.
δ. *Derm. Pellio var.* β. δ. * Illig. Kæf. Pr. I. p. 316. 6.
Derm. cylindricornis. * Schrank Naturf. XXIV. p. 65. 8.
* Scriba Journ. p. 27. 8.
Megatoma Schrankii. * Kugel. Schneid. Mag. p. 480. 2.
Derm. ater. * Panz. Ent. G. I. p. 96. 7. var.
Megat. atra. * Herbst Col. IV. p. 95. 2. T. 39. f. 2. a. b. δ. var.
* Sulz. Kennz. T. 2. f. 5. 6. 7.
var. β. *D. Pellio var.* γ. * Illig. Kæf. Pr. I. p. 316. 6.
* Gyllenh. Ins. Sv. I. I. p. 151. 7. var. b.
var. γ. *D. Pellio var.* δ. * Illig. Kæf. Pr. I. p. 316. 6.
Undatus. ♀. * Fabr. S. El. I. p. 313. 7. * Ent. S. I. p. 228. 6. * Mant. I. p. 34. 6. * Sp. Ins. I. p. 64. 6. * S. Ent. p. 56. 5.
* Linn. Fn. Sv. n. 410. * Syst. Nat. I. II. p. 562. 3. * ed. Gmel. I. IV. p. 1592. 3.
* Gyllenh. Ins. Sv. I. I. p. 154. 11.
* Illig. Kæf. Pr. I. p. 315. 4.
* Payk. Fn. Sv. I. p. 278. 3.
* Oliv. Ent. II. 9. p. 12. 11. T. 1. f. 2. a. b.
— Enc. Meth. VI. 268. 11.
* Herbst Col. IV. p. 131. 12, T. 40. f. 9. G.
* Panz. Fn. G. LXXV. 13. * Ent. G. I. p. 96. 9.
* DeGeer Ins. IV. p. 199. 5.
* Scriba Beytr. III. p. 221. 32. T. 14. f. 3.
* Cederh. Fn. Ingr. n. 127.
* Laich. Tyr. Ins. I. II. p. 61. 3.
* Bechst. & Scharfenb. Forstins. I. p. 110. 23.
* Marsh. Ent. Br. I. p. 62. 4.
Poda Mus. Græc. p. 22. β. 4.
Vill. Ent. I. p. 45. 3.
Müll. Linn. N. Syst. V. I. p. 101. 3.
* Schæff. Icon. T. 157. f. 7. a. b.
Harrer Beschr. p. 37. n. 46.
♂. *Derm. undatus* δ. * Illig. Kæf. Pr. l. c.
Derm. undulatus. * Panz. Ent. G. I. p. 97. 10.
Megat. undulata. * Herbst Col. IV. p. 96. 4. T. 39. f. 4. a. b.
Schneid. Mag. p. 47. 4.
Megat. undata. * Latr. Gen. Cr. & Ins. III. p. 34. 1.
Attagenus undatus. Latr. Hist. N. d. Cr. & d. Ins. IX. p. 243. T. 78. f. 7.
Sub-fasciatus. * Gyllenh. Ins. Sv. I. I. p. 155. 12.

9. *Trifasciatus.* * Fabr. S. El. I. p. 313. 8. * E
I. p. 228. 7. * Mant. I. p. 34. 7.
* Gyllenh. Ins. Sv. I. I. p. 156. 13.
* Oliv. Ent. II. 9. p. 13. 13. T. 1. f. 7. a.
* Thunb. Ins. Sv. p. 78.
* Ross. Mant. I. p. 16. 29. * ed. Hellw.
351. 29.
* Herbst Col. IV. p. 139. 19.
* Linn. S. Nat. Gmel. I. IV. p. 1593. 9.
* Geoffr. Ins. I. p. 112. 5. *Byrrhus.*
Vill. Illustr. IV. p. 219.

10. Obtusus. Nov. Sp. *i*).

11. Bifasciatus. * Oliv. Ent. II. p. 13. 14.
f. 16. a. b.

12. Bifasciatus. * Ross. Mant. II. p. 79. 4. T. 3.

13. Versicolor. * Illig. Mag. I. p. 86. 8—9.
Anthren. versicolor. * Creutz Ent. Vers. I. p
9. T. 2. f. 2. *a.*
var. β. * Illig. Mag. l. c.

14. *Fasciatus. Anthren. fasciatus.* * Thunb. Ins. Sv
p. 105. 1.

15. Bifasciatus. * Thunb. Nov. Ins. Sp.
Tab. fig. 2.
* Linn. S. N. Gmel. I. IV. p. 1597. 41.

16. Nigripes. * Oliv. Ent. II. 9. p. 15. 16. T. 3. f. 18

17. I

---

i) DERMESTES OBTUSUS: brevior ovalis fusco-niger scens, thorace punctis, elytris fasciis sub-tribus obsoletis cir villosis.

Habitat in Lusitania, floribus, sat frequens.

D. trifasciato valde affinis, sed brevior, magis obtusus. Capu vum retractum nigrum, dense fusco et griseo villosum. An nigræ, maris longitudine thoracis, clava valde elongata, articul timo sub-lineari obtuso, antecedentibus duobus simul sumtis lon Foeminæ breviores, articulis clavæ fere æqualibus. Thorax transversus, antice angustior, late emarginatus, angulis et lat rotundatis, postice trilobus, scutellari majore obtuso, angulis lat bus acuminatis productis; supra valde convexus, fere pulvi confertissime punctulatus, niger obscurus, dense fusco-pubescen mixta pube grisea, præsertim versus latera et postice. Scutellu vum triangulare fuscum pubescens. Elytra thorace paulo latiora, apice rotundata, supra valde convexa, creberrime punctulata, pube densa fusca et grisea mixta obsita; in illæsis individuis scentia grisea fascias tres undulatas format, eodem ordine ac *trifasciato* digestas. Corpus subtus nigro-fuscum, pube dens scure grisea tectum. Pedes fusci, griseo-pubescentes; tarsi fusco-ferruginei.

GYLLENHAL.

)imidiatus. Nov. Sp. *k*).

Vigintiguttatus. * Fabr. S. El. I. p. 314. 9.
* Ent. S. I. p. 229. 8. * Mant. I. p. 34. 8.
* Sp. Ins. I. p. 64. 7. * S. Ent. p. 56. 6.
* Illig. Kæf. Pr. I. p. 315. 5.
* Oliv. Ent. II. 9. p. 12. 12. T. 1. f. 5. a. b. — Enc. Meth. VI. p. 268. 12.
* Herbst Col. IV. p. 132. 13. T. 40. f. 10. h. H.
* Panz. Fn. G. XXII. 1. * Ent. G. I. p. 97. 12.
* Scriba Beytr. III. p. 220. 31. T. 14. f. 2. * Journ. I. p. 153. 79.
* Ross. Fn. Etr. I. p. 34. 81. * ed. Hellw. I. p. 36. 81.
* Linn. S. N. Gmel. I. IV. p. 1593. 10.
* Roemer Ins. p. 40. 10. T. 2. f. 3.
Derm. 4-punctatus. * Sulz. Gesch. d. Ins. p. 21. T. 2. f. 3.
* Fuessl. Verz. p. 4. 46.
Derm. punctatus. Scop. Ann. Hist. Nat. p. 87. 32. Vill. Ent. p. 54. 27. T. 1. f. 5.

Tigrinus. * Fabr. S. El. I. p. 314. 10. * Ent. S. I. p. 229. 9.

Bicolor. * Fabr. S. El. I. p. 314. 11. * Ent. S. I. p. 229. 10. * Mant. I. p. 34. 9. * Sp. Ins. I. p. 64. 8.
* Herbst Col. IV. p. 125. 6. T. 40 f. 6. d. D.
* Ross. Mant. I. p. 17. 33. * ed. Hellw. I. p. 353. 33.
* Scriba Journ. p. 152. 77. * Beytr. III. p. 219. 30. T. 14. f. 1.
* Linn. S. Nat. Gmel. I. IV. p. 1593. 11.
* Panz. Ent. Germ. I. p. 97. 13.
Vill. Ent. I. p. 54. 28.

Vulpinus. * Fabr. S. El. I. p. 314. 12. * Ent. S. I. p. 229. 11. * Mant. I. p. 34. 10. * Sp. Ins. I. p. 64. 9.
* Illig. Kæf. Pr. I. p. 313. 3.
* Gyllenh. Ins. Sv. I. I. p. 147. 2.

DERMESTES DIMIDIATUS: niger, thorace elytrisque antice griseis, abdomine albo.

Habitat in cadaveribus in Caucaso rarior.

Dermeste lardario dimidio minor et distinctissimus.

Caput fulvo-tomentosum, fronte nuda. Antennarum clava triarticulata nigra. Thorax cinereo-villosus immaculatus. Scutellum thorace concolor. Elytra nigra pubescentia antice ad quartam partem cinereo-villosa. Pectus et abdomen albo-tomentosa, maculis marginalibus nigris. Pedes obscure fusci.

STEVEN.

* Oliv. Ent. II. 9. p. 8. 4. T. 1. f. 6. a. b.
Oliv. Enc. Meth. VI. p. 266. 4.
* Herbst Col. IV. p. 124. 5. T. 40. f. 5. C.
* Panz. Ent. G. I. p. 97. 14.
* Ross. Mant. I. p. 16. 28. * ed. Hellw. I. p. 351.
* Linn. S. N. Gmel. I. IV. p. 1594. 25.
D. murinus * Panz. Fn. Germ. XL. 10.
D. maculatus. * DeGeer Ins. IV. p. 223. 2.
D. marginatus. * Thunb. N. Ins. Sp. p. 7. fig.
* Linn. S. N. Gmel. I. IV. p. 1597. 44.
D. Frischii. * Kugel. Schneid. Mag. p. 478. 3.
D. cadaverinus. * Ross. Fn. Etr. I. p. 33.
* ed. Hellw. I. p. 34. 77.
* Frisch Ins. I. p. 35. T. 10. f. 1—4.
* Schæff. Icon. T. 42. f. 1. 2.
Harrer Beschr. n. 44. ed. 2:a n. 45.

22. Felinus. * Fabr. S. El. I. p. 314. 13. * Ent. S. p. 229. 12. * Mant. I. p. 34. 11.
* Herbst Col. IV. p. 127. 10.
* Linn. S. Nat. Gmel. I. IV. p. 1595. 28.
Derm. piceus. * Thunb. N. Ins. Sp. p. 8.
* Linn. S. N. Gmel. I. IV. p. 1598. 45.
D. ater. * DeGeer. Ins. IV. p. 223. 1. T. 18.

23. Fuliginosus. * Ross. Mant. I. p. 17. 32. * Hellw. I. p. 352. 32.

24. Hirticollis. *l*) * Fabr. S. El. I. p. 314. 14. * E. S. I. p. 229. 13.

25. Pardalis. *Nov. Sp. m*).

26. *Murinus.* * Fabr. S. El. I. p. 315. 15. * Ent. S. p. 230. 14. * Mant. I. p. 35. 12. * Sp. In. I. p. 64. 10. * S. Ent. p. 56. 7.
* Linn. Fn. Sv. n. 426. * Syst. Nat. I. II. 563. 18. * ed. Gmel. I. IV. p. 1595. 1

---

l) Pariter in Lusitania.

m) DERMESTES PARDALIS: oblongus niger, capite thoraceque testaceo-hirsutis, maculis denudatis nigris; abdomine albo villoso.
D. tessellatus. Herbst Col. IV. p. 122. 3. T. 40. f. 3. ?
Hab. extra Europam. E. Musæo *Schönh.*
Statura *Dermest. vulpini* & *D. hirticollo* affinis. Caput & thorax pilis appressa, testaceis hirsuta, maculis parvis denudatis nigris. Scutellum nigrum margine testaceo-ciliatum. Elytra subtilissime punctulata nigra, pilis raris albidis obsita, lineis 4 elevatis, licet ægre conspicuis, notata. Humeri paulullum testaceo-pilosi. Pectus & abdomen nigra, pube candida tecta, punctis denudatis lateralibus pectori 2, abdominique 4, anoque nigris. Femora & tibiæ villo albo fasciata.

BILLBERG.

* Payk. Fn. Sv. I. p. 277. 2.
* Gyllenh. Ins. Sv. I. I. p. 147. 3.
* Illig. Kæf. Pr. I. p. 312. 2.
* Panz. Ent. G. I. p. 98. 15.
* Ross. Fn. Etr. I. p. 33. 74. * ed. Hellw. I. p. 33. 74.
* Fisch. Naturg. v. Livl. p. 131. 252.
* Cederh. Fn. Ingr. n. 128.
* Marsh. Ent. Br. I. p. 61. 2.
* Scop. Ent. Carn. n. 35.
* Schneid. Mag. p. 371. 14.
* Goeze Eur. Fn. VIII. p. 192. 6.
* Laich. Tyr. Ins. I. II. p. 60. 2.
* Schrank En. Ins. p. 24. 41. — Fn. Boica. I. 422. 396.
* Brahm Ins. Kal. I. p. 33. 114.
Fourcr. Ent. Par. I. p. 19. 7.
Vill. Ent. I. p. 50. 17.
D. Catta. * Herbst Col. IV. p. 123. 4. T. 40. f. 4.
* Panz. Fn. G. XL. 11. * Ent. G. I. p. 98. 16.
* Panz. Naturf. XXIV. p. 10. n. 12. T. 1. f. 12.
D. nebulosus. * DeGeer Ins. IV. p. 197. 2.
* Geoffr. Ins. I. p. 102. 7 *α*
* Frisch Ins. IV. p. 34. T. 18.
* Schæff. Elem. T. 57. f. 1. 2.
* Pontopp. Nachricht. p. 199. 8.
Acta Ups. 1736. p. 17. 9.
Voet Col. I. p. 57. T. 31. f. 11.
Mull. Linn. Nat. S. V. I. p. 107. 18.
Affinis. * Gyllenh. Ins. Sv. I. I. p. 148. 4.
D. murinus. * Herbst Col. IV. p. 120. 2. T. 40. f. 2. B.
* Payk. Fn. Sv. I. p. 278. 2. Not.
D. tessellatus. * Oliv. Ent. II. p. 9. 7. T. 2. f. 10. a. b. ?
* Marsh. Ent. Br. I. p. 61. 3. ?
Laniarius. * Illig. Mag. I. p. 85. 2—3.
* Gyllenh. Ins. Sv. I. I. p. 149. 5.
D. macellarius. * Herbst Col. IV. p. 126. 7. T. 40. f. 7. e. E.
D. ater. * Oliv. Ent. II. 9. p. 9. 6. T. 2. f. 12. a. b. ?
Lycoperdi.) * Fabr. S. El. I. p. 315. 17. — vid. *Cryptoph. Lycoperdi.* n. 2. huj. Operis.
Tessellatus. * Fabr. S. El. I. p. 315. 16. * Ent. S. I. p. 230. 15. * Mant. I. p. 35. 13. * Sp. Ins. I. p. 65. 11. * S. Ent. p. 56. 8.
* Gyllenh. Ins. Sv. I. I. p. 150. 6.
* Illig. Mag. I. p. 84. 2—3.
* Panz. Ent. G. I. p. 98. 17.

* Ross. Fn. Etr. I. p. 32. 76. * ed. Hellw. p. 34. 76.
* Linn. S. N. Gmel. I. IV. p. 1595. 31.
D. murinus. * Oliv. Ent. II. 9. p. 8. 5. T. 1. f. 3. a.
* Scriba Journ. p. 151. 76.
D. Vulpecula. * Illig. Kæf. Pr. I. p. 313. Not. su
D. murino.
* Herbst Col. IV. p. 123. 3. Not. sub *Derm*
tessellato.
D. undulatus * Brahm Ins. Kal. I. p. 114. 394.
* Geoffr. Ins. I. p. 102. 7. *Dermeste* à écusson
jaune. var. β.

30. Tessellatus. * Herbst Col. IV. p. 122. 3. T. 40. f.
an *D. Pardalis.* Billb. ? n. 24. huj. Op.

31. Frontalis. * Fabr. S. El. I. p. 315. 18. * Supp
p. 72. 20—21.

— (Bipunctatus.) * Fabr. S. El. I. p. 315. 19. —
vid. *Latridius bipunctatus.* huj. Op.

— (*Fimetarius.*) * Fabr. S. El. I. p. 316. 20. — vi
Cryptoph. fimetarii. n. 21. huj. Op.

— (*Fumatus.*) * Fabr. S. El. I. p. 316. 21. — v
Byturus tomentosus. huj. Op.

32. *Tomentosus.* * Fabr. S. El. I. p. 316. 22. * E
S. I. p. 232. 24. * Mant. I. p. 35. 20. * S
Ins. I. p. 66. 17. * S. Ent. p. 57. 13. — vi
Byturus tomentosus var. β. forte.

33. Fuscus. * Fabr. S. El. I. p. 316. 23. * Ent. S.
p. 232. 25. * Mant. I. p. 35. 21.
* Herbst Col. IV. p. 136. 16. T. 41. f. 2. b. B.
* Linn. S. Nat. Gmel. I. IV. p. 1596. 38.
* Panz. Ent. G. I. p. 105. 46.
Trixag. fuscus. * Kugel. Schneid. Mag. p. 535.

— (*Adstrictor.*) * Fabr. S. El. I. p. 316. 24. — vid. *Trixag*
Adstrictor. p. 96. huj. Op.

34. Suturalis. * Fabr. S. El. I. p. 317. 25.

— (*Sexdentatus.*) * Fabr. S. El. I. p. 317. 25. — vi
genus *Silvanus.* huj. Op.

— (*Lunatus.*) * Fabr. S. El. I. p. 317. 26. — vid. *Lyctu*
lunatus. huj. Op.

— (*Unidentatus.*) * Fabr. S. El. I. p. 317. 27. — vid. S
vanus unidentatus. huj. Op.

— (Bidentatus.) * Fabr. S. El. I. p. 317. 28.
vid. *Silvanus bidentatus.* huj. Op.

35. Nigripes. * Fabr. S. El. I. p. 318. 29. * Ent. S.
p. 233. 31.
* Panz. Fn. G. XCVII. 5. * Ent. G. I. p. 106.



D. rufitarsis. * Panz. Fn. G. XXXV. 6.
Megat. rufitarse. * Latr. Gen. Cr. & Ins. II. p. 35. 3.?
cfr. Illig. Kæf. Pr. I. p. 318.

Obscurus. *n*) * Fabr. S. El. I. p. 318. 30. * Ent. S. I. p. 233. 32.
Panz. Ent. G. I. p. 106. 53.
D. picipes. * Panz. Fn. G. XIV. 12.
cfr. *Byturus Caricis.* Latr. — p. 96. n. 2. huj. Op.

Testaceus. * Fabr. S. El. I. p. 318. 31. * Ent. S. I. p. 233. 33. * Mant. I. p. 35. 24. * Sp. Ins. I. p. 66. 19. * S. Ent. p. 57. 15.
* Herbst Col. IV. p. 144. 26.
* Linn. S. N. Gmel. I. IV. p. 1595. 34.

[illegible]aber. o) * Fabr. S. El. I. p. 318. 32. * Ent. S. I. p. 233. 34. * Mant. I. p. 35. 25. * Sp. Ins. I. p. 66. 20. * S. Ent. p. 57. 16.
* Oliv. Ent. II. 9. p. 15. 17. T. 2. f. 14. a. b.
* Herbst Col. IV. p. 145. 27.
* Linn. S. N. Gmel. I. IV. p. 1595. 33.
* Ross. Fn. Etr. I. p. 35. 85. ? * ed. Hellw. I. p. 37. 85. ?

Chinensis. *p*) * Fabr. S. El. I. p. 318. 33. * Ent. S. I. p. 233. 35. * Mant. I. p. 36. 26. * Sp. Ins. I. p. 66. 21. * S. Ent. p. 58. 17.
* Herbst Col. IV. p. 145. 28.
* Linn. S. N. Gmel. I. IV. p. 1596. 36.

Subterraneus. * Fabr. S. El. I. p. 318. 34.

[illegible]canicus.) * Fabr. S. El. I. p. 318. 35. — vid. *Cryptoph. cellaris var.* β. n. 4. huj. Op.

Limbatus. o) * Fabr. S. El. I. p. 318. 36. * Ent. S. I. p. 234. 37. * Mant. I. p. 36. 28. * Sp. Ins. I. p. 66. 23.
* Oliv. Ent. II. 9. p. 16. 18. T. 2. f. 15. a. b.
* Herbst Col. IV. p. 141. 21.
* Linn. S. N. Gmel. I. IV. p. 1597. 40.

Fenestratus.) * Fabr. S. El. I. p. 318. 36. — vid. *Lat'id. longicornis.* huj. Op. I. IV.

Variabilis.) * Fabr. S. El. I. p. 319. 38. — vid. *Cis Boleti var.* β. huj. Op. I. IV.

[illegible]erte ad genus *Apate* pertinet. ?

[illegible]ix hujus generis, teste *Oliv.*

[illegible]rogos. *ferruginea* Fabr. l. *Tenebr. testaceus* huj. Operis I. p. 153. 5. vix differt.

42. *Serra.* * Fabr. S. El. I. p. 319. 38. * Ent. S. I. p. 234. 40.
* Gyllenh. Ins. Sv. I. I. p. 153. 10.
* Illig. Kæf. Pr. I. p. 319. 8.
* Payk. Fn. Sv. I. p. 283. 8.
* Thunb. Ins. Sv. p. 81.
* Panz. Ent. G. I. p. 108. 58.
* Marsh. Ent. Br. I. p. 63. 7.
Megat. Serra. * Latr. Gen. Cr. & Ins. II. p. 35. 2. T. 8. f. 10.
Attagenus Serra. Latr. Hist. Nat. d. Cr. & d. Ins. IX. p. 244.
Anthren. Viennensis. * Herbst Col. VII. p. 336. 14. T. 115. f. 10. k.

43. *Marginatus.* * Payk. Fn. Sv. I. p. 280. 5.
D. emarginatus. * Gyllenh. Ins. Sv. I. I. p. 153. 9.

— (*Cellaris.*) * Fabr. S. El. I. p. 319. 40. — vid. *Cryptoph. cellaris.* n. 4. huj. Op.

— (*Crenatus.*) * Fabr. S. El. I. p. 319. 41. — vid. *Cryptoph. crenatus.* n. 6. huj. Op.

— (*Minutus.*) * Fabr. S. El. I. p. 319. 42. — vid. *Cryptoph. minutus.* n. 32. huj. Op.

— (*Pedicularius.*) * Fabr. S. El. I. p. 319. 43. — vid. *Cateretes pedicularius.* n. 4. huj. Op.

— (*Urticæ.*) * Fabr. S. El. I. p. 320. 44. — vid. *Cateret. Urticæ.* n. 2. huj. Op.

— (*Brachypterus.*) * Fabr. S. El. I. p. 320. 45. — vid. *Cateret. brachypterus.* n. 6. huj. Op.

— (*Bipustulatus.*) * Fabr. S. El. I. p. 320. 46. — vid. *Cateret. bipustulatus.* n. 3. huj. Op.

Species dubiæ.

44. *Colon.* * Linn. Fn. Sv. n. 438. * Syst. Nat. I. II. p. 564. 27. * ed. Gmel. I. IV. p. 1597. 27. (Vix *Nitid. 4-punctata* ut opinio Ill. *D. Gyllenh.*)

45. *Fumatus.* * Linn. S. Nat. I. II. p. 564. 22. * ed. Gmel. I. IV. p. 1595. 22.

46. Piceus. * Oliv. Ent. II. 9. p. 10. 9. T. 1. f. 4. a. b.

47. Interruptus. * Thunb. N. Ins. Sp. p. 6. fig. 3.
* Linn. S. N. Gmel. I. IV. p. 1597. 42.

48. Scanicus. * Herbst Col. IV. p. 142. 23. T. 41. fig. 6. f. F.

49. Notatus. * Cederh. Fn. Ingr. n. 125.

50. Sulcatus. * Ross. Mant. II. p. 80. 6.

51. Ochropus. * Marsh. Ent. Br. I. p. 64. 10.

N:o 74. BYTURUS. Latr. n. 158.

omentosus. * Latr. Gen. Cr. & Ins. II. p. 18. 1. — Hist. N. d. Cr. & d. Ins. X. p. 41. — Préc. Caract. gén. d. Ins. p. 69.
Derm. tomentosus. * Gyllenh. Ins. Sv. I. I. p. 157. 14. var. b.
* Illig. Kæf. Pr. I. p. 321. 9. var. β.
* Payk. Fn. Sv. I. p. 283. 7. var. β.
Derm. fumatus. * Fabr. S. El. I. p. 316. 21. * Ent. S. I. p. 231. 23. * Mant. I. p. 35. 19. * Sp. Ins. I. p. 66. 16. * S. Ent. p. 57. 12.
* Herbst Col. IV. p. 135. 15. T. 41. f. 1. a. A.
* Herbst Arch. p. 20. 7. T. 20. f. 1.
* Müll. Illig. Mag. IV. p. 203.
* Panz. Fn. G. XCVII. 3. * Ent. G. I. p. 104. 44.
* Thunb. Ins. Sv. VI. p. 80.
* Ross. Fn. Etr. I. p. 35. 84. * ed. Hellw. I. p. 37. 84.
* Laich. Tyr. Ins. I. II. p. 63. 5.
* Goeze Eur. Fn. VIII. p. 194. 7.
Trixag. fumatus. * Kugel. Schneid. Mag. p. 534. 1.
Derm. flavescens. * Marsh. Ent. Br. I. p. 64. 8. Fourcr. Ent. Par. I. p. 19. 8.
Derm. ochreaceus. * Scriba Journ. p. 153. 81.
Derm. testaceus. * Schrank Enum. p. 27. 46. ?
* Fuessl. n. Mag. II. p. 110. 46. ?
Silpha testacea. * Linn. S. Nat. I. II. p. 574. 31. ?
* ed. Gmel. I. IV. p. 1624. 31. ?
* Geoffr. Ins. I. p. 102. 8. ? *Dermestes.*
var. β. Latr. Gen. Cr. & Ins. l. c. var. B.
Derm. tomentosus. * Fabr. S. El. I. p. 316. 22.
* Ent. S. I. p. 232. 24. * Mant. I. p. 35. 20.
* Sp. Ins. I. p. 66. 17. * S. Ent. p. 57. 13. forte.
* Gyllenh. Ins. Sv. I. I. p. 157. 14. α.
* Illig. Kæf. Pr. I. p. 321. 9. α
* Payk. Fn. Sv. I. p. 282. 7. α.
* Oliv. Ent. II. 9. p. 14. 15. T. 3. f. 17. a. b. c. d. — Enc. Meth. VI. p. 269. 15.
* Herbst Col. IV. p. 133. 14. T. 50. f. 11. i. J.
* DeGeer Ins. IV. p. 199. 4. T. 7. f. 18. 19.
* Panz. Fn. G. XCVII. 4. & XL. 12. ? cfr. Kr. Rev. c. Ins. Fn. I. p. 65.
* Marsh. Ent. Br. I. p. 64. 9.
* Panz. Ent. G. I. p. 105. 45. forte.
* Ross. Fn. Etr. I. p. 33. 83. * ed. Hellw. I. p. 37. 83. forte.

* Linn. S. N. Gmel. I. IV. p. 1596. 38. ?
Vill. Ent. I. p. 54. 30. ?
Trixag. tomentosus. * Kugel. Schneid. Ma
p. 534. 2.
Derm. Sambucci. * Scop. Carn. p. 16. 40.
Derm. fumatus. * Laich. Tyr. Ins. I. II. p. 6
5. var. β.

2. Caricis. * Latr. Gen. Cr. & Ins. II. p. 19. 2
— Hist. Nat. d. Cr. & d. Ins. X. p. 42.
Derm. obscurus. * Fabr. S. El. I. p. 318. 30.
* Ent. S. I. p. 233. 32. ?
* Panz. Ent. G. I. p. 106. 53. ?
Derm. picipes. * Panz. Fn. G. XIV. 12. ?
Ips Caricis. * Oliv. Ent. II. 18. p. 15. 23. T.
f. 23. a. b. ??
cfr. *Cryptophag. Typhæ.* Gyllenh. — huj. Op. n. 1

N:o 75. TRIXAGUS. Kugell. Illig. Kæf. Pr. I. p. 324.

1. *Adstrictor.* * Gyllenh. Ins. Sv. I. I. p. 158. 1.
* Kugel. Schneid. Mag. p. 535. 4.
Derm. Adstrictor. * Fabr. S. El. I. p. 316. 24.
* Illig. Kæf. Pr. I. p. 322. 10. * Mag. IV. p. 2
* Payk. Fn. Sv. I. p. 284. 9.
* Herbst Col. IV. p. 140. 20. T. 41. f. 4. d.
* Panz. Fn. G. LXXV. 15. * Ent. G. I.
106. 48.
* Entom. Hefte. II. p. 113.
Throscus dermestoides. * Latr. Gen. Cr. & Ins. I
p. 37. 1. T. 8. f. 1. — Hist. N. d. Cr. & d. In
IX. p. 41. — Préc. Caract. gén. d. Ins. p.
Derm. Vastator. * Kugel. Schneid. Mag. 479. 6.
Elat. dermestoides. * Linn. S. Nat. I. II.
656. 38.
* Ross. Mant. II. App. p. 100. 60.
Elat. clavicornis. * Oliv. Ent. II. 31. p. 54. 71
T. 8. f. 85. a. b.
Fourcr. Ent. Par. I. p. 39. 16.
Throsus adstrictor. Walcken. Fn. Par. I. p. 199.
* Geoffr. Ins. I. p. 137. 16. *Elater.*

N:o 76. CRYPTOPHAGUS. q) Herbst & Payk.
A) *Th*

q) Cfr. Müll. Illig. Mag. IV: p. 214.

A) *Thoracis margine dentato vel crenato.*

pulli. * Gyllenh. Ins. Sv. I. I. p. 165. 1.
* Payk. Fn. Sv. III. p. 355. 4.
coperdi. * Gyllenh. Ins. Sv. I. I. p. 166. 2.
* Payk. Fn. Sv. III. p. 355. 5.
* Herbst Col. IV. p. 176. 5. T. 42. f. 13. n. N.
* Müll. Illig. Mag. IV. p. 216.
Derm. Lycoperdi. * Fabr. S. El. I. p. 315. 17.
* Ent. S. I. p. 231. 20.
* Payk. Fn. Sv. I. p. 289. 16.
* Scop. Carn. n. 48.
* Panz. Ent. G. I. p. 99. 21.
Ips Lycoperdi. * Kugel. Schneid. Mag. p. 552. 8.
Derm. Fungorum. * Panz. Fn. G. XXXIX. 14.
Corticaria rufa. * Marsh. Ent. Br. I. p. 111. 16.
Fumatus. * Gyllenh. Ins. Sv. I. I. p. 167. 3.
Corticaria fumata. * Marsh. Ent. Br. I. p. 110. 12.
Cellaris. * Gyllenh. Ins. Sv. I. I. p. 168. 4.
* Payk. Fn. Sv. III. p. 356. 6.
* Müll. Illig. Mag. IV. p. 216.
Derm. cellaris. * Fabr. S. El. I. p. 319. 40.
* Ent. S. I. p. 234. 41.
* Payk. Fn. Sv. I. p. 360. 17. a.
* Thunb. Ins. Sv. p. 81.
* Linn. S. N. Gmel. I. IV. p. 1598. 50.
* Panz. Ent. G. I. p. 108. 59.
Ips cellaris. * Oliv. Ent. II. 18. p. 10. 13. T. 1. f. 3. a. b.
var. β. * Gyllenh. Ins. Sv. I. I. p. 168. 4. var. b.
Derm. scanicus. * Fabr. S. El. I. p. 318. 35.
* Ent. S. I. p. 234. 36. * Mant. I. p. 36. 27. * Sp. Ins. I. p. 66. 22. * S. Ent. p. 58. 18.
* Linn. Fn. Sv. n. 437. * S. Nat. I. II. p. 564. 26. * ed. Gmel. I. IV. p. 1597. 26.
* Panz. Ent. G. I. p. 107. 54.
* Müll. Zool. D. Pr. p. 56. 491.
Cortic. denticulata. * Marsh. Ent. Br. I. p. 111. 18.
var. γ. * Gyllenh. Ins. Sv. I. I. p. 169. 4. var. c.
Ips cellaris. * Latr. Gen. Cr. & Ins. II. p. 21. 1.
— Hist. Nat. d. Cr. & d. Ins. X. p. 18.
Crypt. cellaris var. β. * Payk. Fn. Sv. III. p. 356. 6.
Derm. cellaris var. β. * Payk. Fn. Sv. I. p. 291. 17.
* Fabr. Ent. S. I. p. 235. 41. var. testacea.
* Herbst Arch. n. 22. 12. T. 20. f. 5, e. f.
* Scop. Ent. Carn. n. 42.

Crypt. crenatus. * Herbst Col. IV. p. 177. 6. 42. f. 14. o. O.

5. *Abietis.* * Gyllenh. Ins. Sv. I. I. p. 170. 5.
* Payk. Fn. Sv. III. p. 356. 7.
* Müll. Illig. Mag. IV. p. 216.
Derm. Abietis. * Payk. Fn. Sv. I. p. 291. 18.
Derm. vini. * Panz. Fn. G. XL. 14.? * Kr. R
d. Ins. Fn. I. p. 65. ?
* Laich. Tyr. Ins. I. I. p. 65. 6. ?
Cortic. obcordata. * Marsh. Ent. Br. I. p. 112. 19.

6. *Crenatus.* * Gyllenh. Ins. Sv. I. I. p. 171. 6.
Derm. crenatus. * Fabr. S. El. I. p. 319. 41.
* Suppl. p. 72. 41—42. ?

7. *Serratus.* * Gyllenh. Ins. Sv. I. I. p. 171. 7.
var. β. * Gyllenh. Ins. Sv. l. c. var. b.

8. *Bimaculatus.* * Gyllenh. Ins. Sv. I. I. p. 172. 8.
Derm. bimaculatus. * Panz. Fn. G. LVII. 7
* Kr. Rev. d. Ins. Fn. I. p. 67.

9. *Fungorum.* * Gyllenh. Ins. Sv. I. I. p. 172. 9.

10. *Schönherrii.* * Gyllenh. Ins. Sv. I. I. p. 173. 10.

11. *Sparganii.* * Gyllenh. Ins. Sv. I. I. p. 174. 11.

12. *Typhae.* * Gyllenh. Ins. Sv. I. I. p. 174. 12.
* Fabric. Obs. Ent. I. p. 16.
Ips Cerealis. * Oliv. Ent. III. 18. p. 15. 23. T.
f. 23. a. b.
Byturus Cerealis. * Latr. Gen. Cr. & Ins. II.
19. 2. ? — Hist. N. d. Cr. & d. Ins.
p. 46. ?

13. *Dentatus.* [illegible] * Herbst Col. V.
[illegible] F.
Derm. dentatus. * Panz. Ent. G. I. p. 104. 42.

B. Thorax margine integro.

14. [illegible] * Gyllenh. Ins. Sv. I. I. p. 175. 13.
[illegible] * Payk. Fn. Sv. I. p. 292. 5.
* [illegible] Sv. I. I. p. [illegible] 14.
[illegible] * Herbst Col. IV. p. [illegible] t. 7
[illegible] f. 6.
[illegible] * Marsh. Ent. Br. I. p. [illegible] 20.
var. ε. * [illegible] Ins. [illegible] var. b.
[illegible] * Fab. S. El. II. p. 3[illegible]
2. * [illegible]
[illegible] * [illegible] 2. 46. 12.
[illegible] * [illegible] VI. p. [illegible]
[illegible] * Linn. S. Nat. Gmel. I. I
p. [illegible] 3.

Tenebr. pallens var. β. * Schönh. Syn. I. I. p. 151. 29.

Pallens. * Gyllenh. Ins. Sv. I. I. p. 177. 14.
Tenebr. pallens. * Linn. Fn. Sv. 820. ? * Syst. Nat. I. II. p. 675. 10. ?
* Herbst Col. VIII. p. 9. T. 117. f. 10. & VII. p. 257. 24.
* Oliv. Ent. III. 57. p. 19. 26. T. 2. f. 25.
* Marsh. Ent. Br. I. p. 477. 9. ?.

var. β. * Gyllenh. Ins. Sv. l. c. var. b.
Tenebr. pallens. * Fabr. S. El. I. p. 149. 24. * Ent. S. I. p. 113. 17. * Mant. I. p. 212. 16. * Sp. Ins. I. p. 324. 11.
* Linn. S. N. ed. Gmel. I. IV. p. 1997. 10.
* Payk. Fn. Sv. I. p. 91. 5. var. β.

Glaber. * Gyllenh. Ins. Sv. I. I. p. 178. 15.

Semi-niger. * Gyllenh. Ins. Sv. I. I. p. 178. 16.

Nigripennis. * Gyllenh. Ins. Sv. I. I. p. 179. 17.
Derm. nigripennis. * Payk. Fn. Sv. I. p. 292. 20.
Latrid. ater var. b. nigripennis. * Kugel. Schneid. Mag. p. 478. 10. b.
Crypt. ruficollis.. * Panz. Fn. G. XCIX. 13.

Ater. * Gyllenh. Ins. Sv. I. I. p. 179. 18.
Kateretes ater. * Herbst Col. V. p. 15. 5. T. 45. f. 5. e. E.
Latrid. ater. * Kugel. Schneid. Mag. p. 577. 10.
Derm. fimetarius. * Payk. Fn. Sv. I. p. 293. 21.
* Thunb. Ins. Sv. VI. p. 80.
* Müll. Illig. Mag. IV. p. 216.
Silpha nitidula. * Marsh. Ent. Br. I. p. 123. 24.

var. β. * Gyllenh. Ins. Sv. l. c. var. b.

var. γ. * Gyllenh. Ins. Sv. l. c. var. c.
Latrid. flavescens. * Kugel. Schn. Mag. p. 578. 10. c.

Mesomelus. * Gyllenh. Ins. Sv. I. I. p. 180. 19.
Derm. mesomelus. * Payk. Fn. Sv. III. p. 448. 20—21.
* Herbst Col. IV. p. 143. 24. T. 41. f. 7. G.
* Panz. Ent. G. I. p. 102. 34.
Latrid. mesomelus. * Kugel. Schneid. Mag. p. 574. 4.
Latrid. ater var. a. dorsalis. * Kugel. Schneid. Mag. p. 577. 10. a.
Silpha Phaorrhaea. * Marsh. Ent. Br. I. p. 124. 28.

Fimetarii. * Gyllenh. Ins. Sv. I. I. p. 181. 20.
Derm. fimetarius. * Fabr. S. El. I. p. 316. 20. * Ent. S. I. p. 231. 22.
* Panz. Ent. G. I. p. 103. 39.
Kater. fimetarii. * Herbst Col. V. p. 14. 4. T. 45. f. 4. d. D.

Derm. fenestralis. * Linn. Fn. Sv. n. 423. * Sy
Nat. I. II. p. 563. 15. * ed. Gmel. I. I
p. 1594. 15. forte.
var. β. Gyllenh. Ins. Sv. l. c. var. b.
Derm. minutus. * Payk. Fn. Sv. I. p. 294. 22.
var. γ. * Gyllenh. Ins. Sv. l. c. var. c.
Derm. minutus var. β. * Payk. Fn. Sv. l. c.

22. *Fuscipes.* * Gyllenh. Ins. Sv. I. I. p. 182. 21.

23. *Pusillus.* * Gyllenh. Ins. Sv. I. I. p. 183. 22.
var. β. * Gyllenh. Ins. Sv. l. c. var. b.
Derm. pusillus. * Payk. Fn. Sv. I. p. 295. 23.
* Müll. Illig. Mag. IV. p. 216.

24. Forsströmii. *Nov. Sp.* r).

25. Ipsoides. * Herbst Col. IV. p. 174. 3. T. 42. f. 11. l.

26. Fuscatus. *Derm. ater.* * Panz. Fn. G. ed.
XXIII. 9. * Krit. Rev. d. Ins. Fn. I. p. 6
* Ent. G. I. p. 104. 41.
Derm. fimetarii. * Panz. Fn. G. ed. 2:a. XXIII. 1

27. Fuscus. * Herbst Col. IV. p. 174. 2. T. 42. f. 10. k.
Ips fusca. * Kugel. Schneid. Mag. p. 552. 9.
Derm. fuscipes. * Panz. Ent. G. I. p. 99. 22.

28. *Hirtus.* * Gyllenh. Ins. Sv. I. I. p. 184. 23.
Silpha hirta. * Marsh. Ent. Br. I. p. 124. 29.

29. *Globulus.* * Gyllenh. Ins. Sv. I. I. p. 184. 24.
Derm. globulus. * Payk. Fn. Sv. I. p. 295. 24.

30. *Brunnipes.* * Gyllenh. Ins. Sv. I. I. p. 185. 25.

31. *Atomus.* * Gyllenh. Ins. Sv. I. I. p. 185. 26.

---

r) CRYPTOPH. FORSSTRÖMII: testaceus glaber, thorace dilatat
postice impresso bipunctato, elytris punctato-striatis, pedibus palli
dis, genubus fuscis.
Habitat in Insula St. Eustache. *D. Forsström.*
Minutus, *Cr. cellari* minor. Caput triangulare ferrugineum nit
dum glabrum, tenue punctulatum, fronte convexa; oculi globosi n
gri prominuli. Antennæ longitudine thoracis, pallide ferruginea
articulo primo magno cylindrico, secundo dimidio minore ovato
3-8 subcylindricis, sensim crassioribus, 9 adhuc crassiore brevi pe
foliato, 10 præcedente duplo majore, ultimo ovato adhuc majo
Thorax transversus, antice truncatus, lateribus rotundatus, versi
posteriora magis dilatatus, angulis rotundatis; supra anticus con
vexus, postice transversim depressus, punctis duobus remotis pr
funde impressis intra basin; totus testaceus nitidus punctulatus. Sc
tellum breve transversum truncatum concolor. Elytra thoracis b
si latiora, ovata, apice acuminata, supra valde convexa, regulari
punctato-striata, testacea nitida glabra, dorso parum æneo-micanti
Corpus subtus testaceum nitidum. Pedes pallidi, geniculis fuscis.

GYLLENH.



Species dubiæ.

Minutus. *Derm. minutus.* * Fabr. S. El. I. p. 319. 42. * Ent. S. I. p. 235. 42. ?
* Panz. Ent. G. I. p. 108. 60.

Somacola. *Kateret. Somacola.* * Herbst Col. V. p. 17. 8. T. 45 f. 8. h. H.

No 77. ANOBIUN. Fabr. n. 62.

Tessellatum. * Fabr. S. El. I. p. 321. 1. * Ent. S. I. p. 236. 1.
* Gyllenh. Ins. Sv. I. I. p. 295. 7.
* Illig. Kæf. Pr. I. p. 325. 1. * Mag. I. p. 386. 1.
* Latr. Gen. Cr. & Ins. I. p. 275. 1. — Hist. N. d. Cr. & d. Ins. IX. p. 182.
* Payk. Fn. Sv. I. p. 305. 4.
* Oliv. Ent. II. 16. p. 6. 1. T. 1. f. 1. a—e.
* Herbst Col. V. p. 53. 1. T. 47. f. 2. a. A.
* Panz. Fn. G. LXVI. 3. * Ent. G. I. p. 108. 1.
* Kugel. Schneid. Mag. p. 487. 1.
Ptin. tessellatus. * Marsh. Ent. Br. I. p. 85. 11.
Anob. pertinax. * Herbst Arch. p. 26. 1.
* Roem. Ins. T. 34. f. 7. b.
Ptin. rufo-villosus. * DeGeer Ins. IV. p. 230. 2.
Anob. pulsatorium. * Scriba Journ. p. 156. 88.
* Beytr. III. p. 222. 33. T. 14. f. 4.
Ptin. pulsator. * Schall. Acta Hal. I. p. 249.
* Goeze Eur. Fn. VIII. p. 227. 3.
* Linn. S. N. Gmel. I. IV. p. 1605. 13.
Ptin. fuscus. * Linn. S. N. Gmel. I. IV. p. 1606. 27.
Ptin. Fatidicus. * Blumenb. Handb. ed. 7:a p. 323. 3.
Ptin. Faber. * Linn. S. N. Gmel. I. IV. p. 1608. 25.
Derm. Faber. * Thunb. N. Acta Ups. IV. p. 6. 10.
Derm. tessellatus. * Bechst. & Scharfenb. Forstins. I. p. 114. 28.
Byrrh. pertinax. Fourcr. Ent. Par. I. p. 26. 4.
Byrrh. rubiginosus. * Müll. Zool. D. Pr. p. 57. 506.
* Leske Mus. p. 6. 121.
* Geoffr. Ins. I. p. 112. 4. *Byrrhus.* Vill. Ent. I. p. 54. 29.
Denticolle. * Panz. Fn. G. XXXV. 8.
Striatum. * Fabr. S. El. I. p. 321. 2. * Ent. S. I. p. 236. 2. * Mant. I. p. 39. 1.
* Payk. Fn. Sv. I. p. 304. 2.
* Panz. Fn. G. LXVI. 4. * Ent. G. I. p. 109. 2.
* Kugel. Schneid. Mag. p. 488. 2.
* Herbst Col. V. p. 67. 15.

Ptin. pertinax. * Linn. Syst. Nat. I. II. p. 565.
* ed. Gmel. I. IV. p. 1604. 2.
* Gyllenh. Ins. Sv. I. I. p. 288. 1.
* Illig. Kæf. Pr. I. p. 327. 3.
* DeGeer Ins. IV. p. 227. 1. T. 8. f. 24. 25
* Marsh. Ent. Br. I. p. 82. 4.
* Blumenb. Handb. ed. 7:a p. 322. 1.
Vill. Ent. I. p. 61. 2.
Derm. pertinax. * Linn. Fn. Sv. n. 414.
Anob. pertinax. * Oliv. Ent. III. 16. p. 6. 2. T. f. 4. a. b.
* Schmid Vers. I. p. 158. *Die Todtenuhr.*
Anob. Fagi. * Herbst Col. V. p. 57. 3. T. 47. 4. c. C. * Arch. p. 26. 2. T. 20. f. 12. ?
Schrank Fn. Boica. I. p. 539.
* Panz. Ent. G. I. p. 111. 14.
Ptin. Fagi. * Linn. S. N. Gmel. I. IV. p. 1605. 1.
Ptin. rugosus. * Linn. S. Nat. Gmel. I. IV. p. 1604. 1.
Ptin. rufus. * Linn. S. N. Gmel. I. IV. p. 1606. 28
Derm. bipunctatus. * Bechst. & Scharf. Forstin. I. p. 114. 29.
Derm. domesticus. * Brahm Ins. Kal. I. p. 17. 6. & p. 149. 488. *Die Todtenuhr.* ?
Byrrh. pertinax. * Müll. Zool. D. Pr. p. 57. 504.
* Leske Mus. p. 6. 122.
Acta Ups. 1736. p. 17. 5.

— (Reticulatum.) (s.) * Fabr. S. El. I. p. 322. 3. — vid. *Cis reticulat.* huj. Op. I. IV.

4. Carpini. * Herbst Col. V. p. 58. 4. T. 47. f. 5. d. D
* Panz. Ent. Germ. I. p. 111. 15.

5. *Rufipes.* * Fabr. S. El. I. p. 322. 4. * Ent. S. p. 236. 3.
* Gyllenh. Ins. Sv. I. I. p. 289. 2.
* Illig. Kæf. Pr. I. p. 328. 4.
* Marsh. Ent. Br. I. p. 83. 5.
* Panz. Ent. G. I. p. 109. 3.
* Herbst Col. V. p. 68. 16.
An. elongatum. * Payk. Fn. Sv. I. p. 303. 1.
var. β. Gyllenh. Ins. Sv. I. I. p. 289. 2. var. b.
An. Juglandis. * Herbst Col. V. p. 61. 7. T. 47. f. 8. g. G.
* Panz. Ent. G. I. p. 111. 16.

---

s) Ab *Anobiis* diversa species, tarsis omnibus 4-articulatis,

An. brunneum. * Oliv. Ent. II. 16. p. 8. 4. T. 2. f. 6. a. b. ?
An. castaneum. * Herbst Col. V. p. 64. 11. T. 47. f. 12. l. L. vix distinctum.
Castaneum. * Fabr. S. El. I. p. 322. 5. * Ent. S. I. p. 237. 4.
* Gyllenh. Ins. Sv. I. p. 290. 3.
* Illig. Kæf. Pr. I. p. 326. 2.
* Oliv. Ent. II. 16. p. 7. 3. T. 1. f. 2. a. b.
* Panz. Ent. G. I. p. 109. 4.
An. excavatum. * Kugel. Schneid. Mag. I. p. 488. 3.
* Panz. Ent. G. I. p. 112. 19.
Ptin. castaneus. * Marsh. Ent. Br. I. p. 83. 7.
Byrrh. mollis. Fourcr. Ent. Par. I. p. 26. 3.
Ptin. ferrugineus. * Linn. S. N. Gmel. I. IV. p. 1606. 29.
* Leske Mus. I. p. 6. 123.
Pertinax. * Fabr. S. El. I. p. 322. 6. * Ent. S. I. p. 237. 5. * Mant. I. p. 39. 2. * Sp. Ins. I. p. 71. 1. * S. Ent. p. 62. 1.
* Payk. Fn. Sv. I. p. 305. 3.
* Herbst Col. V. p. 54. 2. T. 47. f. 3. b. B.
* Panz. Fn. G. LXVI. 5. * Ent. G. I. p. 109. 5.
* Ross. Fn. Etr. I. p. 41. 100. * ed. Hellw. I. p. 44. 100.
* Cederh. Fn. Ingr. n. 131.
* Scriba Journ. p. 155. 85.
* Bechst. & Scharf. Forstins. I. p. 118. 2.
An. striatum. * Illig. Kæf. Pr. I. p. 329. 5.
* Gyllenh. Ins. Sv. I. I. p. 291. 4.
* Oliv. Ent. II. 16. p. 9. 6. T. 2. f. 7. a. b.
* Latr. Gen. Cr. & Ins. I. p. 276. 3. — Hist. N. d. Cr. & d. Ins. IX. p. 183.
An. punctatum. * Ross. Mant. I. p. 19. 41. * ed. Heliw. I. p. 355. 41.
Ptin. punctatus. * DeGeer Ins. IV. p. 230. 3.
Ptin. pertinax. * Goeze Eur. Fn. VIII. p. 220. 1.
Ptin. cylindricus. * Marsh. Ent. Br. I. p. 83. 6.
Byrrh. domesticus. * Fourcr. Ent. Par. I. p. 26. 1.
* Geoffr. Ins. I. p. 111. 1. T. 1. f. 6. u.
Nitidum. 1) * Herbst Col. V. p. 62. 9. T. 47. f. 10. i. J.
Anob. striatum. * Gyllenh. Ins. Sv. I. I. p. 292. 4. var. b.
Tuficolle. * Herbst Col. V. p. 65. 12. T. 47. f. 13. m. M.
* Panz. Ent. G. I. p. 112. 17.

---

1) Vix *Anob. pertinax* Fabr. var.; ut opinat. Cl. *D. Gyllenh.*

— (*Boleti.*) * Fabr. S. El. I. p. 323. 7. — vid. *Boleti.* huj. Operis. I. IV.

10. *Molle.* * Fabr. S. El. I. p. 323. 8. * Ent. S. I. 237. 7. * Mant. I. p. 39. 3. * Sp. Ins. I. 71. 2. * S. Ent. p. 62. 2.
* Gyllenh. Ins. Sv. I. I. p. 296. 8.
* Illig. Kæf. Pr. I. p. 333. 9.
* Latr. Gen. Cr. & Ins. I. p. 276. 2. — Hi Nat. d. Cr. & d. Ins. IX. p. 184.
* Payk. Fn. Sv. I. p. 306. 5.
* Herbst Col. V. p. 61. 8. T. 47. f. 9. h. H.
* Oliv. Ent. II. 16. p. 8. 5. T. 2. f. 8. a. b.
* Panz. Ent. G. I. p. 110. 7.
* Cederh. Fn. Ingr. n. 133.
* Ross. Fn. Etr. I. p. 42. 102. * ed. Hellw. p. 45. 102.
* Scriba Journ. p. 156. 87.
Derm. mollis. * Linn. Fn. Sv. n. 415.
Ptin. mollis. * Linn. Syst. Nat. I. II. p. 565. * ed. Gmel. I. IV. p. 1604. 3.
* Goeze Eur. Fn. VIII. p. 224. 2.
* Marsh. Ent. Br. I. p. 84. 8. ?
* Zinke schädl. Nadelh. Ins. p. 34. 9.
Vill. Ent. I. p. 62. 3.
* DeGeer Ins. IV. p. 230. T. 8. f. 29—31.
* Thunb. N. Acta Ups. V. p. 107. 35.
* Bechst. & Scharfenb. Forstins. I. p. 119. & III. p. 883.
Besorgter Forstmann. 58. 9.
An. testaceum. * Kugel. Schneid. Mag. p. 489.
* Herbst Arch. p. 158. 4.
Ptin. testaceus. * Linn. S. N. Gmel. I. IV. p. 1606. 1
* Geoffr. Ins. I. p. 112. 3.
Müll. Linn. Nat. S. V. I. p. 112. 1.
var. β. Gyllenh. Ins. Sv. I. I. p. 296. 8. var. b.
var. γ. * Gyllenh. Ins. Sv. I. I. p. 296. 8. var. c.
* Payk. Fn. Sv. I. p. 307. 5. var. γ.
A. Sybaris. * Kugel. Schneid. Mag. p. 490. 7.
* Panz. Ent. G. I. p. 112. 20.
A. lævigatum. * Oliv. Ent. II. 16. p. 12. 10. T. 1. f. 3. a. b. ?
Derm. domesticus. * Schrank. Enum. p. 30. 53.

11. *Abietis.* * Fabr. S. El. I. p. 323. 10. * Ent. I. p. 238. 9.
* Gyllenh. Ins. Sv. I. I. p. 297. 9.
* Illig. Mag. I. p. 87. 8—9. *a.*
* Herbst Col. V. p. 60. 6. T. 47. f. 7. f. F.
* Pan



* Panz. Fn. G. LXVI. 7. * Ent. G. I. p. 110. 9.
An. molle var. β. * Payk. Fn. Sv. I. p. 307. 5.
Ptin. lævis. * Marsh. Ent. Brit. I. p. 84. 9.
var. β. Gyllenh. Ins. Sv. I. I. p. 297. 9. var. b.
Abietinum. * Gyllenh. Ins. Sv. I. I. p. 298. 10.
Plumbeum. * Illig. Mag. I. p. 87. 8—9. b.
Thoracicum. * Ross. Fn. Etr. I. p. 41. 101.
* ed. Hellw. I. p. 44. 101.
Paniceum. * Fabr. S. El. I. p. 323. 9. * Ent. S. I. p. 237. 8.
* Gyllenh. Ins. Sv. I. I. p. 293. 5.
* Illig. Kæf. Pr. I. p. 330. 6.
* Payk. Fn. Sv. I. p. 307. 6.
* Oliv. Ent. II. 16. p. 10. 8. T. 2. f. 9. a. b.
* Herbst Col. V. p. 59. 5. T. 47. f. 6. e. E.
* Panz. Fn. G. LXVI. 6. * Ent. G. I. p. 110. 8.
* Cederh. Fn. Ingr. n. 134.
Derm. paniceus. * Linn. Fn. Sv. n. 431. * Syst. Nat. I. II. p. 564. 19. * ed. Gmel. I. IV. p. 1596. 19.
* Fabr. Mant. I. p. 35. 22. * Sp. Ins. I. p. 66. 18. * S. Ent. p. 57. 14.
* Herbst Col. IV. p. 144. 25.
* Goeze Eur. Fn. VIII. p. 195. 8.
* Müll. Zool. D. Pr. p. 56. 490.
* Brahm Ins. Kal. I. p. 106. 362.
An. ferrugineum. * Herbst Arch. p. 27. 3. T. 20. f. 13.
* Kugel. Schneid. Mag. p. 489. 5.
Ptin. tenuicornis. * Marsh. Ent. Br. I. p. 84. 10. forte alt. sexus.
Ptin. ferrugineus. * Linn. S. N. Gmel. I. IV. p. 1605. 15.
Ptin. testaceus. * Thunb. N. Acta Ups. IV. p. 6. 9.
Ptin. Upsaliensis. * Linn. S. N. Gmel. I. IV. p. 1608. 24.
Ptin. rubellus. * Marsh. Ent. Br. I. p. 85. 12.
Byrrh. paniceus. Fourcr. Ent. Par. I. p. 26. 2.
* Geoffr. Ins. I. p. 111. 2.
* Frisch. Ins. II. p. 36. 9. T. 8. f. 1—6.
Müll. Linn. Nat. S. V. I. p. 107. 19.
Borows. Naturg. VI. p. 61. 3.
Bechst. Naturg. I. II. p. 824. 4.
Bocks Naturg. V. p. 28. 14.
Schrank Fn. Boica. I. p. 541. 655.
var. β. *Anob. minutum.* * Fabr. S. El. I. p. 323. 13. * Ent. S. I. p. 238. 12.

* Illig. Mag. I. p. 387. 13.
* Herbst Col. V. p. 69. 30.

16. Tricolor. * Oliv. Ent. II. 16. p. 10. 7. T. 1 fig. 10. a. b.

17. Planum. * Fabr. S. El. I. p. 323. 11. * Ent. p. 238. 10. * Mant. I. p. 39. 4.
* Herbst Col. V. p. 69. 18.
* Panz. Ent. G. I. p. 111. 18.
Ptin. planus * Linn. S. N. Gmel. I. IV. 1605. &

18. *Pusillum.* * Gyllenh. Ins. Sv. I. I. p. 294. 6.

19. Capense. * Fabr. S. El. I. p. 323. 12. * Ent. p. 238. 11. * Mant. II. App. p. 378. 3.
* Herbst Col. V. p. 69. 19.
Ptin. capensis. * Linn. S. N. Gmel. I. IV. 1606. 26.

(Minutum) * Fabr. S. El. I. p. 383. 13. — *Anob. paniceum var.* β. p. 105. n. 155. huj.

(*Micans.*) * Fabr. S. El. I. p. 324. 14. — vid. *micans.* huj. Op. I. IV.

(*Nitidum.*) * Fabr. S. El. I. p. 324. 15. — *Cis nitidus.* huj. Op.

20. Pubescens. * Herbst Col. V. p. 67. 14. T. 1 f. 15. o. O.

21. Ptinoides. *Crioceris ptinoides.* * Marsh. Ent. I. p. 228. 25.

N:o 78. PTINUS. Fabr. n. 63.

1. Pubescens. * Fabr. S. El. I. p. 324. 1. * Ent. p. 239. 1.
* Oliv. Ent. II. 17. p. 5. 1. T. 1. f. 7. a. b.
* Panz. Ent. G. I. p. 113. 1.

(Germanus.) * Fabr. S. El. I. p. 342. 2. — vid. Fur. n. 5. huj. Opetis. — Secundum Mus. Sebestedt & Lund.

2. *Rufipes.* * Fabr. S. El. I. p. 325. 3.
* Illig. Kæf. Pr. I. p. 345. 2.
* Gyllenh. Ins. Sv. I. I. p. 305. 2.
* Oliv. Ent. II. 17. p. 8. 7. T. 2. f. 8. a. b.
Ptin. Germanus. * Payk. Fn. Sv. I. p. 312. 1.
* Kugel. Schneid. Mag. p. 501. 3.

?. u) *Ptin. elegans.* * Fabr. S. El. I. p. 325. 5.

u) *Ptin. rufipes & elegans* capti in copula, D. Gyllenh.



* Illig. Kæf. Pr. I. p. 346. 4.
* Gyllenh. Ins. Sv. I. I. p. 305. 3.

Ptin. Germanus. * Latr. Gen. Cr. & Ins. I. p. 279. 2. — Hist. Nat. d. Cr. & d. Ins. IX. p. 174.
* Marsh. Ent. Br. I. p. 89. 25.
* Ross. Fn. Etr. I. p. 43. 106. * ed. Hellw. I. p. 46. 106.
* Oliv. Ent. II. 17. p. 7. 5. T. 1. f. 6. a. b.?

Variegatus. * Ross. Mant. I. p. 20. 43. * ed. Hellw. I. p. 356. 43.

(*Longicornis.*) * Fabr. S. El. I. p. 325. 4. — vid. *Galleruca flavipes.* huj. Operis.

(*Elegans.*) * Fabr. S. El. I. p. 325. 5. — vid. *Ptin. rufipes.* 2. ante n. 2.

Lepunctatus. * Gyllenh. Ins. Sv. I. I. p. 306. 4.
* Panz Fn. G. I. 20. * Kr. Rev. d. Ins. Fn. I. p. 69. * Ent. G. I. p. 114. 11.
* Panz. in Naturf. XXIV. p. 11. 16. T. 1. f. 16. 16. b.

Fur. * Fabr. S. El. I. p. 325. 6. * Ent. S. I. p. 239. 4. * Mant. I. p. 40. 4. * Sp. Ins. I. p. 73. 4. * S. Ent. p. 63. 2.
* Linn. Syst. Nat. I. II. p. 566. 5. * ed. Gmel. I. IV. p. 1607. 5.
* Gyllenh. Ins. Sv. I. I. p. 307. 5.
* Illig. Kæf. Pr. I. p. 346. 3. var. ♂.
* Latr. Gen. Cr. & Ins. I. p. 279. 3. — Hist. Nat. d. Cr. & d. Ins. IX. p. 173.
* Payk. Fn. Sv. I. p. 343. 3.
* Oliv. Ent. II. 17. p. 6. 3. T. 1. f. 1. a. b. c.
* Panz. Ent. G. I. p. 113. 4.
* Preysl. Böhm. Ins. I. p. 56. 57.
* Blumenh. Handb. ed. 3. p. 322. 2.
* Fisch. Naturg. v. Livl. I. p. 251. 254.
* Scriba Journ. p. 157. 89.
* Marsh. Ent. Br. I. p. 89. 27.
* Ross. Fn. Etr. I. p. 43. 105. * ed. Hellw. I. p. 45. 105.
* Goeze Eur. Fn. VIII. p. 227. 5.
* Goeze Nützl. Allerl. III. p. 19.
* Roem. Ins. p. 6. 12. T. 2. f. 8.
* Cederh. Fn. Ingr. n. 135.
* Schrank En. Ins. p. 35. 63. — Fn. Boica. I. p. 540. 652.
* Laich. Tyr. Ins. I. II. p. 77. 1.
* Brahm Ins. Kal. I. p. 52. 180.
* Goeze Naturf. VIII. p. 75. 1. T. 2. f. 1—9. 2.

Vill. Ent. I. p. 63. 5.
Ceramb. Fur. * Linn. Fn. Sv. n. 657.
Ptin. rapax. * DeGeer Ins. IV. p. 231. 5. T. 9. f. 5. 6.
Bruch. Fur. * Müll. Zool. D. Fn. p. 57. 509.
Buprest. Fur. * Scop. Ent. Carn. n. 210.
Ptin. Germanus. * Fabr. S. El. I. p. 325. 2.
* Ent. S. I. p. 239. 2. * Mant. I. p. 40. 4.
* Sp. Ins. I. p. 74. 2.
* Panz. Ent. G. I. p. 113. 2.
* Goeze Eur. Fn. VIII. p. 234. 6.
Müll. Linn. Nat. Syst. V. I. p. 113. 6.
Schrank Fn. Boica. I. p. 540. 651.
Ptin. Lichenum. * Marsh. Ent. Br. I. p. 89. 28 var. obscurior.
* Geoffr. Ins. I. p. 164. 1. T. 2. f. 6. *Bruchus.*
* Sulz. Gesch. d. Ins. T. 2. f. 8.
Ström Acta Nidr. III. p. 393. 12.
List. Goed. p. 276. 114.
Goed. Ins. II. T. 41. f. 5.
Müll. Linn. N. Syst. V. I. p. 113. 5.
Borowsk. Naturg. VI. p. 64. 2.
Bechst. Naturg. I. II. p. 827. 1.
Bocks Naturg. V. p. 29. 16.
Stralsundisches Magazin. I. p. 247.
* Pontopp. Nachricht. p. 206. 10. T. 16.
Berlin. Magaz. IV. 413.
Berl. Samml. VII. 383.
var. β. Ptin. Fur var. γ. * Illig. Kæf. Pr. I. p. 346. 3
* Schæff. Icon. T. 155. f. 4. a. b. ♀.
* Goeze Naturf. VIII. p. 86. T. 2. f. 10. 12. ♂.
var. γ. Ptin. Fur var. β. Illig. Kæf. Pr. l. c.
Ptin. testaceus. * Marsh. Ent. Br. I. p. 91. 31.
var. δ. Ptin. Fur var. α. * Illig. Kæf. Pr. l. c.
— *var.* b. * Gyllenh. Ins. Sv. I. I. p. 308.
Ptin. Latro. * Fabr. S. El. I. p. 326. 9. * Ent. S. I. p. 240. 7. * Mant. I. p. 40. 6. * Sp. Ins. I. p. 73. 6. * S. Ent. p. 63. 4. ♂.
* Oliv. Ent. II. 17. p. 7. T. 1. f. 3. a. b. ♀.
* Panz. Ent. G. I. p. 114. 7.
* Linn. S. N. Gmel. I. IV. p. 1607. 19.
* Ross. Mant. I. p. 20. 44. * ed. Hellw. p. 356. 44.
Ptin. striatus. * Fabr. Ent. S. I. p. 242. 1. * Mant. I. p. 40. 10. ♀.
* Panz. Ent. G. I. p. 114. 10.
* Linn. S. N. Gmel. I. IV. 1608. 23.
Ptin. clavipes. * Panz. Fn. G. XCIX. 4. ♂.

Ptin. longipes. * Ross. Mant. I. p. 20. 40. * ed. Hellw. I. p. 356. 42.
Ptin. testaceus. * Oliv. Ent. II. 17. p. 9. 8. T. 2. f. 9. a. b. ♂. var. minor.
Ptin. Pulex. * Goeze Naturf. VIII. p. 90. T. 2. f. 15—17.
Bruch. Furunculus. * Müll. Zool. D. Pr. p. 57. 508.
Ptin. unicolor. Pill. & Mitterp. Iter. ?
* Scriba Journ. p. 80. ?
* Schæff. Elem. T. 30.
* Frisch. Ins. XIII. p. 22. 19. T. 15.
Ptin. Imperialis. * Fabr. S. El. I. p. 326. 7. * Ent. S. I. p. 240. 5. * Mant. I. p. 40. 5. * Sp. Ins. I. p. 73. 5. * S. Ent. p. 63. 3.
* Linn. S. Nat. I. II. p. 565. 4. * ed. Gmel. I. IV. p. 1606. 4.
* Gyllenh. Ins. Sv. I. I. p. 304. 1.
* Illig. Kæf. Pr. I. p. 344. 1.
* Payk. Fn. Sv. I. p. 313. 2.
* Oliv. Ent. II. 17. p. 5. 2. T. 1. f. 4. a—d.
* Panz. Fn. G. V. 7. * Ent. G. I. p. 113. 5.
* Petagn. Ins. Cal. p. 6. 26. T. 1. f. 27. ?
* Ross. Mant. II. App. p. 81. 9. T. 4. fig. C.
* Marsh. Ent. Br. I. p. 88. 24.
* Goeze Eur. Fn. VIII. p. 226. 4.
* Schrank En. Ins. p. 35. 62.
* Roem. Ins. p. 6. 12. T. 2. f. 7.
* Brahm Ins. Kal. I. p. 111. 381.
Vill. Ent. I. p. 62. 4.
Müll. Linn. Nat. Syst. V. I. p. 112. 4.
Bruch. imperialis. * Müll. Zool. D. Pr. p. 57. 507.
Bruch. cruciatus. Fourcr. Ent. Par. I. p. 58. 3.
* Sulz. Gesch. d. Ins. p. 22. T. 2. f. 7.
Ptin. cruciatus. * Fabr. S. El. I. p. 326. 8. Ent. S. I. p. 240. 6.
* Gyllenh. Ins. Sv. I. I. p. 309. 6.
* Payk. Fn. Sv. I. p. 314. 4.
* Illig. Kæf. Pr. I. p. 347. 5.
* Panz. Ent. G. I. p. 114. 6.
Ptin. ovatus. * Marsh. Ent. Br. I. p. 90. 28.
♀. *Ptin. minutus.* * Kugel. Schneid. Mag. p. 501. 5.
* Illig. Kæf. Pr. I. p. 347. 6.
* Panz. Ent. G. I. p. 114. 12.
Ptin. cervisiæ. * Marsh. Ent. Br. I. p. 90. 29.
Latro.) * Fabr. S. El. I. p. 326. 9. — vid. *Ptin. Fur var.* ♂. huj. Operis. n. 5.
idens. * Oliv. Ent. II. 17. p. 8. 6. T. 2. f. 10. a. b.

* *Ptin. similis.* * Marsh. Ent. Br. I. p. 50. 30.

9. *Denticornis.* v) * Fabr. S. El. I. p. 326. 10. * E
S. I. p. 240. 8.
* Panz. Ent. G. I. p. 114. 8.

— (Serricornis.) * Fabr. S. El. I. p. 326. 11. — vid. *Ptil*
serricornis. hui. Op.

— (Spinicornis.) * Fabr. S. El. I. p. 327. 12. — v
Mastig. deustus, huj. Op.

10. Sulcatus. * Fabr. S. El. I. p. 327. 13. * Ent. S.
p. 241. 11. * Mant. I. p. 40. 6. * Sp. In
I. p. 73. 7.
* Marsh. Ent. Br. I. p. 90. 32.
* Linn. S. N. Gmel. I. IV. p. 1607. 21.

— (Scotias.) * Fabr. S. El. I. p. 327. 14. — vi
Gibbium Scotias. huj. Op.

11. Chrysomeloides. * Kugel. Schneid. Mag
p. 502. 6.

N:o 79. GIBBIUM. Kugel. Intr.

1. Scotias. * Kugel. Schneid. Mag. p. 502. 1.
* Latr. Gen. Cr. & Ins. I. p. 278. 1. T. 8. f. 4
— Hist. N. d. Cr. & d. Ins. IX. p. 176
T. 77. f. 9.
Ptin. Scotias. * Fabr. S. El. I. p. 327. 14. * Ent
S. I. p. 241. 12. * Mant. I. p. 40. 8. * Sp
Ins. I. p. 74. 8.
* Illig. Kæf. Pr. I. p. 348. 7.
* Oliv. Ent. II. 17. p. 9. 9. T. 1. f. 2. a. b.
* Panz. Fn. G. V. 8. * Ent. G. I. p. 114. 9.
* Herbst Arch. p. 27. 5. T. 20. f. 14.
* Ross. Fn. Etr. I. p. 44. 107. * ed. Hellw. I
p. 46. 107.
* Linn. S. N. Gmel. I. IV. p. 1608. 22.
Ptin. Seminulum. * Preysl. Böhm. Ins. I. p
78. 72.
* Schrank En. Ins. p. 36. 65.
Scotias psylloides. Czenpinski Diss. p. 51. 125.
* Jacquin. Misc. H. T. 23. f. 1. a. b. c.
Scop. Intr. Hist. Nat. 506. *Gibbium.*
* Leske Mus. p. 7. 130. ? *Bruchus.*
Ptin. apterus. * Linn. S. N. Gmel. I. IV. p. 1608. 32
* Geoffr. Ins. I. p. 164. 2. *Bruchus.*

v) Sollte er mit dem *Ptinus pectinatus* p. 329. 4. Fabr. identisch sein? *Illig.*



* Schæff. Icon. T. 155. f. 5. a. b.
Harrer Beschr. n. 51.

N:o 80. SANDALUS. Knoch. x).

Petrophya. * Knoch N. Beytr. I. p. 131. T. 5. f. 5.
Niger. * Knoch N. Beytr. I. p. 140.

N:o 81. SARROTRIUM. Fabr. n. 64.

Muticum. * Fabr. S. El. I. p. 327. 1.
* Gyllenh. Ins. Sv. I. I. p. 283. 1.
* Illig. Kæf. Pr. I. p. 344. 1.
Orthoceras hirticornis. * Latr. Gen. Cr. & Ins. II. p. 172. 1. — *Hist.* N. d. Cr. & d. Ins. X. p. 299. T. 89. f. 1. — *Prec.* d. Caract. gén. d. Ins. p. 16.
Ptilin. muticus. * Fabr. Ent. S. IV. App. p. 445. 5.
* Payk. Fn. Sv. I. p. 317. 3.
* Panz. Ent. G. I. p. 115. 4. * Fn. G. ed. 2:a I. 8.
Hispa mutica. * Linn. S. Nat. I. II. p. 604. 4.
* ed. Gmel. I. IV. p. 1732. 4.
* Fabr. Ent. S. I. II. p. 71. 4. * Mant. I. p. 47. 7. * Sp. Ins. I. p. 83. 9. * S. Ent. p. 71. 6.
* Panz. Fn. Germ. ed. 1:a. I. 8.
* Marsh. Ent. Br. I. p. 232. 2.
Vill. Ent. I. p. 170. 3.
Derm. clavicornis. * Linn. Fn. Sv. n. 413.
Tenebr. hirticornis. * DeGeer Ins. V. p. 47. 8. T. 3. f. 1.

N:o 82. PTILINUS. Fabr. n. 65.

Mystacinus. * Fabr. S. El. I. p. 328. 1. * Ent. S. I. p. 242. 1.
* Herbst Col. V. p. 45. 1. T. 46. f. 13.
Hispa mystacina. * Fabr. Mant. I. p. 47. 1. * Sp. Ins. I. p. 81. 1. * S. Ent. p. 70. 1.
* Linn. S. N. Gmel. I. IV. p. 1734. 26.
* Drury Ins. III. T. 48. f. 7.

x) Latr. Gen. Cr. & Ins. I. p. 277. Fot. ad *Anob. striatum.* — Ibid. Illig. Mag. III. p. 26. 54.

2. *Pectinicornis.* * Fabr. S. El. I. p. 329. 2. * Ent. I. p. 243. 2.
* Latr. Gen. Cr. & Ins. I. p. 277. 1. — H. Nat. d. Cr. & d. Ins. IX. p. 169. 77. f. 6. 7.
* Gyllenh. Ins. Sv. I. I. p. 301. 1.
* Payk. Fn. Sv. I. p. 316. 1.
* Oliv. Ent. II. 17 bis. p. 4. 1. T. 1. f. 1. a—
* Panz. Fn. G. III. 7. * Ent. G. I. p. 115.
* En. S. Schæff. Icon. p. 183.
Anob. pectinicorne. * Illig. Kæf. Pr. I. p. 337.
* Scriba Journ. p. 156. 86.
Ptin. pectinicornis. * Linn. S. Nat. I. II. p. 565.
* Herbst Arch. p. 28. 6.
* Thunb. N. Acta Ups. V. p. 107. 36.
* Marsh. Ent. Br. I. p. 81. 1. ♂.
* Sulz. Gesch. d. Ins. T. 2. f. 6. d.
* Schrank En. Ins. Austr. n. 64. — Fn. Boic. I. p. 543. 661.
* Roem. Ins. p. 6. 12. T. 2. f. 6. d.
Derm. pectinicornis. * Linn. Fn. Sv. n. 412.
Hispa pectinicornis. * Fabr. Mant. I. p. 47. 3.
* Sp. Ins. I. p. 82. 3. * S. Ent. p. 70. 3.
* Ross. Fn. Etr. I. p. 51. 126. * ed. Hellw. I. p. 54. 126.
* Linn. S. Nat. Gmel. I. IV. p. 1733. 17
Ligniperda pectinicornis. * Herbst Col. V. p. 41. 5. T. 46. fig. 11. h. H. ♂. fig. 12. i. J. ♀. & Tab. K. fig. 8. 9.
Ptilin. cylindricus. * Müll. Zool. D. Pr. p. 81. 874.
Ptilin. fuscus. Fourcr. Ent. Par. I. p. 4. 1.
Bostr. pectinatus. * Laich. Tyr. Ins. I. II. p. 68. 3.
Ptilin. serraticornis. * Marsh. Ent. Br. I. p. 82. 2. ♀.
* Geoffr. Ins. I. p. 65. 1. *Ptilinus.*
* Schæff. Icon. T. 215. f. 3. a. b. * Elem. T. 136. f. 1—5.
Harrer Beschr. n. 228.
Borowsk. Naturg. VI. p. 64. 1. T. 4. A. f. 1. 2.
Vill. Ent. I. p. 61. 1.
— (Flavescens.) * Fabr. S. El. I. p. 329. 3. — vid. *Drilus flavescens.* huj. Operis.

3. *Pectinatus.* * Fabr. S. El. I. p. 329. 4. * Ent. S. I. p. 241. 4.
* Gyllenh. Ins. Sv. I. I. p. 302. 2.
* Payk. Fn. Sv. I. p. 316. 2.
* Panz. Fn. G. VI. 9. * Ent. G. I. p. 115. 3.
* Herbst Col. V. p. 47. 3.

Anob.

2. *Pectinicornis.* * Fabr. S. El. I. p
I. p. 244. 2.
* Latr. Gen. Cr. & Ins. I.
Nat. d. Cr. & d.
77. t. 6. 7.
* Gyllenh. Ins. Sv. I. p
* Payk. Fn. Sv. I. p.
* Oliv. Ent. II. 17 bi
* Panz. Fn. G. III
* En. S. Sch
Anob. pectinicorne.
* Scriba Journ.
Ptin. pectinicorn
* Herbst Ar
* Thunb. F
* Marsh. F
* Sulz. G
* Schrar
I
* Roe
Derm.
Hispa

*

…, * Illig. Kæf. Pr. I. p. 336. 11.
* Kugel. Schneid. Mag. p. 486. 2.
…ns. Diss. Ign. Ins. p. 11.
…erbst Col. V. p. 66. 13. T.

…S. El. I. p. 326. 10.?

…2. 2. var. b.
… I. p. 330. 5.

…XXV. 9.
…ens. Diss. Ign. Ins. p. 12.
…s. Fn. Etr. I. p. 42. 104.
… p. 45. 104.
… Thunb. N. Acta Ups. IV.

…ipes. * Marsh. Ent. Br. I. p. 62. 5.
…abr. S. El. I. p. 330. 5. — vid. *Ptil.*
…natus var. β. huj. Op. ante.
…. *Ptinus sericornis.* * Fabr. S. El. I. p. 326.
11. * Ent. S. I. p. 241. 9.
Dorcatoma Dresdense. * Fabr. S. El. I. p. 330. 1.?
Ptilinus Dorcatoma. * Fabr. Suppl. p. 73. 3—4.
Sphærid. rubrum. * Thunb. Ins. Sv. p. 100.

N.o 83. DRILUS. Oliv. & Latr.

avescens. * Oliv. Ent. II. 23. p. 4. 1. T. 1. f. 1. a—e.
* Latr. Gen. Cr. & Ins. I. p. 255. 1. — Hist. N. d. Cr. & d. Ins. IX. p. 92.
Ptilin. flavescens. * Fabr. S. El. I. p. 329. 3. * Ent. S. I. p. 243. 3.
* Panz. Fn. G. III. 8. * Ent. G. I. p. 115. 2.
* Illig. Mag. I. p. 388. 5.
* Herbst Col. V. p. 46. 2.
Fourcr. Ent. Par. I. p. 4. 2.
Canth. serraticornis. * Marsh. Ent. Br. I. p. 374. 21.
Hispa flavescens. * Ross. Fn. Etr. I. p. 51. 127. * ed. Hellw. I. p. 54. 127. & p. 451. 127.
Crioc. Parisina. * Thunb. in Acta Ups. V. p. 93. 11.
* Geoffr. Ins. I. p. 66. 2. T. 1. f. 2. *Ptilinus.*

Anob. pectinatum. * Illig. Kæf. Pr. I. p. 336. 11.
Serrocerus striatus. * Kugel. Schneid. Mag. p. 486. 2.
Bruch. rufipes. * Quens. Diss. Ign. Ins. p. 11.
Anob. flabellicornis. * Herbst Col. V. p. 66. 13. T. 47. f. 14. n. N.?
Ptinus denticornis. * Fabr. S. El. I. p. 326. 10.? * Ent. S. I. p. 240. 8.? * Panz. Ent. G. I. p. 114. 8.?
var. β. * Gyllenh. Ins. Sv. I. I. p. 302. 2. var. b.
Ptilin. serratus. * Fabr. S. El. I. p. 330. 5. * Suppl. p. 73. 5.
Ptilin. ater. * Panz. Fn. G. XXXV. 9.
Bruch. serraticornis. * Quens. Diss. Ign. Ins. p. 12.
Anob. serraticorne. * Ross. Fn. Etr. I. p. 42. 104. * ed. Hellw. I. p. 45. 104.
Ptin. serraticornis. * Thunb. N. Acta Ups. IV. p. 5. 8.
var. γ. * *Derm. rufipes.* * Marsh. Ent. Br. I. p. 62. 5.
(*Serratus.*) * Fabr. S. El. I. p. 330. 5. — vid. *Ptil. pectinatus var.* β. huj. Op. ante.
Serricornis. *Ptinus serricornis.* * Fabr. S. El. I. p. 326. 11. * Ent. S. I. p. 241. 9.
Dorcatoma Dresdense. * Fabr. S. El. I. p. 330. 1.?
Ptilinus Dorcatoma. * Fabr. Suppl. p. 73. 3—4.
Sphærid. rubrum. * Thunb. Ins. Sv. p. 100.

No 83. DRILUS. Oliv. & Latr.

flavescens. * Oliv. Ent. II. 23. p. 4. 1. T. 1. f. 1. a—e.
* Latr. Gen. Cr. & Ins. I. p. 255. 1. — Hist. N. d. Cr. & d. Ins. IX. p. 92.
Ptilin. flavescens. * Fabr. S. El. I. p. 329. 3. * Ent. S. I. p. 243. 3.
* Panz. Fn. G. III. 8. * Ent. G. I. p. 115. 8.
* Illig. Mag. I. p. 388. 5.
* Herbst Col. V. p. 46. 2.
Foucr. Ent. Par. I. p. 4. 2.
Canth. serraticornis. * Marsh. Ent. Br. I. p. 374. 21.
Hispa flavescens. * Ross. Fn. Etr. I. p. 51. 127. * ed. Hellw. I. p. 54. 127. & p. 451. 127.
Crioc. Parisina. * Thunb. n. Acta Ups. V. p. 93. 11.
* Geoffr. Ins. I. p. 66. 2. T. 1. f. 2. *Ptilinus.*

N:o 84. DORCATOMA. Herbst.

1. *Dresdensis.* * Herbst Col. IV. p. 104. 1. T. f. 8. a. b.
   * Gyllenh. Ins. Sv. I. I. p. 299. 1.
   * Entom. Hefte II. p. 96. 1. T. 3. f. 10.
   * Rehn Schneid. Mag. p. 234. 1.
   * Fabr. S. El. I. p. 330. 1. ? (Fabr. Suppl. p. 3—4. — vid. *Ptilin. serricornis.* huj. O ris. p. 113. n. 4.)
   Dorcat. bistriata. * Payk. Fn. Sv. I. p. 318. 1.
   Anob. Dorcatoma. * Illig. Kæf. Pr. I. p. 334. 10 Panz. Fn. G. ed. 2:a XXVI. 10. * Kr. R d. Ins. Fn. I. p. 68.
   Derm. Serra. * Panz. Fn. G. ed. 1:a. XXVI.
   Serrocerus glaber. * Kugel. Schneid. Mag. p. 486
   var. β. duplo minor; vix differt.
   var. γ. * Gyllenh. Ins. Sv. I. I. p. 299. 1. var. b.
2. Castanea. *Nov. Sp.* γ).
3. Bovistæ. * Entom. Hefte. II. p. 100. 2. T. 3. f.
4. Rubens. * Entom. Hefte. II. p. 103. 3. T. 3. f.

N:o 85. MELASIS. Fabr. n. 67.

1. Picea. * Palis. de Beauvois Ins. Afr. & Amer. I. 7. T. 7. f. 1.

γ) DORCATOMA CASTANEA: oblongo-ovata castanea glab nitida lævis, antennarum articulis tribus ultimis magnis ovatis co pressis.

Habitat in Americæ Insula St. Barthelemy. *D. Forsström.*

Dorcat. Dresdensi paulo major et magis oblonga, tota ferrugin castanea nitida. Caput deflexum retractum, fronte convexa s punctata; oculi magni nigri, parum prominuli. Antennæ thor paulo longiores, articulo primo magno arcuato extrorsum incress secundo crasso globoso; 3—8 brevissimis perfoliatis valde coarct nono magno ovato compresso, apice truncato; 10 et 11 simul su vix nono majores, ovati, coarctati. Thorax brevis transversus tice oblique truncatus, lateribus deflexus, angulo antico acuto, p ce sinuato-rotundatus, supra valde convexus, castaneus nitidus la glaber. Scutellum minutum triangulare castaneum. Elytra mag oblongo-ovata, humeris gibbis, apice rotundata, supra convexa via nitida castanea, stria unica tenuissima juxta suturam, latera bus nullis. Corpus castaneum nitidum, abdomine pallidius ferru neo. Pedes tenues ferrugineo-castanei.

Obs. Instrumenta cibaria in paucis a me visis speceminibus ex minare non potui, sed structura antennarum et habitus corpo hoc genus indicare videntur.

GYLLENH.

abellicornis. * Fabr. S. El. I. p. 331. 1. * Ent. S. I. p. 244. 1. & IV. App. p. 445. 1.
* Payk. Fn. Sv. I. p. 320. 1.
* Herbst Col. V. p. 49. 1. T. 47. f. 1. a.
* Illig. Mag. V. p. 226. 1. A.
* Panz. Ent. Germ. I. p. 116. 1.
Melas. buprestoïdes. * Illig. Kæf. Pr. I. p. 348. 1.
* Gyllenh. Ins. Sv. I. I. p. 437. 1.
Hispa flabellicornis. * Fabr. Mant. I. p. 47. 2.
* Sp. Ins. I. p. 81. 2. * Syst. Ent. p. 70. 2.
* Ross. Fn. Etr. I. p. 50. 125. * ed. Hellw. I. p. 54. 125.
* Rehn Schneid. Mag. p. 236.
* Linn. S. Nat. Gmel. I. IV. p. 1734. 19.
Ptilin. flabellicornis. * Kugel. Schneid. Mag. p. 491. 3.
Elat. buprestoïdes. * Linn. Fn. Sv. n. 742. * Syst. Nat. I. II. p. 656. 37.
* Fabr. Ent. S. I. II. p. 234. 84. * Mant. I. p. 175. 55.
* Panz. Ent. Germ. I. p. 243. 55.
Elateroïdes. * Illig. Mag. V. p. 227. B.
Melas. buprestoïdes. * Oliv. Ent. II. 30. p. 4. 1. T. 1. f. 1. a—g. & *Elater*, 31. T. 1. f. 8.
* Latr. Gen. Cr. & Ins. I. p. 247. 1.
Melas. flabellicornis. * Panz. Fn. Germ. III. 9. Latr. Hist. Nat. d. Cr. & d. Ins. IX. p. 76. cfr. Gyllenh. Ins. Sv. I. I. p. 439. not. ad *Mel. buprestoïd.*
Mystacina.) * Fabr. S. El. I. p. 331. 2. — vid. ***Ptyocerus mystacinus***, huj. Operis.

No 86. PTYOCERUS. Thunb.

1. Mystacinus. * Thunb. n. Acta Holm. 1806. p. 3. Tab. 2. f. 1—4.
Melas. mystacina. * Fabr. S. El. I. p. 331. 2. * Ent. S. IV. App. p. 445. 2.

No 87. RIPIDIUS. Thunb.

1. Pectinicornis. * Thunb. n. Acta Holm. 1806. p. 4. T. 2. f. 1—5.

N:o 88. PARNUS. Fabr. n. 68.

1. *Prolifericornis.* * Fabr. S. El. I. p. 332. 1. * Ent. I. p. 245. 1.
* Illig. Kæf. Pr. I. p. 350. 1.
* Gyllenh. Ins. Sv. I. I. p. 139. 1.
* Payk. Fn. Sv. I. p. 321. 1. & III. App. p. 449.
* Panz. Fn. G. XIII. 1. * Ent. Germ. I. p. 116.
* Kugel. Schneid. Mag. p. 531. & p. 317.
* Marsh. Ent. Br. I. p. 399. 1.
Elat. dermestoïdes. * Fabr. Mant. I. p. 175. 56.
* Linn. S. Nat. Gmel. I. IV. p. 1910. 38.
Elat. prolifericornis. * Ross. Fn. Etr. I. p. 180. 447
Gyrin. Viola aquatica. Modeer Acta Soc. Lund. 3. p. 160. 7.

2. *Auriculatus.* * Illig. Kæf. Pr. I. p. 351. 2.
* Gyllenh. Ins. Sv. I. I. p. 140. 2.
* Payk. Fn. Sv. III. App. p. 449. 2.
* Panz. Fn. Germ. XXXVIII. 23. (antennæ omnino falsæ.)
Dryops auriculatus. * Oliv. Ent. III. 41. b. p. 4. T. 1. f. 1. a—e. — Dict. Ins. *Dryops*, n.
* Latr. Gen. Cr. & Ins. II. p. 55. 1. — Hist. N. d. Cr. & d. Ins. IX. p. 225. T. 78. f. (Fig. mala, ex Panzero desumpta.)
* Geoffr. Ins. I. p. 103. 11. *Dermestes.*

3. Substriatus. * Müll. Illig. Mag. V. p. 219. 1.

4. Acuminatus. * Fabr. S. El. I. p. 332. 2. * Ent. Syst. I. p. 246. 2.
* Panz. Fn. Germ. VI. 8. * Ent. Germ. I. p. 117.

5. Picipes. *Dryops picipes.* * Oliv. Ent. III. 41. b. p. 4. T. 1. f. 2. a. b. c.

6. Dumerilii. *Dryops Dumerilii.* * Latr. Gen. Cr. Ins. II. p. 56. 2.

— (Obscurus.) * Fabr. S. El. I. p. 332. 3. — v. *Macronychus 4-tuberculatus*, huj. Op.

N:o 89. MACRONYCHUS. Müller.

1. Quadrituberculatus. * Müll. Illig. Mag. p. 215. 1.
* Latr. Gen. Cr. & Ins. II. p. 58. 1.
Parnus obscurus. * Fabr. S. El. I. p. 332. 3. * Ent. S. IV. App. p. 445. 3.
* Panz. Ent. Germ. I. p. 117. 3.
Elophor. cothurnatus. Zenker.

N:o 90. LIMNIUS. Illig.

A.) *Thorace lateribus utrinque linea elevata longitudinali integra, id est, a basi ad apicem usque excurrente.*

1. Volckmari. * Müll. Illig. Mag. V p. 195. 1.
Elmis Volckmari. * Latr. Gen. Cr. & Ins. II. p. 51. 2.
Elmis Maugetii. * Latr. Hist. N. d. Cr. & d. Ins. IX. T. 78. f. 3.
Dyt. Volckmari. * Panz. Fn. G. VII. 4. fig. optima. * Ent. G. I. p. 81. 45.
Chrysom. buprestoides. * Marsh. Ent. Br. I. p. 192. 51. forte.
2. Opacus. * Müll. Illig. Mag. V. p. 197. 2.
3. Tuberculatus. * Müll. Illig. Mag. V. p. 199. 3.
4. Parallelepipedus. * Müll. Illig. Mag. V. p. 200. 4.
5. Pygmæus. * Müll. Illig. Mag. V. p. 201. 5.
Elmis Dargelasi. * Latr. Gen. Cr. & Ins. II. p. 51. 3. ?
6. Æneolus. * Illig. Mag. V. p. 202. Not.

B) *Thorace disco quadratim impresso, i. e. utrinque linea longitudinali, rugaque postica transversa, elevatis, obvallato.*

7. Æneus. * Müll. Illig. Mag. V. p. 202. 6.
Limn. Megerlei. Illig.
Elmis Maugetii. * Latr. Gen. Cr. & Ins. II. p. 50. 1. T. 8. f. 9. ? — Hist. N. d. Cr. & d. Ins. IX. p. 228. ? — * Hist. d. Fourm. p. 396. T. 12. f. 6. a. g. ?
8. Obscurus. * Müll. Illig. Mag. V. p. 204. 7.

C.) *Thorace lineis elevatis nullis.*

9. *Cupreus.* * Müll. Illig Mag. V. p. 205. 8.

N:o 91. NECROPHORUS. Fabr. n. 69. *a*)

1. *Germanicus.* * Fabr. S. El. I. p. 333. 1. * Ent. S. I.

---

a) Illig. Mag. I. p. 389. Not.
Extra dubitationis aleam positum mihi videtur discrimen sexus *Necrophororum* & *Silpharum* in tarsis anterioribus quærendum esse, ut inter *Carabos*, *Dytiscos* &c.

p. 246. 1. * Mant. I. p. 48. 1. * Sp. Ins. p. 83. 1. * S. Ent. I. p. 71. 1.
* Gyllenh. Ins. Sv. I. I. p. 257. 1.
* Illig. Kæf. Pr. I. p. 353. 2.
* Payk. Fn. Sv. I. p. 328. 1.
* Oliv. Ent. II. 10. p. 7. 3. T. 1. f. 2. a. b.
* Panz. Fn. G. XLI. 1. * Ent. G. I. p. 117. 1
* Ross. Fn. Etr. I. p. 53. 131.
* Scriba Journ. p. 27. 6. & p. 167. 107.
* Schrank Naturf. XXIV. p. 63. 6.
Herbst Einleit. z. Insekt. Gesch. I. p. 76. T. 8.
Silpha Germanica. * Linn. Syst. Nat. I. II. p. 56 1. * ed. Gmel. I. IV. p. 1615. 1.
* Müll. Zool. D. Pr. p. 96. 1087.
* Marsh. Ent. Br. I. p. 113. 1.
* Goeze Eur. Fn. VIII. p. 266. 1.
* Pontopp. Nachricht. p. 200. 1. T. 16.
* Brahm Ins. Kal. I. p. 173. 578.
Bergst. Nom. I. p. 62. 8. T. 10. f. 8. T. 11. f.
Silpha nigra-major. * DeGeer Ins. IV. p. 173. T. 6. f. 4.
Derm. Listerianus. Fourcr. Ent. Par. I. p. 17.
* Sulz. Kennz. T. 2. f. 10.
Voet Col. I. T. 30. f. 5.
Pontopp. Dan. Atl. I. p. 667. 1. T. 29.
Aldrov. Ins. p. 454. Tab. infer. f. 1.
Berlin. Saml. VIII. 573.
Schrank Fn. Boica. I. p. 420. 392.
Vill. Ent. I. p. 73. 1.
Müll. Linn. Nat. S. V. I. p. 123. 1. T. 3. f. 9.
Borowsk. Naturg. VI. 76. 1. T. 8. A.
Bechst. Naturg. I. II. p. 831. 1.
Ray Ins. p. 107. 1.
var. β. * Illig. Kæf. Pr. I. p. 353. 2. β.
* Gyllenh. Ins. Sv. I. I. p. 258. 1. var.
var. γ. * Illig. Kæf. Pr. I. p. 353. 3. γ.
* Kugel. Schneid. Mag. p. 503. 1. β.
N. Germanicus. * Herbst Col. V. p. 154. T. 50. f. 2.
Silpha speciosa. * Schulze Naturf. VI. p. 95. T. 4. f.
Goeze Ent. Beytr. I. p. 190. 1.
var. δ. * Illig. Kæf. Pr. l. c. var. δ.
2. *Humator.* * Fabr. S. El. I. p. 333. 2. * Ent. S. p. 247. 2.
* Gyllenh. Ins. Sv. I. I. p. 258. 2.
* Illig. Kæf. Pr. I. p. 352. 1.
* Oliv. Ent. II. 10. p. 8. 4. T. 1. f. 2. c.
* Herbst Col. V. p. 156. 3. T. 50. f. 3.

* Panz. Fn. G. LXI. 2. * Ent. G. I. p. 117. 2.
* Cederh. Fn. Ingr. n. 136.
* Kugel. Schneid. Mag. p. 503. 2.
* Scriba Journ. p. 168. 108.
Silpha Humator. Bergstr. Nom. I. 64. 9. T. 10. f. 9.
* Marsh. Ent. Br. I. p. 114. 2.
Gleditsch Abhandl. III. p. 224. 2. T. 1. fig. B.
Goeze Ent. Beytr. p. 190. 2.
Necr. Germanicus var. β. * Payk. Fn. Sv. I. p. 393.
Silpha nigra major var. * DeGeer Ins. IV. p. 173. 2.
Voet Col. I. T. 30. f. 4.
* Schæff. Icon. T. 218. f. 1.
Harrer Beschr. n. 407.
* Geoffr. Ins. I. p. 99. 2.
List. loqu. p. 381.
Ray Ins. p. 107. 1.
var. β. Illig. Kæf. Pr. I. p. 352. 1. β.
var. γ. * Illig. Kæf. Pr. l. c. γ.
* Oliv. Ent. II. 10 T. 1. f. 2. d. e.
Grandis. * Fabr. S. El. I. p. 334. 3. * Ent. S. I. p. 247. 3.
* Herbst Col. V. p. 152. 1. T. 50. f. 1.
Silpha Vespillo. * Linn. Mus. Lud. Ulr. p. 37. 1.
— *var.* * DeGeer Ins. IV. p. 172.
Necroph. americanus. * Oliv. Ent. II. 10. p. 6. 2. T. 1. f. 3.
N. virginicus. Frölich. Naturf. XXVI. p. 123. 50.
Voet Col. T. 30. f. 2.
Mediatus. * Fabr. S. El. I. p. 334. 4.
* Latr. Gen. Cr. & Ins. II. p. 5. in Obs. ad *Necr. Vespil.*
Silpha Carolina. * Linn. Mant. p. 530. forte var.
Velutinus. * Fabr. S. El. I. p. 334. 5.
N. tomentosus. * Web. Obs. Ent. I. p. 47. 1.
Marginatus. * Fabr. S. El. I. p. 334. 6.
Vespillo. * Fabr. S. El. I. p. 335. 7. * Ent. S. I. p. 247. 4. * Mant. I. p. 48. 2. * Sp. Ins. I. p. 84. 2. * S. Ent. p. 72. 2.
* Gyllenh. Ins. Sv. I. I. p. 259. 3.
* Illig. Kæf. Pr. I. p. 354. 3.
* Latr. Gen. Cr. & Ins. II. p. 4. 1. — Hist. Nat. d. Cr. & d. Ins. IX. p. 270. T. 78. f. 9.
* Payk. Fn. Sv. I. p. 324 2.
* Oliv. Ent. II. 10. p. 5. 1. T. 1. f. 1. a—e.
* Herbst Col. V. p. 157. 4. T. 50. f. 4.
* Panz. Fn. G. II. 21. * Ent. G. I. p. 118. 3.
* Cederh. Fn. Ingr. n. 137.
* Schwartz Nomencl. I. p. 41. n. 17.

* Scriba Journ. p. 168. 109.
* Ross. Fn. Etr. I. p. 53. 131. * ed. Hellw. I
p. 56. 131.
* Roem. Gen. Ins. T. 34. f. 12.
Herbst Einleit. d. Ins. Gesch. I. p. 76. T. 8
B. f. 1. 2.
Silpha Vespillo. * Linn. Fn. Sv. n. 444. * Syst
Nat. I. II. p. 562. 2. * ed. Gmel. I. IV
p. 1616. 2.
* DeGeer Ins. IV. p. 168. 1. T. 6. f. 1.
* Marsh. Ent. Br. I. p. 114. 3.
* Müll. Zool. D. Fn. p. 96. 1086. Fn. Fridr. p. 4. 33
* Blumenb. Handb. ed. 7a p. 324. 1.
* Schrank En. Ins. p. 41. n. 74.— Fn. Boica. I
p. 420. 329.
* Laich. Tyr. Ins. I. II. p. 87. 1.
* Goeze Eur. Fn. VIII. p. 268. 2.
* Brahm Ins. Kal. I. p. 48. 158.
Bergstr. Nom. I. p. 10. 14. T. 1. f. 14.
Poda Mus. Græc. p. 23. 4. T. 1. f. 2. 4.
Vill. Ent. I. p. 73. 12.
Necr. vulgaris. * Preysl. Böhm. Ins. I. p. 12. 8.
Derm. Vespillo. * Scop. Carn. n. 33.
Fourcr. Ent. Par. I. p. 17. 1.
* Geoffr. Ins. I. p. 98. 1. T. 1. f. 6. *Dermestes.*
* Roes. Ins. IV. T. 1. f. 1—9.
* Schæff. Elem. T. 114. f. 1—3.
* Schæff. Icon. T. 9. f. 4.
Harrer Beschr. n. 406. ed. 2:a n. 64.
Voet Col. I. 53. T. 30. f. 1. ed. Panz. II. 41. T. 30 f. 1.
* Barb. Gen. Ins. p. 30. T. 3. Gen. VIII.
* Sulz. Kennz. p. 51. T. 2. f. 11.
* Frisch. Ins. XII. p. 28. 20. Pl. 3. T. 2. f. 1—4
Fisch. Naturg. v. Livl. I. p. 370. 299.
Naturf. IX. p. 74.
Acta Helv. V. Gronov. Obs. p. 122. 212.
Gleditsch Acta Berol. 1752. p. 53.
Gleditsch. Abhandl. III. p. 222. T. 1. f. A.
Bonnet Abhandl. d. Ins. p. 248.
Bonnet u. anderer Abh. a. d. Insectologie. 157
n. Berl. Mannigfald. III. p. 266.
Fuessl. n. Mag. I. p. 383. 43.
n. Schaupl. d. Nat. I. p. 45.
Schmiedl. Einl. p. 208.
Borowsk. Naturg. VI. p. 76. 2. T. 7. B. f. 1. 2
Müll. Linn. Nat. S. V. I. p. 123. 1. T. 10. f. 3
Bechst. Naturg. I. II. p. 838. 2.

Bock



Rocks Naturg. V. p. 30. 18.
Physikalische Belustigungen. III. 1103.
Meiding. Nova p. 120. 2.
Leske Naturg. I. p. 470. 2.
Less. Theol. p. 63. 43.
Aldrov. Ins. IV. Cap. 3. p. 79. T. 6. f. 3.
Jonst. Ins. p. 98. T. 15. f. 2.
List. loq. p. 381. 2.
Goed. List. App. T. 5. f. 11.
List. mut. T. 17. f. 5.
Ray Ins. p. 106.
Blanc. Belg. p. 168. T. 14. f. 1.
Mouff. Ins. p. 149. lin. 7. fig. 1. perpendicul. & Tab. ult. *Cantharus tertius.*
* Pontopp. Nachricht p. 200. 2.
Pontopp. Dan. Atl. I. p. 432. IV. n. 2.
Imperat. Hist. N. p. 692. f. 2. ed. Lat. p. 92. f. 1.
Seba Thes. IV. p. 93. n. 29. T. 92 f. 29.
Onomat. Hist. Nat. VII. p. 193.
var. β. *N. Vespillo var* β. * Gyllenh. Ins. Sv. I. I. p. 259. 3.
* Payk. Fn. Sv. I. p. 325. β.
* Herbst Col. V. p. 160. T. 50. f. 5. var.
Mortuorum. * Fabr. S. El. I. p. 335. 8. * Ent. S. I. p. 248. 5.
* Illig. Kæf. Pr. I. p. 354. 4.
* Gyllenh. Ins. Sv. I. I. p. 260. 4.
* Herbst Col. V. p. 163. 5. T. 50. f. 6.
* Panz. Fn. G. XLI. 3. * Ent. G. I. p. 118. 4.
Silpha mortuorum. * Marsh. Ent. Br. I. p. 115. 4.
N. Vespilloides. * Herbst Arch. p. 32. 3.
* Scriba Journ. p. 168. 110.
N. Vespillo var. γ. * Payk. Fn. Sv. I. p. 325. 2.
S. Vespillo var. γ. * Laich. Tyr. Ins. I. II. p. 89.
Voet Col. I. T. 30. f. 3.? ed. Panz. II. 42. T. 30. f. 3.?

No 91. SILPHA. Fabr. n. 70.

1. Surinamensis. * Fabr. S. El. I. p. 336. 1. * Ent. S. I. p. 248. 1. * Mant. I. p. 48. 1. * Sp. Ins. I. p. 85. 1. * S. Ent. p. 72. 1.
* Oliv. Ent. II. 11. p. 6. 1. T. 2. f. 11.
* Herbst Col. V. p. 173. 2.
* Linn. S. N. Gmel. I. IV. p. 1620. 48.
Bouclier de Surinam. * Dict. d. Sciences Natur. V. p. 256. 3.

2. *Littoralis.* * Fabr. S. El. I. p. 336. 2. * Ent. S. I
249. 2. * Mant. I. p. 48. 2. * Sp. Ins. I
85. 2. * S. Ent. p. 72. 2.
* Linn. Fn. Sv. n. 450. * Syst. Nat. I. II. p.
11. * ed. Gmel. I. IV. p. 1680. 11.
* Gyllenh. Ins. Sv. I. I. p. 261. 1.
* Illig. Kæf. Pr. I. p. 357. 3. α.
* Latr. Gen. Cr. & Ins. II. p. 6. 1. — Hist.
d. Cr. & d. Ins. IX. p. 256.
* Payk. Fn. Sv. I. p. 326. 1.
* Oliv. Ent. II. 11. p. 6. 2. T. 1. f. 8. b.
* Herbst Col. V. p. 170. 1. T. 50. f. 8. * Arch. p. 31
* Panz. Fn. G. XL. 15. * Ent. G. I. p. 118. 1.
* Ross. Fn. Etr. I. p. 53. 132. * ed. Hel
I. p. 57. 132.
* Cederh. Fn. Ingr. n. 138.
* Scop. Carn. n. 55.
* Fisch. Naturg. v. Livl. p. 131. 256.
* Marsh. Ent. Br. I. p. 116. 5.
* Scriba Journ. p. 169. 111.
* Goeze Eur. Fn. VIII. p. 277. 4.
* Schrank En. Ins. p. 42. n. 75. — Fn. Boica.
p. 421. 394.
* Laich. Tyr. Ins. I. II. p. 90. 2.
* Brahm Ins. Kal. I. p. 171. 574.
Silpha rufo-clavata. * DeGeer Ins. IV. p. 176.
Bouclier des Rivages. * Dict. d. Sciences Nat
V. p. 255. 1.
Peltis contusa. Bergstr. Nom. I. p. 65. 2. T. 11. f.
Peltis littoralis. * Müll. Zool. D. Pr. p. 64. 590
Peltis gibbosa. Fourcr. Ent. Par. I. p. 30. 3.
* Geoffr. Ins. I. p. 120. 3. *Peltis.*
Müll. Linn. Nat. Syst. V. I. p. 127. 11.
* Pontopp. Nachricht. p. 200. 3.
Vill. Ent. I. p. 76. 8.
var. β. *S. littoralis var.* β. * Illig. Kæf. Pr. I. p. 357. 3.
* Gyllenh. Ins. Sv. I. I. p. 262. 1. var. b.
* Herbst Col. V. p. 171. T. 50. f. 7.
* Oliv. Ent. II. 11. T. 1. f. 8. a.
* Roem. Ins. p. 4. 8. T. 2. f. 14.
Silpha clavipes. * Sulz. Gesch. d. Ins. p.
T. 2. f. 14.
* Fuessl. Verz. p. 6. 80.
Bergstr. Nom. I. p. 66. 3. T. 11. f. 3.
Peltis femorata. * Müll. Zool. D. Pr. p. 64. 59
Voet Col. I. T. 32. f. 1. b.
var. γ. *S. littoralis.* * Illig. Kæf. Pr. I. p. 357. 3. var
* Gyllenh. Ins. Sv. I. I. p. 262. 1. var. c.
* Payk. Fn. Sv. I. p. 327. 2. var. β.

S. livida. * Fabr. S. El. I. p. 337. 3. * Ent. S. I. p. 249. 3. * Mant. I. p. 48. 3.
* Oliv. Ent. II. 11. p. 7. 3. T. 1. f. 8. c.
* Illig. Mag. I. p. 391. 3.
* Panz. Ent. G. I. p. 118. 2.
* Herbst Col. V. p. 174. 3. T. 50. f. 9.
* Herbst Arch. p. 34. 10.
* Linn. S. Nat. Gmel. I. IV. p. 1620. 47
S. rufo-clavata, var. brunnea. * DeGeer Ins. IV. p. 176. 4.
(*Livida.*) * Fabr. S. El. I. p. 337. 3. — vid. *S. littoralis var.* γ. ante.
Lazymosa. * Schreiber in Acta Soc. Linn. VI. p. 194. T. 20. f. 5.
Means. * Fabr. S. El. I. p. 337. 4. * Ent. Syst. IV. App. p. 445. 2—3.
(Indica.) * Fabr. S. El. I. p. 337. 5. — vid. *Ips grandis.* huj. Op.
Americana. * Fabr. S. El. I. p. 337. 6. * Ent. S. I. p. 249. 5. * Mant. I. p. 48. 5. * Sp. Ins. I. p. 85. 4. * S. Ent. p. 73. 4.
* Linn. Syst. Nat. I. II. p. 570. 7. * ed. Gmel. I. IV. p. 1619. 7.
* Oliv. Ent. II. 11. p. 8. 4. T. 1. f. 9. a. b.
* Herbst Col. V. p. 176. 5.
Bouclier americain. * Dict. d. Sciences Natur. V. p. 256. 2. ?
Blatta americana. Catesb. Hist. Nat. III. T. 10. f. 5. Seligm. Av. IV. T. 108. f. 7.
thoracica. * Fabr. S. El. I. p. 337. 7. * Ent. S. I. p. 250. 7. * Mant. I. p. 48. 7. * Sp. Ins. I. p. 86. 6. * S. Ent. p. 73. 6.
* Linn. Fn. Sv. n. 452. *Syst. Nat. I. II. p. 571. 13. * ed. Gmel. I. IV. p. 1621. 13.
* Gyllenh. Ins. Sv. I. I. p. 270. 9.
* Illig. Kæf. Pr. I. p. 362. 8.
* Latr. Gen. Cr. & Ins.. II. p. 7. 2. — Hist. N. d. Cr. & d. Ins. IX. p. 257. T. 78. f. 8.
* Payk. Fn. Sv. I. p. 334. 10.
* Oliv. Ent. II. 11. p. 8. 5. T. 1. f. 3. a. b.
* Herbst Col. V. p. 178. 7. T. 50. f. 11.
* Panz. Fn. G. XLI. 16. * Ent. G. I. p. 119. 4.
* DeGeer Ins. IV. p. 174. 3. T. 6. f. 7.
* Preysl. Böhm. Ins. I. p. 13. 9.
* Cederh. Fn. Ingr. n. 139.
* Marsh. Ent. Br. I. p. 117. 8.
* Scop. Ent. Carn. n. 54.

* Schrank En. Ins. Austr. p. 42. 76. — Fn. Boi
I. p. 516. 596.
* Laich Tyr. Ins. I. II. p. 92. 5.
Bergstr. Nom. I. p. 23. 5. T. 3. f. 5.
Poda Mus. Græc. p. 23.
Vill. Ent. I. p. 77. 10.
* Goeze Eur. Fn. VIII. p. 282. 6.
* Geoffr. Ins. I. p. 121. 6. *Pelis.*
* Sulz. Kennz. T. 2. f. 13.
* Schæff. Abhandl. III. p. 107. fig. 8.
* Schæff. Icon. T. 75. f. 4.
Harrer Beschr. n. 139.
Müll. Linn. N. Syst. V. I. p. 128. 13.
Borowsk. Naturg. VI. p. 78. 5.
* Pontopp. Nachricht. p. 200. 5.
Donov. Britt. Ins. T. 63. f. 1.
Gadd. Satag. p. 25.
Strœm Acta Nidr. III. p. 384. 2. T. 6. f. 1.
Voet Col. II. T. 41. f. 6. *Peltis.*
Ray Ins. p. 90. 10.
Peltis thoracica. Fourcr. Ent. Par. I. p. 31. 6.
* Müll. Zool. D. Pr. p. 63. 583.

7. Lævicollis. * Fabr. S. El. I. p. 338. 8. * Ent. I. p. 250. 8. * Mant. I. p. 48. 8. * Sp. In. I. p. 80. 7. * S. Ent. p. 73. 7.
* Oliv. Ent. II. 11. p. 12. 9. T. 2. f. 15.
* Herbst Col. V. p. 180. 8.
* Linn. S. N. Gmel. I. IV. p. 1621. 51.

8. Marginalis. * Fabr. S. El. I. p. 338. 9. * Ent. S. I. p. 250. 9. * Mant. I. p. 48. 9. * Sp. In. I. p. 86. 8. * Gen. Ins. Mant. p. 215.
* Oliv. Ent. II. 11. p. 10. 6. T. 1. f. 5.
* Herbst Col. V. p. 180. 9.
* Linn. S. N. Gmel. I. IV. 1621. 52.
Silpha noveboracensis. * Forst. Cent. I. p. 17. 17

9. Granulata. * Oliv. Ent. II. 11. p. 13. 10 T. 2. f. 1
Blaps variolosa. * Herbst Col. VIII. p. 194. 1
T. 129. f. 1.

10. *Carinata.* * Illig. Kæf. Pr. I. p. 365. 11.
* Gyllenh. Ins. Sv. I. I. p. 269. 8.
* Herbst Arch. p. 34. 12.
* Linn. S. N. Gmel. I. IV. p. 1622. 57.
S. opaca. * Payk. Fn. Sv. I. p. 336. 12.
* Herbst Col. V. p. 100. 17. T. 51. f. 6.
S. marginalis. * Kugel. Schneid. Mag. p. 505.
S. lunata. * Fabr. S. El. I. p. 340. 15. * En. S. I. p. 251. 13.
* Panz. Ent. G. I. p. 120. 7.

* Herbst Col. V. p. 186. 13.
Cfr. * Illig. Mag. I. p. 88. 375. *Peltis grossa.*
— * Illig. Mag. I. p. 391. 15. *S. lunata.*
— * Schneid. Mag. p. 375. 13. *S. lunata.*
S. punctulata. * Oliv. Ent. II. 11. p. 13. 11. T. 2. f. 19. ? *b).*
S. Tyrolensis. * Laich. Tyr. Ins. I. II. p. 98. 12.
S. recta. * Marsh. Ent. Br. I. p. 117. 7.
S. rugosa. * Scop. Ent. Carn. p. 19. 53.?
S. trilineata. * Linn. S. N. Gmel. I. IV. p. 1627. 85.
* Geoffr. Ins. I. p. 119. 1. A. *Peltis.*
* Leske Mus. p. 8. 154. b. *Silpha.*
* Schæff. Icon. T. 75. f. 3.
Harrer Beschr. n. 145.
Voet Col. I. T. 41. f. 3. ?
11. *Tristis.* * Illig. Kæf. Pr. I. p. 366. 12. * Mag. I. p. 88.
* Gyllenh. Ins. Sv. I. I. p. 265. 4.
S. granulata. * Payk. Fn. Sv. I. p. 329. 4.
* Thunb. Ins. Sv. p. 72.
S. atrata. * Kugel. Schneid. Mag. p. 506. 6.
* Oliv. Ent. II. 11. p. 16. 15. T. 1. f. 4. T. 2. f. 4. b. vix.
* Herbst Col. V. p. 183. 11. T. 51. f. 1. ?
* Schæff. Abhandl. III. p. 106. Tab. fig. 5.
* Schæff. Icon. T. 93. f. 5.
* Panz. En. S. Schæff. Ic. p. 104. 5.
Harrer Beschr. n. 144. ed. 2da n. 66.
S. punctata ♀. * DeGeer Ins. IV. p. 177. 5. T. 6. f. 15. secund. specim. orig. DeGeer.
12. Nigrita. * Creutz. Ent. Vers. I. p. 116. 8. T. 2. f. 20.
13. *Obscura.* * Fabr. S. El. I. p. 340. 17. * Ent. S. I. p. 252. 15. * Mant. I. p. 49. 16. * Sp. Ins. I. p. 88. 14. * S. Ent. p. 74. 11.
* Linn. Fn. Sv. n. 457. * S. Nat. I. II. p. 572. 18. * ed. Gmel. I. IV. p. 1623. 18.
* Gyllenh. Ins. Sv. I. I. p. 264. 3.
* Illig. Kæf. Pr. I. p. 367. 14.
* Latr. Gen. Cr. & Ins. II. p. 7. 3. — Hist. Nat. d. Cr. & d. Ins. IX. p. 261.
* Payk. Fn. Sv. I. p. 328. 3.
* Oliv. Ent. II. 11. p. 15. 14. T. 2. f. 18.
* Marsh. Ent. Br. I. p. 118. 10.
* Panz Ent. G. I. p. 120. 9.
* Goeze Eur. Fn. VIII. p. 288. 9.

---

1) A fide non abhorret *S. punctulatam* Oliv. & *S. carinatam* Illig. synonyma esse. Hanc a Promont. b. Spei Afr. etiam obtinui.

* Cederh. Fn. Ingr. n. 143.
* Scop. Ent. Carn. n. 57.
* Schrank En. Ins. p. 43. 77. — Fn. Boica. 516. 597.
* Laich. Tyr. Ins. I. II. p. 97. 9.
* Brahm Ins. Kal. I. p. 35. 118.
Poda Mus. Græc. p. 23. 3.
S. atrata. * Herbst Col. V. p. 183. 11. T. 51.
* Goeze Eur. Fn. VIII. p. 280. 5.
* Ross. Fn. Etr. I. p. 54. 133. var. β.
Hellw. I. p. 57. 133. var. β.
S. littoralis. Bergst. Nom. I. p. 24. 6. T. 3. f.
Pelt. obscura. * Müll. Zool. D. Pr. p. 63. 584.
* Geoffr. Ins. I. p. 118. 1. B.
* Schæff. Elem. T. 96. ?.
* Schæff. Icon. T. 75. 5.
Harrer Beschr. n. 140.
* Frisch. Ins. VI. p. 12. 5. Tab. 5. ?.
* Uddm. Diss. p. 8. n. 8. *Cassida.*
Voet Col. T. 40. f. 2.
Vill. Ent. I. p. 80. 15.
Müll. Linn. Nat. Syst. V. I. p. 129. 18.
Donov. Brit. Ins. T. 63. f. 4.
var. β. Illig. Kæf. Pr. I. p. 367. 14. β.

14. *Lævigata.* * Fabr. S. El. I. p. 340. 16. * Ent. I. p. 252. 14. * Mant. I. p. 49. 15. * Sp. I. p. 87. 13. * S. Ent. p. 74. 10.
* Gyllenh. Ins. Sv. I. I. p. 266. 5.
* Illig. Kæf. Pr. I. p. 369. 15.
* Payk. Fn. Sv. I. p. 331. 6.
* Oliv. Ent. II. 11. p. 14. 13. T. 1. f. 1. a. b
* Herbst Col. V. p. 187. 14. T. 51. f. 3. — Ein z. Ins. Gesch. I. p. 78. T. 8. C.
* Panz. Ent. G. I. p. 120. 8.
* Kugel. Schneid. Mag. p. 506. 6.
* Cederh. Fn. Ingr. n. 142.
* Petagn. Ins. Cal. p. 7. 28.
* Marsh. Ent. Br. I. p. 119. 12.
* Ross. Mant. I. p. 23. 53. * ed. Hellw. I. 359. 53.
* Roem. Gen. Ins. T. 2. f. 16.
* Laich. Tyr. Ins. I. II. p. 96. 8.
* Linn. S. N. Gmel. I. IV. p. 1623. 59.
* Brahm Ins. Kal. I. p. 35. 117.
S. polita. * Sulz. Gesch. d. Ins. T. 2. f. 16.
* Geoffr. Ins. I. p. 122. 8. *Peltis.*
Ray Ins. p. 90. n. 9 bis.
Voet Col. T. 40. f. 2.

Reticulata. * Fabr. S. El. I. p. 341. 18. * Ent. S. I. p. 252. 16. * Mant. I. p. 49. 17.
* Gyllenh. Ins. Sv. I. I. p. 263. 2.
* Illig. Kæf. Pr. I. p. 366. 13.
* Payk. Fn. Sv. I. p. 327. 2.
* Herbst Col. V. p. 189. 16. T. 51. f. 5.
* Scriba Beitr. III. p. 225. 34. T. 14. f. 6.
* Scriba Journ. p. 172. 117.
* Panz. Ent. G. I. p. 120. 10.
* Kugel. Schneid. Mag. p. 505. 5.
S. rugosa. * Panz. Fn. G. V. 9.
Bergstr. Nom. I. p. 23. 4. T. 3. f. 4.
S. cancellata. * Linn. S. N. Gmel. I. IV. p. 1622. 58.
S. granulata. * Marsh. Ent. Br. I. p. 119. 11.
Pelt. undata. * Müll. Zool. D. Pr. p. 64. 595.
S. obscura. Herbst Col. V. p. 188. 15. T. 51. f. 4. ?.
* Geoffr. Ins. I. p. 119. *Peltis* 1. var. D.

Atrata. * Fabr. S. El. I. p. 339. 12. * Ent. S. I. p. 251. 11. * Mant. I. p. 49. 11. * Sp. Ins. I. p. 87. 10. * S. Ent. p. 74. 9.
* Linn. Fn. Sv. n. 451. * Syst. Nat. I. II. p. 571. 12. * ed. Gmel. I. IV. p. 1620. 12.
* Gyllenh. Ins. Sv. I. I. p. 266. 6.
* Illig. Kæf. Pr. p. 363. 10. *a.* * Mag. I. p. 391. 12.
* Payk. Fn. Sv. I. p. 330. 5.
* Ross. Fn. Etr. I. p. 54. 133. *a.* & *b.* * ed. Hellw. I. p. 57. 133. *a* & *b.*
* Panz. Ent. G. I. p. 119. 6.
* Petagn. Ins. Cal. p. 7. 30.
* Scriba Journ. p. 172. 116.
* Cederh. Fn. Ingr. n. 141.
* Marsh. Ent. Br. I. p. 116. 6.
* Scop. Ent. Carn. n. 56.
Poda Mus. Græc. p. 23. 2.
* Schrank En. Ins. p. 45. 80 — Fn. Boica. I. p. 517. 598.
* Laich. Tyr. Ins. I. II. p. 94. 7.
Vill Ent. I. p. 76. 9.
* Brahm Ins. Kal. I. p. 45. 145.
S. punctata. * Herbst Col. V. p. 199. 24. T. 51. f. 13.
* Herbst Arch. p. 159. 15. ?.
* DeGeer Ins. IV. p. 177. 5. ♂. T. 6. f. 16.
* Panz. Ent. G. I. p. 122. 21.
* Kugel. Schneid. Mag. p. 508. 13.
Pelt. atrata. * Müll. Zool. D. Pr. p. 63. 587.
Fourcr. Ent. Par. I. p. 29. 1.
* Geoffr. Ins. I. p. 119. *Peltis* 1. var. C.

Müll. Linn. Nat. S. V. I. p. 127. 12. T. 3. f. 11.
Borowsk. Naturg. VI. p. 77. 4. T. 8.
Bechst. Naturg. I. II. p. 832. 4.
var. β. * Illig. Kæf. Pr. I. p. 364. 10. var. β.
* Gyllenh. Ins. Sv. I. I. p. 268. 6. var. b.
* Payk. Fn. Sv. I. p. 330. 5. var. β.
S. brunnea. * Herbst Col. V. p. 202. 26. T. 51. f. 13.
* Panz. Ent. G. I. p. 123. 22.
S. punctata var. * DeGeer Ins. IV. p. 181. 5.
var. γ. * Illig. Kæf. Pr. I. p. 364. 10. γ.
S. fusca. * Herbst Col. V. p. 200. 25. T. 51. f. 14.
Voet. Col. I. T. 40. f. 1.
var. δ. * Illig. Kæf. Pr. I. p. 364. 10. δ.
* Gyllenh. Ins. Sv. I. I. p. 267. 6. var. c.
S. Pedemontana. * Fabr. S. El. I. p. 339. 13.
* Ent. S. I. p. 251. 20. * Mant. I. p. 49. 21. * Sp. Ins. I. p. 88. 18. * S. Ent. p. 75. 15.
* Oliv. Ent. II. 11. p. 19. 18. T. 1. f. 6. — Ent. Meth. V. p. 130. 21.
* Herbst Col. V. p. 194. 20. T. 51. f. 9.
* Linn. S. N. Gmel. I. IV. p. 1621. 54.
* Panz. Ent. G. I. p. 121. 14.
* Schæff. Ic. T. 75. f. 6.
Harrer Beschr. n. 142.
— (*Pedemontana.*) * Fabr. S. El. I. p. 339. 13. — vid. *S. atrata var.* δ.
17. *Rugosa.* * Fabr. S. El. I. p. 338. 10. * Ent. S. I. p. 251. 10. * Mant. I. p. 49. 10. * Sp. Ins. I. p. 86. 9. * S. Ent. p. 74. 8.
* Linn. Fn. Sv. n. 175. * S. Nat. I. II. p. 571. 16. * ed. Gmel. I. IV. p. 1622. 16.
* Gyllenh. Ins. Sv. I. I. p. 272. 11.
* Illig. Kæf. Pr. I. p. 358. 4.
* Payk. Fn. Sv. I. p. 33[illegible]. 9.
* Panz. Fn. G. XL. 17. * Ent. G. I. p. 119. 5.
* Oliv. Ent. II. 11. p. 17. 15. T. 2. f. 16.
* Herbst Col. V. p. 181. 10. T. 50. f. 12.
* Herbst Arch. p. 33. 3.
* DeGeer Ins. IV. p. 182. 7. VII. p. 600. T. 4. f. 20—25.
* Scriba Journ. p. 172. 119.
* Ross. Fn. Etr. I. p. 55. 134. * ed. Helw. I. p. 58. 134.
* Cederh. Fn. Ingr. n. 140.
* Dank. Ent. Bild. I. p. 17. T. 1. f. 13.
* Goeze Ent. Fn. VIII. p. 285. 8.

Marsh

* Marsh. Ent. Br. I. p. 120. 16.
* Schrank En. Ins. p. 43. 78.
* Fuessl. n. Mag. II. p. 141. 74.
* Laich. Tyr. Ins. I. II. p. 99. 11.
Vill. Ent. I. p. 78. 13.
Silph. scabra. * Scop. Ent. Carn. n. 59.
Peltis scabra. * Müll. Zool. D. Pr. p. 63. 586.
Peltis complicata. Fourcr. Ent. Par. I. p. 30. 4.
S. grossula. * Bergstr. Nom. I. p. 57. 10. T. 9. f. 10.?
* Geoffr. Ins. I. p. 120. 4. & p. 121. 5.
Voet Col. II. p. 60. T. 32. f. a. 1.
Acta Ups. 1736. p. 17. 3.
Ray Ins. p. 90. 9.
Bechst. Naturg. I. II. p. 833. 5.
Lepich. Tageb. I. p. 262.
var. β. elytra brunnea.

13. *Lapponica.* * Fabr. S. El. I. p. 338. 11.
* Gyllenh. Ins. Sv. I. I. p. 273. 12.
* Herbst Col. V. p. 209. 33. T. 52. f. 4.
* Thunb. Ins. Sv. V. p. 72.
S. rugosa, var. * Linn. Fn. Sv. n. 455.
* Payk. Fn. Sv. I. p. 333. 9.

14. Aequalis. * Fabr. S. El. I. p. 340. 14. * Ent. S. I. p. 251. 12. * Mant. I. p. 49. 13. * Sp. Ins. I. p. 87. 11.
* Oliv. Ent. II. 11. p. 14. 12. T. 2. f. 20.
* Herbst Col. V. p. 185. 12. T. 51. f. 2.
* Linn. S. Nat. Gmel. I. IV. p. 1620. 49.

(Lunata.) * Fabr. S. El. I. p. 340. 15. — vid. *S. carinata*, n. 10. huj. Op.

15. *Opaca.* * Fabr. S. El. I. p. 341. 19. Ent. S. I. p. 252. 17. * Mant. I. p. 49. 18. * Sp. Ins. I. p. 88. 15. * S. Ent. p. 74. 12.
* Linn. Fn. Sv. n. 454. * S. Nat. I. II. p. 571. 15. * ed. Gmel. I. IV. p. 1622. 15.
* Gyllenh. Ins. Sv. I. I. p. 268. 7.
* Illig. Kæf. Pr. I. p. 360. 7.
* Panz. Ent. Germ. I. p. 120. 11.
* Scriba Journ. p. 172. 118.
* Cederh. Fn. Ingr. n. 144.
* Laich. Tyr. Ins. I. II. p. 100. 12.
Oliv. Enc. Meth. V. p. 129. 18. ?.
Peltis opaca. * Müll. Zool. D. Pr. p. 63. 585.
S. tomentosa. * Herbst Col. V. p. 203. 27. T. 51. f. 16.
* Payk. Fn. Sv. I. p. 332. 7.

* Panz. Ent. G. I. p. 123. 23.
* Marsh. Ent. Br. I. p. 120. 15.
Vill. Ent. I. p. 89. 58.
S. hirta. * Herbst Arch. p. 34. 11.
* Linn. S. Nat. Gmel. I. IV. p. 1622. 56.
Bergstr. Nom. I. p. 57. 11. T. 9. f. 11.
* Schæff. Icon. T. 93. f. 6.
Harrer Beschr. n. 141. ed. 2:a n. 69.
var. β. * Gyllenh. Ins. Sv. I. I. p. 268. 7. var. b.
S. villosa. * Næzén Acta Holm. 1792. p. 168. 2. Tab. fig.
S. tomentosa. * DeGeer Ins. IV. p. 109. 8.

21. *Dispar.* * Illig. Kæf. Pr. I. p. 359. 6.
* Gyllenh. Ins. Sv. I. I. p. 275. 14.
* Herbst Col. V. p. 204. 28. T. 52. f. 1.
* Panz. Ent. Germ. I. p. 123. 24.
S sinuata, var. * Payk. Fn. Sv. I. p. 333. 8.
S. opaca. * Marsh. Ent. Br. I. p. 119. 13.
S. abscissa. * Laich. Tyr. Ins. I. II. p. 91. 3. ?.
var. β. * Illig. Kæf. Pr. l. c. *β.*
* Gyllenh. Ins. Sv. I. I. p. 275. 14. var. b.

22. *Sinuata.* * Fabr. S. El. I. p. 341. 20. * Ent. S. I. p. 252. 18. * Mant. I. p. 49. 19. * Sp. Ins. I. p. 88. 16. * S. Ent. p. 75. 13.
* Gyllenh. Ins. Sv. I. I. p. 274. 13.
* Illig. Kæf. Pr. I. p. 359. 5.
* Payk. Fn. Sv. I. p. 332. 8.
* Oliv. Ent. II. 11. p. 18. 17. T. 2. f. 12.
* Herbst Col. V. p. 191. 18. T. 51. f. 7.
* Panz. Ent. G. I. p. 121. 12.
* Thunb. Ins. Sv. VI. p. 73.
* Ross. Fn. Etr. I. p. 55. 135. * ed. Hellw. I. p. 58. 135.
* Kugel. Schneid. Mag. p. 507. 11.
* Scriba Journ. p. 170. 112.
* Næzén Acta Holm. 1795. p. 267. 2. 3.
* Laich. Tyr. Ins. I. II. p. 91. 4.
* Linn. S. N. Gmel. I. IV. p. 1622. 56.
* Brahm Ins. Kal. I. p. 66. 213.
* Marsh. Ent. Br. I. p. 120. 14.
S. opaca. * Schrank En. Ins. p. 44. 79.
* Schrank Fuessl. n. Mag. II. p. 142. 79.
S. pellucidocephalos. Bergstr. Nom. I. p. 56. 8. T. 9. f. 8.
S. appendiculata. * Fuessl. Verz. p. 6. 89.
* Sulz. Gesch. d. Ins. T. 2. f. 15.
Peltis scabra. Fourcr. Ent. Par. I. p. 30. 2.
* Geoffr. Ins. I. p. 119. 2. *Peltis.*

* Schæff. Icon. T. 93. 4.
Harrer Beschr. n. 143. ed. 2:a n. 71.
Voet. Col. II. p. 60. a. 2. T. 32. f. a. 2.
* Roem. Ins. T. 2. f. 15.

rimariboa. * Herbst Col. V. p. 205. 29. T. 52. f. 2.

adripunctata. * Fabr. S. El. I. p. 341. 21. * Ent. S. I. p. 253. 19. * Mant. I. p. 49. 20. * S. Ins. I. p. 88. 17. * S. Ent. p. 75. 14.
* Linn. Fn. Sv. n. 453. * Syst. Nat. I. II. p. 571. 14. * ed. Gmel. I. IV. p. 1621. 14.
* Gyllenh. Ins. Sv. I. I. p. 271. 10.
* Illig. Kæf. Pr. I. p. 363. 9.
* Payk. Fn. Sv. I. p. 355. 11.
* Oliv. Ent. II. 11. p. 10. 7. T. 1. f. 7. a. b.
* Herbst Col. V. p. 192. 19. T. 51. f. 8.
* Panz. Fn. G. XL. 18. * Ent. G. I. p. 121. 13.
* DeGeer Ins. IV. p. 181. 6.
* Kugel. Schneid. Mag. p. 508. 12.
* Goeze Eur. Fn. VIII. p. 284. 7.
* Schreb. Nov. Sp. p. 8. 2. Tab. fig. 5.
* Scriba Journ. p. 171. 113. & p. 27. 10.
* Schrank Naturf. XXIV. p. 65. n. 10.
* Marsh. Ent. Br. I. p. 118. 9.
* Laich. Tyr. Ins. I. II. p. 93. 6.
* Brahm Ins. Kal. I. p. 173. 580.
Bergstr. Nom. III. p. 24. 7. T. 3. f. 7.
Vill. Ent. I. p. 77. 11.
Peltis 4-punctata. * Müll. Zool. D. Pr. p. 63. 582.
S. flavicans. Lepich. Tageb. I. p. 202. T. 16. f. 4.
* Geoffr. Ins. I. p. 122. 7. T. 2. f. 1. *Peltis.*
Voet Col. II. T. 41. f. 5. *Peltis.*
Donov. Brit. Ins. T. 56. f. 2.
Petiv. Gaz. T. 12. f. 2.
Müll. Linn. Nat. Syst. V. I. p. 128. 14.
* Pontopp. Nachr. p. 200. 6.

(Dentata.) * Fabr. S. El. I. p. 342. 22. — vid. *Peltis dentata*, n. 5. huj. Op.

Limbata. * Fabr. S. El. I. p. 342. 23. * Ent. S. I. p. 254. 24. * Mant. I. p. 50. 23. * Sp. Ins. I. p. 89. 21.
* Oliv. Ent. II. 11. p. 21. 21. T. 2. f. 14. a. b.
* Linn. S. Nat. Gmel. I. IV. p. 1624. 60.
* Herbst Col. V. p. 206. 30.

Undata. * Fabr. S. El. I. p. 342. 24. * Ent. S. I. p. 254. 25. * Mant. I. p. 50. 26.
* Schneid. Mag. p. 376. 25.
* Panz. Ent. G. I. p. 122. 17.

* Herbst Col. V. p. 207. 31.
* Linn. S. Nat. Gmel. I. IV. p. 1624. 61.

27. Minuta. * Fabr. S. El. I. p. 342. 25. * Ent. S 254. 26.
* Panz. Ent. G. I. p. 122. 18.
* Herbst Col. V. p. 207. 32.
Omalium Ranunculi. * Gravenh. Col. M 118. 11. ?

28. Unicolor. * Herbst Col. V. p. 209. 34. T. 52.

— Bimaculata. c) * Petagn. Ins. Cal. p. Tab. I. 33.
Silpha binotata. * Linn. S. N. Gmel. I. I 1618. 80.

N:o 93. PELTIS. Fabr. n. 71.

1. *Grossa.* * Fabr. S. El. I. p. 343. 1.
* Illig. Kæf. Pr. I. p. 375. 1.
* Gyllenh. Ins: Sv. I. I. p. 252. 1.
* Kugel. Schneid. Mag. p. 509. 1.
* Müll. Zool. D. Pr. p. 63. 588.
Silpha grossa. * Fabr. Ent. S. I. p. 249. 6.
* Linn. Fn. Sv. n. 459. * S. Nat. I. 572. 21. * ed. Gmel. I. IV. p. 162
* Payk. Fn. Sv. I. p. 337. 13.
* Herbst Col. V. p. 177. 6. T. 50. f.
* Panz. Fn. G. LXXV. 16. * Ent. p. 119. 3.
S. lunata. * Fabr. Mant. I. p. 49. 14. Ins. Mant. p. 215. 9—10.
* Oliv. Ent. II. 11. p. 11. 8. T. 1. f. 2.
* Uddman. Diss. p. 8. 9. *Cassida.* Voet Col. I. T. 41. f. 3. ?
var. β. tota *ferruginea.*

2. *Ferruginea.* * Fabr. S. El. I. p. 344. 2.
* Gyllenh. Ins: Sv. I. I. p. 253. 2.
* Illig. Kæl. Pr. I. p. 376. 2.
* Kugel. Schneid. Mag. p. 509. 2.
Silpha ferruginea. * Fabr. Ent. S. I. p. 2

---

c) An hujus generis?

Silpha hemiptera simul ac *melanocephala* Illig. (cujus varietas *semicoleoptrata.* Panz. & *Silphæ torquatæ* Marsh.) forte a *Omalium* revocandæ. — Cfr. Latr. Gen. Cr. & Ins. II. p. 17

* Mant. I. p. 49. 22. * Sp. Ins. I. p. 89. 19. * S. Ent. p. 75. 16.
* Linn. Fn. Sv. n. 458. * Syst. Nat. I. II. p. 572. 19. * ed. Gmel. I. IV. p. 1623. 19.
* Payk. Fn. Sv. I. p. 339. 15.
* Oliv. Ent. II. 11. p. 20. 20. T. 2. f. 13. a. b.
* Herbst Col. V. p. 195. 21. T. 51. f. 10.
* Panz. Fn. G. LXXV. 17. * Ent. G. I. p. 121. 15.
* Cederh. Fn. Ingr. n. 145.
* Goeze Eur. Fn. VIII. p. 289. 10.
Thymalus ferrugineus. * Latr. Gen. Cr. & Ins. II. p. 9. 1. — Hist. Nat. d. Cr. & d. Ins. X. p. 24.
Silph. cimicoides. * DeGeer Ins. IV. p. 183. 9.
S. cassidoidea. Lepechin Tageb. I. p. 312. T. 19. f. 3.
Nitid. rubicunda. * Scriba Journ. p. 173. 120.
Ostoma rubicunda. * Laich. Tyr. Ins. I. II. p. 102. 1.
Schrank Fn. Boica. I. p. 518. 601.
* Schæff. Icon. T. 40. f. 7.
Harrer Beschr. n. 146.
Ray Ins. p. 84. 33.
Vill. Ent. I. p. 81. 16.
Müll. Linn. Nat. Syst. V. I. p. 130. 19.

Oblonga. * Fabr. S. El. I. p. 344. 3.
* Illig. Kæf. Pr. I. p. 337. 3.
* Gyllenh. Ins. Sv. I. I. p. 255. 3.
* Kugel. Schneid. Mag. p. 509. 3.
Silpha oblonga. * Fabr. S. El. I. p. 254. 22. * Mant. I. p. 50. 23. * Sp. Ins. I. p. 89. 20. * S. Ent. p. 75. 17.
* Linn. Fn. Sv. n. 460. * S. Nat. I. II. p. 572. 22. * ed. Gmel. I. IV. p. 1623. 22.
* Payk. Fn. Sv. I. p. 340. 16.
* Oliv. Ent. II. 11. p. 20. 19. T. 2. f. 16.
* Herbst Col. V. p. 196. 22. T. 51. f. 11.
* Panz. Fn. G. LXXV. 18. * Ent. G. I. p. 122. 16.
* Herbst Arch. p. 34. 9. T. 20. f. 22.
* DeGeer Ins. IV. p. 185. 11.
Vill. Ent. I. p. 82. 19.
S. punctata. Bergstr. Nom. I. p. 57. 9. T. 9. f. 9.?

Rugosa. Nov. Sp. *d).*

---

d) PELTIS RUGOSA: oblonga nigro-fusca, rugosa.

5. *Dentata.* * Gyllenh. Ins. Sv. I. I. p. 255. 4.
* Illig. Mag. I. p. 392. 22.
Silpha dentata. * Fabr. S. El. I. p. 342. 22. * Ent
S. I. p. 254. 23. * Mant. I. p. 50. 24.
* Payk. Fn. Sv. I. p. 338. 14.
Silpha scabra. * Herbst Col. V. p. 197. 23. T
51. f. 12.
Hispa scabra * Thunb. N. Acta Ups. IV. p. 1
26. T. 1. f. 6.
* Linn. S. N. Gmel. I. IV. p. 1733. 9.
6. *Limbata.* * Fabr. S. El. I. p. 344. 4.
* Gyllenh. Ins. Sv. I. I. p. 256. 5.
* Illig. Käf. Pr. I. p. 378. 4.
* Panz. Fn. G. XCI. 8.
Pelt. brunnea. * Payk. Fn. Sv. I. p. 340. 1.
Cassida limbata. * Fabr. Ent. S. I. p. 294. 11
* Mant. I. p. 63. 10.
* Oliv. Ent. 97. T. 1. f. 15. — Enc. Meth. IV.
p. 380. 12.
* Panz. Ent. G. I. p. 154. 10.
* Ross. Fn. Etr. I. p. 73. 185. * ed. Hellw.
I. p. 79. 185.
* Linn. S. N. Gmel. I. IV. p. 1637. 43.
Cass. brunnea. * Thunb. Ins. Sv. p. 104. * Mus.
Acad. III. p. 40. 4.
Oliv. Enc. Meth. IV. p. 380. 11.
Cass. rubiginosa. * Linn. S. N. Gmel. I. IV. p.
1644. 37.
* Leske Mus. p. 12. n. 236.

N:o 94. IMATIDIUM. Fabr. n. 72.

1. Trimaculatum. * Fabr. S. El. I. p. 345. 1.
2. Fasciatum. * Fabr. S. El. I. p. 346. 2.
* Illig. Mag. I. p. 392. 2.
Cassida capensis. * Herbst Col. VIII. p. 278. 51. T.
133. f. 10. ?
Voet Col. II. T. 43. f. 22. ?
3. Thoracicum. * Fabr. S. El. I. p. 346. 3.
4. Lineola. * Fabr. S. El. I. p. 346. 4.

Habitat in Sierra Leona Africes. E Musæo Thunb.
Magnitudine *Bostrichi typographi*, depressa, supra convexa, tota fusca. Caput rotundatum, antico margine rufescente. Thorax transversus, subquadratus, marginatus, convexus, marginibus lateralibus dilatatis rufescentibus, punctatus. Elytra marginata, convexa, striata, reticulata. THUNB.

anguineum. * Fabr. S. El. I. p. 346. 5.
cayanum. * Latr. Gen. Cr. & Ins. III. p. 50. 1. T. 11. f. 7.

N:o 95. COLOBICUS. Latr. n. 155. *)

Marginatus. * Latr. Gen. Cr. & Ins. II. p. 10. 1. T. 16. f. 1. — Hist. Nat. d. Cr. & d. Ins. X. p. 25.
Nit. hirta. * Ross. Fn. Etr. I. p. 59. 145. T. 3. f. 9. * ed. Hellw. I. p. 62. 145. T. 3. f. 9.

N:o 96. NITIDULA. Fabr. n. 73.

Grossa. * Fabr. S. El. I. p. 347. 1.
Bipustulata. * Fabr. S. El. I. p. 347. 2. * Ent. S. I. p. 255. 1. * Mant. I. p. 51. 1. * Sp. Ins. I. p. 91. 1. * S. Ent. p. 77. 1.
* Latr. Gen. Cr. & Ins. II. p. 11. 2. — Hist. N. d. Cr. & d. Ins. X. p. 29.
* Illig. Kæf. Pr. I. p. 382. 6.
* Gyllenh. Ins. Sv. I. I. p. 221. 8.
* Gyllenh. Acta Ups. VI. p. 123. 10.
* Payk. Fn. Sv. I. p. 349. 4.
* Oliv. Ent. II. 12. p. 4. 1. T. 1. f. 2. a. b.
* Herbst Col. V. p. 229. 1. T. 53 f. 1. A.
* Panz. Fn. G. III. 10. * Ent. G. I. p. 124. 1.
* Ross. Fn. Etr. I. p. 58. 140. * ed. Hellw. I. p. 61. 140.
* Cederh. Fn. Ingr. n. 146.
* Linn. S. Nat. Gmel. I. IV. p. 1629. 5.
* Goeze Eur. Fn. VIII. p. 293. 2.
* Brahm Ins. Kal. I. p. 235. 804.
Marsh. Ent. Br. I. p. 129. 1.
Silpha bipustulata. * Linn. Fn. Sv. n. 445. * Syst. Nat. I. II. p. 570. 4.
* DeGeer Ins. IV. p. 186. 13. T. 6. f. 22. 23.
Vill. Ent. I. p. 74. 3.
Pelt. bipustulata. * Müll. Zool. D. Pr. p. 64. 591.
Derm. scaraboides. * Scop. Ent. Carn. p. 15. 36.
Derm. bipunctatus. Fourcr. Ent. Par. I. p. 18. 3.

Dermestem lunatum Payk. Fabr. ad *Colobicum* pertinere, ut autumat *Cl. Latreille* fidem præbere nequivi, quoniam tarsi omnium pedum 4 tantum articulos tenent.

Ostoma bipustulata. * Laich. Tyr. Ins. I. II. p. 206. 3.
* Geoffr. Ins. I. p. 100. 3. *Dermestes.*
Acta Ups. 1736. p. 17. 12.
Vill. Ent. I. p. 74. 3.
Beebst. Naturg. I. II. p. 833. 1.
Müll. Linn. Nat. Syst. V. I. p. 176. 4.

3. Quadripustulata. * Fabr. S. El. I. p. 348. 3. * Ent. S. I. p. 255. 2.
* Illig. Mag. I. p. 88. 4—5.
* Panz. Ent. G. I. p. 124. 2.
* Herbst Col. V. p. 231. 3.
* Kugel. Schneid. Mag. p. 594. *N. hæmorrhoidal. var.?*
Nit. guttalis. * Herbst Col. V. p. 247. 23. T. 54. f. 7. g. G.
* Panz. Ent. G. I. p. 129. 32.
Silpha carnaria. * Shall. Acta Hal. I. p. 257.
* Linn. S. N. Gmel. I. IV. p. 1619. 46.

4. *Obscura.* * Fabr. S. El. I. p. 348. 4. * Ent. S. I. p. 255. 3. * Mant. I. p. 51. 2. * Sp. Ins. I. p. 91. 2. * Gen. Ins. Mant. I. p. 215. 1—2.
* Gyllenh. Ins. Sv. I. I. p. 221. 9.
* Illig. Käf. Pr. I. p. 383. 7.
* Payk. Fn. Sv. I. p. 349. 3.
* Oliv. Ent. II. 12. p. 5. 3. T. 1. f. 3. a. b.
* Herbst Col. V. p. 230. 2. T. 53. f. 2. b. B.
* Herbst Arch. p. 36. 2. T. 20. f. 23.
* Thunb. Ins. Sv. p. 70.
* Ross. Fn. Etr. I. p. 58. 141. * ed. Hellw. I. p. 61. 141.
* Panz. Ent. G. I. p. 124. 3.
* Kugel. Schneid. Mag. p. 510. 5.
* Linn. S. N. Gmel. I. IV. p. 1629. 6.
* Goeze Eur. Fn. VIII. p. 295. 3.
* Marsh. Ent. Br. I. p. 130. 3.
Silpha rufipes. * Linn. Syst. Nat. I. II. p. 573. 24.?
Derm. fulvipes. Fourcr. Ent. Par. I. p. 22. 21.

5. Abbreviata. * Fabr. S. El. I. p. 348. 5. * Ent. S. I. p. 256. 4. * Mant. I. p. 51. 3. * Sp. Ins. I. p. 91. 3.
* Oliv. Ent. II. 12. p. 5. 4. T. 1. f. 5. a. b.
* Linn. S. N. Gmel. I. IV. p. 1629. 7.

6. *Marginata.* * Fabr. S. El. I. p. 348. 6. * Ent. S. I. p. 256. 5. * Mant. I. p. 51. 4. * Sp. Ins. I. p. 91. 4.
* Gyllenh. Ins. Sv. I. I. p. 216. 3.

* Oli-

* Oliv. Ent. II. 12. p. 11. 13. T. 2. f. 15. a. b.
* Thunb. Ins. Sv. V. p. 71.
* Panz. Ent. G. I. p. 125. 4.
* Linn. S. Nat. Gmel. I. IV. p. 1629. 8.
* Ross. Mant. II. p. 85. 20.
* Herbst Col. V. p. 243. 15.
N. biloba. * Herbst Col. V. p. 238. 9. T. 53. f. 8. h. H.
* Panz. Fn. G. XXXV. 10. * Ent. G. I. p. 129. 27.

— (*Æstiva.*) * Fabr. S. El. I. p. 348. 7. — vid. *Nit. depressa*, n. 7. huj. Op.

7. *Depressa.* * Illig. Kæf. Pr. I. p. 386. 12.
* Gyllenh. Ins. Sv. I. I. p. 228. 17.
N. æstiva. * Fabr. S. El. I. p. 348. 7. * Ent. S. I. p. 256. 6. * Mant. I. p. 51. 5. * Sp. Ins. I. p. 91. 5. * S. Ent. p. 77. 2.
* Payk. Fn. Sv. I. p. 350. 5.
* Panz. Fn. G. LXXXIV. 7. * Ent. Germ. I. p. 125. 5.
* Ross. Fn. Etr. I. p. 59. 146. * ed. Hellw. I. p. 63. 146.
* Illig. Mag. I. p. 393. 7.
N. obsoleta. * Kugel. Schneid. Mag. p. 528. 13.
N. villosa. * Thunb. Ins. Sv. V. p. 70.
Peltis truncatella. * Müll. Zool. D. Pr. p. 64. 599.
(*Silpha depressa* Linn. vid. *Nit. sordida.*)

8. Silacea. * Gyllenh. Ins. Sv. I. I. p. 229. 18.
* Herbst Col. V. p. 232. 4. T. 53. f. 3. c. C.
* Herbst Arch. p. 36. 6.
N. setacea. * Linn. S. N. Gmel. I. IV. p. 1631. 25.

9. Pallida. * Fabr. S. El. I. p. 349. 8. * Suppl. p. 73. 6—7.

10. *Obsoleta.* * Gyllenh. Ins. Sv. I. I. p. 223. 11.
* Illig. Kæf. Pr. I. p. 384. 9. α.
* Payk. Fn. Sv. I. p. 351. 6. δ.
* Panz. Ent. G. I. p. 125. 6.
* Herbst Col. V. p. 240. 11. T. 53. f. 10. k. K. ?

var. β. * Gyllenh. Ins. Sv. I. I. p. 223. 11. var. b.
* Illig. Kæf. Pr. I. p. 384. 9. var. β.
Silpha biguttata. * Thunb. N. Act. Ups. IV. p. 9. 13.
* Linn. S. Nat. Gmel. I. IV. p. 1626. 78.
Nit. obsoleta. * Marsh. Ent. Br. I. p. 135. 19.

var. γ. * Gyllenh. Ins. Sv. I. I. p. 223. 11. var. c.
* Illig. Kæf. Pr. I. p. 384. 9. var. γ.
Nit. obsoleta. * Fabr. S. El. I. p. 349. 9. * Ent. S. I. p. 256. 7.
* Payk. Fn. Sv. I. p. 351. 6. ♀.

Nit. unicolor. * Oliv. Ent. II. 12. p. 17. 24. T. 2. f. 9. a. b.
Nit. æstiva. * Marsh. Ent. Br. I. p. 135. 18.
var. δ. * Gyllenh. Ins. Sv. I. I. p. 224. 11. var. d.
var ε. Gyllenh. l. c. var. e.

10. *Variegata.* * Gyllenh. Ins. Sv. I. I. p. 225. 12.
* Herbst Col. V. p. 245. 19. T. 54. f. 3. c. C. ?.
* Panz. Ent. G. I. p. 129. 28. ?.
Nit. obsoleta, var. * Illig. Kæf. Pr. I. p. 384. 9. not.
Silpha lincensis. * Schrank En. Ins. p. 47. 84. ?.
* Schrank Fuessl. n. Mag. II. p. 142. ?.

11. *Pygmæa.* * Gyllenh. Ins. Sv. I. I. p. 225. 13.

12. *Oblonga.* * Gyllenh. Ins. Sv. I. I. p. 226. 14.
* Herbst Col. V. p. 245. 20. T. 54. f. 4. d. D.
* Panz. Ent. G. I. p. 129. 29.
var. β. * Gyllenh. Ins. Sv. l. c. var. b.

13. *Pusilla.* * Illig. Kæf. Pr. I. p. 386. 11.
* Gyllenh. Ins. Sv. I. I. p. 227. 15.
N. pubescens. * Kugel. Schneid. Mag. p. 512. 10.

14. *Æstiva.* * Illig. Kæf. Pr. I. p. 385. 10.
* Gyllenh. Ins. Sv. I. I. p. 228. 16.
* Oliv. Ent. II. 12. p. 16. 23. T. 3. f. 23. a. b.
* Preyssl. in Mayers Aufs. Böhm. Naturg. III. p. 354. 4. ?.
Silpha æstiva. * Linn. Fn. Sv. n. 465. * Syst. Nat. I. II. p. 574. 32. * ed. Gmel. I. IV. p. 1629. 9.
* Müll. Zool. D. Pr. p. 64. 604.
Silpha testacea. * Schrank En. Ins. p. 47. 85. ?.
Anthrib. testaceus. Oliv. Dict. Ins. *Anthribe* n. 2.

15. *Ferruginea.* * Fabr. S. El. I. p. 349. 10. * Ent. S. I. p. 257. 8. * Mant. I. p. 51. 6. * Sp. Ins. I. p. 91. 6. * S. Ent. p. 77. 3.
* Illig. Mag. I. p. 90. 20.
* Gyllenh. Ins. Sv. I. I. p. 239. 29.
* Payk. Fn. Sv. I. p. 356. 14.
* Panz. Ent. G. I. p. 125. 7.
Strongyl. æstivus. * Herbst Col. IV. p. 186. 6. T. 43. f. 6. f. F.
Nitid. æstiva. * Herbst Arch. p. 36. 3. T. 20 f. 24.
Spharid. ferrugineum. * Panz. Fn. G. LXXXIV. 2.
Spharid. pilosum. * Ross. Mant. II. p. 84. 10.
Nit. fulva. * Marsh. Ent. Br. I. p. 136. 21.
var. β. * Illig. Mag. I. p. 90. 20. *β.*
* Gyllenh. Ins. Sv. I. I. p. 239. 29. var. b.
Nit. striata. * Oliv. Ent. II. 12. p. 14. 19. T. 1. f. 7. a. b.

16. Cornuta. * Fabr. S. El. I. p. 349. 11.

17. *Fervida.* * Oliv. Ent. II. 12. p. 15. 20. T. 4. f. 32. a. b.
* Gyllenh. Ins. Sv. I. I. p. 234. 23.
var. β. * Gyllenh. Ins. Sv. l. c. var. b.

18. *Quadripunctata.* * Illig. Kæf. Pr. p. 391. 19.
* Gyllenh. Ins. Sv. I. I. p. 233. 22.
Strongyl. 4-punctatus. * Herbst Col. IV. p. 185. 5. T. 43. f. 5. e. E.
Sphærid. Colon. * Fabr. S. El. I. p. 94. 10. * Ent. S. I. p. 78. 4.
* Payk. Fn. Sv. I. p. 57. 4.
* Cederh. Fn. Ingr. n. 21.
* Panz. Ent G. I. p. 26. 4.
Cychramus Colon. * Kugel. Schneid. Mag. 545. 2.

19. *Lutea.* * Illig. Kæf. Pr. I. p. 390. 18.
* Gyllenh. Ins. Sv. I. I. p. 232. 21.
* Oliv. Ent. II. 12. p. 16. 22. T. 3. f. 28. a. b.
Strong. luteus. * Herbst Col. IV. p. 183. 3. T. 43. f. 3. c. C.
Sphærid. luteum. * Fabr. S. El. I. p. 95. 12. * Ent. S. I. p. 79. 6. * Mant. II. App. p. 378.
* Payk. Fn. Sv. I. p. 58. 5.
* Panz. Fn. G. LXXXIII. 3. * Ent. G. I. p. 26. 5.
* Ross. Mant. I. p. 21, 47. * ed. Hellw. I. p. 357. 47.
Nit. veris. * Ross. Fn. Etr. I. p. 60. 147. * ed. Hellw. I. p. 63. 147.
Nit. lata. * Scriba Beytr. III. p. 226. 36. T. 14. f. 7. * Journ. I. p. 175. 126.
Anthrib. unicolor. Oliv. Enc. Meth. IV. p. 160. 1.
Cychramus luteus. * Kugel. Schneid. Mag. p. 544. 1.
Derm. Rosæ. * Scop. Ent. Carn. p. 15. 39.
Derm. luteus. * Marsh. Ent. Br. I. p. 73. 36.
Silpha lutea. * Linn. S. Nat. Gmel. I. IV. p. 1626. 81.
var. β. * Illig. Kæf. Pr. I. p. 391. 18. var. β.
var. γ. * Illig. Kæf. Pr. l. c. var. γ.
Strongyl. variegatus. * Herbst. Col. IV. p. 184. 4. T. 34. f. 4. d. D.
Sphærid. Colon. * Panz. Fn. G. LXXXIV. 1.

20. Obscura. *Sphær. obscurum.* * Fabr. S. El. I. p. 95. 13.

21. Analis. *Sphærid. anale.* * Fabr. S. El. I. p. 93. 15.
var. β. elytra nigra.

22. *Atra.* * Gyllenh. Ins. Sv. I. I. p. 240. 30.
Sphærid. glabratum. * Payk. Fn. Sv. I. p. 56. 3.
* Fabr. S. El. I. p. 93. 5. * Ent. S. I. p. 79. 8.?
* Mant. I. p. 43. 4.?. * Sp. Ins. I. p. 78. 4.?
* Panz. Ent. G. I. p. 26. 6.
* Herbst Col. V. p. 77. 13.

Strong. ater. * Herbst Col. IV. p. 188. 8. T. 4 f. 8. h. H.
Volvox. morio. * Kugel. Schneid. Mag. V. p. 537.
Silpha glabrata. * Linn. S. Nat. Gmel. I. IV. 1026. 71.
Derm. ater. * Thunb. N. Acta Ups. IV. p. 4. 5
* Linn. S. Nat. Gmel. I. IV. p. 1599. 65.
var. β. tota ferruginea.

23. *Glabrata.* * Gyllenh. Ins. Sv. I. I. p. 241. 31.
Hist. glabratus. * Fabr. S. El. I. p. 85. 9. * En S. I. p. 73. 3.
* Sturm D. Fn. I. p. 267. 41. T. 20.
* Payk. Fn. Sv. I. p. 43. 10.
* Thunb. Ins. Sv. V. p. 64.
* Panz. Ent. G. I. p. 20. 3.
* Schönh. Synon. I. I. p. 91. 16.

24. Fasciata. *f) Derm. fasciatus.* * Forst. Cent. I. p. 8.

25. Rufipes. *Sphærid. rufipes.* * Fabr. S. El. I. p. 95. 1

26. Lusca. Nov. Sp. g).

27. Strigosa. Nov. Sp. h).

---

f) Vix hujus generis.

g) NITIDULA LUSCA: ovata sub-depressa fusco-ferruginea pu bescens, thorace antice emarginato, elytris punctato-striatis obsole te ferrugineo-maculatis.

Habitat in Insula St. Eustache. *D. Forsström.*

Statura et summa affinitas sequentis, sed fere duplo minor, magi obscura et pube longiore depressa adspersa. Caput, antennæ, thora et scutellum, quoad structuram omnino ut in sequente, sed obscu fusca pubescentia, ore thoracisque marginibus ferrugineis. Elytre rum forma etiam eadem, sed color fuscus, maculis obsoletis ferrugi neis, una in medio baseos, altera ante medium versus suturam, ter tia pone medium transversa, fasciam fere constituens, præterea ely tra etiam pube cinerea adspersa, tenue punctato-striata, apicem ver sus sub-sulcata. Corpus fusco-ferrugineum punctulatum. Pedes dilu tius ferruginei.

Obs. An modo var. vel alter Sexus sequentis?

GYLLENH.

h) NITIDULA STRIGOSA: ovata subdepressa ferruginea glabra thorace antice emarginato elytris punctato-striatis apice subsulcatis.

Habitat in Americæ Insula St. Eustache. D. *Forsström.*

Magnitudo, color et fere statura *N. depressæ* Illig. (*N. æstiv.* Fabr. Panz) sed paulo brevior. Caput angulatum ferrugineum cre bre punctulatum, oculis globosis nigris. Antennæ thorace breviore ferrugineæ, articulo primo magno dilatato, clava ovata compress fusca. Thorax brevis transversus, ferrugineus, anterius paulo angu stior, late emarginatus, lateribus rotundatus, tenue marginatus, po stice sinuatus, angulis acutis, supra parum convexus, non vero ver sus latera explanatus, undique creberrime punctulatus. Scutellus

8. *Strigata.* * Fabr. S. El. I. p. 350. 12. * Ent. S. I. p. 257. 7. * Mant. I. p. 51. 7.
* Illig. Kæf. Pr. I. p. 390. 17. * Mag. I. p. 394. 12.
* Payk. Fn. Sv. I. p. 356. 13.
* Gyllenh. N. Acta Ups. VI. p. 125. 13.
* Gyllenh. Ins. Sv. I. I. p. 430. 19.
* Oliv. Ent. II. p. 13. 17. T. 2. f. 12. a. b.
* Panz. Fn. G. LXXXIII. 4. * Ent. G. I. p. 125. 8.
* Ross. Mant. I. p. 24. 55. * ed. Hellw. I. p. 360. 55.
* Scriba Beytr. III. p. 227. 37. T. 14. f. 8. * Journ. p. 176. 127.
* Linn. S. Nat. Gmel. I. IV. p. 1629. 10.
Nit. undata. * Marsh. Ent. Br. I. p. 134. 16.
Strongyl. strigatus. * Herbst Col. IV. p. 187. 7. T. 43. f. 7. g. G.
Derm. graphicus. Schrank Fn. Boica. 423.
* Schrank Physik. Aufsäze. p. 160. 1.
* Bechst. & Scharfenb. Forstinsect. I. p. 111. 24.
Nitid. Verbasci. * Thunb. Ins. Sv. V. p. 71.

9. *Imperialis.* * Fabr. S. El. I. p. 350. 13. * Ent. S. I. p. 257. 10.
* Gyllenh. Ins. Sv. I. p. 231. 10.
* Payk. Fn. Sv. I. p. 355. 12.
* Herbst Col. V. p. 248. 24. T. 54. f. 8. h.
* Panz. Ent. G. I. p. 125. 9.
Nit. undata. * Oliv. Ent. II. 12. p. 14. 18. T. 3. f. 17. a. b. secundum specimen nuper exclusum.
Nit. nebulosa. * Marsh. Ent. Br. I. p. 134. 17.

10. *Decemguttata.* * Fabr. S. El. I. p. 350. 14. * Ent. S. I. p. 258. 11.
* Gyllenh. Ins. Sv. I. I. p. 200. 7.
* Illig. Kæf. Pr. I. p. 382. 5.
* Payk. Fn. Sv. I. p. 354. 10.
* Herbst Col. V. p. 249. 26.
* Panz. Ent. G. I. p. 120. 10.
* Thunb. Ins. Sv. p. 70.
* Kugel. Schneid. Mag. p. 528. 12.
* Marsh. Ent. Br. I. p. 135. 20.

---

mediocre triangulare, apice rotundatum ferrugineum. Elytra lata ovata ferruginea, lateribus marginata, apice obtusa, fere truncata, supra parum convexa, tenue punctato-striata, striis apicem versus profundioribus sulciformibus. Corpus subtus ferrugineum punctulatum. Pedes pallidius testacei, tibiis posterioribus arcuatis apicem versus incrassatis. GYLLENH.

31. *Punctatissima.* * Illig. Schneid. Mag. p. 598. 6.
* Panz. Fn. G. XXV. 7. * Ent. G. I. p. 128. 2
* Gyllenh. Ins. Sv. I. I. p. 214. 1.
Silpha maculata. * DeGeer Ins. IV. p. 184. 10
32. *Varia.* * Fabr. S. El. I. p. 350. 15. * Ent. S. I
258. 12. * Mant. I. p. 52. 8. * Sp. In
p. 92. 7.
* Illig. Kæf. Pr. I. p. 380. 2.
* Gyllenh. Ins. Sv. I. I. p. 215. 2.
* Payk. Fn. Sv. I. p. 347. 1.
* Herbst Col. V. p. 232. 5. T. 53. f. 4. d.
* Herbst Arch. p. 36. 4. T. 20. f. 25.
* Gyllenh. N. Acta Ups. VI. p. 124. 11.
* Panz. Ent. Germ. I. p. 126. 11.
* Ross. Fn. Etr. I. p. 59. 144. * ed. Hel
I. p. 62. 144.
* Linn. S. Nat. Gmel. I. IV. p. 1629. 11.
* Goeze Eur. Fn. VIII. p. 296. 4.
Silpha grisea. * Linn. Fn. Sv. n. 464. * Syst. N
I. II. p. 574. 30. * ed. Gmel. I. IV.
1624. 30.
* Curtis Acta S. Linn. I. p. 86. T. 5. f. 6—11.
Vill. Ent. I. p. 84. 27.
Nit. variegata. * Oliv. Ent. II. 12. p. 4. 2. T.
f. 1. a. b. c.
Nit. grisea. * Marsh. Ent. Br. I. p. 134. 15.
Nit. ferruginea. * Scriba Journ. p. 174. 121.
Silpha ferruginea. * Scop. Ent. Carn. p. 21. 60.
Pelt. ferruginea. * Müll. Zool. D. Pr. p. 64. 600.
Ostoma ferruginea. * Laich. Tyr. Ins. I.
p. 104. 2.
Derm. ferrugineus. * Brahm Ins. Kal. I. p. 118. 4
Derm. varigatus. Fourcr. Ent. Par. I. p. 20. 13.
* Geoffr. Ins. I. p. 104. 13. ?.
Ray Ins. p. 90. 11.
33. *Sordida.* * Fabr. S. El. I. p. 351. 16. * Ent. S. I.
258. 13.
* Illig. Kæf. Pr. I. p. 379. 1.
* Payk. Fn. Sv. I. p. 348. 2.
* Gyllenh. Ins. Sv. I. I. p. 217. 4.
* Gyllenh. N. Acta Ups. VI. p. 124. 12.
* Panz. Ent. Germ. I. p. 126. 12.
* Kugel. Schneid. Mag. p. 528. 11.
* Thunb. Ins. Sv. V. p. 72.
* Herbst Col. V. p. 249. 25. T. 54. f. 9. i.
Silpha depressa. * Linn. Fn. Sv. n. 463. * Sy
Nat. I. II. p. 573. 29. * ed. Gmel. I. I
p. 1624. 29.

Nit. ferruginea. * Herbst Arch. p. 159. 7.
Nit. Colon. * Herbst Col. V. p. 234. 6. T. 53. f. 5. e. E.
Nit. depressa. * Marsh. Ent. Br. I. p. 217. 4.
Nit. varia. * Oliv. Ent. II. 12. p. 12. 15. T. 2. f. 10. a. b.
Nit. immaculata. * Oliv. Ent. II. 12. p. 11. 14. T. 2. f. 16. a. b. Var. nuper exclusa.
nctata. * Fabr. S. El. I. p. 351. 17.
Nit. buprestoides. * Web. Obs. Ent. p. 48. 1.
* Illig. Mag. I. p. 245.
Flexuosa. * Fabr. S. El. I. p. 351. 18. * Ent. S. I. p. 258. 14.
* Oliv. Ent. II. 12. p. 7. 6. T. 1. f. 6. a. b.
* Panz. Ent. Germ. I. p. 126. 13.
Nit. flavomaculata. * Ross. Fn. Etr. I. p. 58. 142.
* ed. Hellw. I. p. 61. 142. T. 3. f. 8.
Bicolor. * Fabr. S. El. I. p. 351. 19. * Ent. S. I. p. 259. 15. * Mant. I. p. 52. 9. * Sp. Ins. I. p. 92. 8. * Gen. Ins. Mant. p. 216. 3—4.
* Herbst Col. V. p. 250. 27.
* Panz. Ent. Germ. I. p. 126. 14.
* Linn. S. Nat. Gmel. I. IV. p. 1630. 12.
Limbata. * Fabr. S. El. I. p. 352. 21. * Ent. S. I. p. 259. 17. * Mant. I. p. 52. 11.
* Illig. Kæf. Pr. I. p. 383. 8. * Mag. I. p. 89. 8.
* Gyllenh. Ins. Sv. I. I. p. 222. 10.
* Oliv. Ent. II. 12. p. 20. 31. T. 3. f. 18. a. b.
* Herbst Col. V. p. 239. 10. T. 53. f. 9. i. J.
* Thunb. Ins. Sv. V. p. 71.
* Kugel. Schneid. Mag. p. 530. 17.
* Panz. Ent. Germ. I. p. 122. 16.
* Linn. S. Nat. Gmel. I. IV. p. 1630. 14.
Colon. * Fabr. S. El. I. p. 351. 20. * Ent. S. I. p. 259. 16. * Mant. I. p. 52. 10. * S. Ins. I. p. 92. 9. * S. Ent. p. 78. 4.
* Gyllenh. Ins. Sv. I. I. p. 218. 5.
* Illig. Kæf. Pr. I. p. 380. 3.
* Oliv. Ent. II. 12. p. 13. 16. T. 1. f. 4. a. b.
* Marsh. Ent. Br. I. p. 132. 11.
* Panz. Ent. G. I. p. 127. 15.
* Scriba Journ. p. 174. 122.
* Cederh. Fn. Ingr. n. 147.
* Linn. S. Nat. Gmel. I. IV. p. 1630. 13.
Silpha Colon. * Linn. Fn. Sv. n. 462. * Syst. Nat. I. II. p. 573. 27.
* DeGeer Ins. IV. p. 187. 14. T. 6. f. 24.
Vill. Ent. I. p. 83. 24.

Ostoma Colon. * Laich. Tyr. Ins. I. II. p. 107. 4.
var. β. Nit. hæmorrhoidalis. * Fabr. S. El. I. p. 352. 22
* Ent. S. I. p. 259. 18. * Mant. I. p. 52. 12
* Sp. Ins. I. p. 92. 10. * Gen. Ins. Mant
p. 216. 4—5.
* Payk. Fn. Sv. I. p. 352. 7.
* Herbst Col. V. p. 235. 7. T. 53. f. 6. f. F.
* Panz. Ent. Germ. I. p. 127. 17.
* Linn. S. Nat. Gmel. I. IV. p. 1630. 15.
* Ross. Mant. I. p. 25. 58. * ed. Hellw. I.
361. 58.?
Nit. Colon, var. β. * Illig. Kæf. Pr. I. p. 380. 3.
—(*Hæmorrhoidalis.*) * Fabr. S. El. I. p. 352. 22.
vid. *Nit. Colon, var. β.* ante.
39. *Discoïdes.* * Fabr. S. El. I. p. 252. 23. * En
S. I. p. 259. 19. * Mant. I. p. 52. 13. * Sp
Ins. I. p. 92. 11. * S. Ent. p. 78. 5.
* Gyllenh. Ins. Sv. I. I. p. 219. 6.
* Illig. Kæf. Pr. I. p. 381. 4.
* Oliv. Ent. II. 12. p. 15. 21. T. 2. f. 8. a. b.
* Herbst Col. V. p. 237. 8. T. 53. f. 7. g. G.
* Panz. Fn. G. LXXXIII. 5. * Ent. Germ.
p. 127. 18.
* Ross. Mant. I. p. 24. 56. * ed. Hellw.
p. 361. 56.
* Kugel. Schneid. Mag. p. 529. 15.
* Linn. S. Nat. Gmel. I. IV. p. 1630. 16.
* Goeze Eur. Fn. VIII. p. 297. 5.
* Marsh. Ent. Br. I. p. 133. 12.
Nit. hæmorrhoidalis, var. β. * Payk. Fn. Sv.
p. 252. 7.
Ostoma discoïdea. * Laich. Tyr. Ins. I. II. p. 108.
* Brahm Ins. Kal. I. p. 48. 160.
Silpha discoïdea. Vill. Ent. I. p. 87. 41.
40. *Rufipes.* * Gyllenh. Ins. Sv. I. I. p. 235. 24.
* Marsh. Ent. Br. I. p. 130. 4.
Silpha rufipes. * DeGeer Ins. IV. p. 188. 15.
Nit. atrata. * Oliv Ent. II. 12. p. 18. 27. T. 4.
31. 2. b. ?
* Latr. Gen. Cr. & Ins. II. p. 13. 14.?
var. β. * Gyllenh. Ins. Sv. I. c. var. b.
41. *Pedicularia.* * Fabr. S. El. I. p. 352. 24. * Ent.
I. p. 260. 20. * Mant. I. p. 52. 14. * Sp. In
I. p. 92. 12. * S. Ent. p. 78. 6.
* Gyllenh. Ins. Sv. I. I. p. 236. 25.
* Payk. Fn. Sv. I. p. 353. 8. a.

* Lat

* Latr. Gen. Cr. & Ins. II. p. 13. 5.
* Oliv. Ent. II. 12. p. 19. 28. T. 3. f. 21. a. b.
* Panz. Ent. G. I. p. 127. 19.
* Cederh. Fn. Ingr. n. 148.
* Ross. Fn. Etr. I. p. 60. 148. * ed. Hellw. I. p. 63. 148.
* Linn. S. Nat. Gmel. I. IV. p. 1630. 17.
Silpha pedicularia. * Linn. Fn. Sv. n. 466.? * Syst. Nat. I. II. p. 574. 34. ?
* O. Fabr. Fn. Groenl. p. 185. 132.?
Derm. chrysomeloïdes. * Schrank En. Ins. p. 31. 55.
Nit. solida. * Illig. Kæf. Pr. I. p. 389. 16.
* Kugel. Schneid. Mag. p. 530. 19.
* Panz. Ent. G. I. p. 128. 26.
Nit. latipes. * Marsh. Ent. Br. I. p. 131. 6.
Nit. pyrrhopa. * Marsh. Ent. Br. I. p. 138. 29. an var. ?
ubrugosa. * Gyllenh. Ins. Sv. I. I. p. 236. 26.
mpressa. * Latr. Gen. Cr. & Ins. II. p. 14. 6.
Ethiops. * Latr. Gen. Cr. & Ins. II. p. 14. 7.
Nit. nigrina. * Marsh. Ent. Br. I. p. 138. 27.?
rythropa. * Gyllenh. Ins. Sv. I. I. p. 237. 27.
* Marsh. Ent. Br. I. p. 132. 10.
ulcamaræ. * Illig. Kæf. Pr. I. p. 387. 14.
Laria Dulcamaræ. * Scop. Ent. Carn. p. 22. 62.
nea. * Fabr. S. El. I. p. 353. 28. * Ent. S. I. p. 261. 24. * Mant. I. p. 52. 17. * Sp. Ins. I. p. 93. 13. * S. Ent. p. 78. 7.
* Gyllenh. Ins. Sv. I. I. p. 237. 28.
* Illig. Kæf. Pr. I. p. 388. 15.
* Latr. Gen. Cr. & Ins. II. p. 12. 3. var. a. b. f.
* Oliv. Ent. II. 12. p. 17. 25. T. 3. f. 20. a. b.
* Herbst Col. V. p. 241. 13.
* Marsh. Ent. Br. I. p. 131. 8.
* Panz. Fn. G. LXXXIII. 6. * Ent. Germ. I. p. 128. 22.
* Roem. Ins. p. 42. 26. T. 34. f. 14.
* Thunb. Ins. Sv. V. p. 69.
* Linn. S. Nat. Gmel. I. IV. p. 1630. 20.
Nit. pedicularia, var. β. * Payk. Fn. Sv. I. p. 353. 8.
Anthrib. ænea. Oliv. Enc. IV. p. 160. 3.
Silpha ænea. Vill. Ent. I. p. 87. 42.
Strongyl. psyllius. * Herbst Col. IV. p. 189. 9. T. 43. f. 9. J.
Derm. psyllius. * Herbst Arch. IV. p. 21. 11. T. 20. f. 4.

* Linn. Fn. Sv. n. 436. ? * Syst. Nat. I. II. p. 564. 25. ?
* Müll. Zool. D. Pr. p. 56. 492.
* Geoffr. Ins. I. p. 86. 30. *Scarabæus.*
var. β. * Gyllenh. Ins. Sv. I. I. p. 238. 28. var. b.
* Latr. Gen. Cr. & Ins. II. p. 13. 3. var. c.
Nit. cærulea. * Marsh. Ent. Br. I. p. 132. 9.
var. γ. * Gyllenh. Ins. Sv. I. I. p. 238 28. var. c.
* Latr. Gen. Cr. & Ins. II. p. 13. 3. var. d.
* Illig. Kæf. Pr. I. p. 388. 15. var. β.
Nit. viridescens. * Fabr. S. El. I. p. 353. 29. * Ent. S. I. p. 261. 25. * Mant. I. p. 52. 18.
* Panz. Fn. G. LXXXIII. 7. * Ent. Germ. I. p. 128 23.
* Herbst Col. V. p. 240. 12. T. 54. f. 1. a. A.
* Oliv. Ent. II. 12. p. 18. 26. T. 4. f. 30. a. b.
* Thunb. Ins. Sv. V. p. 70.
* Linn. S. N. Gmel. I. IV. p. 1631. 21.
* Marsh. Ent. Br. I. p. 131. 5.
Nit. pedicularia, var. γ. * Payk. Fn. Sv. I. p. 353. 8.
Nit. Brassicæ. * Preysl. in Mayers Aufs. Böhm Naturg. III. p. 170. 3.
var. δ. * Gyllenh. Ins. Sv. I. I. p. 238. 28. var. d.
* Latr. Gen. Cr. & Ins. II. p. 13. 3. var. e.
Nit. rufipes. * Fabr. S. El. I. p. 355. 38. * Ent. S. I. p. 261. 29. * Mant. I. p. 52. 21. * Sp. Ins. I. p. 93. 16. * S. Ent. p. 78. 8.
* Oliv. Ent. II. 12. p. 21. 33. T. 5. f. 33. a. b
* Herbst Col. V. p. 251. 30.
* Linn. S. Nat. Gmel. I. IV. p. 1631. 24.
Derm. Brassicæ. * Scop. Ent. Carn. n. 45.
var. ε. * Latr. Gen. Cr. & Ins. I. p. 13. 3. var. g.
48. *Orbiculata.* * Gyllenh. Ins. Sv. I. I. p. 242. 32.
49. *Dubia.* * Gyllenh. Ins. Sv. I. I. p. 243. 33.
— (Fasciata.) * Fabr. S. El. I. p. 353. 26. — vid. *Strongyl. Litura*, var. γ. huj. Op.
— (Litura.) * Fabr. S. El. I. p. 353. 27. — vid. *Strongyl. Litura*, α. huj. Op.
— (*Viridescens.*) * Fabr. S. El. I. p. 353. 29. — vi *Nit. ænea, var.* γ. n. 47. huj. Op.
— (Quadrata.) * Fabr. S. El. I. p. 354. 33. — vid. *Ni bimaculata*, n. 58. huj. Op.
— (*Truncata.*) * Fabr. S. El. I. p. 354. 37. — vid. *Ca teret. pedicularius, var.* β. p. 150. n. 4. huj. Op
— (*Rufipes.*) * Fabr. S. El. I. p. 355. 38. — vid. *Ni ænea, var.* δ. n. 47. huj. Op.

50. Bimaculata. *Silpha bimaculata.* * Linn. S. Nat. I. II. p. 569. 3. * ed. Gmel. I. IV. p. 1616. 3.
51. Maculata. * Ross. Mant. I. p. 23. 54. * ed. Hellw. I. p. 360. 54.
52. Chrysomeloides. *i)* * Ross. Mant. I. p. 24. 57. * ed. Hellw. I. p. 361. 57.
53. Fasciata. * Oliv. Ent. II. 12. p. 7. 7. T. 2. f. 13.
54. Sanguinolenta. * Oliv. Ent. II. 12. p. 8. 8. T. 2. f. 14.
55. Dorsalis. * Oliv. Ent. II. 12. p. 21. 32. T. 4. f. 29. a. b.

B.) *Elytris dimidiatis.*

56. Dimidiata. * Fabr. S. El. I. p. 354. 36. * Ent. S. I. p. 261. 27.
* Herbst Col. V. p. 244. 18.
57. Hemiptera. * Fabr. S. El. I. p. 353. 30. * Ent. S. I. p. 261. 26.
* Herbst Col. V. p. 244. 17.
58. *Bimaculata.* * Gyllenh. Ins. Sv. I. I. p. 244. 34.
* Oliv. Ent. II. 12. p. 6. 5. T. 2. f. 11. a. b.
Nit. flexuosa. * Payk. Fn. Sv. I. p. 354. 9.
* Herbst Col. V. p. 246. 21. T. 34. f. 5. e. E.
* Panz. Ent. Germ. I. p. 129. 30.
* Marsh. Ent. Br. I. p. 133. 13.
Derm. hemipterus. * Linn. S. Nat. I. II. p. 565. 30. * ed. Gmel. I. IV. p. 1597. 30.
* DeGeer Ins. IV. p. 224. 3. T. 18. f. 8.
Nit. 4-guttata. * Thunb. Ins. Sv. V. p. 70.
Nit. quadrata. * Fabr. S. El. I. p. 354. 33.? — * Suppl. p. 74. 27—28.?
59. Sexpustulata. * Fabr. S. El. I. p. 352. 25. * Ent. S. I. p. 260. 21.
* Herbst Col. V. p. 250. 28.
* Panz. Ent. Germ. I. p. 127. 20.
var. β. *Lyct. abbreviatus.* * Panz. Ent. G. I. p. 241. 4. * Fn. G. XXIV. p. 21. * Kr. Rev. d. Ins. Fn. I. p. 134.
Silpha bimaculata. * Marsh. Ent. Br. I. p. 126. 36. ?.
60. Humeralis. * Fabr. S. El. I. p. 354. 31. * Suppl. 74. 26—27.
61. Rupta. * Fabr. S. El. I. p. 354. 32.
62. Cadaverina. * Fabr. S. El. I. p. 354. 34.

---

i) Vix hujus generis.

63. Microptera. * Fabr. S. El. I. p. 354. 35.

64. Sulcata. * Herbst Col. V. p. 247. 22. T. 5 f. 6. f. F.
* Panz. Ent. Germ. I. p. 129. 31.

N:o 97. CATERETES. Herbst.

1. *Gravidus.* * Illig. Kæf. Pr. I. p. 395. 1. * Mag. IV p. 205.
Derm. gravidus. * Payk. Fn. Sv. III. App. 448. 9—10.
Cater. pulicarius. * Gyllenh. Ins. Sv. I. I. p. 245.
Brachypt. scutellatus. * Kugel Schneid. Mag. p. 561.
Cercus pulicarius. * Latr. Gen. Cr. & Ins. p. 15. 1.
Nitid. pulicaria. * Oliv. Ent. II. 12. p. 20. 30. 3. f. 27. a. b. — Dict. Ins. *Anthribe*, n. 4.
Derm. lepturoides. * Scop. Carn. p. 17. 47.
Scaphidium auriciuum. * Herbst Col. V. p. 134. T. 49. f. 5. e.

2. *Urticæ.* *k*) * Illig. Kæf. Pr. I. p. 395. 2. β. * Ma IV. p. 205.
* Gyllenh. Ins. Sv. I. I. p. 247. 2.
Derm. Urticæ. * Fabr. S. El. I. p. 320. 44. * En S. I. p. 235. 45.
* Payk. Fn. Sv. I. p. 286. 12.
* Panz. Ent. Germ. I. p. 103. 37.
Cercus Urticæ. * Latr. Gen. Cr. & Ins. II. p. 16. 2
Brachypt. Urticæ. * Kugel. Schneid. Mag. p. 561. 2
Derm. pulicarius. * Linn. Fn. Sv. n. 435. * Syst Nat. I. II. p. 564. 24.
* Schrank En. Ins. p. 31. n. 54.
* Müll. Zool. D. Pr. p. 496.
Sphærid. pulicarium. * Fabr. S. El. I. p. 98. 3 * Ent. S. I. p. 83. 30. * Mant. I. p. 4 15. * Sp. Ins. I. p. 79. 12. * S. En p. 68. 9.
* Cederh. Fn. Ingr. n. 28.
Derm. hemipterus. * Panz. Naturf. XXIV. p. 1 14. T. 1. f. 14. b.

---

k) Difficile dictu, cujus ex duobus: *Cat. gravidi* l. *Urticæ*, revera e *Derm. pulicaris* & *Silpha pulicaria* Linn. Effatum vero illud: *M bitat copiose in floribus*, citata Ejus heic proferre ansam præbet. *gravidus* saltem apud nos perrarus.
Sphæridium pulicarium Fabr. idem quod Linn. descripsit, credimu Sola quoque verba Linn. adhibuit Fabr.

?

Silpha pulicaria. * Linn. S. Nat. I. II. p. 574. 33. * ed. Gmel. I. IV. p. 1624. 33.
* Marsh. Ent. Br. I. p. 128. 43.
Strongyl. abbreviatus. * Herbst Col. IV. p. 190. 10. T. 43. f. 10. k. K.
Scaphid. scutellatum. * Panz. Fn. Germ. IV. 11.
* Ent. Germ. I. p. 346. 3.
Anthrib. pulicarius. Fourcr. Ent. Par. I. p. 137. 4.
* Geoffr. Ins. I. p. 308. 4. *Anthribus.*
Acta Ups. 1736. p. 16. 7.
Ray Ins. p. 108. 29.
var. β. * Gyllenh. Ins. Sv. I. I. p. 247. 2. var. b.
var. γ. * Gyllenh. Ins. Sv. l. c. var. c.
* Illig. Kæf. Pr. I. p. 395. 2. var. α.
Staphyl. Quenzeli. * Payk. Mon. Staph. p. 72. 51.
Lipustulatus. * Gyllenh. Ins. Sv. I. I. p. 248. 3.
Derm. bipustulatus. * Fabr. S. El. I. p. 320. 46.
* Suppl. p. 72. 47.
* Payk. Fn. Sv. I. p. 286. 11.
Silpha histeroides. * Thunb. N. Acta Ups. IV. p. 8. 12.
* Linn. S. Nat. Gmel. I. IV. p. 1626. 77.
var. β. * Gyllenh. Ins. Sv. l. c. var. b.
Silpha punctulata. * Marsh. Ent. Br. I. p. 126. 35.
Nit. pusilla. * Thunb. Ins. Sv. V. p. 69.
Nit. tripunctata. * Illig. Kæf. Pr. I. p. 387. 13. ?.
Pedicularius. * Illig. Kæf. Pr. I. p. 396. 3. * Mag. IV. p. 205.
* Gyllenh. Ins. Sv. I. I. p. 249. 4.
* Herbst Col. V. p. 12. 1. T. 45. f. 1. a. A.
Derm. pedicularius. * Fabr. S. El. I. p. 319. 43.
* Ent. S. I. p. 235. 43.
* Linn. Fn. Sv. n. 434. * Syst. Nat. I. II. p. 564. 23. * ed. Gmel. I. IV. p. 1596. 23.
* Payk. Fn. Sv. I. p. 385. 10.
* Herbst Arch. p. 22. 13. T. 20. f. 6.
* Panz. Fn. G. VII. 5. * Ent. G. I. p. 102. 35.
* Schrank En. Ins. Austr. p. 32. 56.
* Müll. Zool. D. Pr. p. 56. 497.
Cercus pedicularius. * Latr. Gen. Cr. & Ins. II. p. 16. 4. — Hist. Nat. d. Cr. & d. Ins. X. p. 45. — Préc. d. caract. gén. d. Ins. p. 68.
Brachypt. pedicularius. * Kugel. Schneid. Mag. V. p. 561. 1.
Silpha unicolor. * Marsh. Ent. Br. I. p. 127. 37.
Silpha similis. * Marsh. Ent. Br. I. p. 127. 38.
var. β. * Gyllenh. Ins. Sv. I. I. p. 249. 4. var. b.
* Illig. Kæf. Pr. l. c. var. α.

Nit. truncata. * Fabr. S. El. I. p. 357. 24. * E
S. I. p. 261. 28.
* Herbst Col. V. p. 251. 29.
* Panz. Ent. Germ. I. p. 128. 24.

5. *Glaberrimus.* * Gyllenh. Ins. Sv. I. I. p. 250. 5.
Derm. glaberrimus. * Payk. Fn. Sv. I. p. 287.

6. *Brachypterus.* * Gyllenh. Ins. Sv. I. I. p. 251. 6.
Derm. brachypterus. * Fabr. S. El. I. p. 320.
* Ent. S. I. p. 235. 46.
* Payk. Fn. Sv. I. p. 288. 14.
* Panz. Fn. Germ. IV. 10. * Ent. G. I.
103. 38.
Proteinus brachypterus. * Latr. Gen. Cr. & Ins.
p. 298. 1. — Hist. Nat. d. Cr. & d. I
X. p. 46. — Préc. d. caract. gén. d. Ins. p.
Kateret. brachypterus. * Herbst Col. V. p. 13.
T. 45. f. 2. b. B.
var. β. * Gyllenh. Ins. Sv. I. I. p. 251. 6. var. b.

7. Rufilabris. *Cercus rufilabris.* * Latr. Gen. Cr.
Ins. II. p. 16. 3.

8. Spissicornis. *l) Stenus spissicornis.* * Fabr. S. El.
p. 603. 3.

9. Conicus. *l) Stenus conicus.* * Fabr. S. El. II. p. 603.

N:o 98. HETEROCERUS. Fabr. n. 74. *m)*

1. ***Marginatus.*** * Fabr. S. El. I. p. 355. 1. * Ent.
I. p. 262. 1. * Suppl. p. 75. 1.
* Gyllenh. Ins. Sv. I. I. p. 137. 1.
* Illig. Kæf. Pr. I. p. 397. 1.
* Latr. Gen. Cr. & Ins. II. p. 53. 1. — Hi
N. d. Cr. & d. Ins. XI. p. 232. T. 78. f.
* Payk. Fn. Sv. I. p. 357. 1.
* Marsh. Ent. Br. I. p. 400. 1.
* Schneid. Mag. p. 318. & p. 533.
Bosc. Acta Soc. Hist. Nat. Paris. I. Tab. fig
Heter. lævigatus. * Panz. Fn. G. XXIII. 12. * E
Germ. I. p. 130. 2.
Apate marginatus. * Fabr. Mant. I. p. 33. 8.
Derm. fenestratus. * Thunb. N. Acta Ups. I
p. 3. 2.
* Linn. S. Nat. Gmel. I. IV. p. 1599. 62.

---

l) Secundum Mus. Dom. *T. Lund.* Certe hujus generis.

m) Tarsi quadriarticulati. — Vid. Müll. Illig. Mag. IV. p. 211.

Derm. villosus. * Linn. S. Nat. Gmel. I. IV. p. 1600. 60.
var. β. * Gyllenh. Ins. Sv. I. I. p. 137. 1. var. b.
Heter. lævigatus. * Fabr. S. El. I. p. 356. 3.
Heter. marginatus. * Panz. Fn. G. XXIII. 11. * Ent. Germ. I. p. 130. 1.
var. γ. * Gyllenh. Ins. Sv. I. I. p. 138. 1. var. c.
Dubius. * Fabr. S. El. I. p. 356. 2. * Suppl. p. 75. 2.
(Lævigatus.) * Fabr. S. El. I. p. 356. 3. — vid. *Heter. marginatus, var.* β. huj. Op.
flavidus. n) *Scarab. flavidus.* * Ross. Mant. II. App. p. 79. 3.

No 99. COCCINELLA. Fabr. n. 75. o).

Marginata. * Fabr. S. El. I. p. 356. 1. * Ent. S. I. p. 266. 1. * Mant. I. p. 53. 1. * Sp. Ins. I. p. 93. 1. * S. Ent. p. 79. 1.
* Linn. S. Nat. I. II. p. 579. 1. * ed. Gmel. I. IV. p. 1644. 1.
* Herbst Col. V. p. 286. 29.
* Oliv. Ent. V. 98. T. 3. f. 24. a. b.
(Limbata.) * Fabr. S. El. I. p. 356. 2. — vid. *Coccin. mutabilis, var.* π. n. 59. huj. Operis.
bilineata. *Cocc. marginella.* * Fabr. S. El. I. p. 357. 3. * Ent. S. I. p. 266. 3. * Mant. I. p. 53. 3.
* Herbst Col. V. p. 286. 30.
* Linn. S. Nat. Gmel. I. IV. p. 1645. 6.
Diaphana. * Fabr. S. El. I. p. 357. 4. * Suppl. p. 76. 3—4.
* Illig. Mag. I. p. 397. 4.
Pubescens.) * Fabr. S. El. I. p. 357. 5. — vid. Famil. 2:a, n. 70. huj. Op.
Abietis.) * Fabr. S. El. I. p. 357. 6. — vid. Famil. 2:a, n. 72. huj. Op.
immaculata. * Fabr. S. El. I. p. 357. 7. * Ent. S. I. p. 267. 5.
* Herbst Col. V. p. 287. 31.
Unicolor. * Fabr. S. El. I. p. 357. 8. * Ent. S. I. p. 267. 6.
* Herbst Col. V. p. 287. 32.

---

n) Sc. *flavidus* Ross. ist ein *Heterocerus*. — Allg. Litteratur-Zeit. 1807. n. 68.
o) Latr. Gen. Cr. & Ins. III. p. 74. Gen. 341.

6. Coccinea. * Fabr. S. El. I. p. 357. 9.
7. *M nigrum.* * Illig. Kæf. Pr. I. p. 130. 17. var. α.
var. β. * Illig. Kæf. Pr. l. c. var. β.
Cocc. *M nigrum.* * Fabr. S. El. I. p. 357. 1
* Ent. S. I. p. 267. 6.
* Payk. Fn. Sv. II. p. 41. 42.
* Herbst Col. V. p. 314. 75. T. 57. f. 1.
* Panz. Ent. Germ. I. p. 133. 2.
var. γ. * Illig. Kæf. Pr. l. c. var. γ.
* Herbst Col. l. c. var. 1. 2. T. 57. f. 2. 3.
C. obsoleta. * Schneid. Mag. p. 147. 11.
var. δ. * Herbst Col. l. c. var. 3. T. 57. f. 4.
C. livida. * DeGeer Ins. V. p. 383. 18.
* Oliv. Ent. V. 98. T. 3. f. 33.
var. ε. *C. pallida.* * Thunb. N. Acta Ups. IV. p. 9. 1
T. 1 f. 1.
* Linn. S. Nat. Gmel. I. IV. p. 1660. 128.
var. ζ. *C. sexnotata.* * Thunb. N. Acta Ups. IV. p. 9
15. T. 1. f. 2.
* Linn. S. Nat. Gmel. I. IV. p. 1648. 69.
var. η. * Illig. Kæf. Pr. l. c. var. δ.
* Herbst Col. l. c. var. 4. T. 57. f. 5.
var. ϑ. * Illig. Kæf. Pr. l. c. var. ε.
* Herbst Col. l. c. var. 5. T. 57. f. 6.
var. ι. * Illig. Kæf. Pr. l. c. var. ζ.
* Herbst Col. l. c. var. 6. T. 57. f. 7.
8. Discolor. * Fabr. S. El. I. p. 358. 11. * Suppl
p. 77. 7–8.
C. fimbriata. * Goldf. Enum. Ins. p. 39. Tab. fig. 1
var. β. *C. fimbriata.* * Thunb. N. Ins. Sp. p. 11
Tab. f. 10.
* Herbst Col. V. p. 271. 10. T. 45. f. 10.
* Linn. S. Nat. Gmel. I. IV. p. 1645. 53.
9. Cincta. * Fabr. S. El. I. p. 358. 11. * Suppl.
77. 8–9.
10. Circumdata. Nov. Sp. *p*).

---

p) COCC. CIRCUMDATA: subrotunda, gibba rufo-testacea, nit
da, elytrorum margine toto late nigro, thoracis lateribus augustati
productis.

Habitat in India Orientali. *D. Kymell.*

Statura gibba omnino *C. renipustulata* Illig. sed paulo major; co
pus totum rufo-testaceum nitidum glabrum, subtilissime et obsoleti
punctulatum. Caput breve, latum, transversum, antice late emarg
natum; oculi depressi, nigricantes. Thorax lunatus, postice fere s
mi-circularis, lateribus valde angustatis, antrorsum productis, api

11. Sanguinea. * Fabr. S. El. I. p. 358. 12. * Ent. S. I. p. 267. 8. * Mant. I. p. 53. 5. * Sp. Ins. I. p. 93. 5. * S. Ent. p. 79. 3.
* Linn. S. Nat. I. II. p. 579. 3. * ed. Gmel. I. IV. p. 1645. 3. — Amoen. Acad. VI. p. 393. 11. * Cent. Ins. p. 10. 11.
* Herbst Col. V. p. 288. 33.

12. *Impunctata.* q) * Fabr. S. El. I. p. 358. 14. * Ent. S. I. p. 267. 9. * Mant. I. p. 53. 6. * Sp. Ins. I. p. 93. 4. * S. Ent. p. 79. 4.
* Linn. S. Nat. I. II. p. 579. 4. * ed. Gmel. I. IV. p. 1645. 4.
* Panz. Fn. G. XXXVI. 4. * Ent. Germ. I. p. 133. 3. & App. p. 368. 3.
* Müll. Zool. D. Pr. p. 65. 615.
* Schrank En. Ins. p. 50. 93.
* Marsh. Ent. Br. I. p. 148. 1.
Vill. Ent. I. p. 94. 1.
Mart. Engl. Ent. T. 13. f. 20.
C. aptera. * Payk. Fn. Sv. II. p. 11. 11.
C. immaculata. * Ross. Mant. II. p. 86. 84.? sed subtus flavo-rubra.
C. Punctum. * Herbst Arch. p. 161. 40. T. 43. f. 14. g. h. ?.
* Linn. S. Nat. Gmel. I. IV. p. 1658. 121. ?.

13. *Globosa.* * Illig. Kæf. Pr. I. p. 469. 39. var. α.
* Schneid. Mag. p. 150. 14. a.
C. impunctata. * Scriba Journ. p. 181. 137.
* Herbst Col. V. p. 358. 91. T. 58. f. 17.
* Ross. Fn. Etr. I. p. 60. 149. ?. * ed. Hellw. I. p. 64. 149.
* Marsh. Ent. Br. I. p. 148. 1. var. pedibus rubris. Oliv. Enc. VI. p. 49. 5.?
var. β. * Illig. Kæf. Pr. l. c. var. β.
* Schneid. Mag. p. 151. 14. var. b.
*C. impunctata.** Payk. Fn. Sv. II. p. 11. 12. α.

rotundatis, antice late et profunde emarginatus. Scutellum parvum angustum acuminatum. Elytra magna, valde convexa, gibba, antice pro receptione thoracis late & profunde emarginata, angulis rotundatis, rufo-testacea, margine laterali toto, ab angulo antico ad apicem late nigro nitido, tam supra quam infra. Corpus subtus et pedes pallidius testacei.

GYLLENH.

q) Qvum præter diagnosin Linneanam *C. impunctatæ* suæ nihil subjunxit Ill. Fabricius, utrumque Auctorem confidentius simul allegavi.

* Thunb. N. Acta Ups. V. p. 104. 28.
* DeGeer Ins. V. p. 369. 1.
* Herbst Col. V. p. 361. var. 5.

C. livida. * Herbst Arch. p. 42. 1. T. 22. f. 1. a-
* Linn. S. N. Gmel. I. IV. p. 1645. 51.

var. γ. * Illig. Kæf. Pr. l. c. var. γ.

var. δ. * Illig. Kæf. Pr. l. p. 476. 39. var. δ.
* Schneid. Mag. p. 151. 14. var. c.

C. impunctata. * Herbst Col. V. p. 359. 91. var.
1. T. 58. f. 18.

C. Colon. * Herbst Arch. p. 42. 2. T. 22. f. 2. b-
* Linn. S. Nat. Gmel. I. IV. p. 1645. 52.

var. ε. * Illig. Kæf. Pr. l. c. var. ε.

C. 4-notata. * Fabr. S. El. I. p. 363. 45. * Ent.
I. p. 273. 34. * Mant. I. p. 56. 29.
* Schneid. Mag. p. 378. 34.
* Illig. Mag. I. p. 398. 45.
* Herbst Col. V. p. 370. 98.
* Panz. Ent. Germ. I. p. 136. 13.
* Linn. S. Nat. Gmel. I. IV. p. 1647. 64.

var. ζ. * Illig. Kæf. Pr. l. c. var. ζ.

var. η. * Illig. Kæf. Pr. l. c. var. η.
* Schneid. Mag. p. 151. 14. var. d. e.
* Payk. Fn. Sv. I. p. 12. 12. var. β.

C. 25-punctata. * Linn. Fn. Sv. n. 488. * Syst.
Nat. I. II. p. 583. 29. * ed. Gmel. I. IV.
p. 1655. 29.

C. 24-punctata. * Fabr. S. El. I. p. 372. 90. * Ent.
S. I. p. 281. 72. * Mant. I. p. 59. 66. * Sp.
Ins. I. p. 101. 47. * S. Ent. p. 84. 33.
* Panz. Ent. G. I. p. 142. 37.
* Cederh. Fn. Ingr. n. 162.
* Herbst Arch. p. 45. 16. T. 22. f. 11.
* Bechst. & Scharf. Forstinsect. p. 902. 7.

C. impunctata. * Herbst Col. V. p. 360. var. a
& var. 6.

C. 23-punctata. * Fabr. S. El. I. p. 371. 89. * Ent.
S. I. p. 281. 71. * Mant. I. p. 59. 65. * Sp.
Ins. I. p. 101. 46. * S. Ent. p. 84. 32.
* Panz. Ent. Germ. I. p. 142. 36.
* Ross. Mant. I. p. 25. 61. * ed. Hellw. I.
p. 362. 61.

var. θ. Illig. Kæf. Pr. l. c. var. θ.
* Schneid. Mag. l. c. var. f.

C. 24-punctata. * Linn. Fn. Sv. n. 487. * Syst. Nat.
I. II. p. 583. 28. * ed. Gmel. I. IV. p.
1655. 28.
Oliv. Enc. VI. p. 68. 90.

* Ross. Fn. Etr. I. p. 65. 163. * ed. Hellw. I. p. 70. 163.
* Scriba Journ. p. 187. 146.
* DeGeer Ins. V. p. 381. 14.
* Müll. Zool. D. Pr. p. 67. 635.
* Schrank En. Ins. p. 59. 108.
* Marsh. Ent. Br. I. p. 159. 26.
* Geoffr. Ins. I. p. 526. 11.
C. 23-punctata. * Linn. S. Nat. I. II. p. 582. 27. * ed. Gmel. I. IV. p. 1655. 27.
* Müll. Zool. D. Pr. p. 67. 634.
Oliv. Enc. VI. p. 68. 89.
C. 22-punctata. * Fabr. S. El. I. p. 381. 87. * Ent. S. I. p. 281. 69.
* Panz. Ent. Germ. I. p. 141. 35.
* Petagn. Ins. Cal. p. 8. 36.
Oliv. Enc. VI. p. 67. 68.
C. 22-punctata obscura. * DeGeer Ins. V. p. 380. 13.
C. impunctata. * Herbst Col. V. p. 360. var. 3. T. 58. f. 19. & p. 362. var. 8.
var. ι. * Illig. Kæf. Pr. p. 470. var. ι.
C. 25-punctata. * Ross. Fn. Etr. I. p. 66. 164. * ed. Hellw. I. p. 70. 164.
C. impunctata. * Herbst Col. V. p. 361. var. 4.
var. κ. * Illig. Kæf. Pr. l. c. var. κ.
var. λ. * Illig. Kæf. Pr. l. c. var. λ.
* Schneid. Mag. p. 152. var. g.
C. impunctata. * Herbst Col. V. p. 362. var. 7. T. 58. f. 20.
C. hæmorrhoidalis, var. * Fabr. Ent. S. I. p. 287. 97. * Sp. Ins. p. 104. 59. * Gen. Ins. p. 218. 43—44.
var. μ. * Illig. Kæf. Pr. l. c. var. μ.
* Payk. Fn. Sv. II. p. 12. var. γ.
C. hæmorrhoidalis. * Fabr. S. El. I. p. 379. 125. * Ent. S. I. p. 287. 97. * Mant. I. p. 60. 82. * Sp. Ins. I. p. 104. 59. * Gen. Ins. Mant. p. 218. 43—44.
* Panz. Ent. Germ. I. p. 147. 56.
Oliv. Enc. VI. p. 74. 112.
* Linn. S. Nat. Gmel. I. IV. p. 1660. 130.
Minuta. * Thunb. N. Ins. Sp. p. 11.
* Linn. S. Nat. Gmel. I. IV. p. 1645. 54.
Dimidiata. * Fabr. S. El. I. p. 358. 15. * Ent. S. I. p. 268. 10. * Mant. I. p. 53. 7. * Sp. Ins. I. p. 94. 5.
* Herbst Col. V. p. 288. 34.
* Linn. S. Nat. Gmel. I. IV. p. 1645. 55.

16. *Marginepunctata.* * Fabr. S. El. I. p. 358. 1
* Ent. S. I. p. 268. 11. * Mant. I. p. 53. 8
* Illig. Kæf. Pr. I. p. 438. 26. α.
* Panz. Fn. G. LXXIX. 1. * Ent. Germ. I
p. 133. 5.
* Scriba Journ. I. p. 186. 144.
* Schall. Acta Hal. I. p. 260.
C. marginella. * Müll. Zool. D. Pr. p. 66. 619.
C. notata. Oliv. Enc. VI. p. 51. 14.
C. 4-punctata. * Pontopp. Nachricht. p. 203. 1
T. 29. — Dan. Atl. I. T. 29.
C. albida. * Linn. S. Nat. Gmel. I. IV. p. 1646. 5
C. 16-punctata. * Schneid. Mag. p. 156. 17. var. c.
* Herbst Col. V. p. 323. 78. var. c.
* Fallén Obs. Ent. p. 10. var. β.
* Leske Mus. p. 10. 184. var. † †.
var. β. * Illig. Kæf. Pr. I. p. 438. 26. β.
C. 16-punctata. * Fabr. S. El. I. p. 370. 81. * En
S. I. p. 280. 65. * Mant. I. p. 58. 59. * S
Ins. I. p. 100. 41.
* Herbst Col. V. p. 322. 78. T. 57. f. 10.
* Herbst Arch. p. 44. 16. T. 22. f. 6.
* Panz. Fn. Germ. LXXIX. 2. * Ent. Ger
I. p. 140. 31.
* Fallén Obs. Ent. p. 9. α.
* Schneid. Mag. p. 155. 17. α.
var. γ. Illig. Kæf. Pr. l. c. var. γ.
C. 16-punctata. * Herbst Col. V. p. 322. 7
var. 1.
* Schneid. Mag. p. 156. 17. var. b.

17. Striola. *C. Lineola.* * Fabr. S. El. I. p. 359. 17. * E
S. I. p. 268. 12. * Mant. I. p. 53. 9. *
Ins. I. p. 94. 6. * S. Ent. p. 79. 5.
* Herbst Col. V. p. 289. 35.
* Linn. S. Nat. Gmel. I. IV. p. 1646. 57.

18. Dorsimacula. * Fabr. S. El. I. p. 359. 18. * Su
p. 77. 13—14.

— (*Unifasciata.*) * Fabr. S. El. I. p. 359. 19. — vid.
dispar, *var.* o. n. 34. huj. Op.

— (*Annulata.*) * Fabr. S. El. I. p. 359. 20. — vid
dispar, *var.* x. n. 34. huj. Op.

19. Trilineata. * Fabr. S. El. I. p. 359. 21. * Ent. S
p. 268. 15. * Mant. I. p. 53. 12.
* Herbst Col. V. p. 289. 36.
* Linn. S. Nat. Gmel. I. IV. p. 1646. 60.
* Schall. Acta Hal. I. p. 262.
Chrysom. trimaculata. * Linn. S. Nat. I. II.
592. 45.

* Thunb. N. Acta Ups. V. p. 109. 39.
Cocc. Peruana. Catalog. Hamb. 67. 808.
var. β. capite flavo.
n. Pulex. Nov. Sp. r).
i. Connectens. Nov. Sp. s).
k. Spheroïdea. * DeGeer Ins. VII. p. 665. 72. T. 28. f. 25.
l. Vittata. * Fabr. S. El. I. p. 359. 22. * Ent. Syst. I. 1.
p. 269. 16.
* Herbst Col. V. p. 290. 37.
m. Saturalis. * Fabr. S. El. I. p. 359. 23. * Ent. Syst.
p. 78. 16—17.
n. Lineata. t) * Thunb. N. Ins. Sp. p. 22. Tab. I. f. 3.
* Linn. S. Nat. Gmel. I. IV. p. 1461. 34.
C. limbata. * Fabr. S. El. I. p. 359. 24.
C. striata. * Goldf. Enum. Ins. p. 90. Tab. [illegible]
* Herbst Col. V. p. 273. 23. T. 52. f. 4.
o. Striata. * Fabr. S. El. I. p. 360. 25. * Ent. Syst. I. 1.
p. 269. 17.
p. Crux. * Thunb. N. Ins. Sp. p. 22. Tab. I. f. 4.
* Herbst Col. V. p. 284. 27. T. 52. f. 11.
* Linn. S. N. Gmel. I. IV. p. 1467. 56.
q. Comma. * Thunb. N. Ins. Sp. p. 22. Tab. I. f. 5.
* Herbst Col. V. p. 285. 28. T. 52. f. 12.
* Linn. S. Nat. Gmel. I. IV. p. 1467. 57.

---

n) Cocc. PULEX: nigra, capite [illegible]
ma flavis.
Habitat extra Europ. E Mus. Thunb.
Inter minimas, magnitudine Coc. pygmaeae.
Caput totum flavum, ocellis nigris. Thorax
marginatus, totus flavus, lineis octo
gines non attingentes. Elytra ant.
tera suturam flavis. Pectus, femora
coram flava. Abdomen et alter nigra.

o) Cocc. CONNECTENS:
connexa.
Habitat in
Inter
ater, lateribus
maculis
ori connexa.
pone flava.
var. β. capite flavo.

t) Forte var. C.

* Thunb. N. Acta Ups. V. p. 109. 39.
Cocc. Peruana. Catalog. Hamb. 67. 808.
var. β. capite flavo.

20. Pulex. Nov. Sp. r).

21. Connectens. Nov. Sp. s).

22. Spheroïdea. * DeGeer Ins. VII. p. 665. 72. T. 48. f. 25.

23. Vittata. * Fabr. S. El. I. p. 359. 22. * Ent. S. I. p. 269. 16.
* Herbst Col. V. p. 290. 37.

24. Suturalis. * Fabr. S. El. I. p. 359. 23. * Suppl. p. 78. 16—17.

25. Lineata. t) * Thunb. N. Ins. Sp. p. 21. Tab. f. 31.
* Linn. S. Nat. Gmel. I. IV. p. 1657. 115.
C. limbata. * Fabr. S. El. I. p. 359. 24.
C. striata. * Goldf. Enum. Ins. p. 40. Tab. fig. 2.
* Herbst Col. V. p. 273. 13. T. 55. f. 13.

26. Striata. * Fabr. S. El. I. p. 360. 25. * Ent. S. I. p. 269. 17.

27. Crux. * Thunb. N. Ins. Sp. p. 20. Tab. f. 29.
* Herbst Col. V. p. 284. 27. T. 56. f. 11.
* Linn. S. N. Gmel. I. IV. p. 1657. 113.

28. Comma. * Thunb. N. Ins. Sp. p. 20. Tab. f. 30.
* Herbst Col. V. p. 285. 28. T. 56. f. 12.
* Linn. S. Nat. Gmel. I. IV. p. 1657. 114.

---

r) COCC. PULEX: nigra, capite thorace elytrorumque margini-bus flavis.

Habitat extra Europ. E Mus. *Thunb.*

Inter minimas, magnitudine *Cocc. parvulæ*, ovata, glabra, nitens. Caput totum flavum, oculis nigris. Thorax transversus, convexus, marginatus, totus flavus, fascia intra marginem anticum fusca, margines non attingente. Elytra atra, lævia, margine extimo lineaque intra suturam flavis. Pectus, femora antica et basis femorum posticorum flava. Abdomen et tibiæ nigræ.

THUNB.

s) COCC. CONNECTENS: atra, guttis flavis elytri singuli duabus connexis.

Habitat in insula St. Eustachii. *D. Forsström.*

Inter minimas tota nitida. Caput atrum, antice flavum. Thorax ater, lateribus late flavis. Elytra convexa atra: singulum in medio macula subquadrata et in apice alia flava, lineola concolori cum priori connexa. Pedes flavi, femoribus basi fuscis. Abdominis latera postice flava. Tab. 4. fig. 3. b. magnit. nat. — a. aucta.

var. β. capite flavo.

THUNB.

t) Forte var. *C. discolor*, n. 8. teste *D. Gyllenh.*

29. Hamata. Nov. Sp. *u*).
30. Albo-lineata. Nov. Sp. *v*).
31. Oblongopunctata. *x*) * Fabr. S. El. 360. 26. * Ent. S. I. p. 269. 18. * Ma p. 54. 13.
* Herbst Col. V. p. 291. 38.
C. Moscovica. * Linn. S. Nat. Gmel. I. I 1646. 62.
32. Abbreviata. * Fabr. S. El. I. p. 360. 27. * E I. p. 269. 19. * Mant. I. p. 54. 14.
* Linn. S. Nat. Gmel. I. IV. p. 1646. 63.
C. glacialis. * Herbst Col. V. p. 265. 4. T. 5
C. remota. * Web. Obs. Ent. p. 49. 2.
var. β. *C. glacialis.* * Fabr. S. El. I. p. 364 * Ent. S. I. p. 274. 38. * Mant. I. 34. * Sp. Ins. I. p. 96. 19. * S. Ent. p. 8
* Linn. S. Nat. Gmel. I. IV. p. 1648. 67.
* Oliv. Ent. V. 98. T. 3. f. 26. forte.
— (*Sexlineata.*) * Fabr. S. El. I. p. 360. 28. — v *ocellata*, var. ♀. n. 88. huj. Op.

---

u) COCC. HAMATA: flava, thorace punctis duobus, elytris nibus lineaque nigris.
Habitat extra Europ. E Mus. *Thunb.* & *Schönh.*
Tota flava, magnitudine *Cocc. 5-punctatæ.* Caput flavum, p nigrum. Thorax basi ad latera macula utrinque arcuata, in puncta duo nigra. Elytra margine externe et sutura atra; in linea atra, nec basin nec apicem attingens, basi hamata. Alæ Tab. 4. fig. b. magnit. natur. — a, aucta.

THUNB.

v) COCC. ALBO-LINEATA: subrotunda rufo-testacea nitida tro singulo lineis quatuor pallidis, tertia utrinque dilatata.
Habitat in India Orientali, China. *D. Gröndal, Kymell.*
Statura et magnitudo omnino *C. striatæ* Fabr.; corpus totum testaceum glabrum nitidum, superficie subtilissime obsoletius p lata. Caput parvum, antice truncatum, lobo reflexo ante sin oculum. Thorax sub-lunatus, postice rotundatus, antice late ginatus, angulis rotundatis, parum productis. Scutellum breve triangulare. Elytra magna rotundata convexa, rufo-testacea; i gulo lineæ quatuor longitudinales pallidæ seu albicantes, q duæ interiores longe intra apicem confluunt et conjunctæ cu tia connectuntur; tertia obliqua, ab humero ad apicem sutur ta, pone humerum et intra apicem dilatata, punctum rufo-test includens; quarta juxta marginem, arcuata, posterius abbr Corpus subtus pallidius testaceum, abdominis medio interdum scato. Pedes pallide testacei.

GYLLENH.

x) Wahrscheinlich Abänderung von *C. ocellata*, teste *D. Illig.*

Hyperborea. γ) * Payk. Fn. Sv. II. p. 38. 38.
Bipunctata.) * Fabr. S. El. I. p. 360. 29. — vid. C. *dispar, var.* τ. n. 34. hūj. Op.
Dispar. * Illig. Kæf. Pr. I. p. 455. 33.
* Schneid. Mag. p. 173. 32.
* Payk. Fn. Sv. II. p. 17. 18. var. α—θ.
C. bipunctata. * Herbst Col. V. p. 337. 85. var. 1—10.
var. α. * Illig. Kæf. Pr. l. c. var. α.
var. β. * Illig. Kæf. Pr. l. c. var. β.
var. γ. * Illig. Kæf. Pr. l. c. var. γ.
* Schneid. Mag. p. 176. var. i.
* Payk. Fn. Sv. II. p. 19. var. θ.
C. bipunctata. * Herbst Col. V. p. 344. var. 10. T. 58. f. 9.
C. 4-pustulata. * Fabr. S. El. I. p. 381. 135. * Ent. S. I. p. 288. 103. * Mant. I. p. 61. 87. * Sp. Ins. I. p. 104. 63. * S. Ent. p. 86. 46.
* Panz. Ent. Germ. I. p. 150. 67.
* Schneid. Mag. p. 382. 103.
* Scop. Ent. Carn. p. 78. 244.
* Bechst. & Scharf. Forstinsect. III. p. 905. 11.
* Schall. Acta Hal. I. 269. 6. var. 2.
* Marsh. Ent. Br. I. p. 164. 38.
C. cincta. * Müll. Zool. D. Pr. p. 68. 647.
C. sexpustulata. * Schrank En. Ins. p. 66. 119. var. γ. δ.
* Schrank Fuessl. n. Mag. II. p. 148. var. ε.
* DeGeer Ins. V. p. 390. 25. var.
* Geoffr. Ins. I. p. 331. var. α.
var. δ. * Illig. Kæf. Pr. l. c. var. δ.
* Schneid. Mag. p. 175. var. e.

---

*) Cocc. HYPERBOREA, *var.* α: elytris rubris, fasciis duabus transversis nigris, altera in medio, altera apici propriore, (quarum margines, ut etiam margo lateralis & suturalis obsolete flavescent.) *Payk.*
var. β eadem, sed fascia postica divisa in duobus punctis.
var. γ. fascia media lata, postice puncto unico versus suturam.
var. δ. fascia media extrorsum interrupta, postice indivisa.
C. frigida. * Schneid. Mag. p. 172. 29.
var. ε. eadem, sed fascia postica divisa in duobus punctis.
var. ζ. fascia media e punctis tribus et intra apicem duobus transversis.
C. arctica. * Thunb. Ins. Sv. p. 108.
var. η. elytris punctis duobus coalitis transversim in medio versus suturam positis, et punctis duobus ad apicem.
var. θ. elytris punctis duobus mediis versus suturam positis.
Omnes varietates Lapponiæ indigenæ.

C. sexpustulata. * Thunb. N. Acta Ups. V. 106. 33.
* DeGeer Ins. V. p. 390. 25.
* Scop. Ent. Carn. n. 245.
var. ε. * Illig. Kæf. Pr. l. c. var. ε.
var. ζ. Illig. Kæf. Pr. l. c. var. ζ.
* Schneid. Mag. l. c. var. g.
* Payk. Fn. Sv. l. c. var. η.
C. bipunctata. * Herbst Col. V. p. 343. var. 9 T. 58. f. 8.
C. sexpustulata. * Fabr. S. El. I. p. 383. 142. * Ent S. I. p. 289. 107. * Mant. I. p. 61. 89 * Sp. Ins. I. p. 105. 64. * S. Ent. p. 86. 47
* Linn. Fn. Sv. n. 500. * Syst. Nat. I. II. p 585. 44. * ed. Gmel. I. IV. p. 1663. 4
* Ross. Fn. Etr. I. p. 69. 172. & II. App. p 341. * ed. Hellw. I. p. 74. 172. & App p. 452.
* Panz. Ent. Germ. I. p. 151. 72.
* Herbst Arch. p. 49. 32.
* Scriba Journ. p. 279. 164.
* Laich. Tyr. Ins. I. I. p. 137. 17.
* Roem. Ins. T. 3. f. 6.
* Schrank En. Ins. p. 65. 119. α. β.
* Schrank Fuessl. n. Mag. II. p. 148. var. γ. δ
* Brahm Ins. Kal. I. p. 137. 186. & p. 234. 794
* Marsh. Ent. Br. I. p. 165. 39.
C. 4-pustulata, var. 2. * Bechst. & Scharf. Forstins III. p. 906.
C. 8-guttata. * Sulz. Gesch. d. Ins. T. 3. f. 6.
* Geoffr. Ins. I. p. 331. 20.
* Oliv. Ent. V. 98. T. 4. f. 47. a. b.
* Schæff. Icon. T. 30. f. 12.
Harrer Beschr. n. 173. ed. 2:a n. 83.
Ray Ins. p. 87. 4.
Donov. Brit. Ins. T. 39. f. 3.
Mart. Eng. Ent. T. 13. f. 22.
var. η. * Illig. Kæf. Pr. l. c. p. 456. var. η. * Mag. p. 92. 33.
* Schneid. Mag. l. c. var. f.
* Payk. Fn. Sv. l. c. p. 19. var. ε.
C. bipunctata, var. 8. * Herbst Col. V. p. 34 T. 58. f. 7.
C. pantherina. * Fabr. S. El. I. p. 385. 155. * E S. I. p. 291. 114. * Mant. I. p. 61.
* Sp. Ins. I. p. 106. 71. * S. Ent. p. 87.
* Linn. Fn. Sv. n. 504. * S. Nat. I. II. p. 5 48. * ed. Gmel. I. IV. p. 1664. 48.
* Ro

* Ross. Fn. Etr. I. p. 70. 176.? * ed. Hellw. I. p. 76. 176.?.
* Panz. Ent. Germ. I. p. 152. 76.
* Müll. Zool. D. Pr. p. 68. 650.
C. 7-pustulata. * Marsh. Ent. Br. I. p. 165. 40.
C. 8-pustulata. * Bergst. Nom. T. 9. f. 1.
C. sexpustulata, var. * Scriba Beytr. I. p. 108. 29. T. 8. f. (16.) 13.
C. tripustulata. * Linn. S. Nat. Gmel. I. IV. p. 1662. 157.
* Leske Mus. p. 12. 215.
* Schæff. Icon. T. 30. f. 15.
Harrer Beschr. n. 171. ed. 2:a, p. 193. 92.
var. ϑ. * Illig. Kæf. Pr. I. p. 456. var. ϑ.
C. bipunctata. * Herbst Col. V. p. 348. var. 7. T. 58. f. 6.
C. 4-maculata. * Scop. Ent. Carn. n. 250.
C. cincta. Harrer Beschr. ed. 2:a, p. 92. 20.
* Schæff. Icon. T. 30. f. 14.
var. ι. * Schneid. Mag. p. 175. var. b.
var. κ. * Illig. Kæf. Pr. l. c. var. ι.
* Schneid. Mag. p. 174. var. d.
* Payk. Fn. Sv. II. p. 19. var. ζ.
C. bipunctata. * Herbst Col. V. p. 340. var. 5. & p. 341. var. 6. T. 58. f. 5.
C. annulata. * Fabr. S. El. I. p. 359. 20. * Ent. S. I. p. 268. 14. * Mant. I. p. 53. 11. * Sp. Ins. I. p. 94. 8.
* Linn. S. Nat. I. II. p. 579. 5. * ed. Gmel. I. IV. p. 1646. 5.
* Panz. Ent. Germ. I. p. 134. 7.
* Marsh. Ent. Br. I. p. 149. 2.
Oliv. Enc. Meth. VI. p. 51. 17.
* Oliv. Ent. V. 98. T. 2. f. 19. a. b.
var. λ. * Illig. Kæf. Pr. l. c. var. κ.
* Payk. Fn. Sv. l. c. var. δ.?
var. μ. * Illig. Kæf. Pr. l. c. var. λ.
C. hastata. Oliv. Enc. VI. p. 77. 123.
var. ν. Illig. Kæf. Pr. l. c. var. μ.
var. ξ. * Illig. Kæf. Pr. l. c. var. ν.
var. ο. * Illig. Kæf. Pr. l. c. var. ξ.
* Schneid. Mag. p. 174. var. c.
* Payk. Fn. Sv. II. p. 18. var. γ.
C. bipunctata. * Herbst Col. V. p. 340. var. 4. T. 58. f. 4.
C. unifascia. * Fabr. S. El. I. p. 359. 19. * Ent. S. I. p. 268. 13. * Mant. I. p. 53. 10. * Sp.

Ins. I. p. 94. 7. * Gen. Ins. M
216. 5—6.
* Panz. Ent. Germ. I. p. 134. 6.
Oliv. Enc. Meth. VI. p. 51. 16.
* Linn. S. Nat. Gmel. I. IV. p. 1646.
* Marsh. Ent. Br. I. p. 149. 3.
var. π. * Illig. Kæf. Pr. p. 457. var. o.
* Payk. Fn. Sv. p. 18. var. β.
C. bipunctata. * Herbst Col. V. p. 339. var
var. ρ. * Illig. Kæf. Pr. l. c. var. π.
* Schneid. Mag. p. 174. var. b.
C. bipunctata. * Herbst Col. V. p. 339.
T. 58. f. 3.
C. perforata. * Marsh. Ent. Br. I. p. 151.
specimen monstrosum.
var. σ. *C. bipunctata.* * Herbst Col. V. p. 339.
T. 58. f. 2.
var. τ. * Illig. Kæf. Pr. l. c. var. ρ.
* Schneid. Mag. p. 174. α.
* Payk. Fn. Sv. II. p. 17. 18. var. α.
C. bipunctata. * Fabr. S. El. I. p. 360. 29.
S. I. p. 270. 21. * Mant. I. p. 54. 1
Ins. I. p. 94. 10. * S. Ent. p. 79. 6
* Linn. Fn. Sv. n. 471. * Syst. Nat. I
580. 7. * ed. Gmel. I. IV. p. 164
* Herbst Col. V. p. 337. 85. T. 58. f.
* DeGeer Ins. V. p. 369. 2.
* Panz. Ent. Germ. I. p. 134. 9.
* Ross. Fn. Etr. I. p. 60. 150. * ed.
I. p. 64. 150.
Oliv. Enc. Meth. VI. p. 52. 53.
* Oliv. Ent. V. 98. T. 1. f. 2. a. b.
* Cederh. Fn. Ingr. n. 151.
* Petagn. Ins. Cal. p. 8. 33.
* Fisch. Naturg. v. Livl. p. 132. 259.
* Scop. Ent. Carn. p. 75. 234.
* Laich. Tyr. Ins. I. I. p. 114. 1.
* Schrank En. Ins. p. 51. n. 94. — Fn
I. p. 455. 464.
* Marsh. Ent. Br. I. p. 150. 5.
* Bechst. & Scharfenb. Forstins. III. p.
* Goeze Eur. Fn. VIII. p. 321. 1.
* Brahm Ins. Kal. I. p. 3. 8. & p. 216
* Müll. Zool. D. Pr. p. 65. 617.
* Preysl. in Mayers Aufs. Böhm. Natur
p. 186. 23.
* Geoffr. Ins. I. p. 320. 1.
* Roem. Gen. Ins. T. 3. f. 3.

* Sulz. Gesch. d. Ins. T. 3. f. 3.
* Schæff. Icon. T. 9. f. 9.
Harrer Beschr. n. 154. ed. 2da n. 73.
* Frisch Ins. IX. p. 33. 16. T. 16. f. 4.
Borowsk. Naturg. VI. p. 84. 1. T. 10. f. 1.
Bechst. Naturg. I. II. p. 837. 2.
Müll. Linn. Nat. Syst. V. I. p. 148. 7.
Petiv. Gaz. p. 34. T. 21. f. 4.
Ray Ins. p. 80. 2.
Merian. Europ. III. p. 58. T. 35. fig. infima.
Reaum. Ins. III. T. 31. f. 16.
Bradl. Nat. T. 27. f. 4.
List. loqu. p. 383. 8.
Acta Nidr. IV. 6.

Humeralis.

var. α. *C. variabilis.* * Illig. Kæf. Pr. I. p. 449. var. αα.
C. bipustulata. * Herbst Arch. p. 48. 27. T. 22. f. 22. w.
C. marginata. * Thunb. N. Acta Ups. IV. p. 10. 17.
C. Thunbergii. * Linn. S. Nat. Gmel. I. IV. p. 1666. 153.
C. marginella. * Thunb. Ins. Sv. p. 110.
var. β. *C. variabilis.* * Illig. Kæf. Pr. l. c. var. ββ.
* Fabr. S. El. I. p. 380. 130. * Ent. S. I. p. 287. 101. * Mant. I. p. 60. 85.? * Sp. Ins. I. p. 104. 62.? * Gen. Ins. Mant. p. 218. 45—46.
* Panz. Ent. Germ. I. p. 148. 60.
* Rossi. Fn. Etr. I. p. 69. 174. * ed. Hellw. I. p. 75. 174.
* Thunb. Ins. Sv. p. 116.
Oliv. Enc. VI. p. 75. 115.
C. unifasciata. * Scriba Beytr. II. p. 107. 28. T. 8. f. 14.
* Schneid. Mag. p. 179. 36. var. a.
C. bipunctata. * Herbst Col. V. p. 345. var. 11. T. 58. f. 10.
C. dispar. * Payk. Fn. Sv. II. p. 19. var. ι.
C. austriaca. * Schrank En. Ins. p. 63. 116.
Schrank Beytr. p. 62.
C. sexpustulata. * Schrank Füessl. n. Mag. II. p. 148. var. α.
C. lunigera. * Brahm Ins. Kal. I. p. 119. 414.
C. lunaris. * Marsh. Ent. Br. I. p. 168. 50.
C. mutabilis. * Linn. S. Nat. Gmel. I. IV. p. 1661. 132.?
C. limbata. * Linn. S. Nat. Gmel. I. IV. p. 1662. 159.
C. bimaculata. * Pontopp. Nachricht. p. 203. 20. T. 16.
* Leske Mus. p. 12. 219.

var. γ. *C. variabilis.* * Illig. Käf. Pr. p. 450. var. γγ.
var. δ. *C. variabilis.* * Illig. Käf. Pr. l. c. var. δδ.
C. austriaca, var. β. * Schrank Enum. p. 64. 110. β.
C. sexpustulata, var. β. * Schrank Füessl. n. Mag. II. p. 148. β.
var. ε. *C. variabilis.* * Illig. Käf. Pr. l. c. var. εε.
C. biguttata. * Fabr. S. El. I. p. 374. 100. * Ent. S. I. p. 284. 80. * Mant. I. p. 59. 72.
* Herbst Col. V. p. 381. 112. T. 59. f. 8.
* Panz. Ent. Germ. I. p. 143. 40.
* Linn. S. Nat. Gmel. I. IV. p. 1658. 123.
C. bimaculosa. * Herbst Arch. p. 160. 39. T. 43. f. 13. e. f.
* Linn. S. Nat. Gmel. I. IV. p. 1658. 122.
C. unifasciata. * Schneid. Mag. I. p. 181. 36. var. b.
C. dispar. * Payk. Fn. Sv. II. p. 20. 18. var. x.
* Oliv. Ent. V. 98. T. 2. f. 9. a. b.

36. *Variabilis.* * Illig. Käf. Pr. I. p. 447. 32.
* Bechst. & Scharfenb. Forstinsect. III. p. 899. 3.
var. α. Illig. Käf. Pr. l. c. var. α.
* Schneid. Mag. p. 167. 24. var. h.
* Payk. Fn. Sv. II. p. 31. 33. var. α.
C. 10-punctata. * Herbst Col. V. p. 351. var. 7.
C. immaculata. Oliv. Enc. VI. p. 50. 8.
* Linn. S. Nat. Gmel. I. IV. p. 1644. 155.
C. detrita. * Ross. Fn. Etr. I. p. 67. 107. ? * ed. Hellw. I. p. 71. 167. ?
* Leske Mus. p. 11. 211.
var. β. * Illig. Käf. Pr. l. c. var. β.
* Schneid. Mag. p. 176. var. i.
* Scriba Beytr. I. p. 100. var. 1.
C. 10-punctata. * Herbst Col. V. p. 351. var. 5.
C. subpunctata. * Schrank En. Ins. p. 51. 95.
* Füessl. n. Mag. II. p. 143. 95. & p. 144. α
Oliv. Enc. VI. p. 56. 42.
C. margine-punctata. * Marsh. Ent. Br. I. p. 150. 4.
var. γ. * Illig. Käf. Pr. l. c. var. γ.
* Schneid. Mag. p. 167. var. g.
C. 10-punctata. * Herbst Col. V. p. 351. var. 6.
var. δ. * Illig. Käf. Pr. l. c. var. δ.
* Schneid. Mag. p. 166. var. e.
* Payk. Fn. Sv. II. p. 32. 33. var. β.
* Scriba Beytr. I. p. 100. var. 2.
C. 10-punctata. * Herbst Col. V. p. 350. var. 4.
C. 4-punctata. * Linn. Syst. Nat. I. II. p. 580. 9. * ed. Gmel. I. IV. p. 1647. 9.
* Fabr. Mant. I. p. 56. 28. * Sp. Ins I. p. 95. 16. * S. Ent. p. 80. 10.

* Marsh. Ent. Br. I. p. 151. 7.
Oliv. Enc. VI. p. 56. 39.
Vill. Ent. I. p. 96. 6.
C. *subpunctata*. * Schrank Füessl. n. Mag. II. p. 144. var. β.
var. ε. * Illig. Kæf. Pr. p. 447. var. ε.
* Schneid. Mag. p. 166. var. c.
* Payk. Fn. Sv. I. p. 32. var. γ.
C. 10-*punctata*. * Herbst Col. V. p. 349. var. 2.
C. *sexpunctata*. * Müll. Zool. D. Pr. p. 622.
* Thunb. N. Acta Ups. IV. p. 10. not. T. 1. f. 3.
C. *obliterata*. * DeGeer Ins. V. p. 382. 16.
C. *subpunctata*, *var.* γ. * Schrank Füessl. n. Mag. II. p. 144. var. γ.
C. 8-*punctata*, *var.* β. * Laich. Tyr. Ins. I. I. p. 119. 4.
* Uddm. Diss. p. 11, 16. Tab. 1. f. 6.
var. ζ. * Illig. Kæf. Pr. l. c. var. ζ.
var. η. * Illig. Kæf. Pr. l. c. var. η.
* Schneid. Mag. l. c. var. d.
* Payk. Fn. Sv. l. c. var. γ. var.
* Scriba Beytr. I. p. 100. var. 3.
C. 10-*punctata*. * Herbst Col. V. p. 350. var. 3.
C. *sexpunctata*. *Linn. S. Nat. I. II. p. 580. 12.
* Marsh. Ent. Br. I. p. 152. 9.
Vill. Ent. I. p. 97. 9.
C. *sexmaculata*. * Thunb. Ins. Sv. p. 106. ?
Mart. Engl. Ent. T. 13. f. 15.
var. θ. * Illig. Kæf. Pr. l. c. var. θ.
* Schneid. Mag. l. c. var. b.
* Payk. Fn. Sv. l. c. var. δ.
* Scriba Beytr. I. p. 101. var. 4.
C. 10-*punctata*. * Herbst Col. V. p. 349. var. 1.
C. 8-*punctata*. * Fabr. S. El. I. p. 365. 55. * Ent. S. I. p. 275. 44. * Mant. I. p. 57. 38. * Sp. Ins. I. p. 97. 23. * Ent. S. p. 81. 14.
Oliv. Enc. VI. p. 59. 52.
* Panz. Ent. Germ. I. p. 138. 21.
* Linn. S. Nat. Gmel. I. IV. p. 1650. 79.
* Marsh. Ent. Br. I. p. 153. 13.
* Laich. Tyr. Ins. I. II. p. 118. 4. α.
* Preysl. in May. Aufs. Böhm. Naturg. III. p. 187. 24.
Ray. Ins. p. 87. 7.
Mart. Engl. Ent T. 13. f. 19.
ε. * Illig. Kæf. Pr. l. c. var. ι.
* Scriba Beytr. l. c. var. 5.
* Geoffr. Ins. I. p. 324. 8.

C. subpunctata, var. δ. * Schrank Fuessl. n. M
II. p. 144. δ.
var. κ. * Illig. Kæf. Pr. p. 448. var. κ.
* Scriba Beytr. I. p. 101. var. 7. T. 8. f. 9.
C. 11-punctata. * Leske Mus. p. 11. 194.
C. 11-notata. * Marsh. Ent. Br. I. p. 155. 17.
C. subpunctata, var. ε. 1. * Schrank Fuessl. n. M
II. p. 145. var. ε. 1.
var. λ. * Illig. Kæf. Pr. l. c. var. λ.
* Schneid. Mag. p. 166. var. a.
* Payk. Fn. Sv. II. p. 33. var. ε.
* Scriba Beytr. I. p. 99. 23. & p. 101. var.
T. 8. f. 10.
C. variabilis. * Herbst Arch. p. 42. 6. T. 22. f. 3.
* Linn. S. Nat. Gmel. I. IV. p. 1658. 117.
C. 10-punctata. * Fabr. S. El. I. p. 366. 62. * En
S. I. p. 276. 49. * Mant. I. p. 57. 4
* Sp. Ins. I. p. 98. 28. * S. Ent. p. 82. 1
* Linn. Fn. Sv. n. 479. * S. Nat. I. II. p. 58
17. * ed. Gmel. I. IV. p. 1651. 17.
* Herbst Col. V. p. 347. 87. T. 58. f. 12.
Oliv. Enc. VI. p. 60. 57.
* Cederh. Fn. Ingr. n. 158.
* Fisch. Naturg. v. Livl. p. 133. 262.
* Panz. Ent. Germ. I. p. 138 23.
* Marsh. Ent. Br. I. p. 154. 15.
* DeGeer Ins. V. p. 374. 7.
* Müll. Zool. D. Pr. p. 66. 626.
* Leske Mus. p. 11. 195.
var. μ. * Illig. Kæf. Pr. l. c. var. μ.
C. 12-punctata. * Müll. Zool. D. Pr. p. 66. 628.
* Leske Mus. p. 10. 192.
var. ν. * Illig. Kæf. Pr. l. c. var. ν.
* Schneid. Mag. p. 167. var. k.
* Payk. Fn. Sv. l. c. var. ζ.
* Scriba Beytr. I. p. 101. var. 8.
C. 10-punctata. * Herbst Col. V. p. 351. var. 9.
C. 13-maculata. * Fabr. S. El. I. p. 369. 74. * En
S. I. p. 279. 60. * Mant. I. p. 58. 53. * S
Ins. I. p. 99. 37. * S. Ent. p. 83. 24.
Oliv. Enc. VI. p. 64. 74.
* Panz. Ent. Germ. I. p. 139. 26.
* Ross. Fn. Etr. I. p. 66. 165. * ed. Hel
I. p. 71. 165.
* Linn. S. Nat. Gmel. I. IV. p. 1652. 90.
* Forst. Cent. I. p. 18. 18.
* Marsh. Ent. Br. I. p. 157. 20.

C. 14-*punctata*. * Müll. Zool. D. Pr. p. 67. 631.
C. *subpunctata*, *var.* ζ. * Schrank Fuessl. n. Mag. II. p. 145. ζ.
C. 13-*notata*. * Thunb. N. Acta Ups. IV. p. 10. 16. T. 1. f. 4. a. b.
* Herbst Col. V. p. 363. 92. T. 58. f. 21.
* Linn. S. Nat. Gmel. I. IV. p. 1653. 91.
* Leske Mus. p. 10. 192. var. 5.
Mart. Eng. Ent. T. 13. f. 18.
var. ξ. Illig Kæf. Pr. p. 448. var. ξ.
* Payk. Fn. Sv. p. 33. var. η.
var. ο. * Illig. Kæf. Pr. l. c. var. ο.
var. π. * Illig. Kæf. Pr. l. c. var. π.
* Schneid. Mag. p. 167. var. i. & l.
C. 10-*punctata*. * Herbst Col. V. p. 351. var. 8. & p. 352. var. 10.
C. *conglomerata*. * Linn. Fn. Sv. n. 490.? * Syst. Nat. I. II. p. 583. 31.? * ed. Gmel. I. IV. p. 1655. 31.?
* Müll. Zool. D. Pr. p. 67. 637. ?
var. ρ. * Illig. Kæf. Pr. l. c. var. ρ.
* Payk. Fn. Sv. l. c. var. ι. ?
C. 10-*guttata minor*. * Schall. Acta Hal. I. p. 263.
* Geoffr. Ins. I. p. 330. 19.
var. σ. * Illig. Kæf. Pr. I. p. 49. var. σ.
var. τ. * Illig. Kæf. Pr. l. c. var. τ.
C. 10-*pustulata*, *var.* * Schrank Füessl. n. Mag. II. p. 149. 120.
C. 10-*maculata*. * Scop. Ent. Carn. n. 251.
var. υ. * Illig. Kæf. Pr. l. c. var. υ.
C. 10-*pustulata*. * DeGeer Ins. V. p. 391. 26.
C. *humeralis*. * Schall. Acta Hal. I. p. 266.
* Linn. S. Nat. Gmel. I. IV. p. 1665. 146.
var. φ. * Illig. Kæf. Pr. l. c. var. φ.
C. 10-*pustulata*. * Linn. Pand. & Fl. Ryb. p. 8. a.
* Schrank En. Ins. p. 66. 120.
* Oliv. Ent. V. 98. T. 4. f. 54. a. b.
* Geoffr. Ins. I. p. 330. 19. var. 1.
var. χ. * Illig. Kæf. Pr. l. c. var. χ.
* Payk. Fn. Sv. II. p. 33. var. ϑ.
C. 10-*pustulata*. * Fabr. S. El. I. p. 384. 147. * Ent. S. I. p. 289. 109. * Mant. I. p. 61. 91. * Sp. Ins. I. p. 105. 66. * S. Ent. p. 87. 49.
* Linn. Fn. Sv. n. 501. * Syst. Nat. I. II. p. 585. 45. * ed. Gmel. I. IV. p. 1663. 45.
* Schneid. Mag. p. 168. 25.
* Herbst Col. V. p. 387. 120. T. 59. f. 16.

* Panz. Ent. Germ. I. p. 151. 73.
Oliv. Enc. VI. p. 77. 127.
* Cederh. Fn. Ingr. n. 170.
* Scriba Journ. p. 279. 165.
* Ross. Fn. Etr. I. p. 70. 175. * ed. He
I. p. 76. 175.
* Marsh. Ent. Br. I. p. 165. 41.
* Goeze Eur. Fn. VIII. p. 339. 11.
* Müll. Zool. D. Pr. p. 68. 644.
* Laich. Tyr. Ins. I. I. p. 138. 18.
Müll. Linn. Nat. Syst. V. I. p. 161. 45.
* Uddm. Diss. p. 10. 15. T. 1. f. 5. *Coccinell*
Ray Ins. p. 87. 15.
var. ω. * Illig. Kæf. Pr. p. 449. var. ω.
C. pantherina. * DeGeer Ins. V. p. 392. 28.
cund. specim. orig. DeGeeri.
* Ross. Fn. Etr. I. p. 70. 176. * ed. H
I. p. 76. 176.
C. similata. * Thunb. Ins. Sv. p. 112.
* Schæff. Icon. T. 171. f. 2. a. b.
Harrer Beschr. n. 172. ed. 2da n. 93.
var. αα. * Payk. Fn. Sv. II. p. 34. var. x.
var. ββ. *C. guttato punctata.* * Linn. Fn. Sv. n.
* Syst. Nat. I. II. p. 583. 32.
C. punctato-guttata. * Linn. S. Nat. Gmel. I.
p. 1658. 32.
37. *Botnica.* * Payk. Fn. Sv. II. p. 34. 34.
38. *Hieroglyphica.* * Fabr. S. El. I. p. 361. 31. * I
S. I. p. 270. 23. * Mant. I. p. 54. 18. *
Ins. I. p. 95. 11. * S. Ent. p. 80. 7.
* Linn. Fn. Sv. n. 476. * Syst. Nat. I. I
580. 14. * ed. Gmel. I. IV. p. 1649. 1
* Illig. Kæf. Pr. I. p. 445. 31. var. γ.
* Payk. Fn. Sv. II. p. 35. 35.
* Schneid. Mag. p. 170. 26. var. b.
Oliv. Enc. VI. p. 53. 25.
* Panz. Ent. Germ. I. p. 135. 11.
* Herbst Col. V. p. 369. 96. var. a.
* DeGeer Ins. V. p. 382. 15.
* Cederh. Fn. Ingr. n. 153.
* Müll. Zool. D. Pr. p. 66. 621.
* Brahm Ins. Kal. I. p. 203. 684.
var. β. * Illig. Kæf. Pr. I. p. 445. var. β.
* Schneid. Mag. I. p. 170. var. a.
* Herbst Col. V. p. 368. var. 1. T. 58. f. 2
C. flexuosa. * Fabr. S. El. I. p. 362. 38. * I
S. I. p. 272. 28. * Mant. I. p. 55.
*

* Sp. Ins. I. p. 95. 12. * Gen. Ins. Mant. p. 217. 7—8.
Oliv. Enc. VI. p. 55. 32.
* Panz. Ent. Germ. I. p. 136. 12.
* Linn. S. Nat. Gmel. I. IV. p. 1649. 73.

C. trilineata. * Herbst Arch. p. 46. 18. T. 22. f. 12.

C. 4-lineata. * Linn. S. Nat. Gmel. I. IV. p. 1658. 119.

C. 8-pustulata. * Thunb. Ins. Sv. p. 112.

var. γ. * Illig. Kæf. Pr. p. 445. var. α.
* Schneid. Mag. p. 170. var. c.
* Herbst Col. V. p. 344. var. 3.

C. sinuosa. * Marsh. Ent. Br. I. p. 160. 29.

C. lineolata. * Marsh. Ent. Br. I. p. 153. 12. var.

C. sinuata. * Marsh. Ent. Br. I. p. 160. 28. var.

var. δ. *C. sinuata.* * Næzén Acta Holm. 1792. p. 171. 4. T. 7. f. 1. 2.

Japonica. * Thunb. N. Ins. Sp. p. 12. f. 12.
* Herbst Col. V. p. 272. 12. T. 55. f. 12.
* Linn. S. Nat. Gmel. I. IV. p. 1656. 100.

Tripunctata. * Fabr. S. El. I. p. 361. 30. * Ent. S. I. p. 270. 22. * Mant. I. p. 54. 17.
* Schneid. Mag. p. 172. 31.
* Herbst Col. V. p. 366. 95.
* Panz. Ent. Germ. I. p. 135. 10.
* Cederh. Fn. Ingr. n. 152.
* Linn. S. Nat. Gmel. I. IV. p. 1647. 8.

Rivularis. z). * Fabr. S. El. I. p. 361. 32. * Ent. S. I. p. 270. 24. * Mant. I. p. 54. 19.
* Herbst Col. V. p. 369. 97.
* Linn. S. Nat. Gmel. I. IV. p. 1649. 77.

C. flavo maculata. * DeGeer Ins. VII. p. 665. 71. T. 48. f. 24.

C. caffra. * Thunb. Mus. Acad. App. I. p. 113.

Tricincta. * Fabr. S. El. I. p. 361. 33. * Ent. S. I. p. 271. 25. * Mant. I. p. 55. 20.
* Herbst Col. V. p. 291. 39.
* Linn. S. Nat. Gmel. I. IV. p. 1649. 76.

C. repanda. * Thunb. N. Ins. Sp. p. 18. fig. 25.
* Herbst Col. V. p. 281. 23. T. 56. f. 7.
* Linn. S. Nat. Gmel. I. IV. p. 1657. 109.

C. signata. * Herbst Col. V. p. 304. 60. T. 56. f. 15.

Psi. * Thunb. N. Ins. Sp. p. 13. fig. 16.

z) habitat ad Cap. b. Spei.

* Herbst Col. V. p. 276. 17. T. 56. f. 1.
* Linn. S. Nat. Gmel. I. IV. p. 1656. 104.

44. Arcuata. * Fabr. S. El. I. p. 361. 34. * Ent. S. p. 271. 26. * Mant. I. p. 55. 21.
* Herbst Col. V. p. 292. 40.
* Linn. S. Nat. Gmel. I. IV. p. 1649. 75.

45. Lunata. * Thunb. N. Ins. Sp. p. 19. fig. 28.
* Herbst Col. V. p. 283. 26. T. 56. f. 10.
C. lunaris. * Linn. S. Nat. Gmel. I. IV. 1657. 112.

46. Catenata. * Fabr. S. El. I. p. 361. 35.

47. Reticulata. * Fabr. S. El. I. p. 362. 36.

48. Undata. * Fabr. S. El. I. p. 362. 37. * Ent. S. p. 271. 27. * Mant. I. p. 55. 22.
* Herbst Col. V. p. 292. 41.
* Linn. S. Nat. Gmel. I. IV. p. 1649. 74.

— (*Flexuosa.*) * Fabr. S. El. I. p. 362. 38. — vid. *hieroglyphica, var.* β. n. 38. huj. Op.

49. Cingulata. * Fabr. S. El. I. p. 362. 39. * E S. I. p. 272. 29. * Mant. I. p. 55. 24.
* Linn. S. Nat. Gmel. I. IV. p. 1649. 72.
C. ungulata. * Herbst Col. V. p. 293. 42.

50. Inæqualis. * Fabr. S. El. I. p. 362. 40. * Ent. S. p. 272. 30. * Mant. I. p. 55. 25. * Sp. I I. p. 95. 13. * S. Ent. p. 80. 8.
* Herbst Col. V. p. 294. 43.
* Linn. S. Nat. Gmel. I. IV. p. 1649. 71.

51. Varians. * Fabr. S. El. I. p. 363. 41. * Sup p. 78. 29—30.

52. *Trifasciata.* * Fabr. S. El. I. p. 363. 42. * Ent. S. p. 272. 31. * Mant. I. p. 55. 26. * Sp. Ins. p. 95. 14. * S. Ent. p. 80. 9.
* Linn. Fn. Sv. n. 475. * Syst. Nat. I. II. 580. 13. * ed. Gmel. I. IV. p. 1648. 13
* Payk. Fn. Sv. II. p. 17. 17.
* Herbst Col. V. p. 330. 81. T. 57. f. 13.
* Schneid. Mag. p. 171. 28.
* O. Fabr. Fn. Groenl. p. 186. 133.
Ray Ins. p. 87. 9.

— (Interrupta). * Fabr. S. El. I. p. 363. 43. — *sexmaculata* eadem, teste D. Illig. Mag. p. 398. 43. — vid. n. 55. huj. Op.

53. Bifasciata. * Fabr. S. El. I. p. 363. 44. * Ent. I. p. 273. 33. * Mant. I. p. 56. 27. * Ins. I. p. 95. 15.

* Linn. S. N. Gmel. I. IV. p. 1648. 70.
(*Quadrinotata.*) * Fabr. S. El. I. p. 363. 45. — vid. *C. globosa, var. ε.* n. 13. huj. Op.
(Quadrimaculata.) * Fabr. S. El. I. p. 363. 46. — vid. *C. 11-punctata, var. κ.* n. 73. huj. Op.
Quinquepunctata. * Fabr. S. El. I. p. 363. 47. * Ent. S. I. p. 273. 36. * Mant. I. p. 56. 31. * Sp. Ins. I. p. 96. 17. * S. Ent. p. 80. 10.
* Linn. Fn. Sv. n. 474. * S. Nat. I. II. p. 580. 11. * ed. Gmel. I. IV. p. 1647. 11.
* Illig. Kæf. Pr. I. p. 441. 28.
* Payk. Fn. Sv. I. p. 16. 16.
* Oliv. Ent. V. 98. T. 1. f. 3. a. b.
Oliv. Enc. VI. p. 57. 43.
* Herbst Col. V. p. 346. 86. T. 58. f. 11.
* Schneid. Mag. p. 172. 30.
* Scriba Journ. p. 182. 139.
* Scriba Beytr. II. p. 94. 21. T. 8. f. 7.
* Panz. Ent. Germ. I. p. 136. 15.
* DeGeer Ins. V. p. 370. 3.
* Ross. Fn. Etr. I. p. 61. 152. * ed. Hellw. I. p. 65. 152.
* Cederh. Fn. Ingr. n. 154.
* Müll. Zool. D. Pr. p. 66. 620.
* Goeze Eur. Fn. VIII. p. 323. 2.
* Brahm Ins. Kal. I. p. 51. 167.
* Laich. Tyr. Ins. I. II. p. 115. 2.
* Schrank En. Ins. p. 52. 96. — Fn. Boica I. p. 455. 566.
* Marsh. Ent. Br. I. p. 151. 8.
* Preysl. in May. Aufs. Böhm. Nat. III. p. 186. 22.
* Geoffr. Ins. I. p. 320. 2.
* Schæff. Icon. T. 9. f. 8.
* Panz. En. Syst. Schæff. Icon. p. 14. 8.
Harrer Beschr. n. 155. ed. 2:a n. 74.
Vill. Ent. I. p. 96. 8.
Müll. Linn. Nat. Syst. V. I. p. 150. 11.
Merian Ins. Tab. 69.
Mart. Engl. Ent. T. 13. f. 26.
var. β. a) * Illig. Kæf. Pr. I. p. 441. 28. β.

---

a) Cocc. 5-punctata, *var. γ*: coleoptris punctis septem: ½, 2 obliquis, 1.
var. δ. coleoptris punctis novem: ½, 1 humerali, 1, 1, 1.
var. ε. coleoptris puncto scutellari lateralibusue prope suturam inter se coalitis; humeralibus minutissimis; apicis transverse hamatis.

C. tripunctata. * Ross. Fn. Etr. I. p. 61. 15
* ed. Hellw. I. p. 64. 151.
* Ross. Mant. I. p. 25. 59. * ed. Hellw. I
p. 361. 59.
— (Quinquemaculata.) * Fabr. S. El. I. p. 36
48. — vid. *C. mutabilis, var.* μ. n. 59. huj. Op
— (Sexpunctata.) * Fabr. S. El. I. p. 364. 49. —
vid. *C. mutabilis, var.* ϰ. n. 59. huj. Op.
— (Glacialis.) * Fabr. S. El. I. p. 364. 50. — vid.
abbreviata, var. β. n. 32. huj. Op.
55. Sexmaculata. * Fabr. S. El. I. p. 364. 51. * Ent. S.
p. 274. 40. * Mant. I. p. 56. 35. * Sp. In
I. p. 96. 20.
* Herbst Col. V. p. 267. 6. T. 55. f. 6.
* Linn. S. Nat. Gmel. I. IV. p. 1648. 68.
C. interrupta. * Fabr. S. El. I. p. 363. 43.? * Ent
S. I. p. 272. 32. ?
* Herbst Col. V. p. 294. 44.
C. bifasciata. * Herbst Col. V. p. 274. 14.
55. f. 14.
C. flexuosa. * Thunb. N. Ins. Sp. I. p. 17. T. 1. f. 2
C. undulata. * Schall. Acta Hal. I. p. 262.
* Herbst Arch. p. 160. 38. T. 43. f. 12. ?
56. *Septempunctata.* * Fabr. S. El. I. p. 364. 52. * Ent. S
I. p. 274. 41. * Mant. I. p. 57. 36. * Sp.
Ins. I. p. 96. 21. * S. Ent. p. 81. 13.
* Linn. Fn. Sv. n. 477. * Syst. Nat. I. II. p.
581. 15. * ed. Gmel. I. IV. p. 1649. 15
* Illig. Kæf. Pr. p. 439. 27. α.
* Payk. Fn. Sv. II. p. 15. 15.
* Oliv. Ent. V. 98. T. 1. f. 1. a—e.
Oliv. Enc. VI. p. 58. 50.
* Herbst Col. V. p. 317. 76. T. 57. f. 8.
* Panz. Fn. G. LXXIX. 3. * Ent. Germ. I
p. 137. 18.
* Schneid. Mag. p. 171. 27.
* DeGeer Ins. V. p. 370. 4. T. 10. f. 14.
* Petagn. Ins. Cal. p. 8. 34.
* Blumenb. Handb. ed. 3:a p. 325. 1.
* Cederh. Fn. Ingr. n. 156.
* Ross. Fn. Etr. I. p. 61. 153. * ed. Hellw.
p. 65. 153.
* Bechst. & Scharf. Forstinsect. III. p. 898. 2.
* Goeze Eur. Fn. VIII. p. 325. 3.
* Schwartz Nomencl. I. p. 44. 18.
* Müll. Zool. D. Pr. p. 66. 623. Fn. Fridr. p. 6.
* Fisch. Naturg. v. Livl. p. 132. 260.

C. tripunctata. * Ross.
* ed. Hellw. I. p.
* Ross. Mant. I. p.
p. 361. 59.
— (Quinquemaculata.)
48. — vid. *C. mutabil*
— (Sexpunctata.) * Fa
vid. *C. mutabilis.*
— (Glacialis.) * Fabr. S.
abbreviata, var
55. Sexmaculata. * Fabr
p. 274. 40.
I. p. 96.
* Herbst Co
* Linn. S.
C. interrup
S.
* He
C. bifo

C. fl
C.

56. *Sep*

Ent. Carn. p. 75. 235.
nz. p. 54. 6. & p. 6. a. T. 3. f. 13.
Ins. I. II. p. 116. 3.
53. 98. — Fn. Boica. I. p. 455. 467.
ers Aufs. Böhm. Naturg. III.

p. 152. 10.
er Heilmittellehre. p. 330.
. 7. p. 214. 718.
. T. 9. f. 7.
p. 316. 10. III. p. 190.

. 2.
836. 1.
. 143. 3.
. 211.
p. 321. 3. T. 6. f. 1.
on. T. 9. f. 7.
Beschr. n. 156. ed. 2:a n. 75.
s. Ins. II. Scarab. 3. T. 2. f. 3.
Frisch Ins. IV. p. 1. 1. T. 1. f. 1—5.
Reaum. Ins. III. T. 31. f. 18.
Acta Nidr. III. 388.
Pontopp. Dan. Atl. I. p. 433. 3.
Poda Mus. Græc. p. 24. 3.
Leske Naturg. I. p. 472. 1.
Onomat. Hist. Nat. III. p. 33. 2.
Bradl. Nat. T. 27. f. 4.
Hollar Ins. T. 4. f. 8.
Donov. Brit. Ins. T. 39. f. 5.
Ray Ins. p. 86. 1.
Alb. Ins. Angl. T. 61. fig. C.
Petiv. Gaz. p. 33. T. 21. f. 3.
Admir. Verandr. I. T. 14.
Merian. Europ. II. p. 24. T. 11. I. p. 76. T. 149.
Goed. Belg. II. p. 58. T. 18. — Goed. Gall. III. T. 18.
List. Goed. p. 268. f. 112. App. T. 4. f. 9.
List. Mut. T. 17. f. 2. I. T. 3. f. 2.
List. loq. p. 382. 7.

var. β. * Illig. Kæf. Pr. I. p. 439. 27. β.
var. γ. * Illig. Kæf. Pr. l. c. var. γ. * Mag. I. p. 91. 27. * Geoffr. Ins. I. p. 322. 4.
var. δ. * Illig. Kæf. Pr. I. p. 440. var. δ.
var. ε. * Illig. Kæf. Pr. l. c. var. ε.
var. ζ. * Illig. Kæf. Pr. l. c. var. ζ.

* Scop. Ent. Carn. p. 75. 235.
* Sulz. Kennz. p. 54. 6. & p. 6. a. T. 3. f. 13.
* Laich. Tyr. Ins. I. II. p. 116. 3.
* Schrank En. p. 53. 98. — Fn. Boica. I. p. 455. 467.
* Preysl. in Mayers Aufs. Böhm. Naturg. III. p. 185. 21.
* Marsh. Ent. Br. I. p. 152. 10.
* Burdach Handb. in der Heilmittellehre. p. 330.
* Brahm Ins. Kal. I. p. 3. 7. p. 214. 718.
Bergstr. Nom. I. p. 57. 7. T. 9. f. 7.
Fuessl. n. Mag. I. 386. 56. II. p. 316. 10. III. p. 190.
Naturf. IX. p. 63.
Busch Alman. VI. p. 288.
Vill. Ent. I. p. 98. 12.
Borowsk. Naturg. VI. p. 85. 2.
Bechst. Naturg. I. II. p. 836. 1.
Fourcr. Ent. Par. I. p. 143. 3.
Schmiedl. Einl. p. 211.
* Geoffr. Ins. I. p. 321. 3. T. 6. f. 1.
* Schæff. Icon. T. 9. f. 7.
Harrer Beschr. n. 156. ed. 2:a n. 75.
* Roes. Ins. II. Scarab. 3. T. 2. f. 3.
* Frisch Ins. IV. p. 1. 1. T. 1. f. 1—5.
Reaum. Ins. III. T. 31. f. 18.
Acta Nidr. III. 388.
Pontopp. Dan. Atl. I. p. 433. 3.
Poda Mus. Græc. p. 24. 3.
Leske Naturg. I. p. 472. 1.
Onomat. Hist. Nat. III. p. 33. 2.
Bradl. Nat. T. 27. f. 4.
Hollar Ins. T. 4. f. 8.
Donov. Brit. Ins. T. 39. f. 5.
Ray Ins. p. 86. 1.
Alb. Ins. Angl. T. 61. fig. C.
Petiv. Gaz. p. 33. T. 21. f. 3.
Admir. Verandr. I. T. 14.
Merian. Europ. II. p. 24. T. 11. I. p. 76. T. 149.
Goed. Belg. II. p. 58. T. 18. — Goed. Gall. III. T. 18.
List. Goed. p. 268. f. 112. App. T. 4. f. 9.
List. Mut. T. 17. f. 2. I. T. 3. f. 2.
List. loq. p. 382. 7.
var. β. * Illig. Kæf. Pr. I. p. 439. 27. β.
var. γ. * Illig. Kæf. Pr. l. c. var. γ. * Mag. I. p. 91. 27. * Geoffr. Ins. I. p. 322. 4.
var. δ. * Illig. Kæf. Pr. I. p. 440. var. δ.
var. ε. * Illig. Kæf. Pr. l. c. var. ε.
var. ζ. * Illig. Kæf. Pr. l. c. var. ζ.

57. *Septemmaculata.* * Fabr. S. El. I. p. 365. 53. *
S. I. p. 275. 42. * Mant. I. p. 57. 37.
Ins. I. p. 97. 22. * Gen. Ins. Mar
217. 13—14.
* Linn. Fn. Sv. n. 2271. *Coccinella.*
* Payk. Fn. Sv. II. p. 43. 45.
* DeGeer Ins. V. p. 373. 5.
* Herbst Col. V. p. 364. 93.
* Panz. Ent. Germ. I. p. 137. 19.
* Cederh. Fn. Ingr. n. 157.
* Linn. S. Nat. Gmel. I. IV. p. 1650. 78.
Oliv. Enc. VI. p. 59. 51.
C. notata. * Schneid. Mag. p. 145. 10. var. b
var. β. *C. notata.* * Schneid. Mag. p. 145. var. c.
C. 13-punctata. * Illig. Kæf. Pr. I. p. 425. 14. v
* Herbst Col. V. p. 325. 79. var. 1.
* Linn. S. Nat. Gmel. I. IV. p. 1653. 20. v
C. oblonga. * Herbst Arch. p. 43. 7. T. 22. f.
var. γ. *C. 13-punctata.* * Herbst Col. V. p. 325. v
var. δ. *C. 7-maculata.* * Illig. Kæf. Pr. I. p. 423. 13. v
C. notata. * Schneid. Mag. p. 145. 10. var. a.
* Laich. Tyr. Ins. I. II. p. 119. 5.
var. ε. *C. 7-maculata.* * Illig. Kæf. Pr. I. p. 424. va
C. segetalis. * Næzén Acta Holm. 1792. p.
T. 7. f. 1. 2.
C. 13-punctata * Schrank Enum. p. 55. 102. a.
var. ζ. *C. notata.* * Schneid. Mag. p. 146. 10. var
var. η. *C. notata.* * Schneid. Mag. p. 146. 10. var
C. 13-punctata * Herbst Col. V. p. 326. 79. v

58. *Tredecimpunctata.* * Fabr. S. El. I. p. 369. 76. *
S. I. p. 279. 61. * Mant. I. p. 58. 54.
Ins. I. p. 99. 38. * S. Ent. p. 83. 25.
* Linn. Fn. Sv. n. 481. * Syst. Nat. I.
582. 20. * ed. Gmel. I. IV. p. 1653.
* Illig. Kæf. Pr. I. p. 425. 14. var. γ.
* Payk. Fn. Sv. II. p. 42. 44.
* Herbst Col. V. p. 323. 79 T. 57. f. 11.
* Herbst Arch. p. 43. 8.
* Panz. Ent. Germ. I. p. 139. 27.
* Scop. Ent. Carn. p. 76. 238.
* Ross. Fn. Etr. I. p. 63. 157. * ed. Hell
p. 67. 157.
* DeGeer Ins. V. p. 375. 9.
* Cederh. Fn. Ingr. n. 160.
* Thunb. N. Acta Ups. V. p. 104. 29 & var.
* Marsh. Ent. Br. I. p. 156. 19.
* Müll. Zool. D. Pr. p. 66. 629.
* Schrank Enum. Ins p. 55. 102. var. β.



* Brahm Ins. Kal. I. p. 78. 251.
* Geoffr. Ins. I. p. 324. 7.
* Schæff. Icon. T. 48. f. 6.
Harrer Beschr. n. 161. ed. 2:a n. 80.
Reaum. Ins. III. T. 31. f. 19.
Acta Nidr. IV. 7.
var. β. * Illig. Kæf. Pr. I. p. 425. 14. var. δ.
var. γ. Illig. Kæf. Pr. l. c. var. ε.
* Schneid. Mag. p. 140. 8. var. b.
var. δ. * Illig. Kæf. Pr. l. c. var. ζ.
var. ε. * Illig. Kæf. Pr. l. c. var. η.
* Schneid. Mag. p. 140. 8. var. b.
* Payk. Fn. Sv. II. p. 43. 44. var. β.
* Herbst Col. V. p. 325. 79. var. 3.
var. ζ. * Illig. Kæf. Pr. l. c. var. α.
* Schneid. Mag. p. 139. 8. var. a.
C. 11-maculata. Harrer Beschr. ed. I. p. 98. 159. ed. 2:a, p. 82. 78.
* Schæff. Icon. T. 254. f. 3. a. b.
– (*Septemnotata.*) * Fabr. S. El. I. p. 365. 54. — vid. *C. mutabilis, var. ε.* n. 59. huj. Op.
Mutabilis. * Illig. Kæf. Pr. p. 427. 15. var. α.
var. β. * Illig. Kæf. Pr. l. c. var. β.
* Scriba Beytr. II. p. 97. 22. var. 5.
C. læta. * Fabr. S. El. I. p. 369. 77. * Suppl. p. 78. 61—62.
C. similis. * Schrank En. Ins. p. 56. 103.
C. sexpunctata. * Herbst Col. VI. p. 328. 80. var. 3.
* Schrank Füessl. n. Mag. II. p. 147. var. ζ.
* Geoffr. Ins. I. p. 323. 6.
var. γ. * Illig. Kæf. Pr. l. c. var. γ.
var. δ. * Illig. Kæf. Pr. l. c. var. δ.
* Schneid. Mag. p. 144. 9, var. i.
* Scriba Beytr. II. p. 97. 22. var. 4.
C. 11-punctata. * Schrank En. Ins. p. 54. 101.
C. sexpunctata. * Schrank Fuessl. n. Mag. II. p. 146. var. ε.
var. ε. Illig. Kæf. Pr. I. p. 427. 15. var. ε.
* Schneid. Mag. p. 141. 9. var. b.
var. ζ. * Illig. Kæf. Pr. l. c. var. ζ.
* Schneid. Mag. p. 143. 9. var. g.
* Payk. Fn. Sv. II. p. 40. 40. var. β.
* Scriba Beytr. I. p. 97. 22. var. 3.
C. 9-punctata. * Schrank En. Ins. p. 54. 100.
* Scop. Ent. Carn. n. 236. var. 1.
C. sexpunctata. * Herbst Col. V. p. 328. var. 2:
* Schrank Fuessl. n. Mag. II. p. 146. var. δ.

* Geoffr. Ins. I. p. 322. 5.
* Leske Mus. p. 10. 193.
var. η. * Illig. Kæf. Pr. l. c. var. η.
var. ϑ. * Illig. Kæf. Pr. l. c. var. ϑ.
* Schneid. Mag. p. 141. 9. var. a.
C. constellata. * Laich. Tyr. Ins. I. II. p. 121. 6.
C. sexpunctata. * Herbst Col. V. p. 326. 80. T. 57. f. 12.
var. ι. * Illig. Kæf. Pr. l. c. var. ι.
* Schneid. Mag. p. 142. 9. var. e.
* Payk. Fn. Sv. II. p. 39. 40. α.
* Scriba Beytr. II. p. 97. 22. var. 2.
C. 7-notata. * Fabr. S. El. I. p. 365. 54. * Ent. S. I. p. 275. 43.
* Panz. Fn. G. LXXIX. 5. * Ent. Germ. I. p. 137. 20.
* Herbst Col. V. p. 137. 101.
* Marsh. Ent. Br. I. p. 153. 11.
C. sexpunctata. * Schrank En. Ins. p. 52. 97.
* Schrank Füessl. n. Mag. II. p. 146. var. β.
C. fennica. * Thunb. Ins. Sv. IX. p. 106.
C. 9-punctata, var. * DeGeer Ins. V. p. 374. 6.
* Scop. Ent. Carn. n. 236. var. 3.
var. κ. * Illig. Kæf. Pr. l. c. var. κ.
C. sexpunctata. * Fabr. S. El. I. p. 364. 49. * Ent. S. I. p. 274. 38. * Mant. I. p. 56. 33. * Sp. Ins. I. p. 96. 18.
Oliv. Enc. VI. p. 57. 45.
* Panz. Ent. Germ. I. p. 137. 17.
* Cederh. Fn. Ingr. n. 155.
* Linn. S. Nat. Gmel. I. IV. p. 1648. 12.
var. λ. * Illig. Kæf. Pr. l. c. var. λ.
* Schneid. Mag. p. 143. var. f.
C. sexpunctata. * Herbst Col. V. p. 328. 80. var. I.
* Schrank Füessl. n. Mag. II. p. 146. var. γ.
C. observepunctata. * Schrank En. Ins. p. 53. 99.
var. μ. * Illig. Kæf. Pr. l. c. var. μ.
* Schneid. Mag. p. 141. var. c.
* Scriba Beytr. I. p. 97. 22. var. 1.
5-maculata. * Fabr. S. El. I. p. 364. 48. * Ent. S. I. p. 273. 37. * Mant. I. p. 56. 32.
Oliv. Enc. VI. p. 57. 44.
* Panz. Ent. Germ. I. p. 136. 16.
* Linn. S. Nat. Gmel. I. IV. p. 1648. 66.
* Herbst Col. V. p. 371. 100.
C. sexpunctata, var. α. * Schrank Füessl. n. Mag. II. p. 145. α.

var

var. *v.* * Schneid. Mag. p. 144. 9. var. l.
C. sexpunctata. * Herbst Col. V. p. 330. 80. var. 6.
var. *ξ* * Illig. Kæf. Pr. l. c. var. *v.*
var. *o.* * Illig. Kæf. Pr. l. c. var. *o.*
* Schneid. Mag. p. 144. 9. var. k.
C. sexpunctata. * Herbst Col. V. p. 329. 80. var. 5.
var. *π.* * Schneid. Mag. p. 143. 9. var. h.
C. limbata. * Fabr. S. El. I. p. 356. 2. * Ent. S. I. p. 266. 2. * Mant. I. p. 53. 2. Sp. Ins. II. App. p. 497.
* Panz. Ent. Germ. I. p. 132. 1.
* Linn. S. Nat. Gmel. I. IV. p. 1645. 50.
C. sexpunctata. * Herbst Col. V. p. 329. 80. var. 4.

60. Similis. * Herbst Col. V. p. 279. 29. T. 56. f. 4.
* Thunb. N. Ins. Sp. I. p. 15. Tab. f. 19.
* Linn. S. Nat. Gmel. I. IV. p. 1656. 106.

— (*Octopunctata.*) * Fabr. S. El. I. p. 365. 55. — vid. *C. variabilis*, *var.* ♀. n. 36. huj. Op.

61. Transversalis. *b*) * Fabr. S. El. I. p. 365. 56. * Ent. S. I. p. 275. 45. * Mant. I. p. 57. 39. * Sp. Ins. I. p. 97. 24.
* Herbst Col. V. p. 270. 9.
* Linn. S. Nat. Gmel. I. IV. p. 1650. 80.

62. Octomaculata. * Fabr. S. El. I. p. 365. 57. * Ent. S. I. p. 276. 46. * Mant. I. p. 57. 40. * Sp. Ins. I. p. 97. 25.
* Herbst Col. V. p. 295. 45.
* Linn. S. Nat. Gmel. I. IV. p. 1650. 81.

63. Octomaculata. * Thunb. N. Ins. Sp. I. p. 13. fig. 15.
C. 8-notata. * Herbst Col. V. p. 276. 16. T. 55. f. 16.
C. capensis. * Linn. S. Nat. Gmel. I. IV. p. 1656. 103.

64. Octonotata. * Fabr. S. El. I. p. 366. 58.

65. Novemmaculata. * Fabr. S. El. I. p. 366. 59. * Ent. S. I. p. 276. 47. * Mant. I. p. 57. 41. * Sp. Ins. I. p. 97. 26.
* Linn. S. Nat. Gmel. I. IV. p. 1650. 82.
C. 9-punctata. * Fabr. S. Ent. p. 81. 15.

66. Novemnotata. * Fabr. S. El. I. p. 366. 60. * Suppl. p. 78. 48—49.
* Herbst Col. V. p. 269. 8. T. 55. f. 8.

b) Möchte man gern als Abändrung von *C. tricincta* n. 33. Fabr. ansprechen. — Illig. Mag. I. p. 309. 56.

67. Novemsignata. * Herbst Col. V. p. 268. 7. T. 55. f. 7.
— (*Novempunctata.*) * Fabr. S. El. I. p. 366. 61. — vid. *C. undecimpunctata, var.* ζ. n. 73. huj. Op.
— (*Decempunctata.*) * Fabr. S. El. I. p. 366. 62. — vid. *C. variabilis, var.* λ. n. 36. huj. Op.
68. Decemmaculata. * Fabr. S. El. I. p. 367. 63. * Ent. S. I. p. 276. 50. * Mant. I. p. 57. 44. * Sp. Ins. I. p. 98. 29.
* Herbst Col. V. p. 266. 5. T. 55. f. 5.
* Linn. S. Nat. Gmel. I. IV. p. 1651. 83.
Chrysom. 10-maculata. * Fabr. Mant. I. p. 75. 112. * Sp. Ins. I. p. 131. 85. * S. Ent. p. 105. 60.
* Linn. S. Nat. Gmel. I. IV. p. 1682. 137.
var. β. *Coccin. maculata.* * DeGeer Ins. V. p. 392. 1. T. 16. f. 22.
69. Quadrifasciata, Nov. Sp. *c*)
70. Inuba. * Fabr. S. El. I. p. 367. 64. * Ent. S. I. p. 277. 51.
* Herbst Col. V. p. 296. 46.
C. flavicollis. * Thunb. N. Ins. Sp. I. p. 18. Tab. fig. 26.
* Herbst Col. V. p. 282. 24. T. 56. f. 8.
* Linn. S. Nat. Gmel. I. IV. p. 1657. 110.
71. Dilatata. * Fabr. S. El. I. p. 367. 65. * Ent. S. I. p. 277. 52. * Mant. I. p. 57. 45. * Sp. Ins. I. p. 98. 30. * S. Ent. p. 82. 18.
* Herbst Col. V. p. 296. 47.
* Linn. S. Nat. Gmel. I. IV. p. 1651. 84.
72. Aucta. * Illig. Mag. I. p. 179. 11.
C. dilatata, var. * Fabr. Ent. S. I. p. 277. 52.
73. *Undecimpunctata.* * Fabr. S. El. I. p. 367. 66. * Ent. S. I. p. 277. 53. * Mant. I. p. 57. 46. * Sp. Ins. I. p. 98. 31. * S. Ent. p. 82. 19.
* Linn. Fn. Sv. n. 480. * Syst. Nat. I. II. p. 581. 18. * ed. Gmel. I. IV. p. 1651. 18.
* Illig. Kæf. Pr. I. p. 442. 29. *α.*
Oliv. Enc. Meth. VI. p. 62. 65.
* Herbst Col. V. p. 352. 88. T. 58. f. 13.

---

c) COCC. 4-FASCIATA: oblonga nigra, elytris rubris: fasciis quatuor atris.
Habitat in Brasilia. D. *J. Lund.* E Mus. *Schönh.*
Corpus magnitudine fere *C. 7-maculatæ*, totum atrum. Caput linea rubra abbreviata. Thorax margine et linea media interrupta rubra. Elytra sanguinea, sutura fasciisque quatuor undatis atris.
THUNB.

* Herbst Arch. p. 166. 41. T. 43. f. 15.
* Schneid. Mag. p. 164. 22.
* DeGeer Ins. V. p. 375. 8.
* Panz. Ent. Germ. I. p. 139. 24.
* Cederh. Fn. Ingr. n. 159.
* Ross. Fn. Etr. I. p. 63. 156. * ed. Hellw. I. p. 66. 156.
* Marsh. Ent. Br. I. p. 155. 16.
* Müll. Zool. D. Pr. p. 66. 627.
* Brahm Ins. Kal. I. p. 113. 391. p. 204. 685.
C. collaris. * Payk. Fn. Sv. II. p. 38. 37. var. γ.
C. 11-maculata. * Thunb. Ins. Sv. IX. p. 108.
C. triangularis. * Thunb. Ins. Sv. IX. p. 108.
Stroem. Acta Nidr. III. T. 6. f. 2.
Acta Ups. 1736. p. 18. 2.
Merian Europ. 168.
var. β. * Illig. Kæf. Pr. p. 443. 29. var. β.
* Schneid. Mag. p. 164. 22. var. b.
var. γ. pari secundo punctorum connato.
var. δ. pari primo secundoque punctorum confluente.
Habitat in Lapponia maxime boreali. *D. Grape.*
var. ε. *C. oculata.* d) * Thunb. Ins. Sv. IX. p. 107.
var. ζ. * Illig. Kæf. Pr. I. p. 443. 29. var. γ.
C. 9-punctata. * Fabr. S. El. I. p. 366. 61. * Ent. S. I. p. 276. 48. * Mant. I. p. 57. 42. * Sp. Ins. I. p. 97. 27.
* Linn. Fn. Sv. n. 478. * Syst. Nat. I. II. p. 581. 16. * ed. Gmel. I. IV. p. 1654. 16.
* Herbst Col. V. p. 372. 102.
* DeGeer Ins. V. p. 373. 6. α.
* Ross. Fn. Etr. I. p. 62. 154. * ed. Hellw. I. p. 66. 154.
* Panz. Ent. Germ. I. p. 138. 22.
* Schneid. Mag. p. 379. 48. *Obs.*
* Fisch. Naturg. v. Livl. p. 132. 261.
* Marsh. Ent. Br. I. p. 154. 14.
* Müll. Zool. D. Pr. p. 66. 625.
C. collaris. * Payk. Fn. Sv. II. p. 37. 37. var. β.
C. 10-punctata. * Fabr. Syst. Ent. p. 81. 16.
* Oliv. Ent. V. 98. T. 1. f. 4. a. b.
* Uddm. Diss. p. 10. 14.
var. η. * Illig. Mag. I. p. 92. 29. var. δ.
var. θ. *C. nigrofasciata.* * Ross. Fn. Etr. I. p. 62. 155. * Mant. I. p. 25. 69. * ed. Hellw. I. p. 66. 155. & p. 362. 60.

---

oculatam Thunb. non nisi varietatem hujus censeo, quamvis speciem in Museo Ill. Thunb. obvium, magnitudine multo præcellit,

var. ι. coleoptris punctis septem: 1, 2 obliquis, 1 prope apicem. Lecta ad Holmiam *D. Hæffner.*
var. κ. * Illig. Kæf. Pr. I. p. 443. 29. var. δ.
C. 4-maculata. * Fabr. S. El. I. p. 363. 46. * Ent. S. I. p. 273. 35. * Mant. I. p. 56. 30.
Oliv. Enc. Meth. VI. p. 56. 41.
* Herbst Col. V. p. 370. 99.
* Panz. Ent. Germ. I. p. 136. 14.
* Linn. S. Nat. Gmel. I. IV. p. 1647. 65.
var. λ. * Illig. Mag. I. p. 92. 29. var. ζ.
C. tripunctata. * Linn. Fn. Sv. n. 472. * Syst. Nat. I. II. p. 580. 8.
C. collaris. * Payk. Fn. Sv. II. p. 37. 37. var. α.
var. μ. * Illig. Mag. I. p. 92. 29. var. η.
74. Undecimmaculata. * Fabr. S. El. I. p. 367. 67. * Ent. S. I. p. 277. 54. * Mant. I. p. 57. 47.
* Illig. Kæf. Pr. I. p. 468. 38.
Oliv. Enc. VI. p. 62. 66.
* Herbst Col. V. p. 365. 94.
* Linn. S. Nat. Gmel. I. IV. p. 1652. 85.
C. Argus. * Scriba Beytr. II. p. 92. 20. T. 8. f. 6.
* Scriba Journ. p. 188. 148.
* Panz. Fn. Germ. LXXIX. 4. * Ent. Germ. I. p. 140. 30.
Oliv. Enc. VI. p. 66. 81.
* Geoffr. Ins. I. p. 325. 9.
75. Undecimnotata. *C. 11-maculata.* * Schneid. Mag. p. 165. 23. & p. 379. 54.
76. *Duodecimpunctata.* * Fabr. S. El. I. p. 367. 68 * Ent. S. I. p. 278. 55. * Mant. I. p. 57. 48 * Sp. Ins. I. p. 98. 32. * S. Ent. p. 82. 20.
* Illig. Kæf. Pr. I. p. 446. 36. α.
* Payk. Fn. Sv. II. p. 23. 24.
Oliv. Enc. VI. p. 63. 67.
* Oliv. Ent. V. 98. T. 4. f. 53. a. b.
* Herbst Col. V p. 357. 90. T. 58. f. 16.
* Herbst Arch. p. 45. 13. T. 22. f. 8.
* Schneid. Mag. p. 162. 21.
* Scriba Journ. p. 185. 143.
* Panz. Ent. Germ. I. p. 139. 25.
* Brahm Ins. Kal. I. p. 42. 134.
Vill. Ent. I. p. 100. 17.
* Geoffr. Ins. I. p. 329. 16.
* Schæff. Icon. T. 239. 3.
Harrer Beschr. n. 160.
C. 11-punctata. * Linn. S. Nat. Gmel. I. IV. 1658. 19.

var. β. * Illig. Kæf. Pr. I. p. 466. 36. var. β.
C. 12-punctata. * Linn. S. Nat. I. II. p. 581. 19.
* Ross. Mant. I. p. 26. 62 * ed. Hellw. I. p. 362. 62.
* Marsh. Ent. Br. I. p. 155. 18.
var. γ. * Illig. Kæf. Pr. l. c. var. γ. * Mag. I. p. 92. 36.
C. 16 punctata. * Linn. Fn. Sv. n. 483. * Syst. Nat. I. II. p. 582. 22. * ed. Gmel. I. IV. p. 1653. 22.
var. δ. * Illig. Kæf. Pr. l. c. var. δ.
var. ε. * Illig. Kæf. Pr. l. c. var. ε.

77. Variegata. * Fabr. S. El. I. p. 368. 69. * Ent. S. I. p. 278. 56. * Mant. I. p. 57. 49. * Sp. Ins. I. p. 99. 33.
* Herbst Col. V. p. 297. 48.
* Linn. Syst. Nat. Gmel. I. IV. p. 1652. 86.

78. Capensis. * Thunb. Nov. Ins. Sp. I. p. 16. Tab. fig. 21.
* Herbst Col. V. p. 280. 21. T. 56. f. 5.
* Oliv. Ent. V. 98. T. 1. f. 5. a. b. forte.

79. Chrysomelina. * Fabr. S. El. I. p. 368. 70.
* Ent. S. I. p. 278. 57. * Mant. I. 57. 50.
* Sp. Ins. I. p. 99. 34. * S. Ent. p. 82. 21.
* Petagn. Ins. Cal. p. 8. 35.
* Schneid. Mag. p. 161. 20.
* Linn. S. Nat. Gmel. I. IV. p. 1652. 87.
var. β. C. elaterii. * Ross. Mant. II. p. 85. 22. T. 3. fg. D.
C. hieroglyphica. * Herbst Col. Tab. 58. f. 22.
* Roem. Gen. Ins. T. 3. f. 4.

80. Borealis. * Fabr. S. El. I. p. 368. 71. * Ent. S. I. p. 278. 58. * Mant. I. p. 58. 51. * Sp. Ins. I. p. 99. 35. * S. Ent. p. 82. 22.
* Herbst Col. V. p. 262. 2. T. 55. f. 2.
* Thunb. N. Ins. Sp. I. p. 15. Tab. fg. 20.
* Linn. S. Nat. Gmel. I. IV. p. 1652. 88.

81. Gibba. * Thunb. N. Ins. Sp. I. p. 13. Tab. fi 14.
* Herbst Col. V. p. 275. 15. T. 55. f. 15.
* Linn. S. Nat. Gmel. I. IV. p. 1656. 102.

82. Duodecimnotata. * Fabr. S. El. I. p. 368. 72.

83. Cassidea. * Fabr. S. El. I. 368. 73. * Ent. S. I. p. 278. 59. * Mant. I. p. 58. 52. * Sp. Ins. I. p. 99. 36. * S. Ent. p. 82. 23.
* Herbst Col. V. p. 297. 49.
* Linn. S. Nat. Gmel. I. IV. p. 1652. 89.
Cassida Argus. * Herbst Col. VIII. p. 278. 50. T. 133. f. 9. affinis.

— (*Tredecimmaculata*). * Fabr. S. El. I. p. 369. 74. — vid. *C. variabilis, var. γ.* n. 36. huj. Op.

84. Dispar. * Fabr. S. El. I. p. 369. 75.
C. variegata. * Fabr. Ent. S. IV. App. p. 446. 59—60.

85. Undulata. * Thunb. N. Ins. Sp. I. p. 18. Tab. f. 17.
* Herbst Col. V. p. 282. 25. T. 56. f. 9.
* Linn. S. Nat. Gmel. I. IV. p. 1657. 111.

— (*Tredecimpunctata.*) * Fabr. S. El. I. p. 369. 76. — vid. ante n. 58.

— (*Læta.*) * Fabr. S. El. I. p. 369. 77. — vid. *C. mutabilis, var. β.* n. 59. huj. Op.

86. Versicolor. * Fabr. S. El. I. p. 369. 78. * Ent. S. I. p. 279. 62.
* Herbst Col. V. p. 298. 50.
C. ursicolor. * Fabr. Mant. I. p. 58. 55.
* Linn. S. Nat. Gmel. I. IV. p. 1653. 92.
C. imperialis. * Herbst Col. V. p. 261. 1. T. 55. f. 1.
C. grandis. * Thunb. N. Ins. Spec. I. p. 11. Tab. fig. 13.
* Linn. S. Nat. Gmel. I. IV. p. 1656. 101.
var. β. * Fabr. Ent. Syst. & Mant. l. c. var.

87. Crucigera. Nov. Sp. *e.*)

— (*Quatuordecimmaculata.*) * Fabr. S. El. I. p. 370. 79. — vid. *C. conglobata, var. α.* n. 103. huj. Op.

88. *Ocellata.* var. α. * Illig. Kæf. Pr. l. c. var. α.
* Schæff. Zw. u. Schw. 1766. Tab. fig. 2.
var. β. * Illig. Kæf. Pr. l. c. var. β.
* Schneid. Mag. p. 154. 16. var. d.
* Herbst Col. V. p. 320. 77. var. 3.

---

e) COCC. CRUCIGERA: subrotunda gibbosa, saturate rubra nitida, elytrorum limbo, sutura, fascia media, maculisque quatuor atris. Habitat in India Orientali, *D. Kymell.*

Magna, elegans, statura *C. versicoloris* Fabr. sed dimidio fere minor, supra saturate rubra, nitida, subtilissime obsolete punctulata. Caput parvum, rubrum, immaculatum. Thorax parvus, postice & lateribus rotundatus, antice late emarginatus, angulis parum productis, obtusis; saturate ruber, limbo postico inæqualiter atro. Scutellum breve, triangulare, acutum, nigro-piceum. Elytra magna, rotundata, valde convexa, gibbosa, saturate rubra, nitida, limbo toto, baseos angustius, atro; sutura tota late atra; paulo ante medium fascia atra transversa, limbum marginis non attingens; ante fasciam in medio macula solitaria, rotundata, atra, et pone fasciam alia major obconica, obliqua, margini connexa. Alæ obscure fuscæ, apice pallidiores. Corpus subtus dilutius rufum, pectore abdominisque basi media nigris. Pedes pallide rufi. Tab. 4. fig. 4.

GYLLENH

ar. γ. * Illig. Kæf. Pr. l. c. var. γ.
* Scriba Beytr. II. p. 90. 19. var. 2.
ar. δ. *C. Boeberi.* * Cederh. Fn. Ingr. p. 50. 150. T. 1. fig. m.
ar. ε. * Schneid. Mag. p. 154. 16. var. e.
* Herbst Col. V. p. 320. 77. var. 2.
* Scriba Beytr. II. p. 90. 19. var. 1.
ar. ζ. * Schneid. Mag. p. 154. 16. var. b.
C. ocellata. * Fabr. S. El. I. p. 370. 80. * Ent. S. I. p. 280. 64. * Mant. I. p. 58. 58. * Sp. Ins. I. p. 100. 40. * S. Ent. p. 83. 27.
* Linn. Fn. Sv. n. 484. * Syst. Nat. I. II. p. 582. 23. * ed. Gmel. I. IV. p. 1654. 23.
* Payk. Fn. Sv. II. p. 13. 13. var. α.
Oliv. Enc. VI. p. 65. 80.
* Herbst Col. V. p. 319. 77. T. 57. f. 9.
* Scriba Beytr. II. p. 88. 19. T. 8. f. 5.
* Scriba Journ. I. p. 187. 147.
* Panz. Ent. Germ. I. p. 140. 29.
* Cederh. Fn. Ingr. n. 161.
* Müll. Zool. D. Pr. p. 67. 638.
* Bechst. & Scharf. Forstinsect. III p. 901. 5.
* Goeze Eur. Fn. VIII. p. 328. 4.
* Laich. Tyr. Ins. I. II. p. 129. 11.
* Brahm Ins. Kal. I. p. 121. 423.
* Schrank En. Ins. p. 57. 105. — Fn. Boica I. p. 463. 475.
Vill. Ent. I. p. 162. 21. T. 1. f. 12.
Harrer Beschr. n. 164. ed. 2:a n. 82.
* Schæff. Icon. T. I. f. 2.
* Schæff. Elem. T. 47. f. 1.
* Schæff. Zw. u. Schw. 1766. Tab. f. 1.
Müll. Linn. Nat. Syst. V. I. p. 154. 23. T. 4. f. 2.
Borowsk. Naturg. VI. p. 85. 4.
Bechst. Naturg. I. II. p. 837. 3.
Merian Ins. Europ. T. 48. f. 5.
Gadd. Satag. 26.
C. 15-punctata. * DeGeer Ins. V. p. 376. 10. T. 11. f. 1.
ar. η. * Illig. Kæf. Pr. I. p. 437. 25. var. δ.
* Schneid. Mag. p. 154. 16. var α.
* Laich. Tyr. Ins. I. II. p. 131. var. γ.
C. ocellata. * Panz. Fn. Germ. LXXIX. 6.
* Preysl. Böhm. Ins. p. 81. 78.
* Preysl. in Mayers Aufs. Böhm. Naturg. III. p. 197. 7.
ar. θ. * Illig. Kæf. Pr. I. p. 437. 24. var. ε.
* Schneid. Mag. p. 155. 16. var. e.

* Payk. Fn. Sv. II. p. 14. 13. var. β.
* Herbst Col. V. p. 320. 77. var. 4.
C. sexlineata. * Fabr. S. El. I. p. 360. 28. * Ent. S. I. p. 270. 20. * Mant. I. p. 51. 15. * Sp. Ins. I. p. 94. 9.
* Panz. Ent. Germ. I. p. 134. 8. * Fn. Germ. LXXXV. 8.
* Linn. S. Nat. Gmel. I. IV. p. 1641. 61.
C. hebræa. * Linn. Fn. Sv. n. 473. * Syst. Nat. I. II. p. 580. 10. * ed. Gmel. I. IV. p. 1647. 10.
* Oliv. Ent. V. 98. T. 3. f. 34.

89. Iridea. * Thunb. N. Ins. Sp. I. p. 14. Tab. f. 17.
* Herbst Col. V. p. 277. 18. T. 56. f. 2.
* Linn. S. Nat. Gmel. I. IV. p. 1656. 105.

90. Pupillata. Nov. Sp. *f*).

91. Omma. * Herbst Col. V. p. 278. 19. T. 56. f. 3.
C. oculata. * Thunb. N. Ins. Sp. p. 14. Tab. f. 18.
* Linn. S. Nat. Gmel. I. IV. p. 1654. 95.

— (*Sedecimpunctata.*) * Fabr. S. El. I. p. 370. 81. — vid. *C. marginepunctata, var.* β. n. 16. huj. Op.

— (*Sedecimmaculata.*) * Fabr. S. El. I. p. 370. 82. — vid. *C. impustulata, var.* α. n. 104. huj. Op.

92. Sedecimnotata. * Fabr. S. El. I. p. 370. 83.

93. Distincta. * Thunb. N. Ins. Sp. p. 17. Tab. fig. 23.
* Herbst Col. V. p. 280. 22. T. 56. f. 6.
* Linn. S. Nat. Gmel. I. IV. p. 1657. 108.

94. Octodecimpunctata. * Fabr. S. El. I. p. 371. 84. * Ent. S. I. p. 280. 66. * Mant. I. p. 59. 61. * Sp. Ins. I. p. 100. 42. * S. Ent. p. 83. 28.
* Linn. S. Nat. I. II. p. 582. 24. * ed. Gmel. I. IV. p. 1654. 24.
* Herbst Col. V. p. 373. 103.

* Panz

---

f) Cocc. PUPILLATA: hæmisphærica, pallide rufescens, coleoptris rufis punctis 10 nigris ocellaribus.
Habitat in China, Canton. *D. Gröndal.*
Glabra, magnitudine *Cocc.* 16-*guttatæ*, omni parte, præter oculos nigros, rufescens. Antennæ apice nigricantes pilosæ. Elytra magna rotundata convexa, nitida, singulis punctis quinque rotundatis nigris iride flava cinctis; quorum duo prope basin; duo infra medium transversa, interiore parum inferiore, & unum impar intra angulum apicis. Pedes pallidi. Differt a *C. iridea* numero & situ punctorum.

SWARTZ.

* Panz. Ent. Germ. I. p. 141. 32.
* Schneid. Mag. p. 380. 66.

Novemdecimpunctata. * Fabr. S. El. I. p. 371. 85. * Ent. S. I. p. 280. 67. * Mant. I. p. 59. 62. * Sp. Ins. I. p. 100. 43. * S. Ent. p. 83. 29. * Linn. Fn. Sv. n. 485. * Syst. Nat. I. II. p. 582. 25. * ed. Gmel. I. IV. p. 1654. 25.
* Illig. Kæf. Pr. I. p. 429. 16.
* Payk. Fn. Sv. II. p. 42. 43.
* Herbst Col. V. p. 333. 83. T. 57. f. 15.
* Herbst Arch. p. 45. 14. T. 22. f. 9.
* Schneid. Mag. p. 148. 12.
* Panz. Ent. Germ. I. p. 141. 33.
* Ross. Fn. Etr. I. p. 64. 159. * ed. Hellw. I. p. 67. 159.
* Müll. Zool. D. Pr. p. 67. 632.
* Marsh. Ent. Br. I. p. 158. 23.
* Geoffr. Ins. I. p. 325. 10.

(*Vigintipunctata.*) * Fabr. S. El. I. p. 371. 86. — vid. *C. 22-punctulata*, n. 96. huj. Op.

Vigintiduopunctata. * Linn. Fn. Sv. n. 486. * Syst. Nat. I. II. p. 582. 26. * ed. Gmel. I. IV. p. 1655. 26.
* Illig. Kæf. Pr. I. p. 468. 37.
* Payk. Fn. Sv. II. p. 23. 23.
* Herbst Col. V. p. 331. 82. T. 57. f. 14.
Oliv. Enc. VI. p. 67. 88.
* Schneid. Mag. p. 153. 15.
* DeGeer Ins. V. p. 379. 12.
* Ross. Fn. Etr. I. p. 65. 162. * ed. Hellw. I. p. 69. 161.
* Marsh. Ent. Br. I. p. 158. 25.
* Goeze Eur. Fn. VIII. p. 330. 5.
* Bechst. & Scharf. Forstinsect. III. p. 902. 6.
* Schrank En. Ins. p. 58. 107. — Fn. Boica I. p. 459. 473.
* Prevsl. in May. Aufs. Böhm. Nat. III. p. 293. 1.
* Müll. Zool. D. Pr. p. 67. 633.
Müll. Linn. Nat. Syst. V. I. p. 155. 26.
Vill. Ent. I. p. 103. 24.

C. 20-punctata. * Fabr. S. El. I. p. 371. 86. * Ent. S. I. p. 280. 68. * Mant. I. p. 59. 63. * Sp. Ins. I. p. 100. 44. * S. Ent. p. 84. 30.
* Herbst Arch. p. 45. 15. T. 22. f. 10.
Oliv. Enc. VI. p. 67. 87.
* Panz. Ent. Germ. I. p. 141. 34.
* Linn. S. Nat. Gmel. I. IV. p. 1654. 96.
* Laich. Tyr. Ins. I. II. p. 122. 7.

* Brahm Ins. Kal. I. p. 26. 90.
* Marsh. Ent. Br. I. p. 158. 24.
* Towns. Voy. en Hongr. III. p. 167. 87.
* Geoffr. Ins. I. p. 329. 17.
Mart. Engl. Ent. T. 13. f. 14.

— (*Vigintiduopunctata.*) * Fabr. S. El. I. p. 371. 87. — vid. *C. globosa*, *var.* ♀. n. 13. huj. Op.

99. Vigintiduomaculata. * Fabr. S. El. I. p. 371. 88. * Ent. S. I. p. 281. 70. * Herbst Col. V. p. 299. 51.

— (*Vigintitrespunctata.*) * Fabr. S. El. I. p. 371. 89. — vid. *C. globosa*, *var.* η. n. 13. huj. Op.

— (*Vigintiquatuorpunctata.*) * Fabr. S. El. I. p. 372. 90. — vid. *C. globosa*, *var.* η. n. 13. huj. Op.

100. Vigintiquatuormaculata. * Fabr. S. El. I. p. 372. 91. * Ent. S. I. p. 281. 73. * Herbst Col. V. p. 299. 52.

101. (Vigintioctopunctata.) * Fabr. S. El. I. p. 372. 92. * Ent. S. I. p. 282. 74. * Mant. I. p. 59. 67. * Sp. Ins. I. p. 101. 48. * S. Ent. p. 84. 34. * Illig. Mag. I. p. 401. 92. * Herbst Col. V. p. 264. 3. T. 55. f. 3. * Linn. S. Nat. Gmel. I. IV. p. 1655. 97. *C. sparsa.* * Herbst Arch. p. 160. 37. T. 43. f. 11. * Linn. S. Nat. Gmel. I. IV. p. 1658. 120.

102. Bis quadripunctata. Nov. Sp. g).

— (*Conglomerata.*) * Fabr. S. El. I. p. 372. 93. — vid. *C. conglobata*, *var.* γ. n. 103. huj. Op.

103. *Conglobata.* * Illig. Kæf. Pr. I. p. 462. 35. *C. tessellata.* * Scriba Journ. p. 188. 149. * Schneid. Mag. p. 158. 19.

---

g) COCC. BIS 4-PUNCTATA: sub-orbiculata gibbosa, rufo-testacea pubescens, elytro singulo maculis quatuor atris.

Habitat in India Orientali. *D. Kymell.*

Statura gibbosa *C. 28-punctatæ*, sed multoties minor, *C. globosæ* Illig. æqualis; Corpus totum supra rufo-testaceum, sub-nitidum, creberrime punctulatum, pube grisea adspersum. Caput planum angulatum, antice truncatum, fronte obsolete canaliculata. Thorax sublunatus, postice rotundatus, antice late emarginatus, angulis subacuminatis. Scutellum parvum angustum triangulare acutum. Elytra magna, valde convexa, apice obtusa; juxta medium baseos macula solitaria atra; in medio binæ, transversim positæ, una prope marginem, altera juxta suturam; quarta ante apicem, in disco, solitaria, omnes transversim oblongo-ovatæ, atræ. Corpus subtus pallidum testaceum. Pedes pallidi.

GYLLENH.

var. α. Illig. Kæf. Pr. l. c. var. α.
C. 14-maculata. * Fabr. S. El. I. p. 370. 79. * Ent. S. I. p. 279. 63. * Mant. I. p. 58. 57. Oliv. Enc. VI. p. 65. 78.
* Panz. Ent. Germ. I. p. 140. 28.
* Thunb. Ins. Sv. IX. p. 109.
* Ross. Mant. I. p. 26. 63. * ed. Hellw. I. p. 363. 63.
* Linn. S. Nat. Gmel. I. IV. p. 1653. 93.
* Marsh. Ent. Br. I. p. 157. 22.
C. tessellata. * Schneid. Mag. p. 158. 19. var. a.
C. conglomerata. * Payk. Fn. Sv. II. p. 30. 30. var. γ.
C. 14-punctata. * Herbst Col. V. p. 334. 84. T. 57. f. 16.
* Herbst Arch. p. 44. 9. T. 22. f. 5.
* Goeze Eur. Fn. VIII. p. 333. 7.
* Schrank En. Ins. p. 56. 104.
C. tetragonata. * Laich. Tyr. Ins. I. II. p. 125. 9.
var. β. * Illig. Kæf. Pr. l. c. var. β.
C. 14-punctata. * Linn. Fn. Sv. n. 482. * Syst. Nat. I. II. p. 582. 21. * ed. Gmel. I. IV. p. 1653. 21.
* Fabr. Mant. I. p. 58. 56. * Sp. Ins. I. p. 99. 39. * S. Ent. p. 83. 26. Oliv. Enc. VI. p. 65. 77.
* Ross. Fn. Etr. I. p. 63. 158. * ed. Hellw. I. p. 67. 158.
* Marsh. Ent. Br. I. p. 157. 21.
* Bechst. & Scharfenb. Forstins. III. p. 900. 4.
* Brahm Ins. Kal. I. p. 88. 289.
Poda Mus. Græc. p. 25. 4.
Vill. Ent. I. p. 101. 19.
C. tessellata. * Schneid. Mag. p. 158. 19. var. b.
* Schæff. Icon. T. 30. f. 13.
Harrer Beschr. u. 173. ed. 2:a n. 83.
var. γ. * Illig. Kæf. Pr. l. c. var. γ.
C. conglobata. * Linn. Fn. Sv. n. 489. * Syst. Nat. I. II. p. 583. 30. * ed. Gmel. I. IV. p. 1655. 30.
* Müll. Zool. D. Pr. p. 67. 636.
C. conglomerata. * Fabr. S. El. I. p. 372. 93. * Ent. S. I. p. 282. 75. * Mant. I. p. 59. 68. * Sp. Ins. I. p. 101. 49. * S. Ent. p. 84. 35.
* Payk. Fn. Sv. II. p. 29. 30. var. α.
Oliv. Enc. VI. p. 68. 91.
* Panz. Ent. Germ. I. p. 142. 38.
* Laich. Tyr. Ins. I. II. p. 127. 10.
* Ross. Fn. Etr. I. p. 64. 160. * ed. Hellw. I. p. 68. 160.

* Cederh. Fn. Ingr. n. 162.
* Herbst Arch. p. 46. 19. T. 22. f. 15. o.
* Schrank En. Ins. p. 60. 110. — Fn. Boi
p. 459. 472.
* Brahm Ins. Kal. I. p. 51. 166. & p. 217.
* Goeze Eur. Fn. VIII. p. 331. 6.
C. tessellata. * Schneid. Mag. p. 159. 19. var.
* DeGeer Ins. V. p. 383. 17.
* Scop. Ent. Carn. p. 78. 243.
* Müll. Zool. D. Pr. p. 66. 630.
C. 14-punctata. * Herbst Col. V. p. 335. 84.
2. Tab. 57. f. 17.
* Geoffr. Ins. I. p. 328. 15.
Bechst. Naturg. I. II. p. 838. 6.
Ray Ins. p. 87. 5.
* Frisch Ins. IX. p. 34. 17. T. 17. f. 4. 5.
* Schæff. Icon. T. 30. f. 11.
Harrer Beschr. n. 173. ed. 2:a n. 94.
var. ♂. * Illig. Kæf. Pr. l. c. var. ♂.
C. bis 6-pustulata. * Fabr. S. El. I. p. 384. 14
C. 12-pustulata. * Fabr. S. El. I. p. 385.
* Suppl. p. 80. 110—111. * Ent. S. I
290. 110. * Mant. I. p. 61. 92. * Sp.
I. p. 106. 67. * Gen. Ins. p. 218. 49—
* Illig. Mag. I. p. 404. 150.
Oliv. Ent. Meth. VI. p. 78. 128.
* Panz. Ent. Germ. I. p. 152. 74.
* Ross. Fn. Etr. I. p. 69. 173. * ed. He
I. p. 75. 173.
* Linn. S. Nat. Gmel. I. IV. p. 1665. 150.
* Roem. Ins. T. 3. f. 7. C.
* Marsh. Ent. Br. I. p. 168. 51.
Vill. Ent. I. p. 115. 62.
C. tessellata. * Schneid. Mag. p. 169. 19. var.
C. conglomerata. * Payk. Fn. Sv. II. p. 29. 30. v
C. 14-punctata. * Herbst Col. V. p. 336. 84. v
T. 57. f. 18.
C. fimbriata. * Sulz. Gesch. d. Ins. T. 3. f.
C. dentata. * Thunb. Ins. Sv. IX. p. 113. *
Ins. Sp. I. p. 23. Tab. fig. 34.
* Herbst Col. V. p. 306. 62. T. 56. f. 1
* Linn. S. Nat. Gmel. I. IV. p. 1664. 1
* Herbst Arch. T. 22. f. 14.

— (*Conglobata.*) * Fabr. S. El. I. p. 373. 94. — vi
impustulata, *var.* γ. n. 104. huj. Op.

104. *Impustulata.* * Illig. Kæf. Pr. I. p. 459. 34.
var. α. * Illig. Kæf. Pr. l. c. var. α.

C. 16-maculata. * Fabr. S. El. I. p. 370. 82.
* Mant. I. p. 58. 60.
Oliv. Enc. Meth. VI. p. 66. 84.
* Thunb. Ins. Sv. IX. p. 109.
* Linn. S. Nat. Gmel. I. IV. p. 1654. 94.
C. 16-punctata. * Schrank En. Ins. p. 57. 106.
* Scop. Ent. Carn. p. 77. 240. ?
C. conglobata. Oliv. Enc. Meth. VI. p. 69. 93.
* Ross. Fn. Etr. I. p. 64. 161. * ed. Hellw. I. p. 68. 161.
* Scriba Journ. p. 190. 150.
C. 18 punctata. * Scop. Ent. Carn. p. 77. 241.
C. rosea. * DeGeer Ins. V. p. 378. 11.
* Geoffr. Ins. I. p. 326. 12.
var. β. * Illig. Kæf. Pr. l. c. var. β.
C. conglobata. * Herbst Col. V. p. 353. 89. T. 58. f. 14.
* Laich. Tyr. Ins. I. II. p. 124. 8.
C. gemella. * Herbst Arch. p. 44. 12. T. 22. f. 7. g.
* Brahm Ins. Kal. I. p. 171. 571.
var. γ. * Illig. Kæf. Pr. l. c. var. γ.
C. conglobata. * Fabr. S. El. I. p. 373. 94.
* Ent. S. I. p. 282. 76.
* Payk. Fn. Sv. II. p. 30. 31.
* Panz. Ent. Germ. I. p. 142. 39.
* Schrank En. Ins. p. 59. 109.
* Cederh. Fn. Ingr. n. 164.
* Brahm Ins. Kal. I. p. 50. 165. p. 217. 725.
C. 16-maculata. * Schneid. Mag. p. 156. 18.
C. 18-maculata. * Thunb. Ins. Sv. IX. p. 109. ?
var. δ. * Illig. Kæf. Pr. l. c. var. δ.
C. impustulata. * Schneid. Mag. p. 177. 33. var. d.
var. ε. * Illig. Kæf. Pr. l. c. var. ε.
C. impustulata. * Schneid. Mag. p. 176. 33. var. c.
C. Ribis. * Scriba Beytr. II. p. 104. 25. T. 8. f. 12. ?
C. marginemaculata. * Brahm Ins. Kal. I. p. 50. 105. ?
var. ζ. * Illig. Kæf. Pr. l. c. var. ζ.
C. impustulata. * Schneid. Mag. p. 176. 33. var. b.
var. η. * Illig. Kæf. Pr. l. c. var. η.
var. ϑ. * Illig. Kæf. Pr. l. c. var. ϑ.
C. impustulata. * Fabr. S. El. I. p. 376. 112. * Ent. S. I. p. 286. 92. * Mant. I. p. 60. 80. * Sp. Ins. I. p. 103. 58. * S. Ent. p. 85. 43.
* Linn. Syst. Nat. I. II. p. 584. 40. * ed. Gmel. I. IV. p. 1660. 40.
* Payk. Fn. Sv. II. p. 31. 32.
Oliv. Enc. Meth. VI. p. 73. 109.
* Panz. Ent. Germ. I. p. 146. 51.

Müll. Linn. Nat. Syst. V. I. p. 160. 40.
Vill. Ent. I. p. 111. 53.
C. conglobata. * Herbst Col. V. p. 356. 89. var. 3. T
58. f. 15.
var. ι. * Illig. Kæf. Pr. l. c. var. ι.
C. impustulata. * Scriba Beytr. I. p. 103. 24. T.
f. 11. * Journ. p. 275. 157.
* Schneid. Mag. p. 176. 33. var. a.
C. flavipes. * Thunb. Ins. Sv. IX. p. 110.
var. κ. * Illig. Kæf. Pr. I. p. 461. 34. var. κ.
var. λ. * Illig. Kæf. Pr. l. c. var. λ.

105. Confluens.* Fabr. S. El. I. p. 373. 95.

106. Lineola. * Fabr. S. El. I. p. 373. 96. * Ent. S. I
p. 283. 77.
* Herbst Col. V. p. 300. 53.

107. Pusilla. * Thunb. N. Ins. Sp. I. p. 16. Tab. fig. 22.
* Linn. S. Nat. Gmel. I. IV. p. 1656. 107.

108. Tricolor. * Fabr. S. El. I. p. 373. 97. * Ent. S.
p. 283. 78. * Mant. I. p. 59. 69.
* Herbst Col. V. p. 300. 54.
* Linn. S. Nat. Gmel. I. IV. p. 1656. 98.

109. Detrita. * Fabr. S. El. I. p. 373. 98. * Ent. S. I
283. 79. * Mant. I. p. 59. 70. * Sp. Ins.
p. 102. 50. * S. Ent. p. 85. 36.
* Herbst Col. V. p. 301. 55.
* Linn. S. Nat. Gmel. I. IV. p. 1656. 99.

110. Strigata. * Fabr. S. El. I. p. 373. 99. * Suppl.
79. 80—81.

— (*Biguttata.*) * Fabr. S. El. I. p. 374. 100. — vi
C. humeralis, var. ε. n. 35. huj. Op.

111. Octoguttata. * Fabr. S. El. I. p. 374. 101. * En
S. I. p. 284. 81. * Mant. I. p. 59. 71.
* Herbst Col. V. p. 302. 56.
C. camtschatcensis. * Linn. S. Nat. Gmel. I. I
p. 1658. 124.

112. *Decemguttata.* * Fabr. S. El. I. p. 374. 102. * E
S. I. p. 284. 82. * Mant. I. p. 60. 73. * S
Ins. I. p. 102. 51. * S. Ent. p. 85. 37.
* Linn. S. Nat. I. II. p. 583. 33.? * ed. Gm
I. IV. p. 1659. 33. α.
* Herbst Col. V. p. 375. 105. T. 59. f. 1.
* Herbst Arch. p. 47. 20. T. 22. f. 16. q.
* Schneid. Mag. p. 136. 1.
* Ross. Fn. Etr. I. p. 67. 168. * ed. Hellw.
p. 72. 168.
* Laich. Tyr. Ins. I. II. p. 132. 13.
* Cederh. Fn. Ingr. n. 165.

* Panz. Ent. Germ. I. p. 143. 41.
* Brahm Ins. Kal. I. p. 147. 481.
* Marsh. Ent. Br. I. p. 161. 30. ?
C. decemguttata major. * Schall. Acta Hal. I. p. 264. ?
Mart. Engl. Ent. T. 13. f. 23. ?
Donov. Brit. Ins. T. 243. f. 1. ?
Bissexguttata. * Fabr. S. El. I. p. 374. 103. * Ent. S. I. p. 284. 83.
* Illig. Kæf. Pr. I. p. 432. 19.
* Payk. Fn. Sv. II. p. 22. 21.
* Herbst Col. V. p. 377. 108. T. 59. f. 4.
* Panz. Ent. Germ. I. p. 144. 43.
C. 12-guttata. * Herbst Arch. p. 47. 26. T. 22. f. 21.
* Schneid. Mag. p. 136. 2.
* Scriba Journ. I. p. 191. 152.
Oliv. Enc. Meth. VI. p. 71. 100.
* Thunb. Ins. Sv. IX. p. 110.
* Linn. S. Nat. Gmel. I. IV. p. 1659. 125.
* Schrank Enum. Ins. p. 61. 111. ?
* Oliv. Ent. V. 98. T. 4. f. 51. a. b.
* Brahm Ins. Kal. I. p. 110. 379. ?
* Schrank Physik. Aufsäze. p. 161. 2. ?
* Leske Mus. p. 11. 210.
* Geoffr. Ins. I. App. p. 539. 29.
Duodecimguttata. * Fabr. S. El. I. p. 374. 104.
* Ent. S. I. p. 284. 84. * Mant. II. App. p. 379. 51—52.
* Herbst Col. V. p. 302. 57.
C. cajennensis. * Linn. S. Nat. Gmel. I. IV. p. 1659. 156.
Quatuordecimguttata. * Fabr. S. El. I. p. 374. 105.
* Ent. S. I. p. 284. 85. * Mant. I. p. 60. 74.
* Sp. Ins. I. p. 102. 52. * S. Ent. p. 85. 38.
* Linn. Fn. Sv. n. 492. * Syst. Nat. I. II. p. 583. 34. * ed. Gmel. I. IV. p. 1569. 34.
* Illig. Kæf. Pr. I. p. 435. 22.
* Payk. Fn. Sv. II. p. 21. 20.
* Herbst Col. V. p. 376. 107. T. 59. f. 3.
* Herbst Arch. p. 47. 21. T. 22. f. 17.
* DeGeer Ins. V. p. 385. 20.
* Schneid. Mag. p. 136. 3.
* Ross. Mant. I. p. 26. 64. * ed. Hellw. I. p. 363. 64.
* Panz. Ent. Germ. I. p. 144. 44.
* Scop. Ent. Carn. p. 80. 248.
* Fisch. Naturg. v. Livl. p. 133. 263.
* Bechst. & Scharf. Forstinsect. III. p. 904. 8.
* Goeze Eur. Fn. VIII. p. 334. 8.

* Müll. Zool. D. Pr. p. 67. 639.
* Cederh. Fn. Ingr. n. 166.
* Leach. Tyr. Ins. I. II. p. 132. 14.
* Schrank En. Ins. p. 61. 112. — Fn. Boic. I. p. 463. 478.
* Brahm Ins. Kal. I. p. 100. 336. & p. 111. 113.
* Marsh. Ent. Br. I. p. 161. 31.
* Preysl. in Mayers Aufs. Böhm. Natur. III. p. 214. 9.
* Oliv. Ent. V. 98. T. 2. f. 12. a. b.
Bechst. Naturg. I. II. p. 838. 8.
Müll. Linn. Nat. Syst. V. I. p. 158. 34.
Poda Mus. Græc. p. 25.
* Geoffr. Ins. I. p. 327. 13.
* Schæff. Icon. T. 9. f. 11.
Harrer Beschr. n. 165. ed. 2:a n. 85.
Acta Ups. 1736. p. 18. 5.
Ray Ins. p. 86. 3.
List. loqu. p. 383. 10.
Mart. Eng. Ent. T. 13. f. 28.

116. **Bisseptemguttata.** * Fabr. S. El. I. p. 375. 106. * Ent. S. I. p. 285. 86.
* Illig. Kæf. Pr. I. p. 433. 20.
* Herbst Col. V. p. 381. 113. T. 59. f. 9.
* Panz. Ent. Germ. I. p. 144. 45.
* Schall. Acta Hal. I. p. 265.
* Linn. S. Nat. Gmel. I. IV. p. 1659. 116.
C. 15-guttata. * Fabr. S. El. I. p. 375. 107. * Ent. S. I. p. 285. 87. * Mant. I. p. 60. 75. * Sp. Ins. I. p. 102. 53. * Gen. Ins. Mant. p. 217. 38—39.
* Panz. Ent. Germ. I. p. 144. 46.
* Schneid. Mag. p. 137. 4.
* Herbst Arch. p. 47. 22. T. 22. f. 18. a.
* Linn. S. Nat. Gmel. I. IV. p. 1659. 127.
C. 12-gemmata. * Herbst Col. V. p. 376. 106. T. 59. f. 2.
* Panz. Ent. Germ. I. p. 143. 42.
* Geoffr. Ins. I. p. 327. 14.
* Schæff. Icon. T. 9. f. 12.
Harrer Beschr. n. 167. ed. 2:a p. 89. 86.

117. *Sedecimguttata.* * Fabr. S. El. I. p. 375. 108. * Ent. S. I. p. 285. 88. * Mant. I. 60. 76. * Sp. Ins. I. p. 103. 54. * S. Ent. p. 85. 39.
* Linn. Fn. Sv. n. 493. * Syst. Nat. I. II. p. 575. 35. * ed. Gmel. I. IV. p. 1659. 35.
* Illig. Kæf. Pr. I. p. 435. 23.

* Pa

* Payk. Fn. Sv. II. p. 36. 36.
* Herbst Col. V. p. 379. 110. T. 59. f. 6.
* Herbst Arch. p. 161. 42. T. 43. f. 16.
Oliv. Enc. Meth. VI. p. 72. 104.
* Schneid. Mag. p. 137. 5.
* Scriba Journ. p. 191. 154.
* DeGeer Ins. V. p. 385. 21.
* Panz. Ent. Germ. I. p. 145. 47.
* Scop. Ent. Carn. p. 80. 249.
* Cederh. Fn. Ingr. n. 167.
* Roem. Ins. T. 3. f. 5. b.
* Sulz. Gesch. d. Ins. T. 3. f. 5. b.
* Marsh. Ent. Br. I. p. 161. 32.
* Bechst. & Scharfenb. Forstinsect. III. p. 904. 9.
* Brahm Ins. Kal. I. p. 119. 410.
* Geoffr. Ins. I. App. p. 539. 28.
Mart. Eng. Ent. T. 13. f. 27.

8. *Octodecimguttata.* * Fabr. S. El. I. p. 375. 109. * Ent. S. I. p. 285. 89. * Mant. I. p. 60. 77. * Sp. Ins. I. p. 103. 55. * S. Ent. p. 85. 40.
* Linn. Fn. Sv. n. 494. * Syst. Nat. I. II. p. 585. 36. * ed. Gmel. I. IV. p. 1660. 36.
* Illig. Kæf. Pr. I. p. 431. 18. *a.*
* Payk. Fn. Sv. II. p. 39. 39.
* Schneid. Mag. p. 138. 6.
* Panz. Ent. Germ. I. p. 145. 48.
* Marsh. Ent. Br. I. p. 162. 33.
* Goeze Eur. Fn. VIII. p. 336. 9.
Müll. Linn. Nat. Syst. V. I. p. 159. 36.
var. *β.* * Illig. Kæf. Pr. I. p. 431. 18. var. *β.*
* Herbst Col. V. p. 378. 109. T. 59. f. 5.
var. *γ.* * Illig. Kæf. Pr. l. c. var. *γ.*
C. ornata. * Herbst Arch. p. 47. 23. T. 22. f. 19.
var. *δ.* * Illig. Kæf. Pr. l. c. var. *δ.*
(*Vigintiguttata.*) * Fabr. S. El. I. p. 376. 110. — vid. *C. tigrina, var. β.* n. 161. huj. Op.

9. *Oblongoguttata.* * Fabr. S. El. I. p. 376. 111. * Ent. S. I. p. 286. 91. * Mant. I. p. 60. 79. * Sp. Ins. I. p. 103. 57. * S. Ent. p. 85. 42.
* Linn. Fn. Sv. n. 496. * Syst. Nat. I. II. p. 584. 38. * ed. Gmel. I. IV. p. 1660. 38. * It. Oel. p. 148.
* Illig. Kæf. Pr. I. p. 436. 24. *a.*
* Payk. Fn. Sv. II. p. 14. 14.
* Herbst Col. V. p. 380. 111. T. 59. f. 7.
Oliv. Enc. Meth. VI. p. 72. 106.

* Oliv. Ent. V. 98. T. 2. f. 13. a. b.
* Schneid. Mag. p. 139. 7.
* DeGeer Ins. V. p. 384. 19.
* Panz. Ent. Germ. I. p. 146. 50.
Bergstr. Nom. I. Tab. 9. f. 6.
* Bechst. & Scharfenb. Forstinsect. III. p. 905. 10
* Müll. Zool. D. Pr. p. 67. 641.
* Laich. Tyr. Ins. I. II. p. 131. 12.
* Schrank En. Ins. p. 62. 113.
* Marsh. Ent. Br. I. p. 162. 34.
* Preysl. in Mayers Aufs. Böhm. Naturg. III. p. 221. 19.
* Sulz. Kennz. d. Ins. T. 3. f. 14.
* Schæff. Icon. T. 9. f. 10.
Harrer Beschr. n. 168. ed. 2:a n. 88.
Mart. Eng. Ent. T. 13. f. 25.
var. β. * Illig. Kæf. Pr. I. p. 436. 24. var. β.
— (*Impustulata.*) * Fabr. S. El. I. p. 376. 112. — vid. n. 104. var. ♀. huj. Op.

120. Ænea. * Fabr. S. El. I. p. 376. 113.

121. Nitidula. * Fabr. S. El. I. p. 376. 114. * Ent. S. I. p. 286. 93.
* Herbst Col. V. p. 308. 65.
var. β. *C. flavipes.* * Thunb. N. Ins. Sp. I. p. 21.
* Linn. S. Nat. Gmel. I. IV. p. 1661. 131.
— (*Flavipes.*) * Fabr. S. El. I. p. 377. 115. — vid. *C. paryula*, *var.* β. n. 183. huj. Op.

122. Nigrita. * Fabr. S. El. I. p. 377. 116. * Suppl. p. 79. 93—94.

123. Aurita. * Scriba Beytr. II. p. 105. 26. T. 8. f. 16.
C. humeralis. * Towns. Voy. en Hongr. III. p. 167. 73. T. 11. f. 1.

124. Areata. * Panz. Fn. Germ. XXIV. 7. * Ent. Germ. I. p. 146. 53. * Kr. Rev. d. Ins. Fn. I. p. 72.

125. *Reppensis.* * Herbst Col. V. p. 386. 118. T. 59. f. 14.
* Herbst Arch. p. 48. 28. T. 22. f. 23.
* Payk. Fn. Sv. II. p. 26. 28. α.
* Linn. S. Nat. Gmel. I. IV. p. 1663. 137.
* Panz. Ent. Germ. I. p. 149. 65.
Derm. marginellus. * Quens. Diss. Ign. Ins. p. 9
* Towns. Voy. en Hongr. III. p. 167. 74.
var. β. * Payk. Fn. Sv. II. p. 27. 28. var. β.
* Thunb. Ins. Sv. IX. p. 111.
Derm. zanthocephalus. * Quens. Diss. Ign. Ins. p. 10
var. γ. elytris totis nigris.



— (*Parvula.*) * Fabr. S. El. I. p. 377. 117. — vid. Fam. 2:a *C. parvula.* n. 183. huj. Op.

— (*Discoidea.*) * Fabr. S. El. I. p. 377. 118. — vid. Fam. 2:a n. 173. huj. Op.

— (Floralis.) * Fabr. S. El. I. p. 377. 119. — vid. Fam. 2:a n. 174. huj. Op.

— (*Biverrucata.*) * Fabr. S. El. I. p. 378. 120. — vid. Fam. 2:a n. 178. huj. Op.

— (Villosa.) * Fabr. S. El. I. p. 378. 121. — vid. *Nilio villosus.* huj. Op.

— (*Analis.*) * Fabr. S. El. I. p. 378. 122. — vid. Fam. 2:a n. 184. huj. Op.

— (Thoracica.) * Fabr. S. El. I. p. 378. 123. — vid. Fam. 2:a n. 185. huj. Op.

116. Marginella. * Fabr. S. El. I. p. 378. 124.
* Illig. Mag. I. p. 402. 124.
var. β. * Illig. Mag. l. c.

— (*Hæmorrhoidalis.*) * Fabr. S. El. I. p. 379. 125. — vid. *C. globosa, var. μ.* n. 13. huj. Op.

117. Tripustulata. * DeGeer Ins. V. p. 393. 2. T. 16. f. 23.

118. Quadriplagiata, Nov. Sp. *h*)

---

h) Cocc. 4-plagiata: coleoptris atris, maculis quatuor diffor-mibus rubris, thorace utrinque macula marginali margineque ante-riore flavis.

Habitat in India orientali. *D. Kymell.* E Mus. *Gyllenh.* & *Schönh.* Magnitudo & forma *C. oculatæ.* Caput clypeo palpis antennisque pallide rufis. Oculi ferruginei. Thorax ater nitidus, margine ante-riore ciliato maculaque subquadrata (angulo superiore in quibusdam exserto) ad margines utrinque flavis. Elytra marginata atra nitida, maculis utroque latere duabus diffiormibus rubris: anteriores basi contiguæ, fasciæ instar a marginibus ad suturam transversæ infra scutellum spatio interstinctæ posteriores apici propiores rotundatæ, a margine remotæ. Abdomen sordide flavum medio rufum. Pedes omnes pallido-rufi.

var. β. maculæ elytrorum apicis angulatæ, majores, marginem attingentes.

var. γ. thorax lunula lineari ad angulum superiorem macula-rum utrinque notatus. Maculæ elytrorum baseos lati-ores, fere pallidiores quam in præced. plagula trans-versa nigra signatæ, dimidiam partem elytræ occu-pantes, a posterioribus subcordatis parum distantes, hinc crucis nigræ speciem a colore elytrorum genuino simul inter se formant.

var. δ. maculæ thoracis angulo superiore exserto, unde pars atra triloba; Elytrorum ut in γ., at omnes plagæ li-nea cordato-circulari nigra intra marginem medio secta.

Swartz.

129. Biplagiata. Nov. Sp. *i.*)

130. Oculata. * Fabr. S. El. I. p. 379. 126. * Ent. S. p. 287. 98.
* Herbst Col. V. p. 309. 57.

131. Cacti. * Fabr. S. El. I. p. 379. 127. * Ent. S. p. 287. 99. * Mant. I. p. 60. 83. * Sp. In I. p. 104. 60. * S. Ent. p. 85. 44.
* Linn. Syst. Nat. I. II. p. 584. 41. * ed. Gme I. IV. p. 1661. 41.
* Thunb. N. Acta Ups. V. p. 104. 30.
Groon. Zooph. 609.
Merian Surin. Ins. p. 2. T. 2. f. summa.
Petiv. Gaz. T. 1. f. 5.
Sloan. Hist. Jam. II. T. 237. f. 31—33. & T 9. f. 13.
* Schneid. Mag. p. 184. *C. ranipustulatæ*, Obs.
* Illig. Kæf. Pr. I. p. 474. *C. renipustulatæ*, Obs.

132. *Bipustulata.* * Fabr. S. El. I. p. 379. 128. * Ent. S. I. p. 287. 100. * Mant. I. p. 60. 84. * Sp. Ins. I. p. 104. 61. * S. Ent. p. 86. 45.
* Linn. Fn. Sv. n. 498. * Syst. Nat. I. II. p. 585. 42.
* Illig. Kæf. Pr. I. p. 475. 43.
* Panz. Ent. Germ. I. p. 147. 57.
* Cederh. Fn. Ingr. n. 168.
* Schneid. Mag. p. 183. 40.
* Ross. Fn. Etr. I. p. 67. 169. *a.* * ed. Helw. I. p. 72. 169.
* Laich. Tyr. Ins. I. II. p. 134. 15.
* Schrank En. Ins. p. 63. 115. — Fn. Boica I. p. 464. 481.
* Schall. Acta Hal. I. p. 269. 5. var. *f.*

---

i) COCC. 2-PLAGIATA: coleoptris atris, maculis duabus difformibus rubris, thorace utrinque macula marginali margineque anteriore flavis.

Habitat in China. D. *Grōndal.* E Mus. *Schōnh.*

Habitu convexo & statura *C. oculatæ* proxima at paulo major. Caput nigrum. Frons maculis duabus inter oculos & lineola transversa in clypeo antennisque flavis. Thorax ater, nitidus, margine anteriore maculaque subquadrata magna utrinque marginali flavis Scutellum atrum. Elytra marginata atra, nitida, macula media difformi plagæ instar a margine utrinque fere usque ad suturam transversa. Abdomen pubescens medio pectusque rufum, ad latera flavum. Pedum par anticum pallidum, posteriores fusca. — Differt præcipue a *C oculata* figura macularum, quæ in illa exacte rotundatæ a margine parum remotæ.

SWARTZ.

* Marsh. Ent. Br. I. p. 164. 37.
Müll. Linn. Nat. Syst. V. I. p. 160. 42.
C. fasciata. * Payk. Fn. Sv. II. p. 25. 26.
* Herbst Col. V. p. 385. 117. T. 59. f. 13.
* Herbst Arch. p. 49. 30. T. 22. f. 25.
* Müll. Zool. D. Pr. p. 68. 648.
* Linn. S. Nat. Gmel. I. IV. p. 1663. 139.
* Panz. Ent. Germ. I. p. 147. 58.
C frontalis. * Thunb. N. Acta Ups. V. p. 105. 31.
* Geoffr. Ins. I. p. 334. 26. var.
* Leske Mus. p. 12. 220.
Mart. Eng. Ent. T. 13. f. 21.
var. β. * Illig. Kæf. Pr. I. p. 475. 43. var. β.
Renipustulata. * Illig. Kæf. Pr. I. p. 474. 42.
* Schneid. Mag. I. p. 184. 41.
* Panz. Ent. Germ. I. p. 148. 59.
* Scriba Journ. p. 276. 161.
* Scriba Beytr. II. p. 105. 27. T. 8. f. 15.
C. bipustulata. * Payk. Fn. Sv. II. p. 24. 25.
* Herbst Col. V. p. 383. 115. T. 59. f. 11.
* De Geer Ins. V. p. 387. 23. T. 10. f. 25.
Oliv. Enc. Meth. VI. p. 74. 114.
* Oliv. Ent. V. 98. T. 1. f. 8. a. b.
* Müll. Zool. D. Pr. p. 67. 642.
* Schall. Acta Hal. I. p. 269. 5. var. 2.
* Blumenb. Handb. ed. 7a p. 325. 2.
* Schwartz Nom. I. p. 46. 19.
* Goeze Eur. Fn. VIII. p. 336. 10.
* Linn. S. Nat. Gmel. I. IV. p. 1661. 42. *α.*
C. mediopustulata. * Bechst. & Scharfenb. Forstinsect. III. p. 907. 12.
Schrank Fn. Boica. I. 465.
C. similis. * Ross. Fn. Etr. I. p. 68. 170. T. 7. f. 4. * ed. Helliw. I. p. 73. 170. T. 7. f. 4.
C. Cacti. * Marsh. Ent. Br. I. p. 163. 36.
C. abdominalis. * Thunb. Ins. Sv. IX. p. 111.
* Roes. Ins. II. Scarab. III. T. 3. f. 4.
* Frisch. Ins. IX. T. 16. f. 6.
* Geoff. Ins. I. p. 334. 26. var.
Congener. Nov. Sp. *k*).

COCC. CONGENER: lutea, thorace nigro, margine anteriore & laterali pallido, elytris nigris, gibbosis, pustulis duabus coccineis. Habitat in China *D. Grëndal.*

Statura & magnitudo *Cocc. quadriverrucata* Fabr. Caput nigrum, ore luteo. Thorax antice sinuatus, postice rotundatus, niger, margine antico laterali pallido. Elytra convexa, gibbosa, marginata, nigra, lucida, pustula in medio rotundata. Corpus, antennis pedibusque luteum.

135. *Hæmorrhoidalis.* * Thunb. N. Ins. Sp. I. p. 11.
* Thunb. Ins. Sv. IX. p. 111.
C. atra. * Linn. S. Nat. Gmel. I. IV. p. 1664. 143.

136. *Lateralis.* * Fabr. S. El. I. p. 380. 129.
* Illig. Kæf. Pr. I. p. 472. 40.
* Panz. Fn. Germ. XXIV. 9. * Ent. Germ. I. p. 149. 64.
C. campestris. * Herbst Col. V. p. 386. 119. T. 59. f. 15.
* Herbst Arch. p. 48. 29. T. 22. f. 24.
* Panz. Ent. Germ. I. p. 149. 66.
* Linn. S. Nat. Gmel. I. IV. p. 1663. 138.
C. frontalis. * Payk. Fn. Sv. II. p. 28. 29. var. β var. β. * Illig. Kæf. Pr. I. p. 472. 40. var. β.
C. frontalis. * Payk. Fn. Sv. II. p. 28. 29. α.
* Schneid. Mag. p. 178. 35. a. (non var. b.)

— (*Variabilis.*) * Fabr. S. El. I. p. 380. 130. — vid. *C. humeralis, var.* β. n. 35. huj. Op.

— (*Rufipes.*) * Fabr. S. El. I. p. 380. 131. — vid. C. Morio, n. 177. huj. Op.

— (*Morio.*) * Fabr. S. El. I. p. 380. 132. — vid. Fam. 2:a n. 177. huj. Op.

— (*Frontalis.*) * Fabr. S. El. I. p. 381. 133. — vid. Fam. 2:a n. 175. huj. Op.

137. Dentipes. * Fabr. S. El. I. p. 381. 134.

— (*Quadripustulata.*) * Fabr. S. El. I. p. 381. 135. — *C. dispar, var.* γ. n. 34. huj. Op.

138. *Quadriverrucata.* * Fabr. S. El. I. p. 381. 136.
* Ent. S. I. p. 288. 104.
* Payk. Fn. Sv. II. p. 26. 27.
* Herbst Col. V. p. 384. 116. T. 59. f. 12.
* Panz. Ent. Germ. I. p. 150. 68.
* Thunb. Ins. Sv. IX. p. 112.
* Marsh. Ent. Br. I. p. 163. 35.
C. 4-pustulata. * Linn. Fn. Sv. n. 499. * Syst. Nat. I. II. p. 585. 43. * ed. Gmel. I. IV. p. 1662. 43.
* Illig. Kæf. Pr. I. p. 473. 41. α.
* Schneid. Mag. p. 185. 42.
Oliv. Enc. Meth. VI. p. 75. 120.
* DeGeer Ins. V. p. 389. 24.

---

var. β. thorace nigro, antice angulisque latæ luteis. Statura minor.

BILLBERG.

* Ross. Fn. Etr. I. p. 68. 171. * ed. Hellw. I. p. 74. 171.
* Thunb. N. Acta Ups. V. p. 105. 32.
* Scriba Journ. p. 277. 163.
* Müll. Zool. D. Pr. p. 68. 643.
* Schall. Acta Hal. p. 269. 6. var. 1.
* Schrank En. Ins. p. 64. 117.
* Laich. Tyr. Ins. I. II. p. 135. 16.
* Brahm Ins. Kal. I. p. 7. 24.
Bergstr. Nom. T. 9. f. 5.

C. sexpustulata. * Schrank Füessl. n. Mag. II. p. 148. var. ζ.

C. lunulata. * Linn. S. Nat. Gmel. I. IV. p. 1662. 158.

C. cassidoides. Don. Brit. Ins. T. 243. f. 3.
* Geoffr. Ins. I. p. 333. 25.
* Leske Mus. p. 12. 217.
* Schæff. Icon. T. 30. f. 16. 17.
Harrer Beschr. n. 169. ed. 2:a, n. 89.

ar. β. *C. 4-pustulata.* * Illig. Kæf. Pr. I. p. 473. 41. β.

Fasciata. * Fabr. S. El. I. p. 382. 137.

Divisa. * Fabr. S. El. I. p. 382. 138.

Bis-bipustulata.) * Fabr. S. El. I. p. 382. 139. — vid. Fam. 2:a n. 179. huj. Op.

Hemisphærica. * Web. Obs. Ent. I. p. 49. 3.

Arctica. * Fabr. S. El. I. p. 382. 140. * Ent. S. IV. App. p. 446. 105—106.
* Payk. Fn. Sv. II. p. 40. 41.
* Schneid. Mag. p. 148. 13.
* Herbst Col. V. p. 573. 104. & p. 383. 114. T. 59. f. 10.

C. lapponica. * Thunb. Ins. Sv. IX. p. 113.

C. dubia. * Web. Obs. Ent. I. p. 50. 4.

Strigata. * Thunb. Ins. Sv. IX. p. 113.

Erythrocephala. * Fabr. S. El. I. p. 383. 141. * Ent. S. I. p. 289. 106. * Mant. I. p. 61. 88.
* Herbst Col. V. p. 391. 124.
* Panz. Ent. Germ. I. p. 151. 71.
* Linn. S. Nat. Gmel. I. IV. p. 1662. 134.

C. minutissima. * Ross. Fn. Etr. I. p. 71. 178. * Mant. II. p. 87. 27. * ed. Hellw. I. p. 76. 178.
* Schrank En. Ins. p. 65. n. 118.
Vill. Ent. I. p. 115. 64.

C. fasciata. Fourcr. Ent. Par. I. p. 149. 21.
* Geoffr. Ins. I. p. 332. 21.

— (*Sexpustulata.*) * Fabr. S. El. I. p. 383. 142. — vi
C. dispar, var. ζ. n. 34. huj. Op.

145. Bis-tripustulata. * Fabr. S. El. I. p. 383. 143.

146. Lævis. * Thunb. N. Ins. Sp. I. p. 22. Tab. f. 3.
* Linn. S. Nat. Gmel. I. IV. p. 1664. 144.

147. Sexverrucata. * Fabr. S. El. I. p. 383. 144.

148. Octopustulata. * Fabr. S. El. I. p. 383. 145.

149. Lunata. * Fabr. S. El. I. 384. 146. * Ent. S. I.
p. 289. 108. * Mant. I. p. 61. 90. * Sp. Ins.
I. p. 105. 65. * S. Ent. p. 86. 48.
* Herbst Col. V. p. 309. 68.
Oliv. Enc. Meth. VI. p. 77. 124.
* Oliv. Ent. V. 98. T. 4. f. 48. a. b.
* Linn. S. Nat. Gmel. I. IV. p. 1663. 135.
C. rivosa. * Thunb. N. Ins. Sp. p. 22. fig. 33.
* Herbst Col. V. p. 305. 61. T. 56. f. 16.
var. β. *C. vulpina.* * Fabr. S. El. I. p. 386. 159. * Suppl.
p. 80. 116—117.
C. sulphurea. Oliv. Enc. Meth. VI. p. 77. 125.

— (*Decempustulata.*) * Fabr. S. El. I. p. 384. 147. —
vid. *C. variabilis, var.* χ n. 36. huj. Op.

150. Bis-quinquepustulata. * Fabr. S. El. I. p. 384. 148

—(*Bis-sexpustulata.*) * Fabr. S. El. I. p. 384. 149. —
vid. *C. conglobata, var.* δ. n. 103. huj. Op.

—(*Duodecimpustulata.*)* Fabr. S. El. I. p. 385. 150. —
vid. *C. conglobata, var.* δ. n. 103. huj. Op.

151. Duodecimverrucata. * Fabr. S. El. I. p. 385. 151
C. hirta. * Thunb. N. Ins. Sp. p. 23. fig. 35.
* Herbst Col. V. p. 307. 63. T. 56. f. 18.
* Linn. S. Nat. Gmel. I. IV. p. 1663. 136.
var. β. lunula baseos elytrorum majori, cum pustul
marginali primi ordinis confluente.
var. γ. *C. guttatofasciata.* * Goldf. Enum. Ins. I.
40. Tab. fig. 3.

152. Russica. * Herbst Arch. p. 49. 34. T. 22. f. 2
* Linn. S. Nat. Gmel. I. IV. p. 1664. 140.
C. bissexpustulata. * Herbst Col. V. p. 303.
T. 56. f. 14.

153. *Quatuordecimpustulata.* * Fabr. S. El. I. p. 3
152. * Ent. S. I. p. 290. 111. Mant. I. p.
93. * Sp. Ins. I. p. 106. 68. * S. Ent. p. 87.
* Linn. Fn. Sv. n. 502. * Syst. Nat. I. II.
585. 46. * ed. Gmel. I. IV. p. 1665. 46.
* Illig. Kæf. Pr. I. p. 445. 30. α.

* Pay

* Payk. Fn. Sv. II. p. 22. 22.
* Panz. Ent. Germ. I. p. 152. 75.
* Herbst Col. V. p. 388. 121. T. 59. f. 17.
* DeGeer Ins. V. p. 391. 27.
* Oliv. Ent. V. 98. T. 4. f. 50. a. b.
Oliv. Enc. Meth. VI. p. 78. 130.
* Ross. Mant. I. p. 27. 65. * ed. Hellw. I. p. 364. 65.
* Müll. Zool. D. Pr. p. 68. 646.
* Schneid. Mag. p. 182. 38.
* Petagn. Ins. Cal. p. 8. 37.
* Scop. Ent. Carn. n. 246.
* Preysl. in May. Aufs. Böhm. Nat. III. p. 211. 4.
* Brahm Ins. Kal. I. p. 52. 168.
Bechst. Naturg. I. II. p. 839. 11.
Müll. Linn. Nat. Syst. V. I. p. 161. 46.
Vill. Ent. I. p. 114. 58.
C. 14-maculata. * Laich. Tyr. Ins. I. II. p. 139. 19.
Poda Mus. Græc. 26.
C. 14-guttata. * Goeze Eur. Fn. VIII. p. 340 12.
* Geoffr. Ins. I. p. 530. 18.
* Schæff. Icon. T. 30. f. 10.
Harrer Beschr. n. 174. ed. 2:a n. 95.
var. β. * Illig. Käf. Pr. I. p. 445. 30. var. β.
C. 14-pustulata. * Schrank Enum. Ins. p. 67. 122.
var. γ. * Illig. Käf. Pr. l. c. var. γ.
C. 14-maculata, var. β. * Laich. Tyr. Ins. I. II. p. 140. 19. β.

Sedecimpustulata. 1) * Linn. Fn. Sv. n. 503. * Syst. Nat. I. II. p. 585. 47. * ed. Gmel. I. IV. p. 1664. 47.

Guttatopustulata. * Fabr. S. El. I. p. 385. 153. * Ent. S. I. p. 290. 112. * Mant. I. p. 61. 94. * Sp. Ins. I. p. 106. 69. * S. Ent. p. 87. 51.
* Herbst Col. V. p. 310. 69.
* Linn. S. Nat. Gmel. I. IV. p. 1664. 142.

OCC SEDECIM-PUSTULATA.
Habitat in Westmannia. *D. Hall.* E. Museo *Thunbergii.*
Oblonga, *Cocc. 5-punctata* paulo minor, tota nigra, flavo-guttata. Caput punctis duobus notatum. Thorax margines anticus et laterales flavi; posticus punctis duobus. Elytra marginata: in basi juxta scutellum lineolæ binæ, in angulo extimo lunula: ante medium in disco punctum quadratum: in medio puncta tria transversa, quorum duo extima coalita: intra apicem puncta duo rotunda et in ipso sutura unicum minutissimum. Pectus nigrum punctis flavis. Abdomen nigrum, immaculatum. Pedes nigri geniculis flavescentibus.

THUNB.

157. Felina. * Fabr. S. El. I. p. 385. 154. * Ent. S. p. 290. 113. * Mant. I. p. 61. 95. * Sp. I. I. p. 106. 70. * S. Ent. p. 87. 52.
* Herbst Col. V. p. 310. 70.
* Linn. S. Nat. Gmel. I. IV. p. 1665. 147.
— (*Pantherina.*) * Fabr. S. El. I. p. 385. 155. — *C. dispar, var. η.* n. 34. huj. Op.
— (Pardalina.) *m*) * Fabr. S. El. I. p. 386. 156. — *Chrysom. guttata.* huj. Op.
158. Ursina. * Fabr. S. El. I. p. 386. 157. * Ent. S. p. 291. 116. * Mant. I. p. 61. 98.
* Herbst Col. V. p. 312. 72.
* Linn. S. Nat. Gmel. I. IV. p. 1665. 149.
159. Argulata. * Fabr. S. El. I. p. 386. 158. * Sup. p. 80. 116—117.
— (Vulpina.) * Fabr. S. El. I. p. 386. 159. — vid. *C. lunata, var. β.* n. 149. huj. Op.
160. Leonina. * Fabr. S. El. I. p. 386. 160. * Ent. S. p. 291. 117. * Mant. I. p. 61. 99. * Sp. I. I. p. 106. 73. * S. Ent. p. 87. 54.
* Herbst Col. V. p. 312. 73.
* Linn. S. Nat. Gmel. I. IV. p. 1665. 151.
161. *Tigrina.* * Fabr. S. El. I. p. 386. 161. * Ent. S. p. 291. 118. * Mant. I. p. 61. 100. * Sp. I. I. p. 107. 74. * S. Ent. p. 88. 55.
* Linn. Fn. Sv. n. 505. * Syst. Nat. I. II. 586. 49. * ed. Gmel. I. IV. p. 1665. 49.
* Illig. Kæf. Pr. I. p. 434. 21.
* Payk. Fn. Sv. II. p. 20. 19. *α.*
* Herbst Col. V. p. 389. 122. T. 59. f. 18.
* Herbst Arch. p. 49. 36. T. 22. f. 27.
* Panz. Ent. Germ. I. p. 152. 77.
* Schneid. Mag. p. 183. 39.
* Scriba Journ. p. 281. 168.
* Cederh. Fn. Ingr. n. 171.
* Schrank En. Ins. p. 67. 121.
* Uddm. Diss. p. 9. 11.
* Schæff. Icon. T. 30. f. 9.
Harrer Beschr. n. 175. ed. 2:a n. 96.
var. β. C. tigrina. * Payk. Fn. Sv. II. p. 21. 19. *v*
* Schneid. Mag. p. 183. 139. var.
* Illig. Kæf. Pr. I. p. 434. 21. var.
C. 20-*guttata.* * Fabr. S. El. I. p. 376. 110. * S. I. p. 285. 90. * Mant. I. p. 60. 78. * Ins. I. p. 103. 56. * S. Ent. p. 85. 41.

---

m) Tarsi quadriarticulati.

?

* Linn. Fn. Sv. n. 495. * Syst. Nat. I. II. p. 584. 37. * ed. Gmel. I. IV. p. 1660. 37.
* Herbst Arch. p. 47. 24. T. 22. f. 20.
* Panz. Ent. Germ. I. p. 145. 49.
* DeGeer Ins. V. p. 386. 22.
* Ross. Fn. Etr. I. p. 70. 177. * ed. Hellw. I. p. 76. 177.

Canina. * Fabr. S. El. I. p. 387. 162. * Ent. S. I. p. 291. 119. * Mant. I. p. 62. 101. * Sp. Ins. p. I. 107. 75.
* Herbst Col. V. p. 313. 74.
* Linn. S. Nat. Gmel. I. IV. p. 1666. 152.
C. 20-pustulata. * Thunb. N. Ins. Sp. I. p. 24. f. 36.
* Herbst Col. V. p. 307. 67. T. 56. f. 19.
* Linn. S. Nat. Gmel. I. IV. p. 1664. 141.

Punctatissima. * Web. Obs. Ent. I. p. 48. 1.

Obliterata. * Linn. Fn. Sv. n. 497. * Syst. Nat. I. II. p. 584. 39. * ed. Gmel. I. IV. p. 1660. 39.
* Schrank En. Ins. p. 62. 114. ?

Pantherina. * Schneid. Mag. p. 181. 37.
* Herbst Col. V. p. 390. 123.

Pallida. * Ross. Fn. Etr. I. p. 66. 166. * ed. Hellw. I. p. 71. 166.

Octodecimnotata. * Ross Mant. II. App. p. 86. 23.

Lutea. *n*) * Ross. Mant. II. App. p. 89. 33.

Flava. * Marsh. Ent. Br. I. p. 160. 27.

B. (*Familia* 2:a) vel *Scymni* Auctorum. *o*)

Pubescens. * Fabr. S. El. I. p. 357. 5. * Suppl. p. 77. 3—4.

Pubescens. * Panz. Fn. Germ. XXIV. 13.
* Ent. Germ. I. p. 133. 4. * Kr. Rev. d. Ins. Fn. I. p. 72.

Abietis. * Fabr. S. El. I. p. 357. 6.
* Payk. Fn. Sv. II. p. 10. 10.
C. brunnea. * Thunb. Mus. Acad. App. VI. p. 114. 6?

Discoïdea. * Fabr. S. El. I. p. 377. 118.
* Illig. Kæf. Pr. I. p. 418. 9.
* Payk. Fn. Sv. II. p. 7. 4.

---

n *C. variabilis* variet.?

o Latr. Gen. Cr. & Ins. III. p. 75. *Coccinellæ* Fam. IV.

Scymn. pilosus. * Herbst Col. VII. p. 343. 6. T. 116. f. 6. F.
Scymn. suturalis. * Thunb. Ins. Sv. IX. p. 106.
Sphærid. plagiatum. * Thunb. Ins. Sv. VIII. p. 101.
Byrrh. Pini. * Marsh. Ent. Br. I. p. 102. 3.

174. Floralis. * Fabr. S. El. I. p. 377. 119.
Nitid. floralis. * Fabr. Ent. Syst. I. p. 260. 23. * Herbst Col. V. p. 243. 16.

175. *Frontalis.* * Fabr. S. El. I. p. 381. 133. * Ent. S. I. p. 288. 102. * Mant. I. p. 60. 86.
* Illig. Kæf. Pr. I. p. 417. 8. var. α. * Mag. I. p. 91. 8.
* Herbst Col. V. p. 391. 126.
* Panz. Ent. Germ. I. p. 148. 61.
* Linn. S. Nat. Gmel. I. IV. p. 1661. 133.
Scymn. didymus. * Herbst Col. VII. p. 341. 2. T. 116. f. 2. B.
Chrysom. Altica. * Schrank En. Ins. p. 84. 137.
var. β. * Illig. Kæf. Pr. I. p. 417. 8. var. β.
C. frontalis. * Panz. Fn. Germ. XIII. 4.

176. *Flavilabris.* * Payk. Fn. Sv. II. p. 6. 2.
C. frontalis. * Ross. Mant. II. App. p. 86. 26.
* Illig. Kæf. Pr. I. p. 418. 8. var. δ.
C. humeralis. * Panz. Ent. Germ. I. p. 149. 62. * Fn. Germ. XXIV. 10. ed. 2:a.
* Marsh. Ent. Br. I. p. 166. 43.
Scymn. bipustulatus. * Panz. Fn. Germ. XXIV. 10. ed. 1:a.
Scymn. bimaculatus. * Thunb. Ins. Sv. IX. p. 105.
Sphærid. bipunctatum. * Thunb. Ins. Sv. VIII. p. 102.
Sphærid. bipustulatum. * Thunb. Ins. Sv. VIII. p. 102.

177. *Morio.* * Fabr. S. El. I. p. 380. 132.
C. rufipes. * Fabr. S. El. I. p. 380. 131. — * Suppl. p. 80. 101—102. (*C. Morio*, vix differt.)
C. marginalis. * Payk. Fn. Sv. II. p. 9. 8.
* Ross. Mant. II. App. p. 87. 28.
C. frontalis. * Illig. Kæf. Pr. I. p. 417. 8. var. γ.
C. interrupta. Oliv. Enc. Meth. VI. p. 81. 142.
Scymn. bimaculatus. * Herbst Col. VII. p. 340. 1. T. 116. f. 1. A.
Sphærid. bimaculatum. * Herbst Col. IV. p. 71. 6. T. 37. f. 6. F.
Coccin. austriaca. Vill. Ent. I. p. 115. 63.
* Geoffr. Ins. I. p. 333. 23.
Reaum. Ins. III. T. 31. f. 20. 29.

?

Orbicula. Nov. Sp. *p*).

Biverrucata. * Fabr. S. El. I. p. 378. 120.
* Illig. Kæf. Pr. I. p. 415. 5.
* Panz. Ent. Germ. I. p. 149. 63.
C. affinis. * Payk. Fn. Sv. II. p. 10. 9.
C. bimaculata. * Marsh. Ent. Br. I. p. 166. 42.
Scymn. bipunctatus. * Herbst Col. VII. p. 343. 5. T. 116. f. 5. E.
* Panz. Fn. Germ. XXIV. 11.
* Kugel. Schneid. Mag. p. 547. 3.
Scymn. bipustulatus. * Thunb. Ins. Sv. IX. p. 105.
Bis-bipustulata. * Fabr. S. El. I. p. 382. 139. * Ent. S. I. p. 288. 105.
* Illig. Kæf. Pr. I. p. 415. 6.
* Panz. Ent. Germ. I. p. 151. 70.
* Herbst Col. V. p. 391. 125.
Scymn. 4-pustulatus. * Herbst Col. VII. p. 344. 7. T. 116. f. 7. G.
var. β. * Illig. Kæf. Pr. I. p. 415. 6. var. β.
C. frontalis, var. b. * Schneid. Mag. p. 179. 35. b.
C. 4 maculata. * Ross. Fn. Etr. I. p. 71. 179.
* Mant. II. App. p. 86. 25. * ed. Helliw. I. p. 77. 179.
* Marsh. Ent. Br. I. p. 167. 45.
C. 4 guttata. * Brahm Ins. Kal. I. p. 221. 750.
Scymn. 4-pustulatus. * Kugel. Schneid. Mag. p. 547. 2.
* Panz. Fn. Germ. XXIV. 8. ed. 1:ma.
C. bis biverrucata. * Panz. Ent. Germ. I. p. 150. 69.
* Fn. Germ. XXIV. 8. ed. 2:a.
C. pubescens. Oliv. Enc. Meth. I. p. 181. 141. ?
C. villosa. Fourcr. Ent. Par. I. p. 149. 22.
* Geoffr. Ins. I. p. 332. 22.
var. γ. *C. bis-bipustulata.* * Illig. Kæf. Pr. I. p. 415. 6. var. γ.
* Payk. Fn. Sv. II. p. 5. 1.

---

*) COCC. ORBICULA: rotundata nigra pubescens, capite thoracisque lateribus pallidis, elytris macula orbiculata disci rufescente. Habitat in India Orientali. D. *J. Lund.* Mus. *Schönh.* Parva, *C. biverrucata* brevior, orbiculata; superficies tota creberrime punctulata, et pilis cinereis depressis adspersa. Caput albido-vesens, oculis nigris. Thorax brevissimus, postice sinuatus, in medio productus, supra parum convexus, niger, lateribus late flavo-albis. Scutellum minutum triangulare nigrum. Elytra rotundata convexa nigra; paulo pone medium macula magna rotundata pallide flava in singuli disco. Corpus nigro-piceum, abdominis margine diluiore. Pedes anteriores rufescentes, femoribus basi nigris; posteriores nigricantes, tarsis ferrugineis.

GYLLENH.

180. *Quadrilunulata.* * Illig. Kæf. Pr. I. p. 416. 7.
C. bis-bipustulata. * Panz. Fn. Germ. XIII. 5.
* Kr. Rev. d. Ins. Fn. I. p. 72.
* Marsh. Ent. Br. I. p. 167. 46.
Scymn. 4 maculatus. * Kugel. Schneid. Mag. p. 54. 1.
Scymn. pulchellus. * Herbst Col. VII. p. 345. 10. T. 116. f. 10. K.

181. *Colon.* * Thunb. Ins. Sv. IX. p. 111.

182. Sexguttata. Nov. Sp. *q*).

183. *Parvula.* * Fabr. S. El. I. p. 377. 117. * Ent. S. I. p. 286. 94.
* Payk. Fn. Sv. II. p. 8. 7. *α*.
* Illig. Kæf. Pr. I. p. 414. 4. var. *δ*.
* Panz. Fn. Germ. XIII. 2. * Ent. Germ. I. p. 146. 54.
* Herbst Col. V. p. 392. 128.
* Marsh. Ent. Br. I. p. 167. 47.
Scymn. collaris. * Herbst Col. VII. p. 345. 9. T. 116. f. 9. J.
Coccin. pygmæa. * Ross. Mant. II. App. p. 88. 31. Oliv. Enc. VI. p. 82. 144. ?
Scymn. auritus. * Thunb. Ins. Sv. IX. p. 105.
* Geoffr. Ins. I. p. 333. 24. ?
var. *β*. * Payk. Fn. Sv. II. p. 9. 7. var. *β*.
* Illig. Kæf. Pr. I. p. 414. 4. *α*.
C. flavipes. * Fabr. S. El. I. p. 377. 115.
C. capitata. * Fabr. Suppl. p. 79. 93—94.
C. fulvifrons. * Marsh. Ent. Br. I. p. 168. 48.
Sphærid. rufipes. Schrank in Füessl. N. Mag. II. p. 315. 8. ?

184. *Analis.* * Fabr. S. El. I. p. 378. 122. * Ent. S. I. p. 286. 96. * Mant. I. p. 60. 81.
* Payk. Fn. Sv. II. p. 7. 3.
* Panz. Fn. Germ. XIII. 3. * Ent. Germ. I. p. 147. 55.

---

q) COCC. SEX-GUTTATA: ovata nigra pubescens, elytro singulo maculis tribus rotundatis flavo-testaceis.
Habitat in Capite Bonæ Spei. Mus. *Schönherr.*
Parva, *C. 12-punctata* vix major, tota nigra obscura, cinereo-pubescens, creberrime punctulata. Caput quadrangulum, frontis margine truncato reflexo. Thorax sub-lunatus, postice rotundatus, antice late emarginatus, angulis porrectis obtusis. Elytra ovata, marginata, apice acuminata, supra valde convexa; in singulo maculæ tres rotundatæ flavo-testaceæ, quarum prima in disco prope basin, secunda juxta suturam in medio elytri, tertia ante apicem, paulo major, a sutura remotior. Corpus subtus nigrum nitidum. Pedes nigri, femoribus compressis.

GYLLENH.

* Herbst Col. V. p. 392. 127.
Oliv. Enc. Meth. VI. p. 73. 111.
* Ross. Mant. II. App. p. 88. 29.
* Linn. S. Nat. Gmel. I. IV. p. 1660. 129.
C. parvula. * Illig. Kæf. Pr. I. p. 414. 4. var. ε.
C. ruficollis. Oliv. Enc. Meth. VI. p. 81. 143.
var. β. *C. parvula.* * Illig. Kæf. Pr. I. p. 414. 4. var. γ.
Scymn. hæmorrhoidalis. * Herbst Col. V. p. 342. 4. T. 116. f. 4. D.
Coccin. hæmorrhoidalis. * Marsh. Ent. Br. I. p. 168. 49.
* Uddm. Diss. p. 11. 18. *Coccinella.*
var. γ. *C. parvula.* * Illig. Kæf. Pr. I. p. 414. 4. var. β.
var. δ. *C. bilituratа.* * Marsh. Ent. Br. I. p. 166. 44.
185. Thoracica. * Fabr. S. El. I. p. 378. 123.
186. Arcuata. * Ross. Mant. II. App. p. 88. 30.
* Illig. Kæf. Pr. I. p. 419. Not. ad n. 9.
var. β. * Ross. Mant. l. c. var. β.
187. Flavipes. * Illig. Kæf. Pr. I. p. 413. 3.
Trifoma flavipes. * Panz. Fn. Germ. II. 4.
Scymn. sericeus. * Kugel. Schneid. Mag. p. 547. 4.
Scymn. pubescens. * Herbst Col. VII. p. 342. 3. T. 116. f. 3. C.?
188. *Atra.* * Illig. Kæf. Pr. I. p. 413. 2.
Scymn. ater. * Kugel. Schneid. Mag. p. 548. 6.
Coccin. minima. * Payk. Fn. Sv. II. p. 8. 5.
* Ross. Mant. II. App. p. 89. 32.?
189. Pusilla. *Scymn. pusillus.* * Herbst Col. VII. p. 346. 11. T. 116. f. 11. L.
190. *Nigrina.* * Illig. Kæf. Pr. I. p. 413. 1.
* Panz. Ent. Germ. I. p. 146. 52. * Panz. Fn. Germ. XXIV. 12. ed. 2:a.
Scymn. nigrinus. * Kugel. Schneid. Mag. p. 548. 5.
* Panz. Fn. Germ. XXIV. 12. ed. 1:a.
* Herbst Col. VII. p. 344. 8. T. 116. f. 8. H.
Scymn. ater. * Thunb. Ins. Sv. IX. p. 105.
Coccin. Morio. * Payk. Fn. Sv. I. p. 8. 6.
Coccin. minima. * Müll. Zool. D. Pr. p. 65. 613.
191. Lunigera. Nov. Sp. r).

r) Cocc. LUNIGERA: capite pedibus elytrisque dimidiato-flavis. Habitat extra Europ. E Musæo *Thunbergii*.
Magnitudine *Cocc. parvulæ*, totus nitidus, tenuissime omnium villosus. Caput flavum. Thorax convexus, margine antico tenuissime flavus. Elytra antice atra, postice flava, nigredine in medio cornubus versus postica exeunte. Abdomen nigrum postice marginibus rufescens. Pedes rufescentes. THUNB.

192. Trinotata. * Thunb. N. Ins. Sp. I. p. 11. Tab. fig.
* Herbst Col. V. p. 272. 11. T. 55. f. 11.
* Linn. S. Nat. Gmel. I. IV. p. 1646. 59.

N.o 100. STRONGYLUS. Herbst. s).

1. *Scutellatus.* *Strong. 5-punctatus.* * Herbst Col. IV. 181. 2. T. 43. f. 2. b. B.
Chrysom. scutellata. * Fabr. S. El. I. p. 443. 1
* Ent. S. I. p. 327. 101. * Mant. p. 72. 73.
* Herbst Arch. p. 58. 32. T. 23. f. 20.
Oliv. Enc. Meth. IV. p. 708. 82.
* Panz. Fn. Germ. XXVI. 12. * Ent. Ger I. p. 164. 45.
* Scriba Journ. p. 247.
* Fallén Diss. Obs. Ent. p. 10.
* Linn. S. Nat. Gmel. I. IV. p. 1681. 131.
Coccin. scutellata. * Illig. Kæf. Pr. I. p. 421. 11.
Nitid. 5-punctata. * Fabr. Mant. I. p. 52. 16.
Nitid. bipunctata. * Linn. S. Nat. Gmel. I. IV p. 1630. 19.
Anthribus bipunctatus. Oliv. Enc. Meth. IV. p 161. 10.
Silpha melanophthalma. * Linn. S. Nat. Gmel. I. IV. p. 1627. 86.
Silpha testacea. * Leske Mus. p. 9. 169.
var. β. *Coccin scutellata.* * Illig. Kæf. Pr. I. p. 421. 12. var. β.

2. *Pectoralis.* *Chrysom. pectoralis.* * Fabr. S. El. I. p. 443. 128. * Ent. S. I. p. 328. 102.
* Panz. Ent. Germ. I. p. 165. 46. * Fn. Germ. LXXVIII. 5.
Coccin. pectoralis. * Illig. Kæf. Pr. I. p. 420. 11.
* Payk. Fn. Sv. III. App. p. 450. 4—5.
Derm. rufus. * Herbst Arch. p. 22. 14. T. 20. f. 7
Derm. testaceus. * Thunb. Ins. Sv. VI. p. 80.
Silpha rosea. * Marsh. Ent. Br. I. p. 123. 25.

3. Litura. *Nitid. Litura.* * Fabr. S. El. I. p. 35 27. * Ent. S. I. p. 260. 22. * Mant. p. 52. 15.
* Herbst Col. V. p. 242. 14. T. 51. f. 2. B.
* Panz

s) Latr. Gen. Cr. & Ins. III. p. 75. *Coccinella* Fam. III.

* Panz. Ent. Germ. I. p. 128. 21.
* Ross. Mant. II. App. p. 85. 21.
* Linn. S. Nat. Gmel. I. IV. p. 1630. 18.
Coccin. Litura. * Illig. Kæf. Pr. I. p. 419. 10. var. *α.*
Coccin. Aurora. * Panz. Fn. Germ. XXXV. 5.
Derm. coadunatus. * Marsh. Ent. Br. I. p. 76. 49.
ır. β. *Cocc. Litura.* * Illig. Kæf. Pr. I. p. 419. 10. var. β.
ar. γ. *Cocc. Litura.* * Illig. Kæf. Pr. I. p. 419. 10. var. γ.
Nit. fasciata. * Fabr. S. El. I. p. 353. 26. * Suppl. p. 74. 22—23.
Nit. testacea. * Fabr. Ent. S. IV. App. p. 446. 22—23.
* Panz. Ent. Germ. I. p. 130. 33.
Anthrib. lividus. Oliv. Enc. Meth. IV. p. 161. 11.
Strongyl. chrysomeloides. * Herbst Col. IV. p. 180. 1. T. 43. f. 1. a. A.
ar. δ. *Derm. hypomelanus.* * Marsh. Ent. Br. I. p. 77. 51.

N:o 101. NILIO. Latr. n. 248.

illosus. * Latr. Gen. Cr. & Ins. II. p. 199. 1. T. 10. f. 2. — Hist. N. d. Cr. & d. Ins. X. p. 333.
Coccin. villosa. * Fabr. S. El. I. p. 378. 121. * Ent. S. I. p. 286. 95. * Mant. II. App. p. 379.
* Illig. Mag. III. p. 157. 121.
* Herbst Col. V. p. 308. 66.
* Linn. S. Nat. Gmel. I. IV. p. 1666. 154.
Ægithus marginatus. * Fabr. S. El. II. p. 10. 2.
Erotylus marginatus. * Fabr. Suppl. p. 101. 18—19.
* Herbst Col. VIII. p. 384. 34.
Erot. cinctus. * Herbst Col. VIII. p. 372. 14. T. 137. f. 11. ?

N:o 102. CASSIDA. Fabr. n. 76.

ridis. * Fabr. S. El. I. p. 387. 1. * Ent. S. I. p. 292. 1. * Mant. I. p. 62. 1. * Sp. Ins. I. p. 107. 1. * S. Ent. p. 88. 1.
* Payk. Fn. Sv. II. p. 45. 2. *α.*
* Payk. Acta Holm. 1801. p. 119. *α.*
* Latr. Gen. Cr. & Ins. III. p. 52.
* Oliv. Ent. V. 97. T. 2. f. 29.
Oliv. Enc. Meth. V. p. 378. 1. var. femoribus nigris.

* Panz. Fn. Germ. XCVI. 4. * Ent. Germ. I
p. 153. 1.
* Cederh. Fn. Ingr. n. 172.
* Ross. Fn. Etr. I. p. 72. 180. * ed. Hellw. I
p. 77. 180.
* Fisch. Naturg. v. Livl. p. 132. 258.
* Schwartz Nom. I. p. 48. 20.
* Blumenb. Handb. ed. 7:a, p. 324. 1.
* Scriba Journ. p. 176. 128. var.
* Laich. Tyr. Ins. I. II. p. 111. 3. var. β.
* Barb. Gen. Ins. p. 34. T. 3. Gen. IX.
* Kirby Acta S. Linn. III. p. 9. 2.?
Fourcr. Ent. Par. I. p. 140. 1.
C. rubiginosa. * Illig. Kæf. Pr. I. p. 479. 4. * Ma
I. p. 93.
* Herbst Col. VIII. p. 223. 5. T. 129. f. 7.
* Müll. Zool. D. Pr. p. 65. 612.
C. Cardui, var. * DeGeer Ins. V. p. 174. 2.
C. similis. * Marsh. Ent. Br. I. p. 144. 2.
* Roes. Ins. II. Scarab. III. T. 6.
Reaum. Ins. III. Tab. 18.
Merian Ins. Eur. Tab. 115.?
* Schæff. Icon. T. 36. f. 2.
Harrer Beschr. n. 153.
var. β. *C. rubiginosa, var.* β. * Illig. Kæf. Pr. I. p. 479. 4
2. *Thoracica.* * Fabr. S. El. I. p. 388. 2.
* Illig. Kæf. Pr. I. p. 478. 3.
* Herbst Col. VIII. p. 228. 10. T. 129. f. 11. i.
* Panz. Fn. Germ. XXXVIII. 24.
Fourcr. Ent. Par. I. p. 141. 4.
C. viridis. * Payk. Acta Holm. 1801. p. 120. v
β. * Fn. Sv. II. p. 46. 2. var. β. thora
postice ferrugineo purpurascente.
* Latr. Gen. Cr. & Ins. III. p. 52. var. 1.
* Geoffr. Ins. I. p. 314. 4.
3. *Equestris.* * Fabr. S. El. I. p. 388. 3. * Ent. S. I.
292. 2. * Mant. I. p. 62. 2.
* Payk. Fn. Sv. II. p. 45. 1.
* Oliv. Ent. V. 97. T. 1. f. 3.
* Latr. Gen. Cr. & Ins. III. p. 51. 1. — H
N. d. Cr. & d. Ins. XII. p. 28.
* Herbst Col. VIII. p. 216. 2. T. 130. f. 10.
* Panz. Fn. Germ. XCVI. 5. * Ent. Germ. I.
153. 2.
* Thunb. Ins. Sv. VIII. p. 103.
* Linn. S. Nat. Gmel. I. IV. p. 1638. 46.
C. viridis. * Linn. Fn Sv. n. 467.? * Syst. N
I. II. p. 574. 1.? * It. Oel. p. 153.?

* Illig. Kæf. Pr. I. p. 480. 5.
Oliv. Enc. Meth. V. p. 378. 1. *a.*
* Scriba Journ. p. 176. 128. var.
* Scop. Ent. Carn. p. 37. 117.
* Herbst Col. VIII. p. 209. 1. T. 130. f. 8. var.?
* Marsh. Ent. Br. I. p. 143. 1.
* Goeze Eur. Fn. VIII. p. 304. 1.
* Linn. S. Nat. Gmel. I. IV. p. 1635. 1.
* Müll. Zool. D. Pr. p. 65. 608.
C. Cardui. * DeGeer Ins. V. p. 174. 2. secund. sperim. orig. DeGeeri.
* Schæff. Elem. Tab. 35.
* Schæff. Icon. T. 27. f. 5.
Harrer Beschr. n. 147. ed. 2:a n. 97.
* Frisch Ins. XIII. p. 35. T. 29.
Goed. Metam. I. p. 94. T. 45.
Blank. Belg. 89. T. 11. fig. F.
Merian Europ. T. 115.
Volkam. hesperid. I. p. 166. f. 4.
Ray Ins. p. 107. 5.
Acta Ups. 1736. p. 17. 1.
asina. * Fabr. S. El. I. p. 388. 4.
* Illig. Kæf. Pr. I. p. 481. 6.
* Herbst Col. VIII. p. 221. 4. T. 129. f. 6. d. ?
C. viridis. * Scriba Journ. p. 176. 128. var.
* Geoffr. Ins. I. p. 312. 1.
ffinis.) * Fabr. S. El. I. p. 388. 5. — vid. *Cassida nebulosa*, n. 21. huj. Op.
ibex. * Fabr. S. El. I. p. 389. 6. * Ent. S. I. p. 293. 4. * Mant. I. p. 62. 5. * Sp. Ins. I. p. 108. 4. * S. Ent. p. 89. 4.
* Linn. Syst. Nat. I. II. p. 575. 5. * ed. Gmel. I. IV. p. 1637. 5.
* Illig. Kæf. Pr. I. p. 477. 2.
* Payk. Acta Holm. 1801. p. 118.
Oliv. Enc. Meth. VI. p. 379. 7.
* Oliv. Ent. V. 97. T. 2. f. 30. ?.
* Herbst Col. VIII. p. 218. 3. T. 129. f. 5. c.
* Panz. Fn. Germ. XCVI. 6. * Ent. Germ. I. p. 154. 4.
* Scriba Beytr. II. p. 80. 15. T. 8. f. 1.
* Scriba Journ. p. 178. 129.
* Thunb. Ins. Sv. VIII. p. 104.
* Ross. Mant. II. App. p. 89. 34.
* Schrank En. Ins. p. 48. 89.
* Brahm Ins. Kal. I. p. 66. 212. & p. 232. 789.
Viller Ent. I. p. 92. 5.
Müll. Linn. Nat. Syst. V. I. p. 138. 5.

C. viridis. * Payk. Fn. Sv. II. p. 46. 2. var. β.
* Latr. Gen. Cr. & Ins. III. p. 52. var. 2.
* Laich. Tyr. Ins. I. II. p. 111. 3. var. γ.
var. β. * Illig. Kæf. Pr. I. p. 477. 2. var. β.
* Payk. Acta Holm. 1801. p. 119. var. β.
var. γ. * Illig. Kæf. Pr. l. c. var. γ.
C. dorsalis. * Herbst Arch. p. 227. 9. T. 12
f. 10. h. ?
var. δ. * Illig. Kæf. Pr. l. c. var. δ.
var. ε. Payk. Acta Holm. 1801. p. 119. var. γ.

6. Liriophora. * Kirby Acta S. Linn. III. p. 8.
* Marsh. Ent. Br. I. p. 145. 5.

7. *Sanguinolenta.* * Fabr. S. El. I. p. 389. 8.
* Illig. Kæf. Pr. I. p. 482. 7.
* Herbst Col. VIII. p. 229. 11. T. 129. f. 12.
* Latr. Gen. Cr. & Ins. III. p. 52.
* Payk. Fn. Sv. II. p. 46. 3.
* Müll. Zool. D. Pr. p. 65. 611.
C. cruentata. * Marsh. Ent. Br. I. p. 145. 4.
Donov. Brit. Ins. T. 63. f. 2. 3.

8. Viridana. * Herbst Col. VIII. p. 224. 6. T.
129. f. 8. f.

9. Azurea. * Fabr. S. El. I. p. 389. 7.
C. ornata. * Creutz. Ent. Vers. I. p. 118. 10. T.
2. f. 22. a.

10. Cruenta. * Fabr. S. El. I. p. 389. 9. * Ent. S. I
p. 293. 5.
* Herbst Col. VIII. p. 330. 90.

11. Austriaca. * Fabr. S. El. I. p. 390. 10. * Ent.
S. I. p. 293. 6.
* Herbst Col. VIII. p. 254. 24. T. 131. f. 9.
* Panz. Fn. Germ. XCVIII. 2. * Ent. Germ. I.
p. 154. 5.
C. canaliculata. * Laich. Tyr. Ins. I. II. p. 109. 1.
C. sanguinolenta. * Schrank En. Ins. p. 48. 89
Schrank Beytr p. 61.

— (*Nebulosa.*) * Fabr. S. El. I. p. 390. 11. — vid. C
obsoleta, n. 22. huj. Op.

12. Echinata. * Fabr. S. El. I. p. 390. 12.

13. Atrata. * Fabr. S. El. I. p. 390. 13. * Ent. S
I. p. 294. 8. * Mant. I. p. 62. 7.
* Herbst Col. VIII. p. 257. 26. T. 131. f. 11. I
* Panz. Fn. Germ. LXXXVIII. 1. * Ent. Germ
I. p. 154. 7.
* Linn. S. Nat. Gmel. I. 6 IV. p. 1636. 32.

14. Nigra. * Herbst Col. VIII. p. 258. 27. T. 131. f. 1

t Col. VIII. p. 234. 13. T.

z. Ent. Verz. I. p. 119. 11. T.

rbst Col. VIII. p. 232. 12. T.

S. El. I. p. 390. 14. * Ent. S.
* Mant. I. p. 62. 8. * Sp. Ins.
* S. Ent. p. 90. 10.
Nat. I. II. p. 575. 2. * ed. Gmel.
1635. 2.
I. p. 476. 1. var. β.
v. II. p. 48. 5. var. α.
. 97. T. 1. f. 7.
Meth. VI. p. 379. 5.
VIII. p. 240. 17. T. 130. f. 12. 13.
h. p. 50. 5. T. 22. f. 28.
Germ. I. p. 154. 8.
Etr. I. p. 72. 181. * ed. Hellw.
181.
m. Ins. p. 90. 84.
. p. 179. 132.
Sv. VIII. p. 104.
landb. ed. 7:a p. 325. 2.
Br. I. p. 147. 10.
Kal. I. p. 181. n. 600.
p. 91. 2.
I. p. 314. 5.
. Pr. I. p. 476. 1. var. γ.
. Pr. l. c. var. δ.
El. I. p. 391. 14. var. β. * Ent. S.
9. var. β.
I. p. 476. 1. var. α.
II. p. 48. 5. var. β.
Fabr. Mant. I. p. 62. 3. * Sp. Ins.
2. * S. Ent. p. 88. 2.
t. I. II. p. 575. 6. * ed. Gmel.
1638. 6.
IV. p. 175. 3.
Meth. VI. p. 378. 4.
Kal. I. p. 216. 722.

---

am varietates esse non exploratum habeo. *Marræam* ætate provectiorem conjecit: ab ro videtur *Kirby* in Transact. Linn. Soc.

ignata. * Herbst Col. VIII. p. 234. 13. T. 131. f. 2.
ineola. * Creutz. Ent. Verz. I. p. 119. 11. T. 2. f. 23. a.
C. russica. * Herbst Col. VIII. p. 232. 12. T. 131. f. 1. a.
Murræa. 1) * Fabr. S. El. I. p. 390. 14. * Ent. S. I. p. 294. 9. * Mant. I. p. 62. 8. * Sp. Ins. I. p. 108. 6. * S. Ent. p. 90. 10.
* Linn. Syst. Nat. I. II. p. 575. 2. * ed. Gmel. I. IV. p. 1635. 2.
* Illig. Kæf. Pr. I. p. 476. 1. var. β.
* Payk. Fn. Sv. II. p. 48. 5. var. α.
* Oliv. Ent. V. 97. T. 1. f. 7.
Oliv. Enc. Meth. VI. p. 379. 5.
* Herbst Col. VIII. p. 240. 17. T. 130. f. 12. 13.
* Herbst Arch. p. 50. 5. T. 22. f. 28.
* Panz. Ent. Germ. I. p. 154. 8.
* Ross. Fn. Etr. I. p. 72. 181. * ed. Hellw. I. p. 77. 181.
* Preysl. Böhm. Ins. p. 90. 84.
* Scriba Journ. p. 179. 132.
* Thunb. Ins. Sv. VIII. p. 104.
* Blumenb. Handb. ed. 7:a p. 325. 2.
* Marsh. Ent. Br. I. p. 147. 10.
* Brahm Ins. Kal. I. p. 181. n. 600.
Vill. Ent. I. p. 91. 2.
* Geoffr. Ins. I. p. 314. 5.
var. β. * Illig. Kæf. Pr. I. p. 476. 1. var. γ.
var. γ. * Illig. Kæf. Pr. l. c. var. δ.
var. δ. * Fabr. S. El. I. p. 391. 14. var. β. * Ent. S. I. p. 294. 9. var. β.
* Illig. Kæf. Pr. I. p. 476. 1. var. α.
* Payk. Fn. Sv. II. p. 48. 5. var. β.
C. maculata. * Fabr. Mant. I. p. 62. 3. * Sp. Ins. I. p. 107. 2. * S. Ent. p. 88. 2.
* Linn. S. Nat. I. II. p. 575. 6. * ed. Gmel. I. IV. p. 1638. 6.
* DeGeer Ins. IV. p. 175. 3.
Oliv. Enc. Meth. VI. p. 378. 4.
* Brahm Ins. Kal. I. p. 216. 722.

---

1) *Murræam* & *maculatam* varietates esse non exploratum habeo. Geoffroi I. p. 314. 5. *C. Murræam* ætate provectiorem conjecit: ab hac sententia vero dissentire videtur *Kirby* in Transact. Linn. Soc. I. p. 9.

* Kirby Acta Soc. Linn. III. p. 10. 3.
* Goeze Eur. Fn. VIII. p. 312. 3.
* Marsh. Ent. Br. I. p. 147. 9.
Müll. Linn. Nat. Syst. V. I. p. 203. 6.
Vill. Ent. I. p. 92. 6.
* Geoffr. Ins. I. p. 314. 5. T. 5. f. 6.

18. Vittata. * Fabr. S. El. I. p. 391. 15. * Suppl. p. 81. 9—10.
* Illig. Mag. III. p. 157. 15.
* Herbst Col. VIII. p. 353. 127.
C. ocellata. * Herbst Col. VIII. p. 244. 18. T. 131. f. 4. b.
C. fastuosa. * Schall. Acta Hal. I. p. 259. ?.
* Scriba Beytr. I. p. 86. 17. T. 8. f. 3. ?
* Scriba Journ. p. 180. 135. ?
* Linn. S. Nat. Gmel. I. IV. p. 1639. 52. ?
* Panz. Ent. Germ. I. p. 155. 13. ?

19. Ferruginea. * Fabr. S. El. I. p. 391. 16. * Ent. S. I. p. 294. 10. * Mant. I. p. 62. 9. * Sp. Ins. I. p. 108. 7.
* Illig. Kæf. Pr. I. p. 482. 8.
* Herbst Col. VIII. p. 245. 19. T. 130. f. 14.
* Herbst Arch. p. 50. 6. T. 22. f. 29.
Oliv. Enc. Meth. V. p. 380. 10.
* Oliv. Ent. V. 97 T. 1. f. 2.
* Panz. Ent. Germ. I. p. 154. 9.
* Scriba Journ. p. 179. 133.
* Thunb. Ins. Sv. VIII. p. 104.
* Ross. Fn. Etr. I. p. 73. 184. * ed. Hellw. I. p. 78. 184.
* Petagn. Ins. Cal. p. 9. 39.
* Goeze Eur. Fn. VIII. p. 313. 4.
* Linn. S. Nat. Gmel. I. IV. p. 1637. 44.
* Brahm Ins. Kal. I. p. 239. 820.
C. fusca. * Laich. Tyr. Ins. I. II. p. 112. 4.
Oliv. Enc. Meth. V. p. 380. 13.
* Herbst Arch. p. 51. 9.
* Linn. S. Nat. Gmel. I. IV. p. 1639. 53.
C. subferruginea. Schrank Beytr. p. 62. 3. * Enu. Ins. Austr. p. 49. 90.
* Schæff. Icon. T. 40. f. 5. 6.
Harrer Beschr. n. 149.

20. Speciosa. * Brahm Ins. Kal. I. p. 74. 241.

21. *Nebulosa.* * Illig. Kæf. Pr. I. p. 483. 9. var. *α.*
* Payk. Fn. Sv. II. p. 47. 4.
* Pontopp. Nachricht. p. 201. 2.
C. affinis. * Fabr. S. El. I. p. 388. 5. * Ent. S. I.

293. 3. * Mant. I. p. 62. 4. * Sp. Ins. I. p. 108. 3. * S. Ent. p. 88. 3.
Oliv. Enc. Meth. V. p. 379. 6.
* Oliv. Ent. V. 97. T. 3. f. 47.
* Panz. Ent. Germ. I. p. 153. 3.
* Cederh. Fn. Ingr. n. 173.
* Thunb. Ins. Sv. VIII. p. 104.
* Herbst Arch. p. 50. 2.
* Linn. S. Nat. Gmel. I. IV. p. 1637. 45.
* Laich. Tyr. Ins. I. II. p. 110. 2.
Viller Ent. I. p. 93. 8.

C. tigrina. * DeGeer Ins. V. p. 168. 1. T. 5. f. 15. 16.
Oliv. Enc. Meth. V. p. 378. 3.
* Ross. Mant. II. App. p. 89. 35.
* Scriba Journ. p. 178. 131.
* Panz. Ent. Germ. I. p. 155. 14.
* Frisch. Ins. IV. p. 30. 15. T. 15.

β. *C. nebulosa.* * Illig. Kæf. Pr. p. 483. 9. var. β.
* Linn. Fn. Sv. n. 468. * Syst. Nat. I. II. p. 575. 3. * ed. Gmel. I. IV. p. 1636. 3.
* Herbst Col. VIII. p. 236. 15. T. 130. f. 9. 11.
Oliv. Enc. Meth. V. p. 379. 8.
* Scriba Journ. p. 178. 130.
* Brahm Ins. Kal. I. p. 56. 181.
* Scriba Beytr. II. p. 83. 16. T. 8. f. 2.
* Petagn. Ins. Calabr. p. 8. 38.
* Marsh. Ent. Br. I. p. 145. 6.
Viller Ent. I. p. 91. 3.
* Müll. Zool. D. Pr. p. 65. 610.
* Schrank En. Ins. p. 49. 91. — Fn. Boica I. p. 520. 603.
* Goeze Eur. Fn. VIII. p. 310. 2.
* Geoffr. Ins. I. p. 313. 2.
* Schæff. Icon. T. 27. f. 4.
Müll. Linn. Nat. Syst. V. I. p. 137. 3.
Goed. Metam. I. p. 96. T. 44.
List. Goed. p. 287. T. 117.

soleta. * Illig. Kæf. Pr. I. p. 484. 10.
* Herbst Col. VIII. p. 248. 20. T. 131. f. 5. ?

C. nebulosa. * Fabr. S. El. I. p. 390. 11. * Ent. S. I. p. 293. 7. * Mant. I. p. 62. 6. * Sp. Ins. I. p. 108. 5. * S. Ent. p. 89. 5.
* Ross. Fn. Etr. I. p. 73. 183. ? * ed. Hellw. I. p. 78. 183. ?
* Cederh. Fn. Ingr. n. 174.
* Panz. Ent. Germ. I. p. 154. 6.

C. pallida. * Payk. Fn. Sv. II. p. 150. 8.

C. flaveola. * Thunb. Ins. Sv. VIII. p. 103.

C. ferruginea. * Marsh. Ent. Br. I. p. 148. 11.

23. Collaris. * Herbst Col. VIII. p. 259. 28. T. 130. f.

24. Cassidata. * Herbst Col. VIII. p. 235. 1
T. 131. f. 3.

25. Brunnea. * Fabr. S. El. I. p. 391. 17. * Suppl. p.
81. 9—10.
* Herbst Col. VIII. p. 350. 120.

26. Unicolor. * Fabr. S. El. I. p. 391. 18.

27. Scalaris. * Fabr. S. El. I. p. 391. 19.
* Web. Obs. Ent. I. p. 51. 4.

28. Marginella. * Fabr. S. El. I. p. 392. 20. * Ent. S.
I. p. 294. 12. * Mant. I. p. 63. 11. * Sp. Ins.
I. p. 108. 8. * S. Ent. p. 89. 6.
* Herbst Col. VIII. p. 330. 91.
* Linn. S. Nat. Gmel. I. IV. p. 1637. 42.

29. Punctaria. * Fabr. S. El. I. p. 392. 21.
C. punctata. * Web. Obs. Ent. I. p. 51. 3.

30. Cincta. * Fabr. S. El. I. p. 392. 22. * Ent. S. I. p.
295. 13. * Mant. I. p. 63. 12. * Sp. Ins. I.
p. 109. 9.
* Herbst Col. VIII. p. 331. 92.
* Linn. S. Nat. Gmel. I. IV. p. 1637. 41.

31. Ornata. * Fabr. S. El. I. p. 392. 23. * Suppl. p.
81. 13—14.
* Herbst Col. VIII. p. 350. 121.

32. Hebræa. * Fabr. S. El. I. p. 392. 24. * Ent. S. I.
p. 295. 14. * Mant. I. p. 63. 13. * Sp. Ins.
I. p. 109, 10.
* Herbst Col. VIII. p. 273. 45. T. 133. f. 4. d.
* Oliv. Ent. V. 97. T. 1. f. 8. ?
* Linn. S. Nat. Gmel. I. IV. p. 1637. 40.
C. reticulata. * Thunb. N. Ins. Sp. V. p. 87. f. 97. ?
* Herbst Col. VIII. p. 265. 36. T. 132. f. 8. ?

33. Marylandica. *a*) * Herbst Col. VIII. p. 274. 46. T.
133. f. 5. e.

34. Judaica. * Fabr. S. El. I. p. 392. 25. * Ent. S. I. p.
295. 15. * Mant. I. p. 63. 14. * Sp. Ins. I.
p. 100. 11.
* Herbst Col. VIII. p. 280. 52. T. 133. f. 11. k.
* Oliv. Ent. V. 97. T. 2. f. 23. ?
* Linn. S. Nat. Gmel. I. IV. p. 1637. 39.

35. Ob

a) Idem forte ac *C. judaica.*



Obscura. * Fabr. S. El. I. p. 392. 26. * Ent. S. I. p. 295. 16.
* Herbst Col. VIII p. 332. 93.

Tristriata. * Fabr. S. El. I. p. 392. 27. * Ent. S. I. p. 295. 17.
* Herbst Col. VIII. p. 332. 94.

Zona. * Fabr. S. El. I. p. 393. 28. — vid. *C. annulus*, n. 44. huj. Op.

Morio. * Fabr. S. El. I. p. 393. 29.

Brachiata. * Fabr. S. El. I. p. 393. 30. — * Suppl. p. 82. 16—17.
* Herbst Col. VIII. p. 351. 122.
C. 4-notata. * Herbst Col. VIII. p. 307. 72. T. 135. f. 4.

Aurulenta. * Fabr. S. El. I. p. 393. 31.

Purpurea. * Fabr. S. El. I. p. 393. 32.
* Linn. Syst. Nat. I. II. p. 576. 12. * ed. Gmel. I. IV. p. 1639. 12.
* DeGeer Ins. V. p. 190. 16. T. 15. f. 19.

Purpurea. * Thunb. N. Ins. Sp. V. p. 87. fig. 98.
* Mus. Acad. III. p. 40. 2.
* Herbst Col. VIII. p. 266. 37. T. 132. f. 9.

Vesicularis. * Thunb. N. Ins. Sp. V. p. 88. * Mus. Acad. III. p. 40. 3.
* Herbst Col. VIII. p. 266. 38.

Cyclops. * Fabr. S. El. I. p. 394. 33.

Annulus. * Fabr. S. El. I. p. 394. 34. * Ent. S. I. p. 296. 18. * Mant. I. p. 63. 15. * Sp. Ins. I. p. 109. 12.
* Illig. Mag. I. p. 406. 34.
* Herbst Col. VIII. p. 272. 44. T. 133. f. 3. c.
* Oliv. Ent. V. 97. T. 1. f. 14.
* Linn. S. Nat. Gmel. I. IV. p. 1637. 38.
C. Zona. * Fabr. S. El. I. p. 393. 28.

Sexnotata. * Fabr. S. El. I. p. 394. 35. * Suppl. p. 82. 18—19.
* Herbst Col. VIII. p. 271. 42. T. 133. f. 1. a. ?

Bifasciata. * Fabr. S. El. I. p. 394. 36.
* Linn. Syst. Nat. I. II. p. 576. 10. * ed. Gmel. I. IV. p. 1639. 10.
C. obliterata. * Herbst Col. VIII. p. 260. 29. T. 132. f. 1. a. ?
C. nigromaculata. * DeGeer Ins. V. p. 189. 15. T. 15. f. 18. ?

Livida. * Herbst Col. VIII. p. 261. 30. T. 132. f. 2.

48. Pallida. * Herbst Col. VIII. p. 262. 31. T. 132. f.
49. Quadrata. * Fabr. S. El. I. p. 395. 37.
* DeGeer Ins. V. p. 189. 15. T. 15. f. 16.
50. Circumdata. * Herbst Col. VIII. p. 268. 40. T. 132. f. 11. d.
51. Varians. * Herbst Col. VIII. p. 269. 41. T. 132. f. 12. e.
52. Reticulata. * Fabr. S. El. I. p. 395. 38.
53. Reticularis. v) * DeGeer Ins. V. p. 188. 14. T. 15. f. 17.
54. Nigromaculata. * Herbst Col. VIII. p. 277. 49. T. 133. f. 8. h.
55. Sexpunctata. * Fabr. S. El. I. p. 395. 39. * Ent. S. I. p. 296. 19. * Mant. I. p. 63. 16. * Sp. Ins. I. p. 109. 13.
* Linn. S. Nat. Gmel. I. IV. p. 1636. 37.
C. bis-tripustulata. * Herbst Col. VIII. p. 256. 25. T. 131. f. 10.
56. Bis-tripunctata. * Herbst Col. VIII. p. 275. 47. T. 133. f. 6. f.
57. Dispar. * Herbst Col. VIII. p. 267. 39. T. 132. f. 10. c.
58. Pumila. * Herbst Col. VIII. p. 276. 48. T. 133. f. 7. g.
59. Interrupta. * Fabr. S. El. I. p. 395. 40. * Ent. S. I. p. 296. 20. * Mant. I. p. 63. 17. * Sp. Ins. I. p. 109. 14. * S. Ent. p. 89. 7.
* Oliv. Ent. V. 97. T. 2. f. 34.
* Herbst Col. VIII. p. 333. 95.
* Linn. S. Nat. Gmel. I. IV. p. 1636. 36.
60. Octopunctata. * Fabr. S. El. I. p. 395. 41. * Ent. S. I. p. 296. 21. * Mant. I. p. 63. 18.
* Oliv. Ent. V. 97 T. 3. f. 38.
* Herbst Col. VIII. p. 334. 96.
* Linn. S. Nat. Gmel. I. IV. p. 1636. 35.
61. Scripta. * Fabr. S. El. I. p. 395. 42. * Suppl. p. 82. 21—22.
* Herbst Col. VIII. p. 351. 123.
62. Gibba. * Fabr. S. El. I. p. 395. 43. * Suppl. p. 82. 21—22.
* Herbst Col. VIII. p. 352. 124.
63. Deusta. * Fabr. S. El. I. p. 396. 44. * Ent. S. I. p. 29 22. * Mant. I. p. 63. 19. * Sp. Ins. I. p. 1 15. * S. Ent. p. 89. 8.
* Oliv. Ent. V. 97. T. 1. f. 17.
* Herbst Col. VIII. p. 331. 97.
* Linn. S. Nat. Gmel. I. IV. p. 1636. 34.

---

v) Vix *C. reticulata.* Fabr.

Clathrata. * Fabr. S. El. I. p. 396. 45. * Suppl. p. 83. 22.
* Herbst Col. VIII. p. 305. 71. T. 135. f. 3.
Cribraria. * Fabr. S. El. I. p. 396. 46. * Ent. S. I. p. 297. 23. * Mant. I. p. 63. 20. * Sp. Ins. I. p. 110. 16.
* Herbst Col. VIII. p. 281. 54. T. 130. f. 6.
* Oliv. Ent. V. 97. T. 3. f. 44.?
* Linn. S. Nat. Gmel. I. IV. p. 1636. 33.
Rufescens. * Herbst Col. VIII. p. 283. 55. T. 134. f. 1.
Vigintimaculata. * Thunb. N. Ins. Sp. V. p. 86. f. 95.
* Herbst Col. VIII. p. 264. 34. T. 132. f. 6.
Nobilis. * Fabr. S. El. I. p. 396. 47. * Ent. S. I. p. 297. 24. * Mant. I. p. 63. 21. * Sp. Ins. I. p. 110. 17. * S. Ent. p. 90. 11.
* Linn. Fn. Sv. n. 469. * Syst. Nat. I. II. p. 575. 4. * ed. Gmel. I. IV. p. 1636. 4.
* Illig. Käf. Pr. I. p. 485. 11.
* Payk. Fn. Sv. II. p. 49. 7.
* Herbst Col. VIII. p. 238. 16. T. 130. f. 15.
* Oliv. Ent. V. 97. T. 2. f. 24.
Oliv. Enc. Meth. V. p. 383. 28.
* Panz. Ent. Germ. I. p. 155. 11.
* Marsh. Ent. Br. I. p. 146. 7.
* Cederh. Fn. Ingr. n. 175.
* Scriba Journ. p. 180. 134 * Beytr. II. p. 87. 18. T. 8. f. 4.
* Ross. Fn. Etr. I. p. 72. 182. * ed. Hellw. I. p. 78. 182.
* Müll. Zool. D. Pr. p. 65. 609.
* Bechst. & Scharfenb. Forstinsect. I. p. 125. 1.
* Goeze Eur. Fn. VIII. p. 315. 6.
Donov. Brit. Ins. T. 138. f. 1. 2. 3.
Schrank Fn. Boica. I. p. 521. 610.
Bechst. Naturg. I. II. p. 836. 5.
Pontopp. Naturg. p. 201. 3. * Nachricht. p. 201. 3.
Müll. Linn. Nat. Syst. V. I. p. 137. 4.
Viller Ent. I. p. 92. 4.
* Schæff. Icon. T. 96. f. 6. & T. 142. f. 7. a. b. var.
Harrer Beschr. n. 151. ed. 2:a n. 103.
* Geoffr. Ins. I. p. 313. 3.
Ray Ins. p. 107. 7.
C. urticæ. * Brahm Ins. Kal. I. p. 109. 373.
var. β. * Illig. Käf. Pr. I. p. 485. 11. var. β.
C. pulchella. * Panz. Fn. Germ. XXXIX. 15.
C. lævis. * Herbst Col. VIII. p. 250. 21. T. 131. f. 6. d!

C. splendidula, * Marsh. Ent. Br. I. p. 147.
— (Bicolor). * Fabr. S. El. I. p. 396. 48. — vi
aurichalcea, n. 76. huj. Op.
69. Tæniata. * Fabr. S. El. I. p. 396. 49.
70. Trivittata. * Fabr. S. El. I. p. 397. 50.
71. *Viridula*. * Payk. Fn. Sv. II. p. 49. 6.
C. margaritacea. * Herbst Col. VIII. p. 2
T. 130. f. 16.
C. Spergulæ. * Marsh. Ent. Br. I. p. 144. 3.
72. Margaritacea. * Fabr. S. El. I. p. 39
* Ent. S. I. p. 297. 25. * Man
p. 63. 22.
* Schall. Acta Hal. I. p. 259.
* Ross. Mant. I. p. 27. 66. * ed. Hellw.
364. 66.
* Scriba Journ. p. 180. 136.
* Linn. S. Nat. Gmel. I. IV. p. 1639. 51.
* Panz. Ent. Germ. I. p. 155. 12.
* Goeze Eur. Fn. VIII. p. 314. 5.
Schrank Fn. Boica. I. p. 521. 609.
C. mutabilis, Viller Ent. T. 1. f. 11.
73. Hemisphærica. * Herbst Col. VIII. p.
8. T. 129. f. 9. g.
C. margaritacea. * Thunb. Ins. Sv. VIII. p.
* Brahm Ins. Kal. I. p. 73. 240. ?
C. margaritacea, Not. sub *C. viridula*. * Payk
Sv. II. p. 49. 6.
74. *Pallida*. * Thunb. Ins. Sv. VIII. p. 103.
75. Cruciata. * Fabr. S. El. I. p. 397. 52. * Ent.
p. 297. 26. * Mant. I. p. 64. 23. * Sp.
I. p. 110. 18. * S. Ent. p. 90. 12.
* Oliv. Ent. V. 97. T. 1. f. 13. a. b.
* Herbst Col. VIII. p. 354. 129.
76. Aurichalcea. * Fabr. S. El. I. p. 397. 53.
* Illig. Mag. III. p. 157. 58.
C. bicolor. * Fabr. S. El. I. p. 396. 48. * S
p. 83. 24—25.
* Herbst Col. VIII. p. 352. 125.
C. bis-tripunctata. * Herbst Col. VIII. p. 27
T. 133. f. 6.
C. aurata. Knoch.
77. Crux. * Fabr. S. El. I. p. 397. 54. * Ent. S.
298. 27. * Mant. I. p. 64. 24. * Sp. I
p. 110. 19.
* Illig. Mag. I. p. 407. 54.
* Herbst Col. VIII. p. 308. 73. T. 135. f. 5.

* Linn. S. Nat. Gmel. I. IV. p. 1639. 54.

C. cruciata. * Linn. Syst. Nat. I. II. p. 576. 9.
* ed. Gmel. I. IV. p. 1639. 9.
* DeGeer Ins. V. p. 187. 12. T. 15. f. 15.

Ignifer. * Herbst Col. VIII. p. 313. 77. T. 135. f. 9. c.

Undecimpunctata. * Fabr. S. El. I. p. 397. 55.
* Ent. S. I. p. 298. 28. * Mant. I. p. 64. 25.
* Sp. Ins. I. p. 110. 20.
* Herbst Col. VIII. p. 335. 98.
* Linn. S. Nat. Gmel. I. IV. p. 1639. 55.
Voet Col. II. T. 43. f. 16.

Tredecimpunctata. * Fabr. S. El. I. p. 398. 59.
C. 4-punctata. Megerlei.

Sinuata. * Fabr. S. El. I. p. 398. 60. * Ent. S. I. p. 298. 29.
* Herbst Col. VIII. p. 336. 99.

Arcuata. * Fabr. S. El. I. p. 398. 61. * Ent. S. I. p. 298. 30.
* Oliv. Ent. V. 97. T. 2. f. 26.
* Herbst Col. VIII. p. 336. 100.

Clavata. * Fabr. S. El. I. p. 398. 62. * Suppl. p. 83. 30—31.
* Herbst Col. VIII. p. 311. 75. T. 135. f. 7. b.

Filiaris. * Herbst Col. VIII. p. 312. 76. T. 135. f. 8.

Binotata. * Fabr. S. El. I. p. 398. 63. * Ent. S. I. p. 299. 31.
* Herbst Col. VIII. p. 337. 101.

Micans. * Fabr. S. El. I. p. 398. 64.
C. furcata. * Thunb. N. Ins. Sp. IV. p. 87. T. 5. f. 96.
* Herbst Col. VIII. p. 265. 35. T. 132. f. 7.

Elevata. * Fabr. S. El. I. p. 399. 65.

Limbata. * Goldf. Enum. Ins. I. p. 41. T. 1. f. 4.

Bituberculata. * Fabr. S. El. I. p. 399. 66. * Ent. S. I. p. 299. 32. * Mant. II. App. p. 379. 21—22.
* Herbst Col. VIII. p. 338. 102.
* Linn. S. Nat. Gmel. I. IV. p. 1643. 32.

Tuberculata. * Fabr. S. El. I. p. 399. 67. * Ent. S. I. p. 299. 33. * Mant. I. p. 64. 26. * Sp. Ins. I. p. 110. 21. * S. Ent. p. 90. 13.
* Herbst Col. VIII. p. 338. 103.
* Linn. S. Nat. Gmel. I. IV. p. 1640. 14.

Immaculata. * Thunb. N. Ins. Sp. V. p. 86. Tab. f. 93.
* Herbst Col. VIII. p. 262. 32. T. 132. f. 4.

Quadrimaculata. * Thunb. N. Ins. Sp. V. p. 86. f. 94.

* Herbst Col. VIII. p. 263. 33. T. 132. f. 5.

93. Dilatata. * Fabr. S. El. I. p. 399. 68.

94. Suturalis. * Fabr. S. El. I. p. 399. 69. * Ent. S. I p. 299. 34. * Mant. I. p. 64. 27. * Sp. In I. p. 111. 22. * Gen. Ins. p. 219. 7—8.
* Herbst Col. VIII. p. 339. 104.
* Linn. S. Nat. Gmel. I. IV. p. 1640. 56.

95. Biguttata. * Fabr. S. El. I. p. 399. 70. * Ent. S. p. 299. 35. * Mant. I. p. 64. 28. * Sp. In I. p. 111. 23. * S. Ent. p. 91. 14.
* Herbst Col. VIII. p. 340. 105.
* Oliv. Ent. V. 97. T. 3. f. 40.
* Linn. S. Nat. Gmel. I. IV. p. 1640. 57.

96. Miliaris. * Fabr. S. El. I. p. 400. 71. * Ent. S. I p. 300. 36. * Mant. I. p. 64. 29. * Sp. In I. p. 111. 24. * S. Ent. p. 91. 15.
* Oliv. Ent. V. 97. T. 2. f. 25.
* Linn. S. Nat. Gmel. I. IV. p. 1640. 58.

97. Adhærens. * Fabr. S. El. I. p. 400. 72.
* Web. Obs. Ent. I. p. 51. 2.

98. Bimaculata. * Fabr. S. El. I. p. 400. 73. * Ent. S I. p. 300. 37.
* Herbst Col. VIII. p. 340. 106.

99. Punctata. * Fabr. S. El. I. p. 400. 74. * Ent. S. I p. 300. 38.* Mant. I. p. 64. 30.
* Herbst Col. VIII. p. 341. 107.
* Linn. S. Nat. Gmel. I. IV. p. 1640. 59.

100. Adspersa. * Fabr. S. El. I. p. 400. 75.
* Illig. Mag. I. p. 407. 75.

101. Marginata. * Fabr. S. El. I. p. 400. 76. * Ent. I. p. 300. 39. * Mant. I. p. 64. 31. * S. Ins. I. p. 111. 25. * S. Ent. p. 91. 16.
* Linn. Syst. Nat. I. II. p. 578. 23. * ed. Gm I. IV. p. 1642. 23.
* Herbst Col. VIII. p. 325. 87. T. 130. f. 2.
* Herbst Arch. p. 166. 11. T. 45. f. 1.
* Oliv. Ent. V. 97. T. 1. f. 11.
* DeGeer Ins. V. p. 185. 10.
* Schulz. in Naturf. IX. p. 103. T. 2. f. 3.
Voet Col. II. T. 42. f. 5.

102. Quadripustulata. * Fabr. S. El. I. p. 401. * Ent. S. I. p. 301. 40. * Mant. I. p. 32. * Sp. Ins. I. p. 111. 26.
* Illig. Mag. V. p. 227. 77.
* Herbst Col. VIII. p. 341. 108.
* Linn. S. Nat. Gmel. I. IV. p. 1642. 64.



93. Transversa. * Fabr. S. El. I. p. 404. 93. * Suppl. p. 84. 52—53.
* Herbst Col. VIII. p. 298. 65. T. 134. f. 9.
C. clathrata. * Linn. S. Nat. I. II. p. 577. 18. * ed. Gmel. I. IV. p. 1641. 18.
* DeGeer Ins. V. p. 179. 3. T. 15. f. 7.
Voet Col. II. T. 41. f. 3.
Cfr. Illig. Mag. V. p. 227. 77. *C. 4 pustulata.*

104. Dorsata. * Fabr. S. El. I. p. 401. 78. * Ent. S. I. p. 301. 41. * Mant. I. p. 64. 33.
* Herbst Col. VIII. p. 342. 109.
* Oliv. Ent. V. 97. T. 3. f. 45.
* Linn. S. Nat. Gmel. I. IV. p. 1641. 63.

105. Quinquefasciata. * Fabr. S. El. I. p. 401. 79.

106. St. Crucis. * Fabr. S. El. I. p. 401. 80. * Ent. S. IV. App. p. 446. 41—42.
* Herbst Col. VIII. p. 301. 68. T. 134. f. 12.?
* Illig. Mag. V. p. 227. 80.
* Oliv. Ent. V. 97. T. 3. f. 37. ?

107. Quadriremis. Nov. Sp. x.)

108. Jamaicensis. * Fabr. S. El. I. p. 401. 81. * Ent. S. I. p. 301. 42. * Mant. I. p. 64. 34. * Sp. Ins. I. p. 111. 27. * S. Ent. p. 91. 17.
* Linn. Syst. Nat. I. II. p. 577. 21. * ed. Gmel. I. IV. p. 1641. 21.
* Herbst Col. VIII. p. 303. 69. T. 135. f. 1.

---

x) CASSIDA QUADRIREMIS: pallida, coleoptrorum disco saturatiore punctato-striato, utrinque bi-ramoso, pectoris medio, abdominisque maculis nigris bifariis.

Habitat extra Europam.

Statura et facies *C. St. Crucis* Fabr. sed plus duplo minor. Caput parvum pallidum, oculis nigris. Antennæ pallidæ, apice nigricantes. Thorax semi-orbiculatus pallidus depressus lævis nitidus, basi media supra caput convexus elevatus; limbus clypei et elytrorum pellucidus, circulis minutis quasi reticulatus ad lucem apparet, quæ tamen in superficie vix extant. Scutellum triangulare pallidum læve. Elytra basi sinuato-emarginata, angulo laterali producto subacuminato, lateribus ultra medium rectis, parallelis; apice rotundata, supra disco modice convexa, saturatiora, pallide testacea nitida, punctis minus ordinatis impressis ferrugineis sub-striata; plaga disci saturatior ramum antrorsum obliquum in angulum anticum emittit, et alium pone medium retrorsum obliquum, ambæ e fasciis saturate brunneis paginæ interioris translucentes; plaga lateralis inter ramulos magis depressa, læte pallida; apex elytrorum subtus brunneus. Corpus subtus pallide testaceum nitidum, pectoris medio nigro polito; in medio ventris series duæ e maculis nigris transversis. Pedes toti pallidi.

GYLLENH.

* Oliv. Ent. V. 97. T. 2. f. 32.
Sloan. Hist. Jam. II. p. 208. T. 233. f. 27. 28.

109. Chinensis. * Fabr. S. El. I. p. 402. 82. * Suppl. p. p. 84. 42—43.
* Herbst Col. VIII. p. 353. 126.

110. Exaltata. * Fabr. S. El. I. p. 402. 83. *

111. Cyanea. * Fabr. S. El. I. p. 402. 84. * Ent. S. I. p. 302. 46. * Mant. I. p. 65. 37. * Sp. Ins. I. p. 112. 30. * S. Ent. p. 91. 19.
* Linn. Mus. Lud. Ulr. p. 39. * Syst. Nat. I. II. p. 577. 22. * ed. Gmel. I. IV. p. 1642. 22.
* DeGeer Ins. V. p. 181. 5. T. 15 f. 9.
* Herbst Col. VIII. p. 344. 112.
Petiv. Gazoph. T. 57. f. 6.

112. Spinifex. * Fabr. S. El. I. p. 402. 85. * Ent. S. I. p. 302. 47. * Mant. I. p. 65. 38. * Sp. Ins. I. p. 112. 31. *S. Ent. p 91. 20.
* Linn. Syst. Nat. I. II. p. 576. 7. * ed. Gmel. I. IV. p. 1638. 7. Amoen. Ac. VI. p. 392. 7. * Cent. Ins. n. 7.
* Herbst Col. VIII. p. 327. 88. T. 136. f. 4. 5.
* Illig. Mag. V. p. 227. 85.
Voet Col. II. T. 43. f. 21.
var. β. * Fabr. S. El. l. c. n. 85. var. β.
C. perforata. * Fabr. Ent. S. I. p. 301. 43. * Mant. I. p. 64. 35. * Sp. Ins. I. p. 111. 28. * Gen. Ins. p. 219. 11—12.
Pall. Spicil. Zool. IX. p. 3. T. 1. f. 1.
* Pall. Naturgesch. IX. p. 3. T. 1. f. 1.
* Linn. S. Nat. Gmel. I. IV. p. 1638. 50.
* Herbst Col. VIII. p. 343. 110.
C. angustata. Oliv. Enc. Meth. V. p. 390. 67.

113. Bicornis. γ) * Fabr. S. El. I. p. 403. 86. * Ent. S. I. p. 301. 41. * Mant. I. p. 64. 36. * Sp. Ins. I. p. 112. 29. * S. Ent. p. 91. 18.
* Linn. Syst. Nat. I. II. p. 576. 8. * ed. Gmel. I. IV. p. 1638. 8. Amoen. Acad. VI. p. 393. 9. * Cent. Ins. n. 9.
* Herbst Col. VIII. p. 328. 89. T. 136. f. 6.

114. Taurus.

γ) *Cass. Taurus, bicornis, bidens, Imatidiis* adjungendæ, si tamen hoc genus non sit respuendum; corpore subquadrato non orbiculato a *Cassidarum* genere solummodo essentialiter discrepat; *Imatidiorum* notæ generice a Fabricio propositæ *Cassidis* conveniunt. — Latr. Gen. Cr. & Ins. III. p. 21.

Taurus. z) * Fabr. S. El. I. p. 403. 87. * Ent. S. I. p. 302. 45. * Mant. II. App. p. 380. 29—30.
* Herbst. Col. VIII. p. 344. 111.
* Linn. S. Nat. Gmel. I. IV. p. 1643. 33.

Bidens. z) * Fabr. S. El. I. p. 403. 88. * Ent. S. I. p. 302. 48. * Mant. I. p. 65. 39. * Sp. Ins. I. p. 112. 32.
* Herbst Col. VIII. p. 345. 113.
* Linn. S. Nat. Gmel. I. IV. p. 1638. 49.
C. atra. * Oliv. Ent. V. 97. T. 2. f. 20.

Gibbosa. * Fabr. S. El. I. p. 403. 89. * Ent. S. I. p. 302. 49. * Mant. I. p. 65. 40. * Sp. Ins. I. p. 112. 33.
* Oliv. Ent. V. 97. T. 1. f. 6.
* Herbst Col. VIII. p. 346. 114.
* Linn. S. Nat. Gmel. I. IV. p. 1638. 48.

Truncata. * Fabr. S. El. I. p. 403. 90. * Ent. S. I. p. 303. 50. * Mant. I. p. 65. 41. * Sp. Ins. I. p. 112. 34.
* Herbst Col. VIII. p. 284. 56. T. 134. f. 2.
* Oliv. Ent. V. 97. T. 1. f. 9.
* Linn. S. Nat. Gmel. I. IV. p. 1638. 47.

Flava. * Fabr. S. El. I. p. 403. 91. * Ent. S. I. p. 303. 51. * Mant. I. p. 65. 42. * Sp. Ins. I. p. 113. 35. * S. Ent. p. 92. 21.
* Linn. Syst. Nat. I. II. p. 576. 11. * ed. Gmel. I. IV. 1639. 11.
* Herbst Col. VIII. p. 299. 66. T. 134. f. 10.
* DeGeer Ins. V. p. 184. 9. T. 15. f. 13.
Voet Col. II. T. 44. f. 28.

Leucophaea. * Fabr. S. El. I. p. 403. 92. * Ent. S. I. p. 303. 52. * Mant. I. p. 65. 43. * Sp. Ins. I. p. 113. 36. * S. Ent. p. 92. 22.
* Linn. Syst. Nat. I. II. p. 576. 13. * ed. Gmel. I. IV. p. 1640. 13. Amoen. Acad. VI. p. 393. 10. * Cent. Ins. p. 10. n. 10.
* Herbst Col. VIII. p. 346. 115.

Reticularis. * Fabr. S. El. I. p. 404. 94. * Ent. S. I. p. 303. 53. * Mant. I. p. 65. 44. * Sp. Ins. I. p. 113. 37. * S. Ent. p. 92. 23.
* Linn. Syst. Nat. I. II. p. 576. 15. * ed. Gmel. I. IV. p. 1640. 15.

---

id. Not. y) pag. anteced.

* Herbst Col. VIII. p. 295. 63. T. 130. f. 3.
C. ornata. * Herbst Arch. p. 50. 8. T. 22. f. 30.
Voet Col. II. T. 41. f. 4.

121. Variegata. * Fabr. S. El. I. p. 404. 95. * Ent. S. I. p. 303. 54. * Mant. I. p. 65. 45. * Sp. Ins. I. p. 113. 38. * S. Ent. p. 92. 24.
* Linn. Syst. Nat. I. II. p. 576. 16. * ed. Gmel. I. IV. p. 1640. 16.
* Herbst Col. VIII. p. 286. 57. T. 134. f. 3.
* Oliv. Ent. V. 97. T. 2. f. 22. 28.
* DeGeer Ins. V. p. 178. 2. T. 15. f. 6.
Voet Col. II. T. 42. f. 8.

122. Punctum. * Fabr. S. El. I. p. 404. 96.

123. Trifasciata. * Fabr. S. El. I. p. 404. 97. * Ent. S. I. p. 304. 55. * Mant. I. p. 65. 46.
* Herbst Col. VIII. p. 290. 59. T. 134. f. 4. ?
* Linn. S. Nat. Gmel. I. IV. p. 1640. 60.

124. Retiformis. * Fabr. S. El. I. p. 405. 98. * Ent. S. I. p. 304. 56. * Mant. II. App. p. 380. 38—39.
* Herbst Col. VIII. p. 347. 116.
* Linn. S. Nat. Gmel. I. IV. p. 1643. 34.
C. punctata. * DeGeer Ins. V. p. 180. 4. T. 15. f. 8.

125. Venosa. * Fabr. S. El. I. p. 405. 99. * Suppl. p. 84. 56—57.
* Herbst Col. VIII. p. 322. 84.

126. Nervosa. * Fabr. S. El. I. p. 405. 100.
* Illig. Mag. V. p. 228. 100.

127. Hæmaspis. * Illig. Mag. V. p. 228. 100. Not. sub *C. nervosa.*
C. impressa. Voet Col. ed. Panz. IV. 80. 7.
Voet Col. II. T. 42. f. 7.

128. Varians. * Fabr. S. El. I. p. 405. 101.

129. Annulata. Fabr. S. El. I. p. 405. 102. * Ent. S. I. p. 304. 57. * Mant. I. p. 65. 47. * Sp. Ins. I. p. 113. 39.
* Herbst Col. VIII. p. 291. 60. T. 134. f. 5.
* Linn. S. Nat. Gmel. I. IV. p. 1641. 61.
Naturforsch. IX. T. 2. f. 6.

130. Grossa. * Fabr. S. El. I. p. 405. 103. * Ent. I. p. 304. 58. * Mant. I. p. 65. 48. * Sp. In I. p. 113. 40. * S. Ent. p. 92. 25.
* Linn. Syst. Nat. I. II. p. 577. 17. * ed. Gm I. IV. p. 1641. 17.
* Herbst Col. VIII. p. 288. 58. T. 130. f. 1.
* Oliv. Ent. V. 97. T. 1. f. 1. a. b.
* Schulzen in Naturf. VI. p. 89. T. 4. f. 1.

* Roem. Ins. p. 6. 15. T. 3. f. 1.
* DeGeer Ins. V. p. 176. 1. T. 15. f. 5.
Voet Col. II. T. 42. f. 8.

var. β. * Fabr. Ent. S. I. p. 305. 58. var. β.
C. decussata. * Fabr. Mant. I. p. 66. 57. * Sp. Ins. I. p. 115. 48. * S. Ent. p. 93. 32.
* Linn. S. Nat. Gmel. I. IV. p. 1642. 28.

Decussata. * Herbst Col. VIII. p. 320. 82. T. 135. f. 12.

Lineata. * Fabr. S. El. I. p. 406. 104. * Ent. S. I. p. 305. 59. * Mant. I. p. 65. 50.
* Herbst Col. VIII. p. 252. 22. T. 131. f. 7.
* Linn. S. Nat. Gmel. I. IV. p. 1641. 62.

Exclamationis. * Fabr. S. El. I. p. 406. 105. * Ent. S. I. p. 305. 60. * Mant. I. p. 65. 49. * Sp. Ins. I. p. 114. 41. * S. Ent. p. 92. 27.
* Linn. Syst. Nat. I. II. p. 577. 20. * ed. Gmel. I. IV. p. 1641. 20.
* Herbst Col. VIII. p. 253. 23. T. 131. f. 8.
* Oliv. Ent. V. 97. T. 1. f. 16.

Flavo-maculata. * Fabr. S. El. I. p. 406. 106.

Irrorata. * Fabr. S. El. I. p. 406. 107.

Inæqualis. * Fabr. S. El. I. p. 406. 108. * Ent. S. I. p. 305. 61. * Mant I. p. 65. 51. * Sp. Ins. I. p. 114. 42. * S. Ent. p. 93. 28.
* Linn. Syst. Nat. I. II. p. 578. 24. * ed. Gmel. I. IV. p. 1642. 24.
* Herbst Col. VIII. p. 316. 79. T. 130. f. 4.
* Oliv. Ent. V. 97. T. 3. f. 49. a. b.
* Schulze in Naturf. IX. p. 103. T. 2. f. 6.
C. bimaculata. * DeGeer Ins. V. p. 182. 6. T. 15. f. 10.
C. lunata. * Thunb. N. Sp. Ins. V. p. 88. T. 5. f. 99.
C. lateralis. * Roem. Ins. p. 6. 15. T. 3. f. 2. a.
* Sulz. Gesch. d. Ins. T. 3. f. 2. a.
Voet Col. II. T. 41. f. 2.
Mus. Petrop. p. 650. 130.

Lateralis. * Fabr. S. El. I. p. 407. 109. * Ent. S. I. p. 305. 62. * Mant. I. p. 66. 52. * Sp. Ins. I. p. 114. 43. * S. Ent. p. 93. 29.
* Linn. Syst. Nat. I. II. p. 578. 26. * ed. Gmel. I. IV. p. 1642. 26.
* Herbst Col. VIII. p. 315. 78. T. 130. f. 5.
* DeGeer Ins. V. p. 183. 8. T. 15. f. 12.
Voet Col. II. T. 43. f. 24.

Palliata. * Fabr. S. El. I. p. 407. 110. * Ent. S. I. p. 305. 63. * Mant. II. p. 380. 43—44.

* Herbst Col. VIII. p. 347. 117.
* Linn. S. Nat. Gmel. I. IV. p. 1643. 35.
Voet Col. II. T. 42. f. 14.

139. Variolosa. * Fabr. S. El. I. p. 407. 111.
* Web. Obs. Ent. I. p. 50. 1.

140. Discoïdea. * Fabr. S. El. I. p. 407. 112. * Ent. S. I. p. 306. 64. * Mant. I. p. 66. 53. * Sp. Ins. I. p. 114. 44. * S. Ent. p. 93. 30.
* Linn. Syst. Nat. I. II. p. 578. 27. * ed. Gmel. I. IV. p. 1642. 27.
* Herbst Col. VIII. p. 319. 81. T. 135. f. 11.
* Oliv. Ent. V. 97. T. 2. f. 18. a. b.
C. 4-maculata. * DeGeer Ins. V. p. 183. 7. T. 15. f. 11.
Voet Col. II. T. 4. f. 12.

— (Bipustulata.) * Fabr. S. El. I. p. 407. 113. — vid. *C. bipustulata*, Linn. n. 141. & *C. Phyctæna*, n. 142. huj. Op.

141. Bipustulata. * Linn. Syst. Nat. I. II. p. 578. 30. * ed. Gmel. I. IV. p. 1643. 30. Amoen. Acad. VI. p. 392. 8. * Cent. Ins. n. 8.
* Illig. Mag. I. p. 409. 113.
Oliv. Enc. Meth. V. p. 391. 74.
* Oliv. Ent. V. 97. T. 3. f. 35.
* Fabr. S. El. I. p. 407. 113. ? * Ent. S. I. p. 306. 65. ? * Mant. I. p. 66. 54. ? * Sp. Ins. I. p. 114. 45. ? * S. Ent. p. 93. 31. ?
* Schulzen Naturf. VI. p. 91. T. 4. f. 2. ?
Voet Col. II. T. 42. f. 6. ?

142. Plyctæna. Catal. Hamb. 778.
C. bipustulata. * Illig. Mag. I. p. 409. 113.
* Herbst Col. VIII. p. 324. 86. T. 136. f. 3.
* Fabr. S. El. I. p. 407. 113. ? * Ent. S. I. p. 306. 65. ? * Mant. I. p. 66. 54. ? * Sp. Ins. I. p. 114. 45. ? * S. Ent. p. 93. 31. ?
* Schulzen Naturf. VI. p. 91. T. 4. f. 2. ?
Voet Col. II. T. 42. f. 6. ?

143. Discors. * Fabr. S. El. I. p. 408. 114.
var. β. * Fabr. S. El. l. c. var.

144. Cuprea. * Fabr. S. El. I. p. 408. 115. * Ent. S. I. p. 306. 66. * Mant. II. App. p. 380. 45—46.
* Herbst Col. VIII. p. 321. 83. T. 136. f. 1.
* Linn. S. Nat. Gmel. I. IV. p. 1643. 36.

145. Tricolor. * Herbst Col. VIII. p. 304. 70. T. 135. f. 2.

146. Tetrastigma. * Herbst Col. VIII. p. 318. 80. T. 135. f. 10.

147. Pavonina. * Herbst Col. VIII. p. 322. 85. T. 136. f. 2.

148. Sexpustulata. * Fabr. S. El. I. p. 408. 116. * Ent. S. I. p. 306. 67. * Mant. I. p. 66. 55. * Sp. Ins. I. p. 114. 46.
* Oliv. Ent. V. 97. T. 3. f. 36.
* Herbst Col. VIII. p. 348. 118.
* Linn. S. Nat. Gmel. I. IV. p. 1643. 65.

149. Duodecimpustulata. * Fabr. S. El. I. p. 408. 117. * Suppl. p. 85. 67—68.
* Herbst Col. VIII. p. 354. 128.

150. Sedecimpunctata. * Fabr. S. El. I. p. 408. 118. * Ent. S. I. p. 307. 68. * Mant. I. p. 66. 56.
* Oliv. Ent. V. 97. T. 3. f. 41.
* Herbst Col. VIII. p. 349. 119.
C. sedecimpustulata. * Fabr. Sp. Ins. I. p. 115. 47.
* Linn. S. Nat. Gmel. I. IV. p. 1643. 66.
Voet Col. II. T. 43. f. 20.

151. Bipunctata. * Fabr. S. El. I. p. 408. 119. * Ent. S. I. p. 307. 69. * Mant. I. p. 66. 58. * Sp. Ins. I. p. 115. 49. * S. Ent. p. 93. 33.
* Linn. Syst. Nat. I. II. p. 578. 29. * ed. Gmel. I. IV. p. 1643. 29.
* Herbst Col. VIII. p. 271. 43. T. 133. f. 2. b.
* Oliv. Ent. V. 97. T. 3. f. 42.

152. Swartzi. Nov. Sp. *a.*)

153. Supposita. * Linn. Syst. Nat. I. II. p. 578. 25. * ed. Gmel. I. IV. p. 1642. 25.
Lederm. Microsc. T. 28. fig. F. g. & T. 44. fig. b. c. d.

154. Angustata. * Linn. Syst. Nat. I. II. p. 578. 31. * ed. Gmel. I. IV. p. 1643. 31.

---

a) CASSIDA SWARTZII: flava, elytris rufo-cyaneis, antennis tarsisque subtus albidis.

Habitat in Jamaica Prof. *Ol. Swartz*, celeberr. Botanicus & Perigrinator Illustris. — E Musæo *Schönh.*

Corpus mediocre, totum glabrum, rufo-flavum. Caput parvum, fronte lineola longitudinali impressa, medio labro labioque oculisque nigris. Antennæ filiformes, extrorsum parum incrassatæ albidæ, thoracis longitudine. Thorax lateribus dilatatus, postice obtuse 3-dentatus, nitidus, impressionibus inæqualis. Elytra dorso gibboso-convexa, tuberculo humerali, utroque latere lineaque impressa, tota punctulata, rufo-cyanea, versicolora, (in vivo splendide aurea) immaculata. Scutellum elytris concolor. Femora pedesque flava, tarsis subtus albidis. Tab. 4. fig. 12.

THUNBERG.

155. Quatuordecimmaculata. * Latreilles Annal. d. Mu
Nat. d'Hist. Nat. I. p. 294. T. 21. f. 10
156. Cincta. * DeGeer Ins. V. p. 186. 11. T. 15. f. 14
C. marginata. * Linn. Syst. Nat. I. II. p. 576.
157. Turrita. * Illig. Mag. I. p. 180. 12.
158. Sanguinolenta. * Swederus Acta Holm. 17
p. 193. 11.
* Linn. S. Nat. Gmel. I. IV. p. 1644. 40.
159. Arcuata. * Swederus Acta Holm. 1787. p. 193. 1
* Linn. S. Nat. Gmel. I. IV. p. 1641. 41.
160. Argus. * Herbst Col. VIII. p. 278. 50. T. 133.
affin. *Coccin. cassidea.* * Fabr. S. El. I. p. 368.
161. Hæmatites. * Herbst Col. VIII. p. 280. 53.
133. f. 12.
162. Retusa. * Herbst Col. VIII. p. 292. 61. T. 134. f.
163. Aterrima. * Herbst Col. VIII. p. 294. 62. T. 134.
164. Hieroglyphica. * Herbst Col. VIII. p. 296. 6
T. 134. f. 8.
165. Testacea. * Herbst Col. VIII. p. 300. 67.
134. f. 11.
166. Ephippium. * Herbst Col. VIII. p. 310. 74. T. 135.

N:o 103. ADORIUM. Fabr. n. 77.

1. Decempunctatum. Nov. Sp. *b*).
2. Bipunctatum. * Fabr. S. El. I. p. 409. 1.
* Latr. Gen. Cr. & Ins. III. p. 61. 1. T. 11
9. — Hist. N. d. Cr. & d. Ins. IX. p. 3
Chrys. bipunctata. * Fabr. Ent. S. I. p. 329. 1
* Mant. I. p. 73. 82. * Sp. Ins. I. p. 127.
* Linn. S. Nat. Gmel. I. IV. p. 1682. 139.
Oïdes bipunctata. * Web. Obs. Ent. I. p. 53. 1.
* Oliv. Ent. V. 93. T. 1. f. 6. *Galleruca.*
3. Palleatum. * Fabr. S. El. I. p. 410. 2.
4. Testaceum. * Fabr. S. El. I. p. 410. 3.
5. Lividum.* Fabr. S. El. I. p. 410. 4.

---

b) ADOR. DECEMPUNCTATUM: pallidum, elytris puncti
cem nigris.
Habit. Cantonæ Sinarum. *D. Gröndal.*
Magnitudo & statura fere *Ad. bipunctati.* Caput pallidum fo
impressa. Antennæ pallidæ apice nigræ. Thorax longitudine
latior, marginatus, pallidus. Elytra fornicata, pallida, singulo p
1, 1, 2, 1, nigris, primo oblongo, cæteris rotundatis, quarto
medio majori. Pectus & Abdomen pallida, fusco maculata.
BILLBERG.

. Vittatum. * Fabr. S. El. I. p. 410. 5.
. Concolor. * Fabr. S. El. I. p. 410. 6.
Galler. concolor. * Fabr. Ent. S. II. p. 16. 16.
Chrysom. concolor. * Fabr Mant. I. p. 74. 99. * Sp. Ins. I. p. 129. 74.
* Linn. S. Nat. Gmel. I. IV. p. 1671. 98.
. Anale. *Oides livida.* * Web. Obs. Ent. I. p. 53. 2.
. Ferrugineum. *Chrysom. ferruginea.* * Fabr. S. El. I. p. 430. 42. * Ent. S. I. p. 310. 15. * Mant. I. p. 67. 8. * Sp. Ins. I. p. 117. 6.
* Linn. S. Nat. Gmel. I. IV. p. 1668. 75.

N:o 104. COLASPIS. Fabr. n. 78.

1. Testacea. * Fabr. S. El. I. p. 411. 1.
2. Crenata. * Fabr. S. El. I. p. 411. 2.
Galler. crenata. * Fabr. Ent. S. I. II. p. 14. 6.
Chrysom. crenata. * Fabr. Mant. I. p. 73. 91.
* Linn. S. Nat. Gmel. I. IV. p. 1669. 83.
var. β. * Fabr. S. El. l. c. var. β.
3. Glabrata. * Fabr. S. El. I. p. 412. 3.
4. Flavicornis. * Fabr. S. El. I. p. 412. 4.
Galler. flavicornis. * Fabr. Ent. S. I. II. p. 13. 5.
Chrysom. flavicornis. * Fabr. Mant. I. p. 73. 90.
* Linn. S. Nat. Gmel. I. IV. p. 1669. 82.
Erotylus flavipes. * Fabr. Mant. I. p. 92. 22. * Sp. Ins. I. p. 159. 16.
Chrys. occidentalis. * Linn. Syst. Nat. I. II. p. 588. 12. * ed. Gmel. I. IV. p. 1678. 18.
* DeGeer Ins. V. p. 353. 7. T. 16. f. 14.
Erotyl. jamaicensis. * Linn. S. Nat. Gmel. I. IV. p. 1729. 212.
* Latr. Gen. Cr. & Ins. Tab. 11. f. 10. — vid. III. p. 55. *Eumolpus.*
5. Sericea. Nov. Sp. c).

---

c) COLASPIS SERICEA: oblonga viridi-sericea nitida, profunde rugoso-punctata, antennis pedibusque flavescentibus, femoribus subdentatis.

Habitat in Capite Bonæ Spei, et India Orientali.

Statura oblonga fere *C. flavicornis*, sed triplo minor. Caput deflexum viridi-sericeum nitidum, crebre et profunde punctatum, fronte depressa, vertice canaliculato; labrum exsertum viridi-æneum læve, antice emarginato-crenatum; oculi globosi prominuli brunnei. Antennæ dimidio corpore longiores, pallidæ, extrorsum fuscescentes. Thorax brevis transversus, antice truncatus, lateribus dilatato-ro-

6. Luteicornis. * Fabr. S. El. I. p. 412. 5.
Chrysom. luteicornis. * Fabr. Ent. S. I. p. 316. 4
7. Crotonis. * Fabr. S. El. I. p. 412. 6.
Chrysom. Crotonis. * Fabr. Ent. S. I. p. 327. 10
8. Rufipes. * Fabr. S. El. I. p. 413. 7.
Cryptoceph. rufipes. * Fabr. Ent. S. I. II. p. 63. 3
9. Viridis. * Fabr. S. El. I. p. 413. 8.
Galler. viridis. * Fabr. Suppl. p. 94. 5—6.
var. β. *Colasp. tricolor.* * Fabr. S. El. I. p. 413. 9.
Chrysom. tricolor. * Fabr. Ent. S. I. p. 316. 4
— (Tricolor.) * Fabr. S. El. I. p. 413. 9. — vid. var. β præcedenti.
10. Ænea. * Fabr. S. El. I. p. 413. 10.
11. Fulvipes. * Fabr. S. El. I. p. 414. 11.
12. Cuprea. * Fabr. S. El. I. p. 414. 12.
13. Obscura. * Fabr. S. El. I. p. 414. 13.
14. Fulva. * Fabr. S. El. I. p. 414. 14.
15. Barbara. *d*) * Fabr. S. El. I. p. 415. 15.
Chrysom. barbara. * Fabr. Ent. S. I. p. 326. 95.
Chrys. atra. Oliv. Enc. Meth. V. p. 719. 133.
16. Ferruginea. * Fabr. S. El. I. p. 415. 16.
17. Nitidula. * Fabr. S. El. I. p. 415. 17.
18. Nigricornis. * Fabr. S. El. I. p. 415. 18.
19. Lævigata. * Fabr. S. El. I. p. 415. 19.
20. Viridi-ænea. Nov. Sp. *e*)

21. Marginata.

---

tundatus, undique tenue marginatus, basi truncatus, angulis omnino rotundatis; supra modice convexus, crebre et profunde rugoso-punctatus, totus viridi-sericeus nitidus. Scutellum oblongum obtusum punctatum concolor. Elytra oblonga, thoracis medio parum latiora, apice rotundata, supra modice convexa, viridi-sericea, punctis profundis, rugisque transversis crebris obsita; juxta suturam stria integra punctata, et versus apicem aliæ obsoletæ, abbreviatæ; humeri elevati gibbi. Corpus subtus cupro-æneum punctatum, tenue pubescens. Pedes toti pallide testacei, femoribus medio crassioribus, subtus versus apicem dente parvo armatis.

GYLLENH.

d) Habitat in Barbaria, Lusitania, Anglia & Gallia meridionali.

e) COLASPIS VIRIDI-ÆNEA: brevis gibba viridi-ænea, subtus nigro-cœrulea, labro, antennarumque basi ferrugineis, elytris punctato-striatis.

var. β. Supra cœruleo-violacea.
Habitat in India Orientali. D. *Kymell.*



. Marginata. * Fabr. S. El. I. p. 416. 20.
. Metallica. * Fabr. S. El. I. p. 416. 21.
Bruchus æneus. * Fabr. Suppl. p. 159. 8—9.
. Ruficornis. * Fabr. S. El. I. p. 416. 22.
. Brunnea. * Fabr. S. El. I. p. 416. 23.
Galleruca brunnea. * Fabr. Suppl. p. 94. 4—5.
. Suilla. * Fabr. S. El. I. p. 417. 24.
. Calcarata. *Cryptoceph. calcaratus.* * Fabr. S. El. II. p. 47. 37. * Ent. S. I. II. p. 62. 49. * Mant I. p. 82. 38. * Sp. Ins. I. p. 143. 29. * S. Ent. p. 109. 19.
* Linn. S. Nat. Gmel. I. IV. p. 1705. 38.
27. Dentipes. *Cryptoceph. dentipes.* * Fabr. S. El. II. p. 47. 38.
Eumolp. cupreus. Schneid.
28. Pusilla. * Nov. Sp. *f*).

B) *saltatoriæ.*

Vide genus *Haltica.*

Magnitudo, statura et affinitas *C. lævigatæ* Fabr. Caput deflexum, valde retractum, fronte plana viridi-ænea nitida, profunde punctata, supra os emarginata; labrum exsertum, transversum, emarginatum, ferrugineum; oculi oblongi, brunnei. Antennæ dimidio corpore longiores, nigræ, basi ferrugineæ. Thorax brevis transversus, anterius fere angustior, sub-emarginatus, lateribus parum rotundatus, undique tenue marginatus, basi sub-sinuatus, angulis fere rectis, sub-acuminatis; supra valde convexus, pulvinatus, viridi-æneus nitidus, crebre et sat profunde punctatus. Scutellum oblongo-triangulare æneum. Elytra brevia ovalia, thoracis basi latiora, apice rotundata, supra valde convexa, viridi-ænea nitida, profunde punctato-striata, præsertim basi et exterius, striis intermediis obliquis, nonnullis abbreviatis; tuberculum humerale elevatum gibbum; ante medium disci fovea transversalis obsoleta. Corpus subtus coeruleo-virescens punctatum, sub-pubescens. Femora nigro-virescentia; tibiæ et tarsi rufo-picei pubescentes.

Var. β. differt tantum colore paginæ superioris violaceo vel coerulescente. GYLLENH.

f) COLASPIS PUSILLA: viridi-ænea, sub-globosa, subtus nigro-coerulea, labro, antennarum basi, pedibusque rufo-testaceis, elytris tenue punctato-striatis.

Habitat in India Orientali. *D. Kymell.*

Minuta, *Altica Modeeri* vix major. Caput magnum deflexum viridi-æneum nitidum, tenue et parce punctatum, parum convexum; labrum exsertum transversum integrum ferrugineum ciliatum; oculi rotundati brunnei, parum prominuli. Thorax latus transversus, anterius fere angustior, sub-emarginatus, angulis valde deflexis acuminatis, lateribus vix rotundatus, undique tenue marginatus, basi bisi-

N:o 105. EUMOLPUS. Fabr. n. 79.

1. Ignitus. * Fabr. S. El. I. p. 418. 1.
Chrys. ignita. * Fabr. Ent. S. I. p. 314. 30. * M
I. p. 68. 18.
* Linn. S. Nat. Gmel. I. IV. p. 1670. 93.
2. Fulgidus g) * Web. Obs. Ent. I. p. 52. 1.
3. Surinamensis. h) *Chrys. surinamensis.* * Fabr. S.
I. p. 424. 7. * Ent. S. I. p. 314. 31. * M
I. p. 68. 19. * Sp. Ins. I. p. 118. 14.
Ent. p. 96. 8.
* Roem. Ins. p. 43. 30. T. 3. f. 12.?
Chrys. americana. * Sulz. Gesch. d. Ins. T. 3. f.
Chrys. Gigas. * Herbst Arch. p. 51. 2. T. 23.
* Linn. S. Nat. Gmel. I. IV. p. 1685. 153.
Chrys. glaberrima. * Linn. S. Nat. Gmel. I. I
p. 1670. 92.
Chrys. cyanea. * Linn. S. Nat. I. II. p. 596. 7
Crypt. cyaneus. * Linn. S. Nat. Gmel. I. IV.
1709. 69. ?
4. Nitidus. * Fabr. S. El. I. p. 418. 2.
* Illig. Mag. III. p. 157. 2.
Chrys. nitida. * Fabr. Ent. S. I. p. 325. 86. * Ma
I. p. 71. 64.
* Linn. S. Nat. Gmel. I. IV. p. 1675. 110.
5. Asiaticus. * Fabr. S. El. I. p. 419. 3.
Chrys. asiatica. * Fabr. Ent. S. I. p. 314.
* Mant. I. p. 68. 20. * Sp. Ins. I. p. 118.
* Pallas Icon. Tab. G. fig. 1. — Iter. I. Ap
11. 30. l. 463. 30.
* Linn. S. Nat. Gmel. I. IV. p. 1670. 91.
6. Cyaneus. * Fabr. S. El. I. p. 419. 4.
* Illig. Mag. III. p. 157.
Chrys. cyanea. * Fabr. Ent. S. I. p. 324. 84. * Man
I. p. 71. 63. * Sp. Ins. I. p. 124. 50.

---

nuatus, angulis retrorsum productis acutis; supra valde convexus, ridi-æneus nitidus, tenue punctatus. Scutellum mediocre rotunda viridi-æneum. Elytra brevia, vix thorace duplo longiora, et parum latiora, pone basin dilatata, apice rotundata, supra conve viridi-ænea nitida, tenue punctato-striata. Corpus subtus nigro- ruleum vel violaceum sub-punctatum, tenue pubescens. Pedes r testacei, genubus obscurioribus; Femora in medio crassiora, inf
GYLLENH.

g) Sollte diess nicht die wahre *Eum. ignitus* Fabr. seyn? — *Illig.*

h) Vielleicht blosse Abänderung von *Eum. ignitus.* — *Illiger.*

* Linn. S. Nat. Gmel. I. IV. p. 1675. 109.
Eum. bengalensis. Illig. & Schneid.

eregrinus. *Cryptoceph. peregrinus.* * Herbst Arch. p. 63. 16. T. 23. f. 25.
* Linn. S. Nat. Gmel. I. IV. p. 1710. 77.

retiosus. * Fabr. S. El. I. p. 419. 5.
Chrys. pretiosa. * Fabr. Ent. S. I. p. 324. 85.
* Panz. Fn. Germ. XLIV. 13. * Ent. Germ. I. p. 162. 34.
Cryptoceph. pretiosus. * Schneid. Mag. p. 218. 30.
* Schæff. Icon. T. 65. f. 6.
Harrer Beschr. n. 257.
* Geoffr. Ins. I. p. 232. 1. *Cryptocephalus.*

uratus. * Fabr. S. El. I. p. 419. 6.
Chrysom. aurata. * Fabr. Ent. S. I. p. 325. 87.
* Mant. I. p. 71. 65. * Sp. Ins. I. p. 124. 51. * S. Ent. p. 101. 38.
* Linn. S. Nat. Gmel. I. IV. p. 1675. 111.
Cryptoceph. auratus. * Schneid. Mag. p. 218. 31. ?

ompressicornis. * Fabr. S. El. I. p. 419. 7.

ntennatus. * Fabr. S. El. I. p. 419. 8.

röndalii. * Nov. Sp. *i*)

plendidus. * Fabr. S. El. I. p. 420. 9.
Chrys. splendida. * Fabr. Ent. S. I. p. 324. 81.

uber. * Latr. Gen. Cr. & Ins. III. p. 56. 1.
Cryptoceph. subserricornis. * Latr. Gen. Cr. & Ins. Tab. 11. f. 6.

umptuosus. * Fabr. S. El. I. p. 420. 10.
Chrys. sumptuosa. * Fabr. Suppl. p. 88. 85.

labratus. * Fabr. S. El. I. p. 420. 11.
Chrys. glabratra. * Fabr. Ent. S. I. p. 318. 51.

odestus. * Fabr. S. El. I. p. 420. 12.
Chrys. modesta. * Fabr. Ent. S. I. p. 323. 77.

UMOLPUS GRÖNDALII: totus cyaneus, fasciis duabus eo-aureis.
abitat Cantonæ Sinarum. *C. Gröndal*, M. D. Medic. Sereniss. cip. Duc. Ostrog. olim defuncti, gazis ditatus naturæ redux e is Indiæ orientalis, quas iteratis vicibus in emolumentum scien- sedulo investigavit.
atura et magnitudo *Eum. pretiosi.* Antennæ ut in *E. compressi- i* extrorsum crassiores, compressæ. Totus supra infraque nitido- ieus punctulatus. Elytra fasciis binis cupreo-aureis, una ad basin sversa, altera infra medium, latior, angulo recto e medio suturæ latera oblique discedens, prope marginem cum superiori juncta. i rufo-villosi.

SWARTZ.

18. Metallicus. * Fabr. S. El. I. p. 420. 13.
19. Hirtus. * Fabr. S. El. I. p. 420. 14.
20. Dentipes. * Fabr. S. El. I. p. 420. 15.
21. Æneus. * Fabr. S. El. I. p. 423. 16.
22. Nigritus. * Fabr. S. El. I. p. 423. 17.
23. Nitidulus. * Fabr. S. El. I. p. 423. 18.
24. *Obscurus.* * Fabr. S. El. I. p. 423. 19.
Crypt. obscurus. * Fabr. Ent. S. II. p. 60. 35.
* Payk. Fn. Sv. II. p. 141. 14.
* Schneid. Mag. p. 219. 32.
* Panz. Fn. Germ. V. 12. * Ent. Germ. I. 194. 12.
* Müll. Zool. D. Pr. p. 58. 525.
Chrys. obscura. * Fabr. Mant. I. p. 73. 81. * S. Ins. I. p. 127. 63. * S. Ent. p. 203. 48.
* Linn. Fn. Sv. n. 561. * Syst. Nat. I. II. 599. 96. * ed. Gmel. I. IV. p. 1684. 96.
* Ross. Fn. Etr. I. p. 81. 203. * ed. Helw. I. p. 85. 203.
* Brahm Ins. Kal. I. p. 99. 332.
Chrys. nigroquadrata. * DeGeer Ins. V. p. 336. 4.
* Schæff. Icon. T. 102. f. 5.
Harrer Beschr. n. 85. ed. 2:a n. 164.
25. *Vitis.* * Fabr. S. El. I. p. 422. 20.
* Panz. Fn. Germ. LXXXIX. 12.
* Latr. Gen. Cr. & Ins. III. p. 56. 2. — Hist. d. Cr. & d. Ins. XI. p. 374.
Crypt. Vitis. * Fabr. Ent. S. II. p. 60. 36. * M. I. p. 81. 27. * Sp. Ins. I. p. 142. 23. * Ent. p. 108. 15.
Oliv. Enc. Meth. VI. p. 612.
* Ross. Fn. Etr. I. p. 99. 252. * ed. Helw. p. 105. 252. (nota Hellwigii rectius ad *Coryli* var. γ. δ. pertinet.)
* Panz. Ent. Germ. I. p. 195. 13.
* Linn. S. Nat. Gmel. I. IV. p. 1704. 27.
* Goeze Eur. Fn. VIII. p. 403. 3.
Crypt. villosus. * Schneid. Mag. p. 219. 33.
Chrys. villosula. * Schrank Enum. Ins. p. 95. n. Schrank Fn. Boica. I. p. 553. 679.
* Geoffr. Ins. I. p. 233. 2. *Cryptocephalus.*
26. Atratus. * Fabr. S. El. I. p. 422. 21.
Crypt. atratus. * Fabr. Suppl. p. 106. 34—35.
27. Dubius. * *Crypt. dubius.* * Fabr. S. El. II. p. 55.
28. Variabilis. * Fabr. S. El. I. p. 422. 22.

Ruficollis. *k*) * Fabr. S. El. I. p. 422. 23.
Femoratus. * Fabr. S. El. I. p. 422. 24.
Ærugineus. * Fabr. S. El. I. p. 422. 25.
Chrys. æruginea. * Fabr. Ent. S. I. p. 330. 116.
Chrys. metallica. * Ross Fn. Etr. I. p. 84. 212. & Appr. p. 342. T. 3. f. 11. * ed. Hellw. I. p. 88. 212. & p. 452.
Arenarius. * Fabr. S. El. I. p. 423. 26.
Crypt. arenarius. * Fabr. Suppl. p. 109. 90.
* Panz. Fn. G. XXXIX. 19.
Crypt. æneus. * Schneid. Mag. p. 220. 34.
Crypt. pilosus. * Ross. Fn. Etr. I. p. 100. 254. * ed. Hellw. I. p. 105. 254.

106. CHRYSOMELA. Fabr. n. 80. *l*)

(*Familia Ia*) *Sternum cornutum.* DORYPHORA Illig.

Reticulata *Erot. reticulatus.* * Fabr. S. El. II. p. 3. 2. * Ent. S. I. II. p. 36. 2. * Mant. I. p. 91. 2. * Illig. Mag. V. p. 230. 2.
Crypt. cancellatus. * Linn. S. Nat. Gmel. I. IV. p. 1727. 192.
Pustulata. * Fabr. S. El. I. p. 423. 2. * Ent. S. I. p. 308. 2.
Oliv. Enc. Meth. V. p 691. 12.
* Illig. Mag. V. p. 229. 2.
Erot. pustulatus. * Fabr. Mant. I. p. 91. 6. Sp. Ins. App.
Crypt. pustulatus. * Linn. S. Nat. Gmel. I. IV. p. 1727. 196.
var. β. *Chrys. undata.* * DeGeer Ins. V. p. 350. 8. T. 16. f. 9.
Chr. cruentata. * Linn. S. Nat. Gmel. I. IV. p. 1688. 182.
Concatenata. *Erot. concatenatus.* * Fabr. S. El. II. p. 5. 10. * Ent. S. I. II. p. 37. 8. * Mant. I. p. 91. 7.
* Illig. Mag. V. p. 231. 10.
* Herbst Col. VIII. p. 359. 2. T. 136. f. 8.
* Linn. S. Nat. Gmel. I. IV. p. 1727. 197.

---

k) Rufus nitidus, elytris pedibusque nigris. *Illig.*
l) Latr. Gen. Cr. & Ins. III. p. 57. Gen. 328.

Erot. sternicornis. Frölich. Naturf. XXVI. p. 126. 58. Voet Col. II. (ed. Panz. IV.) T. 31. f. 20.

3. Punctatissima. * Fabr. S. El. I. p. 423. 1. * Ent. S. I. p. 307. 1.

4. Rubro-punctata. * DeGeer Ins. V. p. 351. 3. T. 16. f. 10.
Chrys. hæmostata. * Linn. S. Nat. Gmel. I. IV. p. 1688. 183.

5. Octomaculata. * Fabr. S. El. I. p. 425. 11. * Ent. S. I. p. 311. 20.
* Illig. Mag. I. p. 410. 11. & III. p. 158. 11.
Chrys. æstuans. * Linn. Syst. Nat. I. II. p. 593. 48. * ed. Gmel. I. IV. p. 1684. 48.
Chrys. octoguttata. * DeGeer Ins. V. p. 352. 5. T. 16. f. 12.
Coccin. octoguttata. * Thunb. N. Ins. Sp. I. p. 24. fig. 37.
* Linn. S. Nat. Gmel. I. IV. p. 1657. 116.
Coccin. octostagnata. * Herbst Col. V. p. 303. 58. T. 56. f. 13.
Gron. Zooph. 565.

6. Sapphirina. *m*) * Forst. Cent. I. p. 19. 19.
* Linn. S. Nat. Gmel. I. IV. p. 1689. 186.
Chrys. sternicornis. * Schall. Acta Hal. I. p. 276. T. 1. f. 1.
* Linn. S. Nat. Gmel. I. IV. p. 1685. 147.

7. Trifasciata. * Fabr. S. El. I. p. 425. 14. * Ent. S. I. p. 312. 25.
* Illig. Mag. V. p. 229. 14.
Voet Col. II. T. 31. f. 13.
var. β. *Chrys. arcuata.* Oliv. Enc. Meth. V. p. 691. 16.

(*Familia* 2:a.)

— (Punctatissima.) * Fabr. S. El. I. p. 423. 1. — vid. Fam. 1:a, n. 3. huj. Op.

— (Pustulata.) * Fabr. S. El. I. p. 423. 2. — vid. Fam. 1:a n. 2. huj. Op.

8. Tenebricosa. * Fabr. S. El. I. p. 423. 3. * Ent. S. I. p. 308. 3. * Mant. I. p. 66. 1. * Sp. Ins. I. p. 116. 1. * S. Ent. p. 94. 1.
* Panz. Fn. Germ. XLIV. 1. * Ent. Germ. I. p. 156. 1. Tab. 4.
* Petagn. Ins. Cal. I. p. 9. 40.
* Ross. Fn. Etr. I. p. 74. 186. * ed. Hellw. I. p. 79. 186.

---

m) Habitat in Brasilia. *D. Grôndal.*

2

* Scriba Journ. p. 283. 169.
* Illig. Mag. I. p. 410. 3.
* Laich. Tyr. Ins. I. II. p. 141. 1.
* Brahm Ins. Kal. I. p. 140. 472. p. 218. 732.
* Marsh. Ent. Br. I. p. 169. 1.
Chrys. lævigata. * Linn. Syst. Nat. I. II. p. 678. 29.
Chrys. unicolor. * Herbst Arch. p. 161. 56. T. 44. f. 1. forte.
* Linn. S. Nat. Gmel. I. IV. p. 1686. 160.
Chrys. tenebrioides. * Linn. S. Nat. ed. Gmel. I. IV. p. 1667. 1.
Chrys. grossa. * Müll. Zool. D. Pr. p. 81. 875.
* Linn. S. Nat. Gmel. I. IV. p. 1687. 169.
* Geoffr. Ins. I. p. 265. 19. ♀
* Sulz. Kennz. p. 18. T. 7. f. 53.
* Schæff. Abhandl. III. 3. p. 53. T. 1. & T. 2.
* Schæff. Icon. T. 126. f. 1.
Harrer Beschr. n. 230. ed. 2:a n. 104.
* cfr. Gravenh. Voigt Mag. für den neuesten &c:a XI. p. 202.

rugosa. * Fabr. S. El. I. p. 424. 4. * Ent. S. I. p. 308. 4.
Tenebr. rugosus. * Linn. S. Nat. I. II. p. 678. 27.
* Oliv. Ent. V. 91 T. 2. f. 16.? *Chrysom.*

Morio. * Fabr. S. El. I. p. 424. 5. * Ent. S. I. p. 308. 5. * Mant. I. p. 66. 2.
* Linn. S. Nat. Gmel. I. IV. p. 1667. 2.

Coriaria. * Fabr. S. El. I. p. 424. 6. * Ent. S. I. p. 309. 6.
* Panz. Fn. Germ. XLIV. 2. * Ent. Germ. I. p. 156. 2.
* Scriba Journ. p. 283. 170.
* Laich. Tyr. Ins. I. II. p. 143. 2.
* Marsh. Ent. Br. I. p. 170. 2.
* Brahm Ins. Kal. I. p. 43. 137. & p. 172. 577.
C. Gettingensis. * Payk. Fn. Sv. II. p. 51. 1.
C. violaceo nigra. * DeGeer Ins. V. p. 298. 8.
C. tenebricosa. * Herbst Arch. p. 51. 1. T. 23. f. 1.
* Geoffr. Ins. I. p. 265. 19. ♂.

(Surinamensis.) * Fabr. S. El. I. p. 424. 7. — vid. *Eumolp. surinamensis*, n. 3. huj. Op.

Trimaculata. * Fabr. S. El. I. p. 424. 8. * Ent. S. I. p. 312. 22 * Mant. I. p. 67. 11. * Sp. Ins. I. p. 117. 9. * S. Ent. p. 95. 6.
* Coqueb. Illustr. Ins. III. p. 123. T. 28. f. 2.
* Linn. S. Nat. Gmel. I. IV. p. 1683. 45.

13. Vittata. * Fabr. S. El. I. p. 424. 9. * Ent. S. I. p. 310. 11. * Mant. I. p. 67. 4. * Sp. Ins. I. p. 116. 3.
* Linn. S. Nat. Gmel. I. IV. p. 1667. 3.
* Hübn. Naturf. XXIV. p. 37. 1. T. 2. f. 1.
* Oliv. Ent. V. 91. T. 4. f. 47.
Voet Col. II. T. 31. f. 17.

14. Gibbosa. * Fabr. S. El. I. p. 424. 10. * Ent. S. I. p. 311. 19. * Mant. I. p. 67. 10. * Sp. Ins. I. p. 117. 8. * S. Ent. p. 95. 5.

— (Octomaculata.) * Fabr. S. El. I. p. 425. 11. — vid. Famil. 12a, n. 5. huj. Op.

15. Submarginata. * Fabr. S. El. I. p. 425. 12.

16. Conjugata. * Fabr. S. El. I. p. 425. 13.
* Illig. Mag. I. p. 410. 13.

— (Trifasciata.) * Fabr. S. El. I. p. 425. 14. — vid. Fam. 12a, n. 7. huj. Op.

17. Suturalis. * Fabr. S. El. I. p. 425. 15. * Ent. S. I. p. 313. 26.
Chr. bifasciata. * Fabr. Mant. I. p. 68. 15.
* Linn. S. Nat. Gmel. I. IV. p. 1683. 143.

18. Pulcra. * Fabr. S. El. I. p. 425. 16. * Ent. S. I. p. 313. 27.
* Coqueb. Illustr. Ins. III. p. 123. T. 28. f. 1. a. b.
Chr. suturalis. * Fabr. Mant. I. p. 68. 16. * Sp. Ins. I. p. 117. 12. * S. Ent. p. 95. 7.
* Linn. S. Nat. Gmel. I. IV. p. 1683. 144.

19. Cruciata. * Fabr. S. El. I. p. 426. 17.

20. Duodecimguttata. * Fabr. S. El. I. p. 426. 18.

21. Thoracica. * Fabr. S. El. I. p. 426. 19.

22. Affinis. * Fabr. S. El. I. p. 426. 20. * Ent. S. I. p. 310. 13. * Mant. I. p. 67. 6.
* Linn. S. Nat. Gmel. I. IV. p. 1668. 73.

23. Striata. * Fabr. S. El. I. p. 426. 21. * Ent. S. I. p. 321. 65. * Mant. I. p. 70. 45. * Sp. Ins. I. p. 122. 55.
* Linn. S. Nat. Gmel. I. IV. p. 1676. 114.

24. Alternans. * Fabr. S. El. I. p. 426. 22. * Ent. S. IV. App. p. 447. 65–66.
Chr. Linea. * Fabr. S. El. I. p. 435. 76.
Chr. vittata. * Fabr. Ent. S. I. p. 318. 53. * Mant. I. p. 69. 35.
Chr. novemvittata. * Fabr. Sp. Ins. I. p. 120. 26.
* Linn. S. Nat. Gmel. I. IV. p. 1680. 125.
Chr. fasciata. * DeGeer Ins. VII. p. 662. 66. T. 49. f. 13. 14.

. Liturata. Nov. Sp. n).
. Vigintiquatuor-signata. Nov. Sp. o).
. Philadelphica. * Fabr. S. El. I. p. 444. 135. * Ent. S. I. p. 329 111. * Mant. I. p. 73. 83. * Sp. Ins. I. p. 127. 65. * S. Ent. p. 103. 49. * Linn. Syst. Nat. I. II. p. 592. 44. * ed. Gmel. I. IV. p. 1683. 44. * DeGeer Ins. V. p. 353. 6. T. 16. f. 13. Petiv. Gazoph. T. 26. f. 11. *Chrys. decipiens.* * Web. Obs. Ent. I. p. 52. 1. ?
8. Lineato-punctata. * Forst. Cent. I. p. 22. 22. *Chr. noveboracensis.* * Linn. S. Nat. Gmel. I. IV. p. 1689. 109.
29. Australasiæ. * Fabr. S. El. I. p. 426. 23.
30. Globus. * Fabr. S. El. I. p. 427. 24.
1. Apicalis. *Chrys. varicornis.* * Fabr. S. El. I. p. 427. 25.
2. Amethystina.* Fabr. S. El. I. p. 427. 26.
3. Silacea. *Chrys. testacea.* * Fabr. S. El. I. p. 427. 27.
4. Bractea. * Fabr. S. El. I. p. 427. 28.
5. Orbicula. * Fabr. S. El. I. p. 428. 29.
— (Micans). * Fabr. S. El. I. p. 428. 30. — vid. *Helops Diaperis.* huj. Op. I. p. 163. 48—49.
— (*Centaurei.*) * Fabr. S. El. I. p. 428. 31. — vid. *C. varians var. β*, huj. Op.

Q

---

a) CHRYSOMELA LITURATA: virescens, elytris flavis punctato-striatis, lituris 8 nigro-cyaneis, interruptis.

Habitat Cantonæ Sinarum. *D. D. J. Lund.* E Mus. *Schönherr.*

Magnitudine & statura fere *Chr. alternantis*, tota glabra. Caput virescens; antennis rufis. Thorax convexus, immarginatus tenuissime punctulatus, cyaneo-virescens. Elytra convexa, immarginata flava, lituris latiusculis in singulo 4 & sutura nigro-cyaneis interruptis, maculas oblongas (15) paralellas mentientibus, punctulis ordine duplice notatis. Subtus omnia, præter tarsos rufos, atro-violacea, nitida. — Tab. 4. fig. 8 *b*, magnitudo naturalis; — *a.* aucta.

SWARTZ.

o) CHRYS. 24-SIGNATA: supra flava, elytris striato-punctatis, maculis 24 difformibus nigris, alis rubris.

Habitat in Ind. Or. l. Cap. b. Sp. *D. Osbeck jun.* E Mus. *Schönh.*

Habitus *Chrys. alternantis.* Caput flavum, oculis punctis duobus baseos atris. Thorax transversus, immarginatus, flavus, maculis in figuram M nigris. Elytra valde convexa, vix marginata, tenuissime striato-punctata, singulum maculis nigris duodecim, oblique positis 3, 4, 4, et intra apicem majori didyma. Pectus et abdomen atra, glabra, ano rufo. Pedes rufi, nigro-maculati. Alæ sanguineæ.

THUNB.

36. Trivittata.) *p*) * Fabr. S. El. I. p. 428. 32.
— (*Flavicans.*) * Fabr. S. El. I. p. 429. 33. — vid. *C. Litura* var. β, n. 37. huj. Op.

37. *Litura.* * Fabr. S. El. I. p. 429. 34. * Ent. S. I. p. 328. 103. * Mant I. p. 72. 74. * Sp. Ins. I. p. 126. 57. * S. Ent. p. 102. 44.
* Payk. Fn. Sv. II. p. 74. 28. α.
* Herbst Arch. p. 57. 30. T. 23. f. 18.
* Panz. Fn. G. LXXVIII. 6 * Ent. Germ. I. p. 165. 47.
* Scriba Journ. p. 290. 184.
* Hoppe Taschenb. 1797. p. 218. 17.
* Marsh. Ent. Br. I. p. 182. 27.
* Linn. S. Nat. Gmel. I. IV. p. 1681. 132.
Chr. olivacea. * Forst. Cent. I. p. 23. 23.
Chr. vernalis. * Linn. S. Nat. Gmel. I. IV. p. 1689. 190.
Mart. Eng. Ent. T. 16. f. 37.
var. β. * Payk. Fn. Sv. II. p. 75. 28. β.
C. flavicans. * Fabr. S. El. I. p. 429. 33. * Ent. S. I. p. 328. 104. * Mant. I. p. 72. 75.
* Linn. S. Nat. Gmel. I. IV. p. 1681. 133.
* Panz. Ent. Germ. I. p. 165. 48.
C. olivacea. * Marsh. Ent. Br. I. p. 181. 26.
C. Cerasi. * Linn. Syst. Nat. I. II. p. 588. 13. ? * ed. Gmel. I. IV. p. 1672. 13. ? Müll. Linn. Nat. S. V. I. p. 169. 13. ?
* Bechst. & Scharfenb. Forstinsect. I. p. 131. 6.?
* Ross. Fn. Etr. I. p. 84. 211. ? * ed. Hellw. I. p. 88. 211. ?

38. Nigrita. * Fabr. S. El. I. p. 429. 35. *Ent. S. I. p. 309. 7.
Chr. cærulea. * Linn. S. Nat. Gmel. I. IV. p. 1687. 175.
Chr. Jopa. * Marsh. Ent. Br. I. p. 170. 3. forte.
* Geoffr. Ins. I. p. 259. 6. α.

39. *Gœttingensis.* * Fabr. S. El. I. p. 429. 36. * Ent. S. I. p. 309. 8. * Mant. I. p. 67. 3. * Sp. Ins. I. p. 116. 2. * S. Ent. p. 94. 2.
* Linn. Fn. Sv. n. 506. ? * Syst. Nat. I. II. p. 586. 4. ? * ed. Gmel. I. IV. p. 1667. 4.
* Panz. Fn. Germ. XLIV. 3. ? * Ent. Germ. I. p. 156. 3.
* Laich. Tyr. Ins. I. I. p. 145. 4. ?

---

p) *Chrys. trimaculata* Linn., non hujus synon. sed *Coce. trilineata* Fabr.

* Gravenh. in Voigt Magaz. für den neuesten &c. XI. p. 201.
* Ross. Mant. I. p. 28. 67.? * ed. Hellw. I. p. 365. 67. ?
* Cederh. Fn. Ingr. n. 176.
* Fisch. Naturg. v. Livl. p. 133. 265.
* Müll. Zool. D. Pr. p. 81. 876.?
* Scriba Journ. p. 284. 171.
* Marsh. Ent. Br. I. p. 171. 4.
Chr. hæmoptera. * Payk. Fn. Sv. II. p. 52. 2.
Chr. nigrita. * Towns. Voy. en Hongr. III. p. 169. 110. forte.
Hottentotta. * Fabr. S. El. I. p. 429. 37. * Ent. S. I. p. 309. 9.
* Payk. Fn. Sv. II. p. 64. 17.
* Panz. Ent. Germ. I. p. 157. 4.
* Hoppe Taschenb. 1797. p. 235.
Chr. hæmoptera. * Linn. Fn. Sv. n. 512. * Syst. Nat. I. II. p. 587. 11. * ed. Gmel. I. IV. p. 1672. 11.
* Marsh. Ent. Br. I. p. 171. 5.
* Müll. Zool. D. Pr. p. 81. 878.
Müll. Linn. Nat. Syst. V. I. p. 168. 11.
* Goeze Eur. Fn. VIII. p. 362. 7.?
* Laich. Tyr. Ins. I. I. p. 146. 5.?
* Brahm Ins. Kal. I. p. 31. 107. p. 215. 721.
C. Molluginis. * Brahm Ins. Kal. I. p. 226. 771.
C. Gœttingensis. * Schrank Naturf. XXIV. p. 67. 17.
C. erythroptera. * Schrank Enum. Ins. p. 70. 128.?
* Schrank Fuessl. n. Mag. II. p. 149. 128.?
Æthiops. * Fabr. S. El. I. p. 429. 38. * Ent. S. I. p. 309. 10.
* Panz. Ent. Germ. I. p. 157. 5.
Bicolor. * Fabr. S. El. I. p. 429. 39. * Ent. S. I. p. 310. 12. * Mant. I. p. 67. 5. * Sp. Ins. I. p. 116. 4. * S. Ent. p. 95. 3.
* Linn. S. Nat. Gmel. I. IV. p. 1667. 72.
Chr. viridi-cærulea. * Forsk. Descr. p. 77. 2.
Chr. fucata. * Fabr. S. El. I. p. 441. 132. * Ent. S. I. p. 329. 108. * Mant. I. p. 72. 79. * Sp. Ins. I. p. 126. 61.
* Panz. Ent. Germ. I. App. p. 368. 49—50.
* Illig. Mag. III. p. 158. 39.
* Linn. S. Nat. Gmel. I. IV. p. 1670. 88.
Chr. gemellata. * Ross. Mant. I. p. 30. 72. * ed. Hellw. I. p. 367. 72.
* Panz. Fn. Germ. XLIV. 6.
Vill. Ent. I. p. 138. 68.

Fourcr. Ent. Par. p. 110. 22.
* Geoffr. Ins. I. App. p. 531. 22.
Chr. orychalca. * Herbst Arch. p. 60. 43. T. 23. f.
* Scriba Journ. p. 293. 191. ?
Chr. ærosa. * Linn. S. Nat. Gmel. I. IV. 1690. 202.
Chr. Hyperici. * Marsh. Ent. Br. I. p. 173. 8.
* Forst. Cent. I. p. 20. 20.
Chr. anglica. * Linn. S. Nat. Gmel. I. IV. 1689. 187.
Chr. olivacea. * Schall. Acta Hal. I. p. 272.
* Linn. S. Nat. Gmel. I. IV. p. 1684. 146.

43. *Geminata.* * Payk. Fn. Sv. II. p. 65. 19.
Chr. didymata, * Scriba Journ. p. 294. 192.
Chr. quinquejugis. * Marsh. Ent. Br. I. p. 173.

44. *Lusitanica.* q) * Fabr. S. El. I. p. 430. 40. * Ent. I. p. 310. 14. * Mant. I. p. 67. 7.
* Linn. S. Nat. Gmel. I. IV. p. 1668. 74.
* Illig. Mag. I. p. 411. 40.
Chr. metallica. * DeGeer Ins. VII. p. 661. T. 49. f. 12.

45. Rufipes. * Fabr. S. El. I. p. 430. 41.

— (Ferruginea.) * Fabr. S. El. I. p. 430. 42. — vid. *dorium ferrugineum*, p. 231. n. 9. huj. O

46. Banksii. * Fabr. S. El. I. p. 430. 43. * Ent. p. 310. 16. * Mant. I. p. 67. 9. * Sp. I. p. 117. 7. * S. Ent. p. 95. 4.
* Payk. Fn. Sv. III. App. p. 450. 1—2. r).
* Ross. Fn. Etr. I. p. 75. 188. * ed. Hellw. p. 80. 188.
* Petagn. Ins. Cal. I. p. 10. 48.
* Marsh. Ent. Br. I. p. 187. 42.
* Linn. S. Nat. Gmel. I. IV. p. 1668. 76.
* Panz. Ent. Germ. I. p. 157. 6.

47. Metallica. * Fabr. S. El. I. p. 430. 44. * S. I. p. 311. 17.

---

q) Ipsissimam Fabricii possideo, quantum ex speciminibus Lusit aliisque ex Europa australi simul ac nostra Finlandia receptis care licet, *punctis* scil. *impressis cærulescentibus* l. forsan recti sententia Illigeri, *cicatrisantibus*. Hæc puncta iride subcærule l. chalybeo evidenter gaudent, quod negare videtur Cl. Illiger, que characterem mutavit. Confiteor tamen, colorem punctor liquot meis speciminibus minus notabilem inesse. An itaque *Chr. l nica* Illig. varietas ejusdem speciei ? — Puncta quoque r longitudinaliter disposita licet ægre conspicua, majoribus inter video.

r) Habitat in Europa meridionali nec in Svecia.

* Panz. Fn. Germ. XLIV. 4. * Ent. G. I. p. 157. 8.
* Herbst Arch. p. 55. 26. T. 23. f. 14.
* Cederh. Fn. Ingr. n. 177.

Globosa. * Panz. Fn. Germ. LXXXVII. 6.

Lamina. * Fabr. S. El. I. p. 430. 45. * Ent. S. I. p. 311. 18.
* Payk. Fn. Sv. III. App. p. 451. 19—20.
* Panz. Fn. Germ. XLIV. 5. * Ent. Germ. I. p. 157. 9.
Chr. Bulgarensis. * Schrank Enum. Ins. p. 70. 127.
* Panz. Ent. Germ. I. p. 157. 7.
* Herbst Arch. p. 55. 25. T. 23. f. 13.
* Linn. S. Nat. Gmel. I. IV. p. 1686. 164.
Chr. oricalcia. * Müll. Zool. D. Pr. p. 82. 889.
* Linn. S. Nat. Gmel. I. IV. p. 1687. 168.
Chr. incrassata. * Marsh. Ent. Br. I. p. 186. 40.

Obscurata. * Fabr. S. El. I. p. 430. 46. * Suppl. p. 85. 18—19.

Raphani. * Fabr. S. El. I. p. 430. 47.
* Payk. Fn. Sv. II. p. 62. 15.
* Herbst Arch. p. 59. 42. T. 23. f. 42.
* Linn. S. Nat. Gmel. I. IV. p. 1690. 201.
* Brahm Ins. Kal. I. p. 68. 221.
Galler. Raphani. * Fabr. Ent. S. I. II. p. 19. 26.
* Panz. Ent. Germ. I. p. 172. 11.
Chr. ænea. * Fabr. Mant. I. p. 75. 106.
Chr. viridula. * DeGeer Ins. V. p. 311. 19.
* Linn. S. Nat. Gmel. I. IV. p. 1688. 179.
Chr. Polygoni, var. β. * Linn. Fn. Sv. ed. 2:a n. 520. ed. 1:a n. 421.
Chr. Hypocharidis. * Linn. Fn. Sv. n. 516. * It. Scan. p. 210. * Syst. Nat. I. II. p. 589. 21.
* ed. Gmel. I. IV. p. 1675. 21. forte fœmina.
* Marsh. Ent. Br. I. p. 184. 35.
* Geoffr. Ins. I. p. 261. 11.

Calcarata. * Fabr. S. El. I. p. 431. 48.
* Illig. Mag. III. p. 158. 48.
Galler. calcarata. * Fabr. Ent. S. I. II. p. 19. 27.
* Panz. Ent. Germ. I. p. 173. 12.

Punctulata. * Fabr. S. El. I. p. 431. 49.
Galler. punctulata. * Fabr. Ent. S. I. II. p. 19. 28.
* Panz. Ent. Germ. I. p. 173. 13.

Morbillosa. * * Fabr. S. El. I. p. 431. 50.
Galler. morbillosa. * Fabr. Ent. S. I. II. p. 19. 29.
* Panz. Ent. Germ. I. p. 173. 14.

Decempustulata. * Fabr. S. El. I. p. 431. 51. * Ent. S. I. p. 312. 21.

56. Adonidis. * Fabr. S. El. I. p. 431. 52. * Ent. S. I. p. 312. 23. * Mant. I. p. 67. 12. * Sp. Ins. I. p. 117. 10.
* Herbst Arch. p. 56. 29. T. 23. f. 17.
* Panz. Ent. G. I. p. 158. 10. * Fn. Germ. C. 4.
* Hoppe Taschenb. 1796. p. 175. 24.
* Scriba Journ. p. 22. 2. et p. 27. 12.
* Schrank Naturf. XXIV. p. 65. 12.
* Hübn. Naturf. XXIV. p. 38. 2.
* Linn. S. Nat. Gmel. I. IV. p. 1683. 140.
Pallas It. I. p. 463. 29.
Chr. trilineata. * Fabr. Gen. Ins. Mant. p. 219. 6-7.
Chr. dorsalis. * Fabr. Mant. I. p. 67. 13.
var. β. *Chr. dorsalis.* * Fabr. Sp. Ins. I. p. 117. 11.
* Gen. Ins. Mant. p. 220. 6-7.
* Schrank Naturf. XXIV. p. 66. 13.
* Hübn. Naturf. XXIV. p. 39. 3 T. 2. f. 2.
* Linn. S. Nat. Gmel. I. IV. p. 1683. 141.

57. Clavata. * Fabr. S. El. I. p. 431. 53. * Ent. S. I. p. 312. 24. * Mant. I. p. 67. 14.
* Illig. Mag. V. p. 229. 53.
* Linn. S. Nat. Gmel. I. IV. p. 1683. 142.
Clythra clavata. Oliv. Enc. Meth. VI. p. 36. 25.

— (Quatuordecimpunctata.) * Fabr. S. El. I. p. 431. 54.
— vid. *Galler. 14-punctata*, n. 6. huj. Op.

58. Soriculata. Nov. Sv. *s*).

59. Guttata. * Fabr. Ent. S. I. p. 313. 28.
Coccin. pardalina. * Fabr. S. El. I. p. 386. 156.? * Ent. S. I. p. 291. 115.? * Mant. I. p. 61. 97.? * Sp. Ins. I. p. 106. 72.?
* Herbst Col. V. p. 311. 71.?
* Linn. S. Nat. Gmel. I. IV. p. 1665. 148.?
Chrys. 10-pustulata. * Thunb. Mus. Acad. IV. p. 44. 15. Tab. fig. 4.

---

s) CHRYS. SORICULATA: rufescens, elytris flavis, maculis 22 formibus 22, thoraceque rubro, tribus nigris.
Habitat in China. Reperta inter folia exsicc. Theâ Boheæ. *Quensel.* E Mus. *Schönh.*
Magnitudine *Chrys. Banksii.* Corpus supra valde convexum, punctulatum. Caput rubrum, clypeo maculis 2 posticis oculisque nigris. Antennæ - - -. Thorax subimmarginatus punctulatus, ruber, maculis tribus transversis nigris. Scutellum rubrum. Elytra flava convexa, margine et sutura rufescente, irregulariter striato-punctata, singulo maculis undecim inæqualibus 4, 3, 3, 1 nigris. Subtus rufescens. Sternum obtuse carinatum, breve, pallidius.

SWARTZ.

Duodecimguttata. * Thunb. Mus. Acad. IV. p. 44. 17. Tab. fig. 6.
Chrys. 14-guttata. * Fabr. S. El. I. p. 432. 55. * Suppl. p. 85. 28—29.
(Quatuordecimguttata.) * Fabr. S. El. I. p. 432. 55. — vid. *Chrys. 12-guttata*, n. 60. huj. Op.
Ebræa. * Fabr. S. El. I. p. 432. 56. * Suppl. p. 86. 29—30.
Chr. vulpina. * Fabr. S. El. I. p. 437. 93. * Ent. S. I. p. 321. 68. * Mant. I. p. 70. 48. * Sp. Ins. I. p. 122. 37.
* Linn. S. Nat. Gmel. I. IV. p. 1677. 117.
Chr. coccinelloides. * Thunb. Mus. Acad. IV. p. 44. fig. 5. var. ?
Sapphirus. * Fabr. S. El. I. p. 432. 57.
Graminis. * Fabr. S. El. I. p. 432. 58. * Ent. S. I. p. 314. 33. * Mant. I. p. 68. 21. * Sp. Ins. I. p. 118. 16. * S. Ent. p. 96. 9.
* Linn. Fn. Sv. n. 509. * Syst. Nat. I. II. p. 587. 7. * ed. Gmel. I. IV. p. 1670. 7.
* Payk. Fn. Sv. II. p. 63. 16.
* DeGeer Ins. V. p. 304. 16.
* Scriba Journ. p. 285. 172.
* Ross. Fn. Etr. I. p. 77. 195. * ed. Hellw. I. p. 82. 195.
* Panz. Ent. Germ. I. p. 158. 11.
* Herbst Arch. p. 53. 6.
* Cederh. Fn. Ingr. n. 178.
* Marsh. Ent. Br. I. p. 172. 6.
* Brahm Ins. Kal. I. p. 118. 407.
* Müll. Zool. D. Pr. p. 82. 892.
* Goeze Eur. Fn. VIII. p. 351. 3.
* Schrank En. Ins. p. 72. 132. — Fn. Boica. I. p. 527. 623.
* Barb. Gen. Ins. p. 40. T. 4. Gen. XI. fig. 3.
Coccin. graminis. * Scop. Ent. Carn. n. 220.
* Geoffr. Ins. I. p. 260. 10.
* Schæff. Icon. T. 21. f. 8. 10.
Harrer Beschr. n. 231. & 244. ed. 2:a n. 105. & 181.
Acta Ups. 1736. p. 17. 1.
Müll. Linn. Nat. Syst. V. I. p. 167. 7.
Mart. Eng. Ent. T. 14. f. 10.
Fulgida. *t*) * Fabr. S. El. I. p. 432. 59.

An *Chr. graminis* varietas?

65. Bifrons. * Fabr. S. El. I. p. 432. 60. * Ent. S. I. p. 314. 34.

66. *Cuprea.* * Fabr. S. El. I. p. 432. 61. * Ent. S. I. p. 315. 35. * Mant. I. p. 68. 22. * Sp. Ins. I. p. 118. 17. * S. Ent. p. 96. 10.
* Payk. Fn. Sv. II. p. 56. 8.
* Panz. Fn. G. XXV. 8. * Ent. G. I. p. 158. 11.
* Linn. S. Nat. Gmel. I. IV. p. 1670. 90.
Chr. ruficaudis. * DeGeer Ins. V. p. 305. 17.
* Linn. S. Nat. Gmel. I. IV. p. 1688. 178.
Coccin. Vitellinæ. * Scop. Ent. Carn. n. 224.
* Geoffr. Ins. I. p. 263. 15.
* Schæff. Icon. T. 65. f. 9.
Harrer Beschr. n. 232. ed. 2:a n. 106.
var. β. * Payk. Fn. Sv. II. p. 57. 8. var. β.
Chr. metallica. * Laich. Tyr. Ins. I. I. p. 144. 3.
var. γ. * Payk. Fn. Sv. l. c. var. γ.

67. *Ænea.* * Fabr. S. El. I. p. 444. 133. * Ent. S. I. p. 329. 109.
* Linn. Fn. Sv. n. 510. * Syst. Nat. I. II. p. 587. 8. * ed. Gmel. I. IV. p. 1670. 8.
* Payk. Fn. Sv. II. p. 59. 11.
* Panz. Fn. Germ. XXV. 9. * Ent. G. I. p. 165. 50.
* Ross. Fn. Etr. I. p. 78. 196. * ed. Hellw. I. p. 82. 196.
* Petagn. Ins. Calabr. p. 10. 45.
* Marsh. Ent. Br. I. p. 189. 46.
* Bechst. & Scharf. Forstinsect. I. p. 128. 2.
* Goeze Eur. Fn. VIII. p. 352. 4.
* Schrank Enum. p. 71. 131. — Fn. Boica I. p. 530. 625.
* Preysl. in Mayers Aufs. Böhm. Naturg. III. p. 357. 7.
* Müll. Zool. D. Pr. p. 82. 891.
Mull. Linn. Nat. Syst. V. I. p. 167. 8. T. 4. f. 6.
Gleditsch Einl. I. p. 445. 19.
Chr. fuscicornis. * Fabr. Mant. I. p. 73. 80. * Sp. Ins. I. p. 126. 62. ?
* Linn. S. Nat. Gmel. I. IV. p. 1670. 89. ?
Chr. viridis Alni. * DeGeer Ins. V. p. 305. 18.
* Schæff. Icon. T. 21. f. 6.
Harrer Beschr. n. 251. ed. 2:a n. 231.
var. β. * Payk. Fn. Sv. II. p. 59. 11.
Chr. cœruleo-violacea. * DeGeer Ins. V. p. 316. 2
Chr. amethystina. * Linn. S. Nat. Gmel. I. IV p. 1688. 180.

Chry

Chr. versicolora. * Laich. Tyr. Ins. I. L. p. 148. 7.?
ar. γ. *Chr. bulgarensis.* * Fabr. S. El. I. p. 444. 134.
* Suppl. p. 88. 109—110.
* Illig. Mag. III. p. 159. 134.
Chr. hæmorrhoidalis. * Müll. Zool. D. Pr. p. 81. 877.
Chr. vulgatissima. * Schrank En. Ins. p. 69. 126.?
Tristis. * Fabr. S. El. I. p. 433. 62. * Ent. S. I. p. 315. 36.
Chr. hæmoptera. * Panz. Fn. Germ. XLIV. 7.
* Ent. Germ. I. p. 158. 13.
Chr. nigricornis. * Ross. Mant. I. p. 29. 70.? * ed. Hellw. I. p. 366. 70.?
Hæmoptera. *u*) * Fabr. S. El. I. p. 433. 63.
* Ent. S. I. p. 315. 37. * Mant. I. p. 68. 23.
* Sp. Ins. I. p. 118. 18. * S. Ent. p. 96. 11.
* Cederh. Fn. Ingr. n. 179.
* Ross. Fn. Etr. I. p. 74. 187.? * ed. Hellw. I. p. 79. 187
* Petagn. Ins. Cal. p. 10. 44.?
Varians. * Fabr. S. El. I. p. 433. 64. * Ent. S. I. p. 315. 38. * Mant. I. p. 68. 24.
* Payk. Fn. Sv. II. p. 60. 12.
* Panz. Fn. Germ. XLIV. 9. * Ent. Germ. I. p. 159. 14.
* Schall. Acta Hal. I. p. 271.
* Illig. Mag. I. p. 412. 64.
* Linn. S. Nat. Gmel. I. IV. p. 1672. 103.
Chr. violaceo-cærulea. * Scriba Journ. p. 294. 193.
Chr. Hyperici. * DeGeer Ins. V. p. 312. 20. T. 9. f. 13.
* Herbst Arch. p. 162. 60.
Coccin. Betulæ. * Scop. Ent. Carn. n. 221.
ar. β. *v*) *Chr. Centaurei.* * Fabr. S. El. I. p. 428. 31.
* Ent. S. I. p. 315. 40. * Mant. I. p. 68. 25.
* Herbst Arch. p. 56. 27. T. 23. f. 15.

---

e *C. hæmoptera* Linn. ist die *C. hottentotta* Fabr. und *C. hæmoptera* yk. ist die *C. Gœttingensis* Fabr. Der Fabricische Käfer scheint ie blaue Abändrung von *C. Gœttingensis* zu sein; oder auch wohl ie blaue *Hottentotta.* ILLIG.

luribus speciminibus *Chr. variantis* & *Centauri* attente perscrutatis, llas inter ea reperio differentias vere specificas. *Chr. Centauri* qvi- n Ill. Fabr. Syst. El. p. 428. 31. *thoracem nullo modo margina-* s attribuit; varia tamen mihi sunt specimina, quæ mediantibus nctis ad latera thoracis magis minusve impressis, a *thorace margi-* o in *immarginatum* transeunt.

* Panz. Fn. Germ. XLIV. 10. * Ent. Germ. I. p. 159. 16.
* Illig. Mag. I. p. 410. 31.
* Linn. Syst. Nat. ed. Gmel. I. IV. p. 1672. 102. & p. 1686. 157.
C. varians, var. β. * Payk. Fn. Sv. II. p. 60. 11.
C. cuprea Salicis. * Scriba Journ. p. 295. 195.
C. Hyperici. * DeGeer Ins. V. p. 312. 20. var.
C. viridula. * Laich. Tyr. Ins. I. I. p. 147. 6.
C. Marshami. * Marsh. Ent. Br. I. p. 173. 16.? Donov. Brit. Ins. T. 286. f. 1.
C. viridi-ænea. * Marsh. Ent. Br. I. p. 184. 33.?

71. Centaurei. *x*) * Scriba Journ. I. p. 294. 194.
72. Violaceа. * Fabr. S. El. I. p. 433. 65. * Ent. S. I. p. 315. 39.
* Panz. Fn. Germ. XLIV. 8. * Ent. Germ. I. p. 159. 15.
* Ross. Mant. I. p. 29. 69. * ed. Hellw. I. p. 366. 69.
* Geoffr. Ins. I. p. 258. 5. ?.
* Schæff. Elem. Tab. 41.
* Schæff. Icon. T. 65. f. 8.
Harrer Beschr. n. 233. ed. 2:a n. 107.
73. Cærulans. * Scriba Journ. p. 286. 173.
* Hoppe Taschenb. 1796. p. 177. 27.
74. Nigripes. * Herbst Arch. p. 60. 44.
Chr. melanopus. * Linn. S. Nat. Gmel. I. IV. p. 1690. 203.
75. Semistriata. * Fabr. S. El. I. p. 433. 66. * Ent. S. I. p. 316. 43. * Mant. I. p. 69. 26. * Sp. Ins. I. p. 119. 19. * S. Ent. p. 96. 12.
* Linn. S. Nat. Gmel. I. IV. p. 1672. 101.
76. Amboinensis. * Fabr. S. El. I. p. 433. 67.
77. *Populi.* * Fabr. S. El. I. p. 433. 68. * Ent. S. I. p. 316. 44. * Mant. I. p. 69. 27. * Sp. Ins. I. p. 119. 20. * S. Ent. p. 96. 13.
* Linn. Fn. Sv. n. 523. * It. Oel. p. 38. * Syst. Nat. I. II. p. 590. 30. * ed. Gmel. I. IV. 1678. 30.
* Payk. Fn. Sv. II. p. 55. 6.
* Panz. Fn. Germ. C. 5. * Ent. G. I. p. 159. 17.
* DeGeer Ins. V. p. 290. 1. T. 8. f. 16.

---

x) Procul dubio diversa ab altera cujus mentionem ceteri fecerunt Auctores; addit enim Scriba: *die Würzel der Fühlhörner blassröthlich und die Flügeldecken punctierte Streife haben* &c. — *Chr. cuprea-Salicis* Scribæ synonymon *Chr. Centauri* Fabr. & Panz. potius erit.



* Ross. Fn. Etr. I. p. 76. 191. * ed. Hellw. I. p. 80. 191.
* Scriba Journ. p. 287. 178.
* Bechst. & Scharfenb. Forstinsect. I. p. 135. 11.
* Goeze Europ. Fn. VIII. p. 376. 14.
* Preysl. in Mayers Aufs. Böhm. Ins. III. p. 213. 7.
* Cederh. Fn. Ingr. n. 180.
* Marsh. Ent. Br. I. p. 188. 44.
* Müll. Zool. D. Pr. I. p. 82. 899.
Schrank Fn. Boica. I. p. 524. 615. * Enum. Ins. p. 68. 123.
* Laich. Tyr. Ins. I. I. p. 149. 8.
Gled. Einl. I. p. 542.
Mull. Linn. Nat. Syst. V. I. p. 173. 3.
Borowsk. Naturg. VI. p. 20. 3.
Bechst. Naturg. I. II. p. 840. 1.
* Brahm. Ins. Kal. I. p. 52. n. 169. & p. 228. 775.
Coec. Populi. * Scop. Ent. Carn. p. 73. 228.
* Geoffr. Ins. I. p. 256. 1.
* Schæff. Abhandl. III. p. 76. Tab. fig. 6. 7.
* Schæff. Zweif. und. Schwierigk. 1766. Tab. fig. 6.
* Schæff. Icon. T. 47. f. 4. 5.
Harrer Beschr. n. 234.
Poda Mus. Græc. 27.
Albin. Ins. 63. fig. 6.
Merian. Europ. 14. Tab. 27.

tremulæ. * Fabr. S. El. I. p. 434. 69. * Ent. S. I. p. 317. 45. * Mant. I. p. 69. 28.
* Payk. Fn. Sv. II. p. 55. 7.
* Linn. S. Nat. Gmel. I. IV. p. 1678. 121.
* Marsh. Ent. Br. I. p. 189. 45.
* Panz. Ent. Germ. I. p. 159. 18. * Fn. Germ. C. 6.
* Goeze Eur. Fn. VIII. p. 380. 15.
* Brahm Ins. Kal. I. p. 105. 360.
* Bechst. & Scharf. Forstinsect. I. p. 136. 12.
* Geoffr. Ins. I. p. 257. 1. β.
* Schæff. Icon. Tab. 21. f. 9.
Harrer Beschr. n. 234. ed. 2da n. 109.
Walthers Lehrbuch. p. 541.
Chr. polita. * Panz. En. S. Schæff. Ic. p. 31. 9.
Chr. Populi, var. * Schrank Fn. Boica.
* Laich. Tyr. Ins. I. I. p. 150. 8. β.

rossa. * Fabr. S. El. I. p. 434. 70. * Ent. S. I. p. 317. 46.
* Coqueb. Illustr. Ins. III. p. 123. T. 28. f. 3.

staphylæa. * Fabr. S. El. I. p. 434. 71. * Ent. S. I. p. 317. 47. * Mant. I. p. 69. 29. * Sp. Ins. I. p. 119. 21. * S. Ent. p. 97. 14.

* Linn. Fn. Sv. n. 518. * Syst. Nat. I. II. p. 590. 26. * ed. Gmel. I. IV. p. 1677. 26.
* Payk. Fn. Sv. II. p. 53. 4.
* Panz. Ent. Germ. I. p. 159. 19.
* Ross. Fn. Etr. I. p. 76. 192. * ed. Hellw. I. p. 81. 192.
* Cederh. Fn. Ingr. n. 181.
* Goeze Eur. Fn. VIII. p. 373. 12.
* Marsh. Ent. Br. I. p. 186. 41.
* Brahm Ins. Kal. I. p. 132. n. 451.
* Laich. Tyr. Ins. I. I. p. 151. 9.
* Schrank En. Ins. p. 71. 129.
* Müll. Zool. Dan. Pr. p. 81. 881.
Müll. Linn. Nat. Syst. V. I. p. 172. 26.
Acta Ups. 1736. p. 17. 3.
Voet Col. II. T. 30. f. 1.
Acta Nidr. IV. 9.
* Schæff. Icon. T. 21. f. 12.
Harrer Beschr. n. 236 ed. 2:a n. 111.
Mart. Eng. Ent. T. 14. f. 3.
Chr. euprea. * DeGeer Ins. V. p. 294. 3. T. 8. f. 24.

81. Fervida. * Fabr. S. El. I. p. 434. 72. * Ent. S. I. p. 317. 48. * Mant. I. p. 69. 30. * Sp. Ins. I. p. 119. 22. * S. Ent. p. 97. 15.
* Illig. Mag. V. p. 229. 72.
* Linn. S. Nat. Gmel. I. IV. p. 1677. 119.

82. *Polita.* * Fabr. S. El. I. p. 434. 73. * Ent. S. I. p. 317. 49. * Mant. I. p. 69. 31. * Sp. Ins. I. p. 119. 23. * S. Ent. p. 97. 16.
* Linn. Fn. Sv. n. 522. * Syst. Nat. I. II. p. 590. 27. * ed. Gmel. I. IV. p. 1677. 27.
* Payk. Fn. Sv. II. p. 54. 5.
* DeGeer Ins. V. p. 294. 2. T. 8. f. 23.
* Ross. Fn. Etr. I. p. 73. 193. * ed. Hellw. I. p. 81. 193.
* Cederh. Fn. Ingr. n. 182.
* Panz. Ent. Germ. I. p. 160. 20.
* Goeze Eur. Fn. VIII. p. 375. 13.
* Bechst. & Scharfenb. Forstinsect. I. p. 135. 10.
* Barb. Gen. Ins. p. 39. T. 4. Gen. XI. fig. 1.
* Müll. Zool. D. Pr. p. 31. 882. & 82. 901.
* Marsh. Ent. Br. I. p. 188. 43.
* Schrank En. Ins. p. 68. 124. — Fn. Boica I. p. 524. 616.
* Laich. Tyr. Ins. I. I. p. 151. 10.
* Brahm Ins. Kal. I. p. 181. 599.
Gleditsch Einl. I. 542. & II. 62.
Müll. Linn. Nat. Syst. V. I. p. 172. 27.



* Geoffr. Ins. I. p. 257. 2.
* Oliv. Ent. V. 91. T. 3. f. 37. a. b. ?
Mart. Eng. Ent. T. 14. f. 5.
Cocc. polita. * Scop. Ent. Carn. n. 229.
var. β. * Payk. Fn. Sv. II. p. 54. 5. *β.*
Lunata. * Fabr. S. El. I. p. 435. 74. * Ent. S. I. p. 318. 50. * Mant. I. p. 69. 32.
* Linn. S. Nat. Gmel. I. IV. p. 1677. 120.
Lurida. * Fabr. S. El. I. p. 435. 75. * Ent. S. I. p. 318. 52. * Mant. I. p. 69. 33. * Sp. Ins. I. p. 120. 24. * S. Ent. p. 97. 17.
* Linn. Syst. Nat. I. II. p. 590. 28. * ed. Gmel. I. IV. p. 1677. 28.
* Panz. Fn. Germ. LXXVIII. 1. * Ent. Germ. I. p. 160. 21.
* Geoffr. Ins. I. p. 258. 3.
Linea.) * Fabr. S. El. I. p. 435. 76. — vid. *Chrys. alternans*, n. 24. huj. Op. quæ forte eadem.
Exclamationis. * Fabr. S. El. I. p. 435. 77. * Suppl. p. 86. 53—54.
Pulla. Nov. Sp. γ)
Solida. * Fabr. S. El. I. p. 435. 78. * Ent. S. I. p. 318. 54. * Mant. I. p. 69. 35. * Sp. Ins. I. p. 120. 27. * S. Ent. p. 98. 19.
Oliv. Enc. Meth. V. p. 700. 47.
* Illig. Mag. I. p. 413. 78.
* Linn. S. Nat. Gmel. I. IV. p. 1680. 126.
Nigricornis. * Fabr. S. El. I. p. 435. 79. * Ent. S. I. p. 318. 55. * Mant. I. p. 69. 37. * Sp. Ins. I. p. 121. 28. * S. Ent. p. 98. 20.
* Linn. S. Nat. Gmel. I. IV. p. 1680. 127.
Collaris. * Fabr. S. El. I. p. 435. 80. * Ent. S. I. p. 319. 56. * Mant. I. p. 69. 38. * Sp. Ins. I. p. 121. 29. * S. Ent. p. 97. 21.
* Panz. Fn. Germ. LXXVIII. 2. * Ent. Germ. I. p. 160. 22.
* Müll. Zool. D. Pr. p. 81. 879.

CHRYSOMELA PULLA: atra, thorace femoribusque rubidis. Hab. in Cap. b. Sp. *D. Osbeck jun.* E Musæo *Schönherri.* Corpus valde convexum glabrum, magnitudine *Chr. exclamationis* simile. Caput brunneum punctis 2 frontalibus rubidis. Os, palpi & basis antennarum livida. Thorax rubidus, ad latera punctulatus. Elytra tenuissime striato-punctata. Femora rubida. Tibiæ tarsique pallidæ. Alæ pallide rubræ.

SWARTZ.

* Cederh. Fn. Ingr. n. 183.
* Payk. Fn. Sv. II. p. 59. 10. var. β.
* DeGeer Ins. V. p. 302. 13. var.
var. β. *Chr. Salicis.* * Fabr. S. El. I. p. 436. 81.
* Ent. S. I. p. 319. 57.
* Panz. Ent. Germ. I. p. 160. 23.
Chr. collaris. * Linn. Fn. Sv. n. 528. * Syst. Nat.
I. II. p. 591. 37. * ed. Gmel. I. IV. p.
1680. 37.
* Payk. Fn. Sv. II. p. 58. 10. α.
* DeGeer Ins. V. p. 302. 13. var.
* Ross. Fn. Etr. I. p. 83. 210. * ed. Hellw. I.
p. 87. 210.
* Panz. En. S. Schæff. Icon. p. 157. 4. a. b.
* Bechst. & Scharfenb. Forstinsect. I. p. 139. 15
Chr. similis. * Müll. Zool. D. Pr. p. 81. 880.
* Linn. S. Nat. Gmel. I. IV. p. 1687. 167.
* Schæff. Icon. T. 173. f. 4. a. b.
Voet Col. ed. Panz. IV. p. 27. 1. T. 30. f. 1.
Müll. Linn. Nat. Syst. V. I. p. 176. 37.
Gleditsch Einl. II. 62.

90. Senegalensis. * Fabr. S. El. I. p. 436. 82. * Ent. S.
I. p. 319. 58.
* Oliv. Ent. V. 91. T. 2. f. 18.?

91. Rhois. * Forst. Cent. I. p. 21. 21.
* Hübn. Naturf. XXIV. p. 40. 4. T. 2. f. 3.
* Linn. S. Nat. Gmel. I. IV. p. 1689. 188.

92. *Rufipes.* * Payk. Fn. Sv. II. p. 69. 22.
* DeGeer Ins. V. p. 295. 4. T. 8. f. 25.
Chr. 10-notata. * Marsh. Ent. Br. I. p. 175. 13.
Chr. 10-punctata, var. 2. * Scriba Journ. p. 289.
182.
* Geoffr. Ins. I. p. 258. 4.
Mart. Eng. Ent. T. 16. f. 40.

93. *Viminalis.* * Fabr. S. El. I. p. 436. 83. * Ent. S.
I. p. 319. 59. * Mant. I. p. 69. 39. * Sp. Ins.
I. p. 121. 30. * S. Ent. p. 98. 22.
* Linn. Fn. Sv. n. 524. * Syst. Nat. I. II. p. 590.
31. * ed. Gmel. I. IV. p. 1678. 31.
* Payk. Fn. Sv. II. p. 68. 21.
* Panz. Fn. Germ. LXXVIII. 3. * Ent. Germ.
I. p. 160. 20.
* Cederh. Fn. Ingr. n. 184.
* Bechst. & Scharfenb. Forstinsect. I. p. 137. 1
Chr. decempunctata, var. 4. * Scriba Journ.
290. 182.
Chr. hæmorrhoidalis, var. * DeGeer Ins. V. p. 297.
Coccin. signata. * Scop. Ent. Carn. p. 74. 233.



Chr. Linnæana. * Schrank En. p. 69. 125. forte var.
Schrank Fn. Boica. 525.
Gleditsch Einl. II. p. 62.
var. β. *Chr. Viminalis.* * Payk. Fn. Sv. II. p. 68. 21. var. β.
Chr. 10-punctata. * Fabr. S. El. I. p. 436. 86. * Ent. S. I. p. 320. 62. * Mant. I. p. 68. 42. * Sp. Ins. I. p. 121. 33. * S. Ent. p. 99. 25. * Linn. Fn. Sv. n. 525. * Syst. Nat. I. II. p. 590. 32. * ed. Gmel. I. IV. p. 1678. 32.
* Scriba Journ. p. 289. 184. var. 1.
* Herbst Arch. p. 53. 12.
* Cederh. Fn. Ingr. n. 185.
* Panz. Ent. G. I. p. 161. 25. * Fn. Germ. C. 7.
* Bechst. & Scharf. Forstinsect. I. p. 138. 14.
* Marsh. Ent. Br. I. p. 175. 14.
* Schrank En. Ins. p. 75. 138.
* Laich. Tyr. Ins. I. I. p. 152. 11.
Chr. nigripes. * DeGeer Ins. V. p. 296. 5.
Chr. Fridrichsdalensis. * Müll. Zool. D. Pr. p. 81. 885.
* Linn. S. Nat. Gmel. I. IV. p. 1687. 166.
Müll. Linn. Nat. Syst. V. I. p. 174. 32.
* Schæff. Icon. T. 21. f. 11. 13.
Harrer Beschr. n. 238. ed. 2:a n. 115. & 214.
* Panz. En. Syst. Schæff. Icon. p. 32. 13.
var. γ. *Chr. Viminalis.* * Payk. Fn. Sv. II. p. 69. 21. var. γ.
var. δ. *Chr. Baaderi.* * Panz. Fn. Germ. XXIV. 14. δ. * Ent. Germ. I. p. 166. 52.
var. ε. *Chr. Baaderi.* * Panz. Fn. Germ. LIX. 2. ♀.
Chr. Viminalis. * Payk. Fn. Sv. II. p. 69. 21. var. δ.
var. ζ. *Chr. Viminalis.* * Payk. Fn. Sv. II. p. 69. 21. var. ε.
Chr. hæmorrhoidalis. * Fabr. S. El. I. p. 444. 131. * Ent. S. I. p. 329. 107. * Mant. I. p. 72. 73. * Sp. Ins. I. p. 126. 60. * S. Ent. p. 102. 47.
* Linn. Fn. Sv. n. 508. ? * Syst. Nat. I. II. p. p. 587. 6. * ed. Gmel. I. IV. p. 1669. 6.
* Panz. Fn. Germ. LXXVIII. 7. * Ent. Germ. I. p. 165. 49.
* DeGeer Ins. V. p. 297. 6. α.
* Bechst. & Scharfenb. Forstinsect. I. p. 127. 1.
Gleditsch Einl. I. p. 445. 17.
Coccin. hæmorrhoidalis. * Scop. Ent. Carn. n. 225.
Müll. Linn. Nat. Syst. V. I. p. 166. 7.
* Schæff. Icon. T. 21. f. 16.
Harrer Beschr. n. 248. ed. 2:a n. 125.
* Panz. En. Syst. Schæff. Icon. p. 32. 16.

94. Cyanipes. * Fabr. S. El. I. p. 436. 84. * Ent. S. I. p. 320. 60. * Mant. I. p. 69. 40. * Sp. Ins. I. p. 121. 31. * S. Ent. p. 99. 23.
* Linn. S. Nat. Gmel. I. IV. p. 1678. 122.

95. Cyanicornis. * Fabr. S. El. I. p. 436. 85. * Ent. S. I. p. 69. 41. * Sp. Ins. I. p. 121. 32. * S. Ent. p. 99. 24.
* Linn. S. Nat. Gmel. I. IV. p. 1678. 123.

— (*Decempunctata.*) * Fabr. S. El. I. p. 436. 86. — vid. *Chr. Viminalis*, var. β. n. 93. huj. Op.

96. Sexpunctata. * Fabr. S. El. I. p. 436. 87. * Ent. S. I. p. 320. 63. * Mant. I. p. 70. 43.
* Panz. Ent. Germ. I. p. 161. 26.
* Linn. S. Nat. Gmel. I. IV. p. 1679. 124.
* Cederh. Fn. Ingr. n. 186.
* Payk. Fn. Sv. II. p. 70. 22. Nota ad. *C. ruſip.* var. β. *Chr. sexpunctata.* * Panz. Fn. Germ. XXVI. 11.

— (Sexnotata.) * Fabr. S. El. I. p. 437. 88. — vid. *Chrys. Capreæ*, n. 97. huj. Op.

— (Ægrota.) * Fabr. S. El. I. p. 437. 89. — vid. *C. Capreæ*, var. β. n. 97. huj. Op.

97. Capreæ. * Illig. Mag. I. p. 413. 88.
Chr. sexnotata. * Fabr. S. El. I. p. 437. 88.
* Suppl. p. 86. 63—64.
var. β. *ægrota.* * Fabr. S. El. I. p. 437. 89. * Suppl. p. 87. 63—64.

— (*Pallida.*) * Fabr. S. El. I. p. 437. 90. — vid. *Chr. dispar*, n. 98. huj. Op.

98. *Dispar.* * Payk. Fn. Sv. II. p. 66. 20. α.
Chr. pallida. * Fabr. S. El. I. p. 437. 90. * Ent. S. I. p. 321. 64. * Mant. I. p. 70. 44. * Sp. Ins. I. p. 122. 34. * S. Ent. p. 99. 26.
* Linn. Fn. Sv. n. 521. * Syst. Nat. I. II. p. 590. 25. * ed. Gmel. I. IV. p. 1676. 25.
* Panz. Fn. Germ. LXXVIII. 4. * Ent. Germ. I. p. 161. 27.
* Cederh. Fn. Ingr. n. 187.
* Marsh. Ent. Br. I. p. 174. 12.
* Hoppe Taschenb. 1797. p. 219. 18.
* Bechst. & Scharfenb. Forstinsect. I. p. 134.
* Laich. Tyr. Ins. I. I. p. 153. 12.
* Gleditsch Einl. II. 62.
Chr. Padi. * DeGeer Ins. V. p. 301. 11. T. 9. 2. secundum Mus. DeGeeri.
Müll. Linn. Nat. S. V. I. p. 172.

Mu

Mart. Eng. Ent. T. 16. f. 35.
var. β. * Payk. Fn. Sv. l. c. var. β.
Chr. pallida, var. * Fabr. Ent. S. I. p. 321. 64.
Chr. undata. * Thunb. N. Acta Ups. IV. p. 12. 20.
* Linn. S. Nat. Gmel. I. IV. p. 1685. 150.
var. γ. * Payk. Fn. Sv. l. c. var. ε.
var. δ. * Payk. Fn. Sv. l. c. var. ζ.
var. ε. * Payk. Fn. Sv. II. p. 68. 20. var. ζ. var. in Not.
Chr. rufitarsis. * Marsh. Ent. Br. I. p. 182. 28. si non *Chr. Litura*, forte eodem modo variat.
. *Affinis.* Nov. Sp. z).
o. Notata. * Fabr. S. El. I. p. 437. 91. * Ent. S. I. p. 321. 66. * Mant. I. p. 70. 46. * Sp. Ins. I. p. 122. 36.
* Linn. S. Nat. Gmel. I. IV. p. 1676. 115.
)1. Rumicis. a.) * Fabr. S. El. I. p. 437. 92. * Ent. S. I. p. 321. 67. * Mant. I. p. 70. 47.
* Linn. S. Nat. Gmel. I. IV. p. 1677. 116.
(Vulpina.) * Fabr. S. El. I. p. 437. 93. — vid. *Chr. ebræa*, n. 61. huj. Op.

R

) CHRYS. AFFINIS: nigra, oblongo-ovata, elytris rufescentibus nigro-maculatis, subtilissime punctato-striatis, interstitiis lævissimis. *Chr. dispar.* * Payk. Fn. Sv. II. p. 67. 20. var. γ.

Habitu cum *Chr. dispari*, at colore cum *Chr. Viminal.* & *rufipede* convenit, revera tamen diversa videtur. Caput oculisque nigrum. Antennæ nigræ, infra medium rufescentes. Thorax niger macula rufa triangulari ad margines utrinque; medio clypeusque punctis minutissimis notatus ad latera profundioribus. Scutellum subrotundum nigrum nitidum. Elytra rufescentia subtiliter punctato-striata (punctis oculo armato excavatis) interstitiis lævissimis; singula maculis 4 nigris parvis, qvarum duæ prope basin, una ad marginem, altera versus suturam; duæ posteriores situ pari at obliquo; marginales cæteris minores. Abdomen & femora nigra. Tibiis lividis extus ad apic. denticulo exserto. Tarsi nigri.

var. β. thorace lateribus rufis, elytrorum maculis quinque, 2 ad basin, 1 media marginali, 2 posterioribus obliquis; tibiis lividis.

var. γ. thorace toto nigro; elytrorum maculis 5 ut in præcedenti, interioribus subinde confluentibus; tibiis nigris.
Chr. dispar. * Payk. Fn. Sv. II. p. 67. 20 var δ.

var. δ. thorace nigro, elytrorum maculis 4, sitis ut in var. α; tibiis nigris.

Habitat in Lapponia. *D. Grape.* var. α. β. δ. rariores, γ. frequentior.

) Ob Abändrung von *Litura*? Illig. in Mag. I. p. 414. 92. vix; quoniam huic elytra punctato-striata et *Chr. Rumicis* elytra vage punctata,

102. Crassicornis. * Fabr. S. El. I. p. 437. 94. * Ent. S. I. p. 321. 69. * Mant. I. p. 70. 49. * Sp. Ins. I. p. 122. 38. * S. Ent. p. 99. 27. * Linn. S. Nat. Gmel. I. IV. p. 1677. 118.

103. *Lapponica.* * Fabr. S. El. I. p. 437. 95. * Ent. S. I. p. 322. 70. * Mant. I. p. 70. 51. * Sp. Ins. I. p. 123. 40. * S. Ent. p. 99. 29. * Linn. Fn. Sv. n. 526. * Syst. Nat. I. II. p. 591. 34. * ed. Gmel. I. IV. p. 1679. 34. * Payk. Fn. Sv. II. p. 57. 9. * Panz. Fn. Germ. XXIII. 13. * Ent. Germ. I. p. 161. 28. * Hoppe Taschenb. 1796. p. 124. 19. *Chr. curvilinea.* * DeGeer Ins. V. p. 302. 11. T. 9. f. 3. * Oliv. Ent. V. 91. T. 1. f. 9. b. * Schæff. Icon. T. 44. f. 2. Harrer Beschr. n. 240. ed. 2:a n. 117. Acta Ups. 1736. p. 17. 4.

var. β. * Payk. Fn. Sv. II. p. 58. 9. var. β. * Oliv. Ent. V. 91 T. 1. f. 9. α.

104. Interrupta. * Fabr. S. El. I. p. 438. 96.

105. Cajennensis. * Fabr. S. El. I. p. 438. 97. * Suppl. p. 87. 70—71.

106. Marmorata. * Fabr. S. El. I. p. 438. 98. * Suppl. p. 87. 70—71.

107. Scripta. * Fabr. S. El. I. p. 438. 99.

108. Undulata. * Fabr. S. El. I. p. 438. 100. * Ent. S. I. p. 322. 71. * Mant. I. p. 70. 52. * Sp. Ins. I. p. 123. 41. * S. Ent. p. 100. 30. Linn. Amœn. Acad. VI. p. 393. 14. * Cent. Ins. n. 14. * Syst. Nat. I. II. p. 591. 35. * ed. Gmel. I. IV. p. 1679. 35. * Thunb. Mus. Acad. IV. Tab. fig. 8.

109. Octodecimguttata. * Fabr. S. El. I. p. 439. 101. * Ent. S. I. p. 322. 72. * Mant. I. p. 70. 53. * Sp. Ins. I. p. 123. 42. * S. Ent. p. 100. 31. * Linn. S. Nat. Gmel. I. IV. p. 1676. 113.

110. Unicolor. *b)* * Marsh. Ent. Br. I. p. 185. 37.

111. *Polygoni.* * Fabr. S. El. I. p. 439. 102. * Ent. S. I. p. 322. 73. * Mant. I. p. 70. 54. * Sp. Ins. I. p. 123. 43. * S. Ent. p. 100. 32.

---

b) Spec. dist. mihi videtur. Magnitudo et statura *Chr. Polygoni.* Ex Hispania. GYLLENH.

* Linn. Fn. Sv. n. 520. * Syst. Nat. I. II. p. 589. 24. * ed. Gmel. I. IV. p. 1676. 24.
* Payk. Fn. Sv. II. p. 61. 14.
* DeGeer Ins. V. p. 322. 26.
* Thunb. N. Acta Ups. V. p. 108. 38.
* Ross. Fn. Etr. I. p. 83. 209. * ed. Hellw. I. p. 87. 209.
* Cederh. Fn. Ingr. n. 188.
* Panz. Ent. Germ. I. p. 161. 29.
* Müll. Zool. D. Pr. p. 82. 894.
* Goeze Eur. Fn. VIII. p. 372. 11.
* Brahm Ins. Kal. I. p. 93. 309.
* Marsh. Ent. Br. I. p. 178. 19.
* Oliv. Ent. V. 91. T. 3. f. 36. a. b.
* Laich. Tyr. Ins. I. II. p. 154. 13.
* Schrank Enum. p. 77. 142. — Fn. Boica I. p. 536. 641.
* Schrank Naturf. XXIV. p. 68. 19.
* Geoffr. Ins. I. p. 263. 16.
Reaum. Ins. III. T. 17. f. 14. 15. vel T. 2. f. 18. teste Geoffr.
* Schæff. Icon. T. 161. f. 4. a. b.
Harrer Beschr. n. 241. ed. 2:a n. 118.
Mart. Eng. Ent. T. 14. f. 2.
v. Moll. Ent. Mag. II. p. 41. 92.

Chr. obtusa. * Müll. Zool. D. Pr. p. 82. 895. forte var.
* Linn. S. Nat. Gmel. I. IV. p. 1687. 171.

Russica. * Fabr. S. El. I. p. 439. 103. * Ent. S. I. p. 323. 74.
* Illig. Mag. I. p. 414. 103.
* Linn. S. Nat. Gmel. I. IV. p. 1674. 104.

Chr. ruficollis. * Fabr. Mant. I. p. 71. 55.

Brunnea. * Fabr. S. El. I. p. 439. 104. * Ent. S. I. p. 323. 75. * Mant. I. p. 71. 56. * Sp. Ins. I. p. 123. 44.
* Linn. S. Nat. Gmel. I. IV. p. 1674. 105.

Bivittata. * Ljungh Acta Holm. 1799. p. 146. T. 3. f. 3.

Cerealis. * Fabr. S. El. I. p. 439. 105. * Ent. S. I. p. 323. 76. * Mant. I. p. 71. 57. * Sp. Ins. I. p. 124. 45. * S. Ent. p. 100. 33.
* Linn. Syst. Nat. I. II. p. 588. 17. * ed. Gmel. I. IV. p. 1674. 17.
* Panz. Fn. Germ. XLIV. 11. * Ent. Germ. I. p. 162. 30.
* Ross. Fn. Etr. I. p. 82. 206. * ed. Hellw. I. p. 86. 206.

* Petagn. Ins. Calabr. p. 9. 43.
* Blumenb. Handb. ed. 7:a p. 326. 3.
* Hoppe Taschenb. 1797. p. 217. 15.
* Goeze Eur. Fn. VIII. p. 366. 9.
* Laich. Tyr. Ins. I. p. 156. 14.
* Brahm Ins. Kal. I. p. 119. 412.
* Marsh. Ent. Br. I. p. 185. 36.
Schrank Fn. Boica I. p. 531. 628.
Vill. Ent. I. p. 121. 13.
v. Moll. Ent. Mag. II. 35. 78.
* Geoffr. Ins. I. p. 262. 14.
* Schæff. Icon. T. 1. f. 3.
Harrer Beschf. n. 242. ed. 2:a n. 119.
Müll. Linn. Nat. Syst. V. 1. p. 170. 17.
Bechst. Naturg. I. II. p. 841. 8.
* Bechst. & Scharfenb. Forstins. I. p. 132. Not. a.
Donow. Brit. Ins. T. 115.
var. β. *Chr. Megerlei.* * Fabr. S. El. I. p. 439. 106.
* Illig. Mag. I. p. 414. 106.
Chr. alternans. * Panz. Fn. Germ. LXVII. 16.
* Creutz. Ent. Vers. I. p. 140.
Chr. octovittata. * Schrank Naturf. XXIV. p. 66. 14.
* Scriba Journ. p. 28. 14.
Chr. violacea. * Schall. Acta Hal. I. p. 270.
* Linn. S. Nat. Gmel. I. IV. p. 1684. 145.

— (Megerlei.) * Fabr. S. El. I. p. 439. 106. — vid. *Chr. cerealis, var.* β. n. 115. huj. Op.

116. Americana. * Fabr. S. El. I. p. 440. 107.
* Ent. S. I. p. 323. 78. * Mant. I. p. 71. 58.
* Sp. Ins. I. p. 124. 46. * S. Ent. p. 100. 34.
* Linn. Syst. Nat. I. II. p. 592. 46. * ed. Gmel. I. IV. p. 1674. 106.
* Ross. Fn. Etr. I. p. 82. 207.
* Illig. Mag. I. p. 414. 107.
Chr. barbarica. * Linn. S. Nat. Gmel. I. IV. p. 1683. 46.
Chr. decemstriata. * Ibid. p. 1688. 177.
* Sulz. Kennz. T. 3. f. 16.
* Geoffr. Ins. I. p. 261. 13.

117. Festiva. * Fabr. S. El. I. p. 440. 108. * Ent. S. I. p. 323. 79. * Mant. I. p. 71. 59. * Sp. Ins. I. p. 124. 47. * S. Ent. p. 100. 35.
* Linn. S. Nat. Gmel. I. IV. p. 1674. 107.

118. *Fastuosa.* * Fabr. S. El. I. p. 440. 109. * Ent. S. I. p. 324. 80. * Mant. I. p. 71. 60. * Sp. Ins. I. p. 124. 48. * S. Ent. p. 101. 36.
* Linn. Faun. & Fl. Ryb. p. 8. * Syst. Nat. I. II. p. 588. 18. * ed. Gmel. I. IV. p. 1674. 18.

* Payk. Fn. Sv. II. p. 64. 18.
* Panz. Fn. Germ. XLIV. 12. * Ent. Germ. I. p. 162. 31.
* Thunb. N. Acta Ups. V. p. 108. 37.
* Ross. Mant. I. p. 28. 68. * ed. Hellw. I. p. 365. 68.
* Panz. En. Syst. Schæff. Icon. p. 30. 5.
* Marsh. Ent. Br. I. p. 174. 11.
* Laich. Tyr. Ins. I. II. p. 157. 15.
* Schrank Enum. Ins. p. 92. n. 175.
* Brahm Ins. Kal. I. p. 123. 428.
Vill. Ent. I. p. 122. 14.
* Geoffr. Ins. I. p. 261. 12.
* Schæff. Icon. T. 21. f. 5.
Harrer Beschr. n. 251. ed. 2:a n. 131.
Gron. Zooph. 561.
Donov. Brit. Ins. T. 194.
Mart. Eng. Ent. T. 14. f. 11. 12. 13.
ar. β. *Chr. speciosa.* * Fabr. S. El. I. p. 441. 112.
* Ent. S. I. p. 324. 83. * Mant. I. p. 71. 62.
* Sp. Ins. I. p. 124. 49. * S. Ent. p. 101. 37.
* Linn. S. Nat. I. II. p. 588. 19. * ed. Gmel. I. IV. p. 1675. 19.
* Illig. Mag. I. p. 415. 12.
* Panz. Ent. Germ. I. p. 162. 33.
Chr. fastuosa. * Herbst Arch. p. 53. 15. T. 23. f. 6.
* Panz. En. S. Schæff. Icon. p. 31. 7. ♂.
Coccin. fastuosa. * Scop. Ent. Carn. n. 232. ?
* Oliv. Ent. V. 91. T. 2. f. 17. a. b. ?
* Schæff. Icon. T. 21. f. 7.
Harrer Beschr. n. 253. ed. 2:a 120.
Hollar Ins. T. 6. f. 2.
Splendidula. * Fabr. S. El. I. p. 440. 110.
Gloriosa.* Fabr. S. El. I. p. 440. 111. * Ent. S. I. p. 324. 82. * Mant. I. p. 71. 61. Sp. Ins. II. App. p. 497.
* Panz. Fn. Germ. XXIII. 14. * Ent. Germ. I. p. 162. 32.
* Ross. Mant. I. p. 29. 71. * ed. Hellw. I. p. 366. 71.
* Linn. S. Nat. Gmel. I. IV. p. 1675. 108.
Chr. Cacaliæ. Schrank Naturh. Briefe. II. p. 273. 2.
* Herbst Arch. p. 162. 62. T. 45. f. 2.
* Linn. S. Nat. Gmel. I. IV. p. 1686. 163.
ar. β. *Chr. speciosa.* * Panz. Fn. G. XXIII. 15.
* Herbst Arch. p. 54. 16. T. 23. f. 7.
Chr. aurata. * Ross. Fn. Etr. I. p. 78. 197. * ed. Hellw. I. p. 82. 197.

Chr. superba. Oliv. Enc. Meth. V. p. 705. 69.?
Coccin. speciocissima. * Scop. Ent. Carn. n. 231.
var. γ. *Chr. Senecionis.* Andersch.

121. Bivittata. * Schrank. Naturf. XXIV. p. 66. 15.
* Scriba Journ. p. 28. 15.

— (Speciosa.) * Fabr. S. El. I. p. 441. 112. — vid. *Chr. fastuosa*, var. β, n. 118. huj. Op.

122. *Limbata.* * Fabr. S. El. I. p. 441. 113. * Ent. S. I. p. 325. 88. * Mant. I. p. 71. 66. * Sp. Ins. I. p. 125. 52. * S. Ent. p. 101. 39.
* Payk. Fn. Sv. II. p. 70. 23.
* Panz. Fn. Germ. XVI. 8. * Ent. G. I. p. 163. 35.
* Preysl. Böhm. Ins. I. p. 76. 69.
* Preysl. in Mayers Aufs. Böhm. Naturg. III. p. 270. 11.
* Scriba Journ. p. 292. 190.
* Marsh. Ent. Br. I. p. 191. 49.
* Linn. S. Nat. Gmel. I. IV. p. 1675. 112.
* Oliv. Ent. V. 91. T. 1. f. 7.
* Geoffr. Ins. I. p. 260. 9.
* Schæff. Icon. T. 21. f. 18. 20.
Harrer Beschr. n. 245. ed. 2:a 122.
var. β. *Chr. Carnifex.* * Fabr. S. El. I. p. 441. 114.
* Ent. S. I. p. 325. 89.
* Panz. Ent. Germ. I. p. 163. 36.
* Oliv. Ent. V. 91. T. 1. f. 8.
* Schæff. Icon. T. 21. f. 15.
Harrer Beschr. n. 245. ed. 2:a 123.

— (Carnifex.) * Fabr. S. El. I. p. 441. 114. — vid. *Chr. limbata*, var. β. n. 122. huj. Op.

123. *Sanguinolenta.* * Fabr. S. El. I. p. 441. 115. * Ent. S. I. p. 325. 90. * Mant. I. p. 71. 67. * Sp. Ins. I. p. 125. 53. * S. Ent. p. 101. 40.
* Linn. Fn. Sv. n. 529. * Syst. Nat. I. II. p. 591. 38. * ed. Gmel. I. IV. p. 1680. 38.
* Payk. Fn. Sv. II. p. 52. 3.
* Panz. Fn. Germ. XVI. 10. * Ent. Germ. I. p. 163. 37.
* Cederh. Fn. Ingr. n. 189.
* Marsh. Ent. Br. I. p. 190. 48.
* Petagn. Ins. Cal. p. 9. 41.
* Goeze Eur. Fn. VIII. p. 383. 17.
* Müll. Zool. D. Pr. p. 81. 883. α.
* Laich. Tyr. Ins. I. II. p. 159. 16.
* Schrank Enum. Ins. p. 72. 133.
* Brahm Ins. Kal. I. p. 101. 343.
* Barb. Gen. Ins. p. 40. T. 4. Gen. XI. fig. 2.

v. Moll. Ent. Magaz. II. p. 35. 77.
Bechst. Naturg. I. II. p. 841. 5.
Müll. Linn. Nat. Syst. V. I. p. 176. 38. T. 4. f. 7.
Mart. Eng. Ent. T. 15. f. 23.
Chr. rubro-marginata. * DeGeer Ins. V. p. 298. 7. T. 8. f. 26.

Rossia. Illig.

Chr. sanguinolenta. * Ross. Fn. Etr. I. p. 77. 144. * ed. Hellw. I. p. 81. 194.
Chr. Carnifex. * Panz. Fn. Germ. XVI. 9. * Krit. Rev. d. Ins. Fn. I. p. 74.
Chr. marginata. * Roem. Ins. p. 7. T. 3. f. 10.
* Sulz. Gesch. d. Ins. T. 3. f. 10.
* Geoffr. Ins. I. p. 259. 8. T. 4. f. 7.

Marginata. * Fabr. S. El. I. p. 441. 116. * Ent. S. I. p. 325. 91. * Mant. I. p. 71. 68. * Sp. Ins. I. p. 125. 54.
* Linn. Fn. Sv. n. 530. * Syst. Nat. I. II. p. 591. 39. * ed. Gmel. I. IV. p. 1680. 39.
* Payk. Fn. Sv. II. p. 71. 24.
* Panz. Fn. Germ. XVI. 11. * Ent. Germ. I. p. 163. 38.
* DeGeer Ins. V. p. 303. 14.
* Preysl. Böhm. Ins. I. p. 77. 7.
* Petagn. Ins. Cal. p. 9. 42.
* Marsh. Ent. Br. I. p. 190. 47.
* Laich. Tyr. Ins. I. II. p. 160. 17.
* Scriba Journ. p. 291. 187.
* Brahm Ins. Kal. I. p. 109. 374.
* Goeze Eur. Fn. VIII. p. 385. 18.
* Müll. Zool. D. Pr. p. 81. 886. ?
v. Moll. in Ent. Mag. II. p. 190. 133.
* Schæff. Icon. T. 21. f. 19.
Harrer Beschr. n. 247. ed. 2:a n. 124.
Müll. Linn. Nat. Syst. V. I. p. 176. 39.

Frontalis. * Forst. Cent. Ins. I. p. 24. 24.
* Linn. S. Nat. Gmel. I. IV. p. 1689. 191.

chach.) * Fabr. S. El. I. p. 441. 117. — vid. *Chr. analis, var.* β. n. 127. huj. Op.

Analis. * Fabr. S. El. I. p. 442. 118. * Ent. S. I. p. 326. 93. * Mant. I. p. 75. 107. * Sp. Ins. I. p. 130. 81. * S. Ent. p. 104. 58.
* Linn. Syst. Nat. I. II. p. 592. 42. * ed. Gmel. I. IV. p. 1681. 42.
* Payk. Fn. Sv. II. p. 72. 25.
* Panz. Fn. Germ. XVI. 13. * Ent. Germ. I. p. 161. 40.

var. β. *Chr. Schach.* * Fabr. S. El. I. p. 441. 117. * Ent. S. I. p. 326. 92. * Panz. Ent. Germ. I. p. 163. 39.
Chr. analis. * Payk. Fn. Sv. II. p. 72. 25. var.
var. γ, *Chr. lomata.* * Herbst Arch. IV. p. 54. 20. T. 23. f. 8. * Linn. S. Nat. Gmel. I. IV. p. 1686. 156.
Chr. Schach. * Panz. Fn. Germ. XVI. 12.

128. *Aucta.* * Fabr. S. El. I. p. 442. 119. * Ent. S. I. p. 326. 94. * Mant. I. p. 72. 69. * Payk. Fn. Sv. II. p. 72. 26. * Panz. Fn. Germ. XVI. 14. * Ent. Germ. I. p. 164. 41. * Preysl. Böhm. Ins. p. 77. 70. * Linn. S. Nat. Gmel. I. IV. p. 1680. 128. * Marsh. Ent. Br. I. p. 181. 24.
Chr. lomata. * Scriba Journ. p. 292. 188.
Chr. marginella. * Laich. Tyr. Ins. I. II. p. 162. 18.
Chr. marginata. * Ross. Fn. Etr. I. p. 81. 204. II. App. p. 342. 204. * ed. Hellw. I. p. 85. 204. & p. 452. 204.
Chr. analis. * Schrank Enum. Ins. p. 80. 149. * Füessl. n. Mag. II. p. 152. 149. Mart. Eng. Ent. T. 15. f. 27.

129. Mediata. * Fabr. S. El. I. p. 442. 120.

130. *Marginella.* * Fabr. S. El. I. p. 442. 122. * Ent. S. I. p. 326. 96. * Mant. I. p. 72. 70. * Sp. Ins. I. p. 125. 55. * S. Ent. p. 102. 42. * Linn. Fn. Sv. n. 531. * Syst. Nat. I. II. p. 591. 40. * ed. Gmel. I. IV. p. 1681. 40. * Payk. Fn. Sv. II. p. 73. 27. * Panz. Fn. Germ. XVI. 15. * Ent. Germ. I. p. 164. 42. * Herbst Arch. p. 54. 21. T. 23. f. 9. * Cederh. Fn. Ingr. n. 190. * Scriba Journ. p. 292. 189. * Mull. Zool. D. Fr. p. 83. 902. * Hoppe Taschenb. 1797. p. 172. 4. * Marsh. Ent. Br. I. p. 181. 25. * Oliv. Ent. V. 91. T. 3. f. 35. a. b.
Chr. marginella - Ranunculi. * DeGeer Ins. V. p. 304. 15.
Acta Nidr. III. 9.
Ray Ins. p. 99.
Mart. Eng. Ent. T. 15. f. 26.

var. β. *Chr. Hannoveriana.* * Herbst Arch. p. 54. 22. T. 23. f. 10.

var.

var. γ. *Chr. Potentillæ.* * Herbst Arch. p. 55. 23. T. 23. f. 11.
var. δ. *Chr. Hannoverana.* * Fabr. S. El. I. p. 443. 123. * Ent. S. I. p. 326. 97. * Mant. I. p. 72. 71. * Sp. Ins. I. p. 126. 56. * S. Ent. p. 102. 43.
* Panz. Fn. G. XVI. 16. * Ent. G. I. p. 164. 43.
* Linn. S. Nat. Gmel. I. IV. p. 1681. 129.
Chr. Ranunculi. * Herbst Arch. p. 55. 24. T. 23. f. 12.
Chr. marginella. * Payk. Fn. Sv. II. p. 74. 27. var. β.

Areata. * Fabr. S. El. I. p. 443. 124. * Ent. S. I. p. 327. 98.

Vigintipunctata. * Fabr. S. El. I. p. 442. 121. * Mant. I. p. 75. 112. * Sp. Ins. I. p. 131. 86. * S. Ent. p. 105. 61.
* Panz. Fn. G. VI. 10. * Ent. Germ. I. p. 166. 51.
* Ross. Fn. Etr. I. p. 81. 205. * ed. Hellw. I. p. 85. 205.
* Bechst. & Scharfenb. Forstinsect. I. p. 130. 5.
* Linn. S. Nat. Gmel. I. IV. p. 1682. 138.
* Dunk. Ent. Bilderb. I. p. 25. T. 2. f. 34.
* Schrank Enum. Ins. p. 74. 137. — Fn. Boica I. p. 535. 638.
* Füessl. n. Mag. II. p. 151. 137.
* Brahm Ins. Kal. I. p. 152. 493.
* Goeze Eur. Fn. VIII. p. 387. 19.
* Marsh. Ent. Br. I. p. 191. 50.
Vill. Ent. I. p. 134. 42.
Galler. 20-*punctata.* * Fabr. Ent. S. I. II. p. 21. 36.
Coccin. 20-*punctata.* * Scop. Ent. Carn. n. 242.
Chrys. vicies maculata. Bergstr. Nom. I. p. 87. 10. T. 13. f. 10.
v. Moll in Ent. Mag. II. p. 37. 87.
* Schæff. Icon. T. 3. f. 4. & var. T. 51. f. 7.
Harrer Beschr. n. 252. & 253. ed. 2:a n. 132. 133.

Quinquepunctata. *c).* * Fabr. S. El. I. p. 443. 125. * Ent. S. I. p. 327. 99. * Mant. I. p. 72. 72.
* Panz. Ent. Germ. I. p. 164. 44.
* Linn. S. Nat. Gmel. I. IV. p. 1681. 131.

Dimidiata. * Fabr. S. El. I. p. 443. 126.

Scutellata.) * Fabr. S. El. I. p. 443. 127. — vid. *Strongyl. scutellatus*, p. 208. n. 1. huj. Op.

(*Pectoralis.*) * Fabr. S. El. I. p. 443. 128. — vid. *Strongyl. pectoralis*, p. 208. n. 2. huj. Op.

c) Lema quinquepunctata Fabr. forte idem.

135. Lineola. * Fabr. S. El. I. p. 443. 129. * Ent. S. I. p. 328. 105. * Mant. I. p. 72. 76. * Sp. Ins. I. p. 126. 58. * S. Ent. p. 102. 45.
* Linn. Syst. Nat. I. II. p. 592. 47. * ed. Gmel. I. IV. p. 1684. 47.

136. Sacra. * Fabr. S. El. I. p. 444. 130. * Ent. S. I. p. 328. 106. * Mant. I. p. 72. 77. * Sp. Ins. I. p. 126. 59. * S. Ent. p. 102. 46.
* Linn. Mus. Lud. Ulr. p. 40. 1. * Syst. Nat. I. II. p. 593. 49. * ed. Gmel. I. IV. p. 1684. 49.
* Towns. Voy. en Hongr. III. p. 170. 98. ?

— (*Hæmorrhoidalis.*) * Fabr. S. El. I. p. 444. 131. — vid. *Chr. Viminalis, var.* ζ. p. 255. n. 93. huj. Op.

— (Fucata.) * Fabr. S. El. I. p. 444. 132. — vid. *Chr. bicolor*, p. 243. n. 42. huj. Op.

— (*Ænea.*) * Fabr. S. El. I. p. 444. 133. — vide *supra* n. 67.

— (Bulgharensis.) * Fabr. S. El. I. p. 444. 134. — vid. *Chr. ænea, var.* γ. n. 67. huj. Op.

— (Philadelphica.) * Fabr. S. El. I. p. 444. 135. — vide supra n. 27.

137. Tibialis Sturmii.
Chr. Viennensis. * Schrank En. Ins. p. 74. 135.

138. *Vitellinæ.* * Linn. Fn. Sv. n. 519. * Syst. Nat. I. II. p. 589. 23. * ed. Gmel. I. IV. p. 1676. 23.
* Fabr. Mant. I. p. 74. 103. * Sp. Ins. I. p. 130. 78. * S. Ent. p. 104. 55.
* DeGeer Ins. V. p. 323. 27.
* Ross. Fn. Etr. I. p. 79. 200. * ed. Hellw. I. p. 83. 200.
* Marsh. Ent. Br. I. p. 180. 23.
* Bechst. & Scharfenb. Forstinsect. I. p. 133. 8.
* Goeze Eur. Fn. VIII. p. 367. 10.
* Müll. Zool. D. Pr. n. 888.
* Brahm. Ins. Kal. I. p. 49. n. 163.
* Laich. Tyr. Ins. I. I. p. 164. 20.
* Schrank En. Ins. p. 73. 135.
Gleditsch Einl. I. p. 542. 9. & II. p. 61. 86.
Müll. Linn. Nat. Syst. V. I. p. 171. 23.
Borowsk. Naturg. VI. p. 93. 6.
Mart. Eng. Ent. T. 14. f. 1.
Galler. Vitellinæ. * Fabr. S. El. I. p. 487. 49. * Ent. S. I. II. p. 18. 22.
* Payk. Fn. Sv. II. p. 94. 12.
* Cederh. Fn. Ingr. n. 198.
* Panz. Fn. G. XLIV. 16. * Ent. G. I. p. 171. 7.



* Illig. Mag. I. p. 424. 49.
Galler. Salicis. * Schwartz Nom. I. p. 55. 23.
* Roes. Ins. II. Scarab. 3. Tab. 1.
ar. β. *Chr. vulgatissima. d)* * Linn. Fn. Sv. n. 517.
* Syst. Nat. I. II. p. 589. 22. * ed. Gmel. I. IV. p. 1675. 22.
* Fabr. Mant. I. p. 75. 101. * Sp. Ins. I. p. 130. 79. * S. Ent. p. 104. 56.
* Marsh. Ent. Br. I. p. 179. 22.
* Ross. Mant. I. p. 30. 73. * ed. Hellw. I. p. 367. 73.
* Fisch. Naturg. v. Livl. p. 133. 264.
Mart. Eng. Ent. T. 14. f. 8.
Galler. Vitellinæ. * Payk. Fn. Sv. II. p. 95. 12. var. β.
* Fabr. S. El. I. p. 487. 49. β. * Ent. S. I. II. p. 18. 22. β.
Chr. Armoraciæ. * Schrank En. Ins. p. 77. 143.
Chr. Betulæ. * Laich. Tyr. Ins. I. I. p. 162. 19.
Chr. cærulea Betulæ. * DeGeer Ins. V. p. 317. 23.
Coccin. vulgatissima. * Scop. Ent. Carn. n. 222.
ar. γ. *Galler. Vitellinæ.* * Payk. Fn. Sv. II. p. 95. 12. var. γ.
Menthæ. Schrank Beytr. p. 63. 5.
* Linn. S. Nat. Gmel. I. IV. p. 1690. 197.
Chr. Vitellina. * Schrank En. Ins. p. 73. 135.
* Schrank Füessl. n. Mag. II. p. 150. 135.
Cuprea. e) * Thunb. N. Acta Ups. IV. p. 11. 19.
Chr. hollandiæ. * Linn. S. Nat. Gmel. I. IV. p. 1685. 149.
Rufescens. Nov. Sp. *f*).

As distincta a *Chrys. Vitellinæ*?

Quanam sit, plane ignoro. In Collect. Thunb. jam desideratur.

CHRYS. RUFESCENS: sub-orbiculata rufo-testacea, antennis ttrorsum incrassatis nigris, elytris vage punctatis, disco brunneis, b-æneo-micantibus.

Habitat in India Orientali. *D. Gröndal.*

Statura omnino *C. Armoraciæ* Fabr. sed paulo minor, præsertim rvior, magis orbiculata. Caput parvum retractum rufo-ferrugineum idum, subtilissime punctatum, fronte lineola longitudinali impressa, ice bifida, ramis divaricatis; oculi nigricantes. Antennæ thorace lonres, extrorsum incrassatæ nigræ, basi ferrugineæ. Thorax brevis nsversus, antice angustior, profunde emarginatus, lateribus oblis sub-rectis, tenue marginatis, basi latior, rotundatus, angulis minulis; supra parum convexus, rufo-ferrugineus nitidus, parce tenue punctulatus. Scutellum triangulare rufo-testaceum læve. ytra magna ovata, thorace multo latiora, supra modice convexa, fo-brunnea, ad lucem parum æneo-micantia, crebre vage puncta- margine rufo-testaceo læviore, striis sub-ternis punctatis. Alæ

142. Circumscripta. Nov. Sp. g).

143. *Armoraciæ.* * Fabr. S. El. I. p. 445. 136. * Ent. S. I. p. 330. 112. * Mant. I. p. 73. 64. * Sp. Ins. I. p. 127. 66. * S. Ent. p. 103. 50.
* Linn. Fn. Sv. n. 515. * Syst. Nat. I. II. p. 588. 16. * ed. Gmel. I. IV. p. 1673. 16.
* Payk. Fn. Sv. II. p. 60. 13.
* Panz. Fn. Germ. XLIV. 14. * Ent. Germ. I. p. 166. 53.
* Cederh. Fn. Ingr. n. 191.
* Müll. Zool. Dan. Pr. p. 81. 887.
* Marsh. Ent. Br. I. p. 179. 21.
Chr. cærulea Salicis. * DeGeer Ins. V. p. 318. 24. T. 9. f. 24.
* Scriba Journ. p. 295. 196.
Galler. Salicis. * Panz. Ent. Germ. I. p. 172. 6.
Chrys. similis. * Herbst Arch. p. 58. 37.?
Chr. cognata. * Linn. S. Nat. Gmel. I. IV. p. 1690. 199.?

144. *Cochleariæ.* * Fabr. S. El. I. p. 445. 137. * Ent. S. I. p. 330. 113.
* Payk. Fn. Sv. II. p. 75. 29.
* Panz. Fn. G. XLIV. 15. * Ent. Germ. I. p. 166. 54.
Chr. Betulæ. * Linn. Fn. Sv. n. 514. * Syst. Nat. I. II. p. 587. 10. * ed. Gmel. I. IV. p. 1671. 10.
* Fabr. Mant. I. p. 74. 101. ? * Sp. Ins. I. p. 129. 76. ? * S. Ent. p. 104. 54. ?

---

magnæ fuscescentes. Corpus subtus ruso-testaceum nitidum læve. Pedes toti pallidius testacei. GYLLENH.

g) CHRYS. CIRCUMSCRIPTA: sub-orbiculata, pallide ferruginea, thorace punctis septem nigris, elytris brunneo-æneis vage punctatis, limbo pallide testaceo.

Habitat — — — — a *Dom. Com. Hoffmansegge* nominata et a *Dom. Schneid.* communicata.

Statura omnino et affinitas præcedentis, sed plus duplo major. Caput retractum, pallide testaceum, læve, fronte linea lata nigra, et in hac linea impressa, anterius bifida, ut in priori, oculi fusci. Antennæ extrorsum incrassatæ nigro-piceæ, basi testaceæ. Thoracis structura ut in præcedenti omnino, supra parum convexus, pallide ferrugineus nitidus, obsolete punctulatus, punctis septem nigris, unum nempe in medio juxta marginem utrinque; interius duo majora, obliqque posita, fere confluentia, et septimum solitarium in medio baseos. Scutellum triangulare ferrugineum læve. Elytra magna ovata, thorace multo latiora, supra modice convexa, nigro-brunnea æneo-nitida, sat crebre vage punctata, limbo baseos anguste, laterali latius pallido, obsolete punctulato. Corpus subtus saturatius ferrugineum, nitidum, læve, versus latera fusco-piceum. Pedes ferruginei, tarsis nigris; femora apicem versus infuscata.

GYLLENH.

* Ross. Fn. Etr. I. p. 80. 201.? * ed. Hellw. I. p. 84. 201.?
* Goeze Europ. Fn. VIII. p. 358. 6.
* Müll. Zool. D. Pr. p. 82. 893.
* Marsh. Ent. Br. I. p. 178. 20.
* Bechst. & Scharfenb. Forstinsect. I. p. 129. 4. Gleditsch. Einl. I. p. 439. 14.
Galler. Betulæ. * Fabr. S. El. I. p. 484. 33.? * Ent. S. I. II. p. 17. 19.?
* Panz. Ent. Germ. I. p. 171. 5.?
Altica Erucæ. * Panz. Fn. Germ. XXI. 2. * Kr. Rev. d. Ins. Fn. I. p. 88.
Chr. Plantaginis. * DeGeer Ins. V. p. 322. 25.
Chr. Armoraciæ. * Ross. Mant. I. p. 30. 74. * ed. Hellw. I. p. 368. 74.
* Herbst Arch. p. 162. 58. T. 44. f. 3.?
Chr. Vitellinæ. * Herbst Arch. p. 58. 36.
* Geoffr. Ins. I. p. 264. 17.
Acta Ups. 1736. p. 19. 3.
Ray Ins. 90. f. 5.
Müll. Linn. Nat. Syst. V. I. p. 268. 10.

Pyritosa. * Ross. Mant. I. p. 31. 75. * ed. Hellw. I. p. 368. 75.

Pallipes. * Fabr. S. El. I. p. 445. 138. * Ent. S. I. p. 330. 114. * Mant. I. p. 73. 85.
* Panz. Ent. Germ. I. p. 166. 55.
* Linn. S. Nat. Gmel. I. IV. p. 1668. 78.

Sophiæ. *h*) * Fabr. S. El. I. p. 445. 139. * Ent. S. I. p. 330. 115. * Mant. I. p. 73. 86.
* Schall. Acta Hal. I. p. 272.
* Panz. Fn. Germ. XXV. 10. * Ent. Germ. I. p. 166. 56.
* Illig. Mag. I. p. 416. 139.
* Linn. S. Nat. Gmel. I. IV. p. 1668. 77.
Chrys. rufipes. * Herbst Arch. p. 59. 38.
Chr. erythropus. * Linn. S. Nat. Gmel. I. IV. p. 1690. 200.

Taraxaci. * Herbst Arch. p. 56. 28. T. 23. f. 16.
* Linn. S. Nat. Gmel. I. IV. p. 1686. 158.

Malaccensis. * Linn. S. Nat. Gmel. I. IV. p. 1691. 249.
Chrys. ferruginea. * Hornst. Berl. Naturf. II. I. p. 2. 2. T. 1. f. 9.

---

habitat in Finlandia ad Wasam, *D. Falander.* Forte ad genus *Colaspis* pertinet.

150. Viridicollis. * Schrank En. Ins. p. 71. 130.

Species dubiæ.

151. Punctatissima. * Linn. Amoen. Acad. VI. p. 394. 18. * Cent. Ins. p. 11. 18. * Syst. Nat. I. II. p. 601. 108.
Crypt. punctulatus. * Linn. S. Nat. Gmel. I. IV. p. 1731. 238.

152. Octopunctata. * Linn. Amoen. Acad. VI. p. 394. 17. * Cent. Ins. p. 11. 17. * Syst. Nat. I. II. p. 601. 109.

153. Castanea. * Linn. Amoen. Acad. VI. p. 394. 15. * Cent. Ins. p. 11. 15. * Syst. Nat. I. II. p. 592. 41. * ed. Gmel. I. IV. p. 1681. 41.

154. Latipes. *Tenebr. latipes.* * Linn. Syst. Nat. I. II. p. 678. 30.

155. Brunnea. * Thunb. Mus. Acad. IV. p. 43. 5. fig.

156. Grisea. * Herbst Arch. p. 161. 57. T. 44. f. 6. * Linn. S. Nat. Gmel. I. IV. p. 1686. 161.

157. Rubi. * Herbst Arch. p. 162. 59. T. 44. f. 4. * Linn. S. Nat. Gmel. I. IV. p. 1686. 162.

158. Japonica. * Hornst. Berl. Naturf. II. I. p. 1. t. T. 1. f. 1.
* Linn. S. Nat. Gmel. I. IV. p. 1690. 248.

159. Aterrima. * Marsh. Ent. Br. I. p. 183. 29.

160. Stygia. * Marsh. Ent. Br. I. p. 183. 30.

161. Chalcea. * Marsh Ent. Br. I. p. 183. 31.

162. Pubescens. * Marsh. Ent. Br. I. p. 183. 32.

163. Atro-violascens. * Marsh. Ent. Br. I. p. 184. 34.

Saltatoriæ.

Vide genus *Haltica*.

N:o 107. CRIOCERIS. Fabr. n. 81.

1. Bituberculata. * Fabr. S. El. I. p. 449. 1. * Ent. S. II. I. p. 3. 1. * Mant. I. p. 87. 14. * Sp. Ins. I. p. 151. 12.
* Linn. S. Nat. Gmel. I. IV. p. 1719. 136.

2. Bidentata. * Fabr. S. El. I. p. 449. 2. * Ent. S. II. I. p. 3. 2. * Mant. I. p. 87. 15. * Sp. Ins. I. p. 151. 13.
* Linn. S. Nat. Gmel. I. IV. p. 1719. 137.

Bispinosa. * Fabr. S. El. I. p. 449. 3. * Suppl. p. 89. 11—12.
* Coqueb. Illustr. Ins. III. p. 123. T. 28. f. 4.
Fulva. * Fabr. S. El. I. p. 449. 4.
Bicolor. * Fabr. S. El. I. p. 450. 5.
Cyanipes. * Fabr. S. El. I. p. 450. 6.
Melanocephala. * Fabr. S. El. I. p. 450. 7. * Ent. S. I. II. p. 3. 3. * Mant. I. p. 87. 16. * Sp. Ins. I. p. 152. 14. * S. Ent. p. 119. 8.
* Linn. S. Nat. Gmel. I. IV. p. 1719. 138.
Detrita. * Fabr. S. El. I. p. 450. 8.
Obsoleta. * Fabr. S. El. I. p. 450. 9.
. Cyanipennis. * Fabr. S. El. I. p. 451. 10.
. Innuba. * Fabr. S. El. I. p. 451. 11. * Ent. S. I. II. p. 12. 49.
Cist. innuba. * Fabr. S. El. I. p. 148. 15. * S. Ent. p. 117. 10.
Cist. crinuba. * Fabr. Mant. I. p. 86. 21.
Crypt. innubus. * Linn. S. Nat. Gmel. I. IV. p. 1715. 111.
. Tripunctata. * Fabr. S. El. I. p. 451. 12.
. Modesta. * Fabr. S. El. I. p. 451. 13.
. Olivacea. * Fabr. S. El. I. p. 451. 14.
. Trifasciata. * Fabr. S. El. I. p. 452. 15.
. Capitata. * Fabr. S. El. I. p. 452. 16.
Galler. melanocephala. * Fabr. Suppl. p. 95. 53—54.
7. Quinquemaculata. * Fabr. S. El. I. p. 452. 17.
8. Abrupta. * Fabr. S. El. I. p. 453. 18.
- (Nigricornis.) * Fabr. S. El. I. p. 453. 19. — vid. *Galler. nigricornis*, n. 39. huj. Op.
9. Æruginea. * Fabr. S. El. I. p. 453. 20.
Galler. æruginea. * Fabr. Suppl. p. 96. 53—54.
Cist. æruginea. * Fabr. Ent. S. I. II. p. 46. 27. * Mant. I. p. 86. 18. * Sp. Ins. I. p. 148. 12. * S. Ent. p. 117. 9.
Crypt. ærugineus. * Linn. S. Nat. Gmel. I. IV. p. 1715. 108.
0. Viridula. * Fabr. S. El. I. p. 453. 21.
1. Ruficollis. * Fabr. S. El. I. p. 453. 22.
2. Elata. * Fabr. S. El. I. p. 454. 23.
3. Læta. * Fabr. S. El. I. p. 454. 24.
4. Marginalis. * Fabr. S. El. I. p. 454. 25.
5. Bivittata. * Fabr. S. El. I. p. 455. 26.

26. Vittata. * Fabr. S. El. I. p. 455. 27. * Ent. S. I. p. 12. 48. * Mant. I. p. 90. 51. * Sp. Ins. I. p. 156. 40. * S. Ent. p. 122. 23.
Cist. melanocephala. * Fabr. Mant. I. p. 86. 11. * Sp. Ins. I. p. 148. 16. * S. Ent. p. 118. 11.
Crypt. americanus, * Linn. S. Nat. Gmel. I. IV. p. 1715. 112.
Crypt. stolatus. * Linn. S. Nat. Gmel. I. IV. p. 1724. 173.

27. Lineata. *Chrys. lineata.* * DeGeer Ins. VII. p. 662. 67. T. 49. f. 15.
Crioc. lata, * Thunb. Mus. Acad. IV. p. 47. 7. t. 10.

— (*Glabrata.*) * Fabr. S. El. I. p. 455. 28. — vid. *Orsodachna chlorotica, var. ε.* huj. Op.

28. Impressa. * Fabr. S. El. I. p. 455. 29.

29. Abdominalis.
Chrys. lusitanica. * Linn. Syst. Nat. I. II. p. 1066. 2. * ed. Gmel. I. IV. p. 1726. 190.
Cist. testacea. * Fabr. S. El. II. p. 17. 3. * Ent. S. I. II. p. 43. 6. * Mant. I. p. 85. 7. * Sp. Ins. I. p. 147. 5. * S. Ent. p. 116. 4.
* Illig. Mag. III. p. 161. 3.
* Ross. Fn. Etr. I. p. 102. 259. * ed. Helw. I. p. 109. 259.
* Panz. Ent. Germ. I. p. 184. 5.
Galler. nigripes. Oliv. Enc. Meth. VI. p. 588. 11.
Crypt. testaceus. * Linn. S. Nat. Gmel. I. IV. p. 1714. 97.

30. Fulva. *Chrys. fulva.* * DeGeer Ins. VII. p. 663. 68. T. 49. f. 16.

— (*Cerasi.*) * Fabr. S. El. I. p. 456. 30. — vid. *Orsodachna chlorotica.* huj. Op.

31. Ochreata. * Fabr. S. El. I. p. 456. 31. * Ent. S. I. II. p. 4. 10.

32. Ferruginea. * Fabr. S. El. I. p. 456. 32.

33. Pallida. * Fabr. S. El. I. p. 456. 33. * Suppl. p. 88. 10—11.

34. Rubra. Nov. Sp. *h*).

35. Flavicollis

---

h) CRIOCERIS RUBRA: supra saturate rubra, elytris sub-pun
ctatis, limbo posteriore nigro, antennis pedibusque pallidis, corpo
nigro pubescente.
Habitat in India Orientali. *Dom. Gröndal* & *J. Lund.*
Parva, *Crioc. pallida* & *cupred* Fabr. æqualis et statura simili
Caput porrectum rubrum, obsolete punctulatum, ore pallidiore; ocu

5. Flavicollis. Nov. Sp. *i*).
— (Lusca.) * Fabr. S. El. I. p. 456. 34. — vid. *Haltica lusca*, n. 109. huj. Op.
6. Variegata. * Fabr. S. El. I. p. 457. 35. * Ent. S. I. II. p. 4. 7.
* Coqueb. Illustr. Ins. III. p. 125. T. 28. f. 9.
7. Thoracica. * Fabr. S. El. I. p. 457. 36.
8. Denticornis. * Fabr. S. El. I. p. 457. 37.
* Illig. Mag. I. p. 419. 37.
Galler. denticornis. * Fabr. Ent. S. I. II. p. 24. 52.
Crioc. ruficornis. Oliv. Enc. Meth. V. p. 200. 19.
9. Albicornis. * Fabr. S. El. I. p. 457. 38.
Crioc. albicornis. * Fabr. Suppl. p. 96. 53—54.
10. Duodecimpunctata. * Fabr. S. El. I. p. 457. 39.
Galler. duodecimpunctata. * Fabr. Ent. S. I. II. p. 15. 12.

S

---

magni globosi nigri. Antennæ corpore paulo breviores, pubescentes, totæ pallidæ. Thorax parvus transversus, antice fere truncatus, lateribus sub-rectis, marginatis, basi rotundatus, angulis nonnihil prominulis; supra modice convexus, ruber, nitidus, obsolete et subtilissime punctulatus, margine laterali summo nigricante. Scutellum triangulare nigro-piceum nitidum læve. Elytra oblongo-ovata, thorace latiora, ultra medium dilatata, apice obtuse rotundata, supra convexa, sat crebre, sed obsolete et subtilissime punctulata, saturate rubra sub-nitida, limbo posteriore latius nigricante. Thoracis latera subtus dilutius rufa, nitida, lævia; pectus et abdomen nigra, crebre punctata, dense cinereo-pubescentia. Pedes elongati, toti pallide testacei.

GYLLENH.

i) CRIOCERIS FLAVICOLLIS: coccinea, thorace pallide flavo sub-lævi, elytris crebre punctatis, antennis pubescentibus nigris, basi rufo-piceis.

Habitat in India Orientali, *D. Kymell.*

Magnitudo et statura præcedentis. Caput coccineum læve nitidum, ore pallidiore; vertex fovea profunda semi-circulari impressus. Antennæ dimidio corpore longiores, nigro-fuscæ, pubescentes, basi rufo-piceæ. Thorax brevis transversus, antice paulo latior, truncatus, lateribus parum dilatatus, tenue marginatus, basi nonnihil rotundatus, angulis parvis prominulis; supra convexus, totus pallidus, fere albidus, nitidus, subtilissime obsolete punctatus. Scutellum triangulare rufum. Elytra oblonga, thoracis basi multo latiora, humeris gibbis, apice rotundata, supra convexa, tota coccinea seu saturate rubra, nitida, crebre subtiliter vage punctata. Pectus saturate rufum, abdomen pallidius sanguineum. Pedes elongati tenues rufi, tibiorum apice tarsisque fuscescentibus; femora antica subtus versus apicem dente parvo obtuso armata.

GYLLENH.

Chrys. duodecimpunctata. * Fabr. Mant. I. p. 74. 96. * Sp. Ins. I. p. 128. 71. * S. Ent. p. 103. 52.
* Linn. S. Nat. Gmel. I. IV. p. 1669. 87.

41. Fucata. * Fabr. S. El. I. p. 458. 40. * Ent. S. I. II. p. 9. 33. * Mant. II. App. p. 381. 28–29.
* Linn. S. Nat. Gmel. I. IV. p. 1721. 245.
Crioc. cayennensis. * Thunb. Mus. Acad. IV. p. 48. 8. Tab. fig. 11.

42. Aulica. * Fabr. S. El. I. p. 458. 41. * Ent. S. I. II. p. 9. 34. * Mant. I. p. 89. 38. * Sp. Ins. I. p. 154. 29.
Melyris aulicus. * Oliv. Ent. II. 21. p. 7. 6. T. 1. f. 4.
Crypt. nitidus. * Linn. S. Nat. Gmel. I. IV. p. 1722. 160.

43. Cuprea. * Fabr. S. El. I. p. 458. 42.

44. Oculata. * Fabr. S. El. I. p. 458. 43. * Ent. S. I. II. p. 9. 30. * Mant. I. p. 89. 35. * Sp. Ins. I. p. 154. 26. * S. Ent. p. 121. 15.
* Linn. S. Nat. Gmel. I. IV. p. 1722. 157.

45. Bioculata. * Fabr. S. El. I. p. 458. 44. * Ent. S. I. II. p. 9. 31. * Mant. I. p. 89. 36. * Sp. Ins. I. p. 154. 27.
* Coqueb. Illustr. Ins. III. p. 124. T. 28. f. 6.
* Linn. S. Nat. Gmel. I. IV. p. 1722. 158.
Chrys. 4-maculata. * Goldf. Enum. I. p. 42. fig. 5.

46. Ebraea. * Fabr. S. El. I. p. 459. 45. * Ent. S. I. II. p. 8. 24. * Mant. I. p. 89. 30.
* Linn. S. Nat. Gmel. I. IV. p. 1721. 152.

47. Caminea. * Fabr. S. El. I. p. 459. 46.
* Illig. Mag. I. p. 419. 46.

48. Pallens. * Fabr. S. El. I. p. 459. 47. * Ent. S. I. II. p. 9. 32. * Mant. I. p. 89. 37. * Sp. Ins. I. p. 154. 28.
Crypt. nigricornis. * Linn. S. Nat. Gmel. I. IV. p. 1722. 159.

49. Bifasciata. * Fabr. S. El. I. p. 459. 48.

50. Equestris. * Fabr. S. El. I. p. 460. 49. * Ent. S. I. II. p. 11. 47. * Mant. I. p. 90. 50.
* Linn. S. Nat. Gmel. I. IV. p. 1724. 172.
Lema equestris. * Fabr. Suppl. p. 94. 26.

51. Quadrinotata. * Fabr. S. El. I. p. 460. 50.
Galler. bifasciata. * Fabr. Ent. S. I. II. p. 27. 6.

52. Triangularis. * Fabr. S. El. I. p. 460. 51.



lumeralis. * Fabr. S. El. I. p. 460. 52.
)uadripunctata. * Fabr. S. El. I. p. 460. 53.
Rufipes.) * Fabr. Syst. El. I. p. 461. 54. — vid. *Crioc. flavipes, var.* β. n. 55. huj. Op.
lavipes. * Fabr. S. El. I. p. 461. 55. * Ent. S. I. II. p. 10. 37. * Mant. I. p. 89. 41. * Sp. Ins. I. p. 155. 32.
* Payk. Fn. Sv. II. p. 79. 4.
* Panz. Fn. Germ. XXXII. 4.
* Thunb. N. Acta Ups. V. p. 115. 50.
* Ross. Fn. Etr. I. p. 106. 271. * ed. Hellw. I. p. 112. 271.
Lema flavipes. * Fabr. Suppl. p. 93. 21.
Chrys. flavipes. * Linn. Syst. Nat. I. II. p. 601. 106. * Schrank Enum. Ins. p. 94. 178. Vill. Ent. I. p. 162. 169.
Galler. flavipes. * Panz. Ent. Germ. I. p. 174. 20.
Auchen. flavipes. * Marsh. Ent. Br. I. p. 216. 6.
Crypt. ochropus. * Linn. S. Nat. Gmel. I. IV. p. 1723. 163.
Crypt. nigricans. * Ibid. p. 1725. 183.
* Geoffr. Ins. I. p. 231. 1. T. 4. f. 2. *Luperus.*
r. β. * Payk. Fn. Sv. II. p. 80. 4. var. β.
Crioc. rufipes. * Fabr. S. El. I. p. 461. 54. * Ent. S. I. II. p. 10. 39. * Mant. I. p. 89. 43.
* Panz. Fn. Germ. XXIII. 5.
* Roem. Ins. p. 43. T. 3. f. 15. e.
Lema rufipes. * Fabr. Suppl. p. 93. 23.
Crypt. saxonicus. * Linn. S. Nat. Gmel. I. IV. p. 1723. 165.
Crioc. bicolor. * Herbst Arch. p. 165. 17.
Crypt. fulvipes. * Linn. Syst. Nat. Gmel. I. IV. p. 1725. 181.
Galler. rufipes. * Panz. Ent. Germ. I. p. 174. 21.
Coccin. rufipes. * Scop. Ent. Carn. n. 227. ?
Chrys. Xanthopoda. * Schrank Enum. Ins. p. 93. 177.
Auchenia rufipes. * Marsh. Ent. Br. I. p. 217. 9.
Ptinus longicornis. * Fabr. S. El. I. p. 325. 4. * Ent. S. I. p. 239. 3. * Mant. I. p. 40. 3. * Sp. Ins. I. p. 72. 3.
* Illig. Mag. I. p. 387. 4.
* Panz. Ent. Germ. I. p. 113. 3.
* Linn. S. Nat. Gmel. I. IV. p. 1607. 18.
Crypt. erythromelas. * Linn. S. Nat. Gmel. I. IV. p. 1725. 184.
* Geoffr. Ins. I. p. 231. 2. *Luperus.*
* Sulz. Gesch. d. Ins. p. 35. T. 3. f. 15. e.

* Schæff. Elem. Tab. 88. *Lupertis.*
* Schæff. Icon. T. 273. f. 4. a. b.
Harrer Beschr. n. 258. ed. 2:a n. 169.

56. Sanguinea. *Chrys. sanguinea.* * DeGeer In
355. 9. T. 16. f. 16.

57. Suturella. Illig.
Altica Brassicæ. * Panz. Fn. Germ. 1
* Kr. Rev. d. Ins. Fn. I. p. 85.
Haltica Spartii. * Entom. Helte II. p. 7

58. Adusta. * Fabr. S. El. I. p. 461. 56.
* Creutz. Ent. Vers. I. p. 121. 12. T. 2.
* Panz. Fn. Germ. XCI. 10.
* Illig. Mag. I. p. 419. 56.
Necyd. notata. * Fabr. S. El. II. p. 371. 1
S. I. II. p. 353. 15.
* Panz. Ent. Germ. I. p. 278. 14.

— (*Subspinosa.*) * Fabr. S. El. I. p. 461. 57. —
ma subspinosa, n. 33. huj. Op.

59. Cynocephala. * Fabr. S. El. I. p. 461. 58. *
I. II. p. 10. 40. * Mant. I. p. 90. 4
Ins. I. p. 155. 34. * S. Ent. p. 121.
* Linn. S. Nat. Gmel. I. IV. p. 1723. 1

60. Liciens. * Fabr. S. El. I. p. 461. 59.

61. Cantharoïdes. * Fabr. S. El. I. p.
* Ent. S. I. II. p. 3. 4. * Mant. I.
* Sp. Ins. I. p. 152. 15. * S. Ent. p
* Linn. S. Nat. Gmel. I. IV. p. 1720. 1
Criocer. cantharoides. * Marsh. Ent. Br. I. p
Chrys. cantharoides. Vill. Ent. I. p. 165. 1

— (*Betulæ*). * Fabr. S. El. I. p. 462. 61. — vi
Betulæ n. 37. huj. Op.

— (Lineola.) * Fabr. S. El. I. p. 462. 62.
Orsodachna chlorotica, var. ♂. huj. O

62. Pygmæa. * Fabr. S. El. I. p. 462. 63. *
I. p. 4. 8. * Mant. I. p. 87. 19.
* Linn. S. Nat. Gmel. I. IV. p. 1720. 1

63. Minuta. * Fabr. S. El. I. p. 462. 64. * Ent.
p. 5. 13. * Mant. I. p. 88. 21. * Sp
p. 152. 17.
Crypt. exilis. * Linn. S. Nat. Gmel. I
1720. 143.

64. Erythrocephala. * Fabr. Ent. S. I. II. p
* Mant. I. p. 88. 22. * Sp. Ins. p. 1
* Linn. S. Nat. Gmel. I. IV. p. 1720. 1

65. Grisea. * Fabr. Ent. S. I. II. p. 8. 29. *
p. 89. 34. * Sp. Ins. I. p. 154. 25.



* Linn. S. Nat. Gmel. I. IV. p. 1722. 156.
yanipes. * Web. Obs. Ent. I. p. 58. 1.
olani. * Web. Obs. Ent. I. p. 58. 2.
An *Lema Solani.* * Fabr. — n. 25. huj. Op.
ricolor. * Web. Obs. Ent. I. p. 58. 3.
[ulticolor. * Linn. S. Nat. Gmel. I. IV. p. 1712. 246.
Chrys. bifasciata. * Hornst. Berl. Naturf. II. I. p. 3. 3. T. 1. f. 6.
imaculata. *Chrys. bimaculata.* * Hornst. Berl. Naturf. II. I. p. 4. 4. T. 1. f. 4.
Crypt. sumatranus. * Linn. S. Nat. Gmel. I. IV. p. 1712. 247.
ataviensis. *Chrys. bataviensis.* * Hornst. Berl. Naturf. II. I. p. 6. 7. T. 1. f. 12.
Crypt. bataviensis. * Linn. S. Nat. Gmel. I. IV. p. 1712. 250.

Saltatoriæ:

Vide genus *Haltica.*

N:o 108. HELODES. Fabr. n. 82.

ellandrii. * Fabr. S. El. I. p. 469. 1.
* Payk. Fn. Sv. II. p. 84. 1.
Crioc. Phellandrii. * Fabr. Ent. S. I. II. p. 11. 43.
* Mant. I. p. 90. 46. * Sp. Ins. I. p. 156. 36. * S. Ent. p. 122. 20.
* Panz. Fn. Germ. LXXXIII. 9. * Ent. Germ. I. p. 169. 12.
* Panz. Naturf. XXIV. p. 18. 24. T. 1. f. 24.
* Ross. Fn. Etr. I. p. 206. 272. * ed. Hellw. I. p. 172. 272.
* Thunb. N. Acta Ups. V. p. 111. 42.
* Preysl. Böhm. Ins. I. p. 78. 67.
* Linn. S. Nat. Gmel. I. IV. p. 1723. 168.
* Scriba Journ. p. 14. 24.
Herbst Einl. zur Ins. Gesch. Tab. 2. f. 6.
Chrys. Phellandrii. * Linn. Fn. Sv. n. 569. * Syst. Nat. I. II. p. 601. 111.
* DeGeer Ins. V. p. 324. 28. T. 9. f. 34.
* Marsh. Ent. Br. I. p. 185. 38.
* Müll. Zool. D. Pr. p. 82. 900.
Oliv. Enc. Meth V. p. 719.
Vill. Ent. I. p. 163. 172.

Prasocuris. Phellandrii. * Latr. Gen. Cr. & Ins. III. p. 59. 1. — Hist. Nat. d. Cr. & I. Ins. XI. p. 354.
* Geoffr. Ins. I. p. 266. 20.
Acta Nidr. 4. 11.

— (Campestris.) * Fabr. S. El. I. p. 470. 2. — *Lema campestris*, n. 20. huj. Op.

2. *Violacea.* * Fabr. S. El. I. p. 470. 3.
Helod. Beccabungæ. * Payk. Fn. Sv. III. A. p. 451. 2.
Chrys. Beccabungæ. * Illig. Schneid. Mag. p. 60.
* Panz. Fn. Germ. XXV. 11.
* Marsh. Ent. Br. I. p. 186. 39.
Galler. Beccabungæ. * Panz. Ent. Germ. I. p. 171.
Crioc. violacea. * Fabr. Ent. S. I. II. p. 11. 4.
Chrys. junci. * Brahm Ins. Kal. I. p. 62. 200.
Cocc. riparia. * Scop. Ent. Carn. n. 223. ?

3. Elongata. * Fabr. S. El. I. p. 470. 4. * Ent. S. II. p. 11. 45. * Mant. I. p. 90. 48. * Sp. In. I. p. 156. 37.
Crypt. longus. * Linn. S. Nat. Gmel. I. IV. p. 1724. 170.

4. Quadrilineata. Nov. Sp. *k)*

5. Porrecta. * Fabr. S. El. I. p. 470. 5.
Chrys. unifasciata. * DeGeer Ins. VII. p. 664. 70. T. 49. f. 18. 19.

6. Lepturoïdes. *l) Chrys. lepturoides.* * Forst. Cent. Ins. I. p. 30. 30.
* Linn. S. Nat. Gmel. I. IV. p. 1716. 117.

109. LEMA. Fabr. n. 83.

1. Quadripustulata. * Fabr. S. El. I. p. 471. 1. * Suppl. p. 90. 1.

---

k) HELOD. QUADRILINEATA: nigra, elytris striato-punctatis; æneo-nigris, lineis quatuor flavis; antennis, tibiis tarsisque ferrugineis.

Habitat extra Europam. E Musæo *Schönh.*

Statura *Hel. elongatæ* v. *porrectæ.* Caput æneo-nigrum, antennis ferrugineis. Thorax subcylindricus, æneo-niger, glaber, margine postico ferrugineo. Elytra thorace latiora & quadruplo longiora, striato punctata, una linea flava pone suturam, altera ad marginem exteriorem, prima inter striam 2 & 4, secundam inter striam 8 & marginem. Subtus niger, tibiis tarsisque ferrugineis, ano acuto porrecto, pallidiore. BILLBERG.

l) Vix hujus generis.

Crioc. quadripustulata. * Fabr. Ent. S. I. II. p. 5. 15. * Mant. I. p. 88. 23.
Attelab. speciosus. * Fabr. Ent. S. I. II. p. 384. 2.
Crypt. siamensis. * Linn. Syst. Nat. Gmel. I. IV. p. 1720. 145.
ıpressa. * Fabr. S. El. I. p. 471. 2. * Suppl. p. 90. 2.
Crioc. impressa. * Fabr. Ent. S. I. II. p. 6. 16. * Mant. I. p. 88. 24.
* Linn. S. Nat. Gmel. I. IV. p. 1720. 146.
ıipunctata. * Fabr. S. El. I. p. 471. 3.
ar. β. * Fabr. S. El. l. c. var.
mipunctata. * Fabr. S. El. I. p. 472. 4.
mata. * Fabr. S. El. I. p. 472. 5.
anipennis. * Fabr. S. El. I. p. 472. 6.
ɛusta. * Fabr. S. El. I. p. 472. 7. * Suppl. p. 91. 11.
Crioc. præusta. * Fabr. Ent. S. I. II. p. 8. 25.
ɔicornis. * Fabr. S. El. I. p. 472. 8.
rdigera. * Fabr. S. El. I. p. 472. 9. *m*) * Suppl. p. 91. 5.
Crioc. merdigera. * Fabr. Ent. S. I. II. p. 6. 19. * Mant. I. p. 88. 25. * Sp. Ins. I. p. 152. 19. * S. Ent. p. 120. 10.
* Latr. Gen. Cr. & Ins. III. p. 47. 1.
* Payk. Fn. Sv. II. p. 81. 5. var. β.
* Panz. Fn. G. XLV. 2. * Ent. Germ. I. p. 167. 3.
* Ross. Fn. Etr. I. p. 104. 265. * ed. Hellw. I. p. 110. 265.
* Cederh. Fn. Ingr. n. 192.
* Petagn. Ins. Cal. p. 12. 57.
* Laich. Tyr. Ins. I. I. p. 186. 1.
* Müll. Zool. D. Pr. p. 85. 935.
Chrys. merdigera. * Linn. Fn. Sv. n. 563. var.
* Brahm Ins. Kal. I. p. 32. 108.
Crypt. merdigera. * Goeze Eur. Fn. VIII. p. 410. 9.
Chrys. rubra Liliorum. * DeGeer Ins. V. p. 339. 43.
Crioc. Lilii. Oliv. Enc. Meth. VI. p. 197.
Latr. Hist. N. d. Cr. & d. Ins. XI. p. 351.
Attel. Lilii. * Scop. Ent. Carn. n. 112.
* Geoffr. Ins. I. p. 239. 1. *Crioceris.*
* Roem. Gen. Ins. T. 3. f. 14.
* Sulz. Gesch. d. Ins. p. 34. T. 3. f. 14.
* Schæff. Elem. T. 52.
* Schæff. Icon. T. 4. f. 4.

---

o pedibusque rubris "*Lege*" ano pedibusque nigris.

Harrer Beschr. n. 263. ed. 2:a n. 166.
* Reaumur Ins. III. p. 220. T. 17. f. 1. 2.
Voet Col. II. T. 29. f. 1.
Bauhin. Hist. Plant. II. p. 696.
Merian Ins. T. 71.
Blanc. Belg. T. 11. g. h. i.
Müll. Linn. Nat. Syst. V. I. p. 194. 97.
Bechst. Naturg. I. II. p. 884. 5.
Blankaart Schaupl. d. Raup. Leipz. 1690. 70.
C. 29. T. 10. fig. g. h. i.

10. *Brunnea.* n) * Fabr. S. El. I. p. 473. 11. * Suppl. p. 90. 3.
Crioc. brunnea. * Fabr. Ent. S. I. II. p. 6. 17.
* Panz. Fn. G. XLV. 1. * Ent. Germ. I. p. 167.
Chrys. merdigera. * Linn. Fn. Sv. n. 563. * Syst. Nat. I. II. p. 599. 47. * ed. Gmel. I. IV. p. 1720. 147.
* Blumenb. Handb. ed. 7:a p. 326. 5.
* Schrank Enum. Ins. p. 95. 182. — Fn. Boica I. p. 568. 714.
Crioc. merdigera. * Payk. Fn. Sv. II. p. 50. 2.
Crioc. rufipes. * Herbst Arch. p. 67. 8.
Crioc. unicolor. * Panz. Ent. Germ. I. p. 167.
Crypt. erythropus. * Linn. S. Nat. Gmel. I. IV. p. 1724. 178.
Chrys. similis. * Brahm Ins. Kal. I. p. 78. 34.
Auchenia merdigera. * Marsh. Ent. Br. I. p. 114.
Chrys. rubra Liliorum, var. * DeGeer Ins. V. p. 339. 43.
Crioc. Convallariæ. Harrer Beschr. ed. 2:a 141. 167. ed. 1:a n. 263.
* Schæff. Icon. T. 34. f. 4.

11. Stercoraria. *Chrys. stercoraria.* * Linn. S. Nat. I. II. p. 600. 98.
Crioc. stercoraria. * Petagn. Ins. Cal. p. 12. 58.

12. Retusa. * Fabr. S. El. I. p. 473. 10. * Suppl. p. 90.
* Coqueb. Illustr. Ins. III. p. 126. T. 28. f. 1.
Crioc. retusa. * Fabr. Ent. S. I. II. p. 6. 18.

13. *Duodecimpunctata.* * Fabr. S. El. I. p. 473. 9. * Suppl. p. 91. 6.
Crioc. duodecimpunctata. * Fabr. Ent. S. I. II. p. 7. 20. * Mant. I. p. 88. 26. * Sp. Ins. I. p. 153. 20. * S. Ent. p. 120. 11.
* Pay

n) *Lema brunnea* & *merdigera* Fabr. forte species distincta.



* Payk. Fn. Sv. II. p. 81. 6.
* Panz. Fn. G. XLV. 3. * Ent. Germ. I. p. 168. 5.
* Ross. Fn. Etr. I. p. 104. 266.? * ed. Hellw. I. p. 111. 266.
* Cederh. Fn. Ingr. n. 193.
* Laich. Tyr. Ins. I. II. p. 187. 2.
* Müll. Zool. Dan. Pr. p. 85. 932.
Chrys. 12-punctata. * Linn. Fn. Sv. n. 568. * Syst. Nat. I. II. p. 601. 110.
* Schrank Enum. p. 96. 183.
Schrank Fn. Boica I. p. 568. 716.
* Brahm Ins. Kal. I. p. 206. 694.
Auchenia 12-punctata. * Thunb. N. Acta Ups. V. p. 95. 13.
* Marsh. Ent. Br. I. p. 214. 2.
Crypt. 12-punctatus. * Linn. S. Nat. Gmel. I. IV. p. 1721. 148.
* Goeze Europ. Fn. VIII. p. 413. 10.
Attelab. 12-punctatus. * Scop. Ent. Carn. n. 115.
* Geoffr. Ins. I. p. 240. 2. *Crioceris.* T. 4. f. 5.
* Schæff. Icon. T. 4. f. 5.
Harrer Beschr. n. 261. ed. 2:a n. 168.
* Frisch Ins. XIII. p. 29. T. 28.
Müll. Linn. Nat. Syst. V. I. p. 199. 110.
Mart. Eng. Ent. T. 16. f. 36.

uatuordecimpunctata. * Fabr. S. El. I. p. 473. 14. * Suppl. p. 91. 7.
Crioc. 14-punctata. * Fabr. Ent. S. I. II. p. 7. 21. * Mant. I. p. 88. 27. * Sp. Ins. I. p. 153. 21. * Gen. Ins. p. 222. 11—12.
* Panz. Fn. G. XLV. 4. * Ent. Germ. I. p. 168. 6.
* Linn. S. Nat. Gmel. I. IV. p. 1721. 149.
Attel. 14-punctatus. * Scop. Ent. Carn. n. 116.

uadripunctata. Nov. Sp. o).

EMA QUADRIPUNCTATA: pallida rufa; elytris testaceis ato-punctatis; punctis 4 nigris,
abitat Canton Sinarum, *Dom. Gröndal.*
tatura omnino *L. melanopæ.* Caput sub-rufum; Labro, oculis annisque, præter articulos infimos pallidos, nigricantibus. Thorax lide rufus, antice utrinque latiusculus, postice transverse impres-. Elytra testacea, striato-punctata, impressione longitudinali hu-ali, singulo punctis duobus distinctis nigris, antico pone basin, tico paulo majore infra medium, quadratim sitis. Abdomen & ioza pallide rufa subsericea, tarsis nigricantibus.

SWARTZ.

16. Tranquebarica. * Fabr. S. El. I. p. 473. 13. * Suppl. p. 92. 15.
Leptura tranquebarica. * Fabr. Suppl. p. 15. 53. var. β. * Fabr. Suppl. p. 92. 15. var.
17. Ruficollis. p) * Fabr. S. El. I. p. 474. 15. * Suppl. p. 91. 8.
Crioc. ruficollis. * Fabr. Ent. S. I. II. p. 7. 11. * Mant. I. p. 88. 28.
Crypt. cayennensis. * Linn. S. Nat. Gmel. I. IV. p. 1721. 150.
18. Melanura. * Fabr. S. El. I. p. 474. 16. * Suppl. p. 92. 16.
19. *Asparagi.* * Fabr. S. El. I. p. 474. 17. * Suppl. p. 93. 24.
Crioc. Asparagi. * Fabr. Ent. S. I. II. p. 10. 3. * Mant. I. p. 90. 45. * Sp. Ins. I. p. 159. 35. * S. Ent. p. 121. 19.
* Payk. Fn. Sv. II. p. 82. 7.
* Panz. Fn. G. LXXI. 2. * Ent. Germ. I. p. 181.
* Cederh. Fn. Ingr. n. 195.
* Preysl. Böhm. Ins. I. p. 94. 89.
* Schwartz Nom. I. p. 51. 21.
* Müll. Zool. Dan. Pr. p. 85. 933.
Fourcr. Ent. Par. I. p. 95. 9.
Chrys. Asparagi. * Linn. Fn. Sv. n. 567. * Syst. Nat. I. II. p. 601. 112.
* DeGeer Ins. V. p. 341. 45.
* Brahm Ins. Kal. I. p. 184. 605.
* Schrank En. Ins. p. 97. 185. — Fn. Boica I. p. 569. 718.
Vill. Ent. I. p. 163. 173.
Schmiedl. Einl. p. 215.
Naturf. IX. p. 63.
Müll. Fn. Fridr. p. 9. 83.
Pontopp. Dan. Atl. I. p. 435. 35.
Meiding. Nom. p. 125. 112.
Crypt. Asparagi. * Linn. S. Nat. Gmel. I. IV. p. 1723. 167.
* Goeze Eur. Fn. VIII. p. 415. 12.
Atteldb. Asparagi. * Scop. Ent. Carn. p. 36. 1[illegible]
Crioc. campestris. * Laich. Tyr. Ins. I. II. p. 188.
Auchen. Asparagi. * Marsh. Ent. Br. I. p. 214.
* Geoffr. Ins. I. p. 241. 3. *Crioceris.*
* Roes. Ins. II. Scarab. 3. Tab. 4.

---

p) Sie ist höchst wahrscheinlich eine *Galleruca.* Illig. Mag. V. p. 229.



* Frisch Ins. I. p. 27. Tab. 6.
* Schæff. Icon. T. 52. f. 9. 10.
Harrer Beschr. n. 262. ed. 2:a n. 1701
n. Berlin. Mang'alt. III. p. 100.
Onomat. Hist. Nat. II. p. 842. 3.
Voet. Col. IV. p. 21. 4. T. 29. f. 4.
Müll. Linn. Nat. Syst. V. I. p. 199. 112. T. 4. f. 10.
Bechst. Naturg. I. II. p. 845. 7.
Donov. Brit. Ins. T. 28.
Mart. Eng. Ent. T. 17. f. 49.

Campestris. q) *Chrys. campestris.* * Linn. Syst. Nat. I. II. p. 602. 113.
var. β. *Crioc. campestris.* * Ross. Fn. Etr. I. p. 107. 273. * ed. Hellw. I. p. 113. 273.
* Panz. Fn. Germ. III. 12.
var. γ. *Crioc. campestris.* * Fabr. Ent. S. I. II. p. 11. 44. * Mant. I. p. 90. 47.
* Panz. Ent. Germ. I. p. 169. 13.
Lema campestris. * Fabr. Suppl. p. 94. 25.
Helod. campestris. * Fabr. S. El. I. p. 470. 2.
Crypt. campestris. * Linn. S. Nat. Gmel. I. IV. p. 1723. 169.

trata. * Fabr. S. El. I. p. 474. 18.

nigricornis. * Fabr. S. El. I. p. 474. 19. * Suppl. p. 91. 10.
Crioc. dorsalis. Oliv. Enc. Meth. VI. p. 201. 24.

) quinquepunctata. * Fabr. S. El. I. p. 475. 20. * Suppl. p. 91. 9.
* Panz. Fn. Germ. XCI. 11.
Crioc. quinquepunctata. * Fabr. Ent. S. I. II. p. 7. 23. * Mant. I. p. 88. 29.
* Panz. Ent. Germ. I. p. 168. 7.
* Schneid. Mag. p. 247.
Oliv. Dict. Enc. VI. p. 199. 11.
Crioc. suturalis. * Oliv. Dict Enc. VI. p. 203. 4.
Chrys. quinquepunctata. * Fabr. S. El. I. p. 443. 125. ?* Ent. S. I. p. 327. 99. ? * Mant. I. p. 72. 72. ?
* Panz. Ent. Germ. I. p. 164. 44. ?
* Linn. S. Nat. Gmel. I. IV. p. 1681. 131. ?

---

dividua maculis 3 elytrorum evidentibus, ut a Linnæo illustran-
, per quam rara sunt, & unicum tantum videre licuit a D. Grön-
in Hispania lectum. Hoc duplo majus varietate a Panz. delinea-
& a Rossi apprime descripta. Notabilis interea alia dissimilitu-
non adest. Descriptio vero Fabr. nulla varietate, quam possi-
, respondet.

* Schrank En. Ins. p. 97. 184.
Crypt. quinquenotatus. * Linn. S. Nat. Gmel. L
IV. p. 1721. 151.

24. Coromandeliana. * Fabr. S. El. I. p. 475. 21.
Lept. coromandeliana. * Fabr. Suppl. p. 154. 54.

25. Solani. * Fabr. S. El. I. p. 475. 22. * Suppl. p. 93. 18.
* Coqueb. Illustr. Ins. III. p. 125. T. 28. f. 10.
Crioc. Solani. * Web. Obs. Ent. I. p. 58. 2.?

26. *Cyanella.* * Fabr. S. El. I. p. 475. 23. * Suppl.
p. 93. 19.
Crioc. cyanella. * Fabr. Ent. S. I. II. p. 9. 35.
* Mant. I. p. 89. 39. * Sp. Ins. I. p. 156.
30. * S. Ent. p. 121. 16.
* Payk. Fn. Sv. II. p. 83. 9.
* Herbst Arch. p. 67. 10. T. 23. f. 24.
* Panz. Fn. Germ. LXXI. 1. * Ent. Germ.
I. p. 168. 8.
* Ross. Fn. Etr. I. p. 105. 269. * ed. Hellw.
I. p. 112. 269.
* Müll. Zool. Dan. Pr. p. 85. 934.
Chrys. cyanella. * Linn. Fn. Sv. n. 572. * Syst.
Nat. I. II. p. 600. 104.
* DeGeer Ins. V. p. 340. 44.
* Schrank En. Ins. p. 98. 186.
* Brahm Ins. Kal. I. p. 81. 261.
Crypt. cyanellus. * Linn. Syst. Nat. Gmel. I. IV.
p. 1722. 161.
Anchen. cyanella. * Marsh. Ent. Br. I. p. 254.
* Geoffr. Ins. I. p. 243. 5. *Crioceris.*
Voet Col. IV. p. 37. 27. T. 32. f. 27.
Mart. Eng. Ent. T. 15. f. 25.

27. Cornuta. * Fabr. S. El. I. p. 475. 24.
* Illig. Mag. III. p. 159. 24.

28. Cyanea. * Fabr. S. El. I. p. 475. 25. * Suppl. p. 93. 20.
var. β. tota nigra.

29. Bicolor. * Fabr. S. El. I. p. 476. 26.
Crioc. bicolor. * Fabr. Suppl. p. 89. 35–36.

30. Rufina. Nov. Sp. r).

---

r) LEMA RUFINA: rufa, elytris striato-punctatis cæruleis, v
media obscure rufa.
Habitat in Java. *D. Gröndal.*
Habitu & magnitudine *L. melanopæ* simillima. Caput rufum. I
brum fuscum. Oculi nigricantes. Thorax rufus antice ad latera
solcte tuberculatus, postice transverse pro undeque impressus. E
tra cærulea striato-punctata: vitta media latiuscula, basi rufa co



larginella. Nov. Sp. *s*).
lelanopa. * Fabr. S. El. I. p. 476. 27. * Suppl. p. 93. 20.
* Panz. Fn. Germ. XCI. 12
Crioc. melanopa. * Fabr. Ent. S. I. II. p. 10. 36.
* Mant. I. p. 89. 40. * Sp. Ins. I. p. 155. 31. * S. Ent. p. 121. 17.
* Payk. Fn. Sv. II. p. 82. 8.
* Panz. Ent. Germ. I. p. 168. 9.
* Ross. Fn. Etr. I. p. 106. 270. * ed. Hellw. I. p. 112. 270.
* Cederh. Fn. Ingr. n. 194.
* Petagn. Ins. Cal. p. 12. 59.
* Müll. Zool. Dan. Pr. n. 938.
* Laich. Tyr. Ins. I. II. p. 189. 4.
Chrys. melanopa. * Linn. Fn. Sv. n. 573. * Syst. Nat. I. II. p. 601. 105.
* DeGeer Ins. V. p. 342. 46.
* Schrank En. Ins. p. 94. 197. — Fn. Boica I. p. 559. 692. p. 570. 721.
* Brahm Ins. Kal. I. p. 181. 598.
Crypt. melanopus. * Linn. S. Nat. Gmel. I. IV. p. 1722. 162.
* Goeze Eur. Fn. VIII. p. 414. 11.
Anchen. melanopa. * Marsh. Ent. Br. I. p. 215. 5.
* Geoffr. Ins. I. p. 242. 4. *Crioceris*.
* Sulz. Kennz. T. 3. f. 19.
Müll. Linn. Nat. Syst. V. I. p. 197. 105.
Mart. Eng. Ent. T. 17. f. 53.
ubspinosa. *s*) * Fabr. Suppl. p. 93. 22.

Postice evanescente ad apicem dilutiore. Scutellum & abdomen a. Pedes pallidiores. SWARTZ.

E MA MARGINELLA: nigra, thorace rufo, elytris striato-ctatis cæruleis, margine exteriore rufis.
labitat in Brasilia. *Dom. J. Lund.* E Mus. *D. Gröndal.*
lagnitudo & statura *Lem melanopæ*. Caput rufum, oris partibus ennisque fuscis, pubescentibus. Oculi nigri. Thorax rufus, late-as punctulatis antice latior, postice marginatus. Elytra striato-ctata cærulescentia, margine toto exteriore (discum versus in-ualiter) præter humeros elytris concolores rufo. Abdomen & fe-ra fusca subsericea nitentia. Tarsi cinerei.
SWARTZ.

ioc. subspinosa Fabricii, genus proprium forsan constituit, et ge-i *Megalopus* proximum. Antennæ moniliformes, articulis sex septem ultimis paulo crassioribus. Mandibulæ interne emargina-unidentatæ. Palpi articulo ultimo conico, acuto.
LATREILLE.

* Panz. Fn. Germ. LXXXIII. 10.
Crioc. subspinosa. * Fabr. S. El. I. p. 461. 57.
* Ent. S. I. II. p. 10. 38. * Mant. I. p. 89. 42. * Sp. Ins. I. p. 155. 33.
* Payk. Fn. Sv. II. p. 78. 3.
* Panz. Ent. Germ. I. p. 169. 10.
Crioc. erythrocephala. * Herbst Arch. p. 67. 11.
Auchen. subspinosa. * Thunb. N. Acta Ups. V. p. 116. 51.
* Marsh. Ent. Br. I. p. 216. 7.
Crypt. subspinosus. * Linn. S. Nat. Gmel. I. IV. p. 1723. 164.
Crypt. berolinensis. * ibid. p. 1725. 179.
Chrys. subspinosa. Vill. Ent. I. p. 165. 179.
Voet Col. IV. 6. T. 29. f. 6.
var. β. capite postice supra nigro.
Auchenia flavicollis. * Marsh. Ent. Br. I. p. 217.
var. γ. *Crioc. subspinosa.* * Payk. Fn. Sv. II. p. 3. var. β.

34. Unifasciata. * Fabr. S. El. I. p. 476. 28. * Suppl. p. 92. 12.
Crioc. unifasciata. * Fabr. Ent. S. I. II. p. 8. * Mant. I. p. 89. 32. * Sp. Ins. I. p. 153. * S. Ent. p. 120. 13.
Crypt. unifasciatus. * Linn. S. Nat. Gmel. I. IV. 1721. 154.

35. Bifasciata. * Fabr. S. El. I. p. 476. 29. * Suppl. p. 92. 13.
* Coquеb. Illustr. Ins. III. p. 125. T. 28. f. 11.
Crioc. bifasciata. * Fabr. Ent. S. I. II. p. 8. * Mant. I. p. 89. 31. * Sp. Ins. I. p. 153. * S. Ent. p. 120. 12.
Crypt. australis. * Linn. S. Nat. Gmel. I. IV. p. 1721. 153.

36. Nigripes. * Fabr. S. El. I. p. 476. 30. * Suppl. p. 92. 14.
Crioc. nigripes. * Fabr. Ent. S. I. II. p. 8. * Mant. I. p. 89. 33. * Sp. Ins. I. p. 153. * S. Ent. p. 120. 14.
Crypt. novæ Hollandiæ. * Linn. S. Nat. Gmel. I. IV. p. 1722. 155.

37. Obscura. * Fabr. S. El. I. p. 476. 31.

38. *Betulæ.* 1) *Crioc. Betulæ.* * Fabr. S. El. I. p. 461. * Ent. S. I. II. p. 5. 11.
* Payk. Fn. Sv. II. p. 76. 1.

---

1) An potius ad nov. genus amandandus?



). Trifurcata. u) *Chrys. trifurcata.* * Forst. Cent. I. p. 29. 29.
Crypt. trifuscatus. * Linn. S. Nat. Gmel. I. IV. p. 1724. 175.

B) *Saltatoriæ.*

. Vittata. * Fabr. S. El. I. p. 477. 32.
. Cuprea. * Fabr. S. El. I. p. 477. 33.
. Nitidula. * Fabr. S. El. I. p. 477. 34.
. Striata. * Fabr. S. El. I. p. 477. 35.
. Varia. * Fabr. S. El. I. p. 478. 36.
. Posticata. * Fabr. S. El. I. p. 478. 37.

N:o 110. ORSODACHNA. Latr. n. 316.

Chlorotica. * Latr. Gen. Cr. & Ins. III. p. 44. 1. — Hist. Nat. d. Cr. & d. Ins. XI. p. 350.
Crioceris Cerasi. * Fabr. S. El. I. p. 456. 30. * Illig. Mag. I. p. 418. 30.
Chrys. Cerasi. * Linn. Fn. Sv. n. 570. forte. (non Syst. Nat. p. 588. 13.)
Crioc. fulvicollis. * Fabr. Ent. S. I. II. p. 5. 12. * Payk. Fn. Sv. II. p. 77. 2. *a.* * Panz. Fn. Germ. LXXXIII. 8. * Ent. Germ. I. p. 167. 1.
* Geoffr. Ins. I. p. 243. 6. *Crioceris.*
var. β *Crioc. fulvicollis.* * Payk. Fn. Sv. II. p. 78. 2. var. β.
var. γ. *Crioc. fulvicollis.* * Payk. l. c. var. γ.
Galler. Cerasi. * Fabr. Ent. S. I. II. p. 22. 43.
var.? δ. *Crioc. Lineola.* * Fabr. S. El. I. p. 462. 62. * Suppl. p. 89. 10-11.
* Panz. Fn. G. XXXIV. 5. * Kr. Rev. d. Ins. Fn. I. p. 88. * Ent. Germ. I. p. 170. 15.
var. ε. *Crioc. glabrata.* * Fabr. S. El. I. p. 455. 28. * Suppl. p. 89. 10-11.
* Panz. Fn. Germ. XXXIV. 6. * Ent. Germ. I. p. 170. 16.
Crioc. fulvicollis. * Payk. Fn. Sv. l. c. var. δ.
Nigriceps. * Latr. Gen. Cr. & Ins. III. p. 44. 2.
Crioc. Lineola Fabr. & Panz. ejusdem varietas.? (cfr. præced. var. δ.)
Humeralis. Latr. Hist. Nat. d. Crust. & d. Ins. XI. p. 350.

---

*) An hujus generis.?

N:o 111. GALLERUCA. Fabr. n. 84.

1. Bimaculata. * Fabr. S. El. I. p. 478. 1. * Ent. S. I. II. p. 12. 1.
Chrys. bimaculata. * Fabr. Mant. I. p. 73. 87. * Sp. Ins. I. p. 127. 67. * S. Ent. App. p. 820. 50-51.
* Linn. S. Nat. Gmel. I. IV. p. 1668. 79.

2. Testacea. * Fabr. S. El. I. p. 479. 2. * Ent. S. I. II. p. 13. 2.

3. Variabilis. vid. Illig. Mag. I. p. 422. 3. *Galler. pallipes.*
var. — *Galler. pallipes.* * Fabr. S. El. I. p. 479. 3.
var. ? — *G. rosea.* * Fabr. S. El. I. p. 479. 4.
* Illig. Mag. I. p. 422. 4.
var. — *G. unicolor.* * Fabr. S. El. I. p. 479. 9.
G. testacea. * Web. Obs. Ent. I. p. 53. 1.
var. — *G. Sumatræ.* * Fabr. S. El. I. p. 480. 10.
* Web. Obs. Ent. I. p. 55. 2.
var. — *G. atripennnis.* * Fabr. S. El. I. p. 482. 23.
* Illig. Mag. I. p. 423. 23.
— (Pallipes.) * Fabr. S. El. I. p. 479. 3. — vid. *G. variabilis, var.* Illig. — n. 3. huj. Op.

4. Rosea. * Fabr. S. El. I. p. 479. 4.
G. variabilis, Illig. forte var.

5. Grandis. Nov. Sp. v).

6. Quatuordecimpunctata. *Chrys. 14-punctata.* * Fabr. S. El. I. p. 431. 54. * Ent. S. I. p. 34. 29. * Mant. I. p. 68. 17. * Sp. Ins. I. p. 117. 13.
* Oliv. Ent. V. 91. T. 4. f. 42.
* Linn. Syst. Nat. I. II. p. 599. 94. ? * ed. Gmel. I. IV. p. 1684. 94. ?

7. Affinis.

---

v) GALLERRUCA GRANDIS: ovata pallida nitida, thoracis callis femoribusque testaceis, antennis, tibiis tarsisque nigris.
* Oliv. Ent. V. 91. T. 1. f. 13. ? *Chrysomela.*
Habitat in India Orient.
Habitus *Chr. 14-punctatæ* sed major; Antennæ nigræ basi testaceæ; Caput pallidum. Thorax callo utrinque antico marginali testaceo nitido notabili; fossulisque binis & punctis variis impressus. Elytra punctato-striata pallida. Corpus pallidum. Femora testacea, postica crassiora unidentata; tibiæ supra canaliculatæ, denticulo obsoleto; tarsi subtus hirti ferruginei.

GRÖNDAL.

finis. Nov. Sp. x)
sciola. *Galler. fasciata.* * Fabr. S. El. I. p. 479. 5. * Ent. S. I. II. p. 13. 3.
Chrys. fasciata. * Fabr. Mant. I. p. 73. 88. * Sp. Ins. I. p. 128. 68. * S. Ent. App. p. 820. 50—51. * Linn. S. Nat. Gmel. I. IV. p. 1668. 80.
ıficollis. y) * Fabr. S. El. I. p. 479. 6. * Ent. S. I. II. p. 13. 4.
Chrys. ruficollis. * Fabr. Mant. I. p. 73. 89. * Sp. Ins. I. p. 128. 69. * S. Ent. App. p. 820. 51—52.
* Ross. Mant. I. p. 31. 76. * ed. Hellw. I. p. 368. 76.
* Linn. S. Nat. Gmel. I. IV. p. 1668. 81.
ittoralis. * Fabr. S. El. I. p. 479. 7. * Ent. S. I. II. p. 14. 7.
* Illig. Mag. I. p. 422. 7.
* Panz. Ent. Germ. I. p. 170. 1.
Chrys. littoralis. * Fabr. Mant. I. p. 74. 92.
* Linn. S. Nat. Gmel. I. IV. p. 1669. 84.
* Geoffr. Ins. I. p. 252. 1. T. 4. f. 6. *Galleruca.*
ranquebarica. * Fabr. S. El. I. p. 479. 8. * Suppl. p. 95. 6-7.
Inicolor.) * Fabr. S. El. I. p. 479. 9. — vid. *G. variabilis, var.* Illig. — n. 3. huj. Op.
umatræ). * Fabr. S. El. I. p. 480. 10. — vid. *G. variabilis, var.* Illig. — n. 3. huj. Op.

T

LLERUCA AFFINIS: ovata, ferruginea, elytris flavis, maıs decem nigris, duabus communibus.
Habitat in Java.
Caput, antennæ, thorax, margo elytrorum, pedes & corpus tı testaceo-ferrugineum. Elytra punctato-striata flava, maculis deı nigris: una humerali, altera apicis prope marginem exteriorem, ı mediæ transversæ subcoalitæ, & duæ ad suturam basi & apice mmunes. Femora postica & tibiæ unidentata canaliculata. Tarsi lidi. GRÖNDAL.
itatura & habitus *Gall.* 14-*punctatæ* (*Chrys.* 14-*punctata* Fabr.), quæ ro duplo major & maculæ (nec puncta, utpote magnæ, difformes) nerosiores & distinctæ, & interstitia striarum convexula; in *G. ini* omnino plana.
Pariter ac *Gall.* 14-*punctata* & *grandis* omnibus *Gallerucis* magudine superat. Has inter & *Chrysomelas* medium quasi tenent haı; palpis vero acutis *Gallerucis* propiores, & diversum forsan ıstituere queant genus. Tab. 4. f. 9. *b.* magnit. naturalis; — *a* ta.

ıry*s. Polygoni* forte idem. cfr. Illig. Mag. III. p. 158. 102.

12. Cajennensis. * Fabr. S. El. I. p. 480. 11. * Ent. S. I. II. p. 14. 8.
Chrys. Cajennensis. * Fabr. Mant. I. p. 74. 93.
* Linn. S. Nat. Gmel. I. IV. p. 1669. 85.

13. Nigripennis.* * Fabr. S. El. I. p. 480. 12. * Ent. S. I. II. p. 14. 9.
Galler. brevicollis. * Illig. Schneid. Mag. p. 603. 10.

14. Obscura. * Fabr. S. El. I. p. 480. 13.

15 Baccharidis. * Fabr. S. El. I. p. 480. 14.
* Web. Obs. Ent. I. p. 57. 7.
Chrys. tomentosa. * Linn. S. Nat. I. II. p. 601. 19.
Lagria lampyroides. * Linn. S. Nat. Gmel. I. IV. p. 1731. 239.

16. Gigantea. * Illig. Wiedem. Arch. I. II. p. 131. 16.

17. *Rustica.* * Fabr. S. El. I. p. 481. 15. * Ent. S. I. II. p. 15. 11.
* Payk. Fn. Sv. II. p. 87. 3.
Chrys. rustica. * Fabr. Mant. I. p. 74. 95.
* Schall. Acta Hal. I. p. 274.
* Ross. Fn. Etr. I. p. 75. 189. * ed. Hall. I. p. 80. 189.
* Linn. S. Nat. Gmel. I. IV. p. 1669. 86.
* Panz. Ent. Germ. I. p. 171. 3.
Adimonia Tanaceti, var. γ. * Laich. Tyr. Ins. I. I. p. 192. 1. *γ.*
Silpha ferruginea. * Petagn. Ins. Cal. I. p. 19. Tab. fig. 16.
* Schæff. Icon. T. 65. f. 10.
Harrer Beschr. n. 254. ed. 2:a n. 128.

18. *Interrupta.* * Geoffr. Ins. I. p. 253. 1. *β. Galleruca* fusca, elytris lineis elevatis interruptis.
* Payk. Fn. Sv. II. p. 88. 3. *G. rustica var.* elytris lineis interdum interruptis.

19. *Tanaceti.* * Fabr. S. El. I. p. 481. 16. * Ent. S. I. II. p. 15. 10.
* Latr. Gen. Cr. & Ins III. p. 61. 1. — Hist. Nat. d. Cr. & d. Ins. XI. p. 397. T. 93. f. 4
* Payk. Fn. Sv. II. p. 86. 1.
* Panz. Ent. Germ. I. p. 270. 2.
* Cederh. Fn. Ingr. n. 196.
* Müll. Zool. D. Pr. p. 83. 906.
* Oliv. Ent. V. 93. T. 1. f. 1. a—f.
Oliv. Enc. Meth. V. p. 587.
Chrys. Tanaceti. * Fabr. Mant. I. p. 74. 94. * S. Ins. I. p. 128. 70. * S. Ent. p. 103. 51.
* Linn. Fn. Sv. n. 507. * It. Gottl. p. 270.

* Syst. Nat. I. II. p. 587. 5. * ed. Gmel. I. IV. p. 1669. 5.
* DeGeer Ins. V. p. 299. 4. T. 8. f. 27.
* Ross. Fn. Etr. I. p. 75. 190. * ed. Hellw. I. p. 80. 190.
* Schwartz Nom. I. p. 53. 22.
* Brahm Ins. Kal. I. p. 236. 806.
* Goeze Eur. Fn. VIII. p. 349. 2.
* Marsh. Ent. Br. I. p. 177. 17.
* Schrank En. Ins. p. 75. 139. — Fn. Boica I. p. 556. 684.
Borowsk. Naturg. VI. p. 93. 5.
Meiding. Nom. p. 123. 5.
Naturf. IX. p. 63.
Vill. Ent. I. p. 117. 2.
Füessl. n. Mag. II. p. 35. 79.
Bechst. Naturg. I. II. p. 841. 7.
Fourcr. Ent. Par. I. p. 102. 1.
Adimonia Tanaceti. * Laich. Tyr. Ins. I. I. p. 191. 1.
* Roes. Ins. II. Scarab. 3. p. 12. 5. T. 5. f. 1-4.
* Schæff. Icon. T. 21. f. 14.
Harrer Beschr. n. 254. ed. 2:a n. 127.
Müll. Linn. Nat. Syst. V. I. p. 166. 5.
Acta Nidr. III. p. 350.
Onomat. Hist. Nat. II. p. 836. 5.
Merian Ins. Eur. T. 68. ed. Germ. in 4:o II. p. 35. T. 18.

:ona. * Illig. Wiedem. Arch. I. II. p. 133. 27.

'ricolor. * Fabr. S. El. I. p. 481. 17.

Marginata. * Fabr. S. El. I. p. 481. 18.

'allicornis. * Fabr. S. El. I. p. 482. 19.

.uteicornis. * Fabr. S. El. I. p. 482. 20.

Hæmorrhoa. *Gall. bicolor.* * Fabr. S. El. I. p. 482. 21.
* Web. Obs. Ent. I. p. 56. 4.

.nalis. * Fabr. S. El. I. p. 482. 22.
* Web. Obs. Ent. I. p. 55. 3.

.tripennis.) * Fabr. S. El. I. p. 482. 23. — vid. *Galler. variabilis, var.* Illig. — n. 3. huj. Op.

'ruenta. * Fabr. S. El. I. p. 483. 24. * Ent. S. I. II. p. 19. 30.
Endom. cruentus. * Fabr. Suppl. p. 100. 1.
Chrys. cruenta. * Fabr. Mant. I. p. 75. 108. * Spt Ins. I. p. 130. 82.
* Linn. S. Nat. Gmel. I. IV. p. 1682. 134.

'erruginea. * Fabr. S. El. I. p. 483. 25.

29. Abdominalis. * Fabr. S. El. I. p. 483. 26. * Ent. I. p. 23. 47.
Crioc. abdominalis. * Fabr. Mant. I. p. 87. * Sp. Ins. I. p. 151. 7.
* Hübn. Naturf. XXIV. p. 43. 8. T. 2. f. 9.
Crioc. testacea. * Fabr. Ent. S. II. p. 4. * Mant. I. p. 87. 20.
Crypt. indicus. * Linn. S. Nat. Gmel. I. IV. 1720. 142.
Crypt. abdominalis. * Ibid. p. 1719. 130.

30. *Alni.* * Fabr. S. El. I. p. 483. 27. * Ent. S. I. p. 16. 13.
* Payk. Fn. Sv. II. p. 87. 2.
* Panz. Ent. Germ. I. p. 171. 4.
Chrys. Alni. * Fabr. Mant. I. p. 74. 97. * Sp. Ins. I. p. 128. 72. * S. Ent. p. 103. 53.
* Linn. Fn. Sv. n. 511. * Syst. Nat. I. II. p. 587. 9. * ed. Gmel. I. IV. p. 1671. 9.
* DeGeer Ins. V. p. 314. 21. T. 9. f. 18.
* Ross. Fn. Etr. I. p. 79. 199. * ed. Hellw. I. p. 83. 199.
* Cederh. Fn. Ingr. n. 197.
* Marsh. Ent. Br. I. p. 172. 7.
* Bechst. & Scharfenb. Forstinsect. I. p. 115.
* Goeze Eur. Fn. VIII. p. 356. 5.
* Scop. Ent. Carn. n. 211.
* Schrank Enum. Ins. p. 76. 140.
* Brahm Ins. Kal. I. p. 100. 338.
Bechst. Naturg. I. II. p. 840. 2.
Gleditsh Einl. I. p. 445. 18.
Poda Mus. Græc. p. 26.
Adimonia violacea * Laich. Tyr. Ins. I. I. p. 193.
Luperus Alni. * Müll. Zool. Dan. Pr. n. 911.
* Geoffr. Ins. I. p. 254. 6. *Galeruca?*
* Frisch Ins. VII. p. 13. T. 8.
Vill. Ent. I. p. 119. 6.
Müll. Linn. Nat. Syst. V. I. p. 167. 9.

31. Alpina. * Web. Obs. Ent. I. p. 57. 6.

32. Compressicornis. * Fabr. S. El. I. p. 483. 28.

33. Nebulosa. Nov. Sp. z).

---

z) GALLERUCA NEBULOSA: ovata convexa livido-testa thorace emarginato angulato bipunctato, elytris profunde punctatis nigro-maculatis.
Habitat in India orientali. *D. Gröndal.*
Statura et magnitudo fere *G. Alni.* Caput parvum inæquale rugineum, vix punctulatum, fronte inter antennas profunde impr

assiæ. * Fabr. S. El. I. p. 484. 29.
* Illig. Mag. I. p. 423. 29.
Galler. Jamaicensis. * Fabr. Ent. S. I. II. p. 16. 14.
awsoniæ. * Fabr. S. El. I. p. 484. 30. * Suppl. p. 95. 14—15.
bsinthii. * Fabr. S. El. I. p. 484. 31. * Ent. S. I. II. p. 16. 15.
Chrys. Absinthii. * Fabr. Mant. I. p. 74. 98. * Sp. Ins. I. p. 129. 73.
Pallas Iter. II. p. 725. 70.
* Linn. S. Nat. Gmel. I. IV. p. 1671. 97.
icea. * Fabr. S. El. I. p. 484. 32. * Ent. S. I. II. p. 17. 18.
Chrys. picea. * Fabr. Mant. I. p. 74. 100. * Sp. Ins. I. p. 129. 75.
* Linn. S. Nat. Gmel. I. IV. p. 1671. 99.
Betulæ.) * Fabr. Syst. El. I. p. 484. 33. — vid. *Chrys. Cochleariæ*, p. 268. n. 141. huj. Op.
entralis. *Galler. tricolor.* * Fabr. S. El. I. p. 484. 34. * Ent. S. I. II. p. 17. 20.
Chrys. tricolor. * Fabr. Mant. I. p. 74. 102. * Sp. Ins. I. p. 129. 77.
* Linn. S. Nat. Gmel. I. IV. p. 1671. 100.
Nigricornis. * Fabr. Ent. Syst. I. II. p. 24. 53.
* Panz. Ent. Germ. I. p. 174. 23.
Crioc. nigricornis. * Fabr. S. El. I. p. 453. 19. * Mant. I. p. 87. 13. * Sp. Ins. I. p. 151. 11. * S. Ent. p. 119. 7.
* Panz. Fn. Germ. XCI. 9.
Chrys. Halensis. * Linn. S. Nat. I. II. p. 589. 20.

---

pilosum; oculi magni globosi glauci. Antennæ dimidio corpore ngiores, basi ferrugineæ, extrorsum obscuriores, latæ, compressæ, naque sub-serratæ, pubescentes. Thorax brevis transversus sub lu-tus, antice emarginatus, lateribus angulato-sub-dentatus, postice undatus, disco parum convexus, parce et tenue punctatus, livido-staceus, plerumque punctis duobus nigris dorsalibus remotis. Scu-llum oblongo-triangulare acuminatum nigrum nitidum, lævissimum. ytra magna ovata, thorace multo latiora; apice rotundata, supra de convexa, creberrime et profunde punctata, basi depressa, hu-tis gibbis, livido-testacea, maculis inæqualibus nigris, quarum tuor juxta marginem lateralem, quinta prope scutellum, et in-lum sexta pone medium juxta suturam; hæc ultima tamen sæpi-deest; macula scutellaris interdum dilatata, cum opposita hume-ali fere confluens. Corpus subtus brunneo-testaceum, punctatum, -pubescens. Pedes validi testacei, femoribus sub-clavatis. Tab. ig. 10. *b.* magnitudo naturalis; fig. 10. *a.* aucta.

GYLLENH.

* Brahm Ins. Kal. I. p. 207. 699.
* Marsh. Ent. Br. I. p. 177. 18.
* Schrank Enum. Ins. p. 79. 146.
Crioc. Halensis * Herbst Arch. p. 164. 15. T. 45. f. 5.
* Linn. S. Nat. Gmel. I. IV. p. 1719. 135.
Galeruca viridis. * Geoffr. Ins. I. ed. nov. App. p. 531. 7.
Fourcr. Ent. Par. I. p. 104. 7.
* Oliv. Ent. V. 93. T. 1. f. 7. a. b.
Vill. Ent. I. p. 123. 16.
Mart. Eng. Ent. T. 15. f. 20.

40. Sericea. * Fabr. S. El. I. p. 485. 35. * Suppl. p. 95. 20—21.
Canth. sericeâ. * Fabr. Suppl. p. 69. 29—30.

41. *Quadrimaculata.* * Fabr. S. El. I. p. 485. 36. * Ent. S. I. II. p. 20. 35.
* Payk. Fn. Sv. II. p. 91. 9.
Crioc. 4-maculata. * Fabr. Ent. S. I. II. p. 12. 50. & p. 4. n. 5. * Mant. I. p. 87. 18. * Sp. Ins. I. p. 152. 16.
* Herbst Arch. p. 66. 6. T. 23. f. 33.
Chrys. 4-maculata. * Fabr. Mant. I. p. 75. 111. * Sp. Ins. I. p. 131. 84. * Gen. Ins. Mant. p. 220. 59-60.
* Linn. Fn. Sv. n. 571. * Syst. Nat. I. II. p. 600. 103. * ed. Gmel. I. IV. p. 1682. 136.
* Scriba Journ. p. 14. 21.
* Panz. Naturf. XXIV. p. 15. 21. T. 1. f. 21.
Vill. Ent. I. p. 161. 166.
Auchen. 4-maculata. * Marsh. Ent. Br. I. p. 218. 11.
Crioc. bimaculata. * Panz. Fn. Germ. XLVIII. 16. * Ent. Germ. I. p. 169. 14.
Crioc. melanogaster. * Linn. S. Nat. Gmel. I. IV. p. 1720. 140.
Luperus 4-maculatus. * Müll. Zool. D. Pr. p. 83. 912. Gadd. Satag. 77.

42. Sexpunctata. * Fabr. S. El. I. p. 485. 37.
* Coqueb. Illustr. Ins. III. p. 126. T. 28. f. 13.
Crioc. sexpunctata. * Fabr. Ent. S. I. II. p. 4. 5.

43. Bidentata. *Galler. impressa.* * Fabr. S. El. I. p. 485. 38.

44. Discoïdea. * Fabr. S. El. I. p. 485. 39.

45. Limbata. * Fabr. S. El. I. p. 486. 40.

46. Cincta. * Fabr. S. El. I. p. 486. 41. * Ent. S. I. II. p. 22. 41.
Crioc. cincta. * Fabr. Mant. I. p. 86. 5. * Sp. Ins. I. p. 150. 5. * S. Ent. p. 119. 3.
* Hübn. Naturf. XXIV. p. 42. 7. T. 2. f. 6-8.
* Scriba Journ. p. 22. 7.

Crypt. atratus. * Linn. S. Nat. Gmel. I. IV. p. 1718. 127.

rilineata. * Fabr. S. El. I. p. 486. 42.

Crioc. trilineata. * Fabr. Ent. S. I. II. p. 11. 46. * Mant. I. p. 90. 49. * Linn. S. Nat. Gmel. I. IV. p. 1724. 171.

r. β. *Cistela. sexlineata.* * Fabr. S. El. II. p. 21. 28. * Ent. S. I. II. p. 47. 33. * Mant. I. p. 86. 25. * Sp. Ins. I. p. 149. 19. * Illig. Mag. III. p. 162. 28. * Linn. S. Nat. Gmel. I. IV. p. 1716. 115.

riloba. * Fabr. S. El. I. p. 486. 43. * Ent. S. I. II. p. 21. 37.

Crioc. triloba. * Fabr. Mant. I. p. 86. 1. * Sp. Ins. I. p. 149. 1. * Linn. S. Nat. Gmel. I. IV. p. 1718. 123.

nicolor. * Illig. Wied. Arch. I. II. p. 135. 30.

blonga. Nov. Sp. *a*).

ivida. *Crioc. livida.* * Herbst Arch. p. 165. 16. T. 44. f. 9. p. q.

Crypt. ochraceus. * Linn. Syst. Nat. Gmel. I. IV. p. 1725. 180.

ALLER. OBLONGA: elongata, supra flavo-grisea punctulata, btus cœrulea, femoribus nigro-lineatis, antennarum apice, tibiis rsisque fuscis.

Mas: Vertice thoraceque nigro-maculatis.

Femina: paulo major, vix maculata.

Habitat in India Orientali. *D. Kymell.*

Longitudo fere *G. Baccharidis* Fabr. sed angustior. Caput flavo-iseum nitidum. læve, fronte cruce impressa, canaliculo nempe a vere fere ad os, et striga transversa pone antennarum insertionem; vertice maris maculæ tres nigræ, media longiore; oculi magni nnei. Antennæ corpore paulo breviores, basi pallidæ, extrorn fuscæ. Thorax parvus brevissimus transversus, antice paulo ior, basi apiceque truncatus, undique tenue marginatus, supra pa convexus, flavo-griseus nitidus lævis, in medio transversim obre impressus; intra apicem in medio striga transversa nigra abviata; juxta marginem utrinque lineola parva tenuis, et paulo inus alia major obliqua; signaturæ istæ in mare evidentiores ni, in femina valde obsoletæ, vix observandæ. Scutellum triangu flavo-griseum læve. Elytra valde elongata, thorace multo lara, humeris gibbis, pone medium dilatata, apice rotundata, supra bdice convexa, flavo-grisea sub-nitida, creberrime punctulato-subgosa, margine summo apicis nigro. Alæ magnæ fuscæ. Thorax btus flavo-griseus lævis; pectus et abdomen cærulescentia sub-nila, griseo-pubescentia, subtiliter punctulata. Femora flavo-grisea, pra linea nigra; tibiæ et tarsi fuscescentes.

GYLLENH.

52. Coffeæ. *Chrys. Coffeæ.* * Hornst. Berl. Naturf. II. 1. p. 55. T. 1. f. 7.
Crypt. Coffeæ. * Linn. S. Nat. Gmel. I. IV. p. 1712. 248.

53. *Lineola.* * Fabr. S. El. I. p. 486. 44. * Ent. S. I. II. p. 21. 38.
* Payk. Fn. Sv. II. p. 90. 6.
* Panz. Ent. Germ. I. p. 173. 15.
Crioc. Lineola. * Fabr. Mant. I. p. 86. 2. * Sp. Ins. I. p. 149. 2.
* Linn. S. Nat. Gmel. I. IV. p. 1718. 114.
Chrys. grisea Alni, ♀. * DeGeer Ins. V. p. 325. 31. T. 9. f. 36.
Crioc. Capreæ. * Herbst Arch. p. 66. 2.
* Müll. Zool. Dan. Pr. p. 83. 908. *Galler. aquatica*, var.
var. β. * Payk. Fn. Sv. II. p. 90. 6. var. β.
Crioc. calmariensis. * Thunb. N. Acta Ups. V. p. 110. 41.

54. *Lythri.* Gyllenh.
Adimonia verna. * Laich. Tyr. Ins. I. I. p. 194.
Chrys. grisea Alni, ♂. * DeGeer Ins. V. p. 325. 30.
var. β. *Chrys. calmariensis.* * Linn. Syst. Nat. I. II. p. 600. 101.
Crioc. calmariensis. * Marsh. Ent. Br. I. p. 227. 11.

55. *Viburni.* * Payk. Fn. Sv. II. p. 89. 5.
Crioc. Viburni. * Marsh. Ent. Br. I. p. 224. 7.

56. *Nymphææ.* * Fabr. S. El. I. p. 486. 45. * Ent. S. I. II. p. 21. 39.
* Payk. Fn. Sv. II. p. 92. 10.
* Müll. Zool. D. Pr. I. p. 82. 907.
* Panz. Ent. Germ. I. p. 173. 16.
* Gedeth. Fn. Ingr. n. 199.
Crioc. Nymphææ. * Fabr. Mant. I. p. 86. 3. * Sp. Ins. I. p. 150. 3. * S. Ent. p. 118. 1.
* Marsh. Ent. Br. I. p. 224. 12.
Chrys. Nymphææ. * Linn. Fn. Sv. n. 565. * Syst. Nat. I. II. p. 600. 99.
* DeGeer Ins. V. p. 326. 31. T. 10. f. 1. 2.
Crypt. Nymphææ. * Linn. S. Nat. Gmel. I. IV. p. 1718. 125.
* Goeze Eur. Fn. VIII. p. 407. 7.
Müll. Linn. Nat. Syst. V. I. p. 195. 99.
Borowsk. Naturg. VI. p. 95. 11.
Schrank Fn. Boica I. p. 557. 687.
Mart. Eng. Ent. T. 17. f. 46.

apreæ. * Fabr. S. El. I. p. 487. 46. * Ent. S. I. II. p. 21. 40.
* Payk. Fn. Sv. II. p. 88. 4.
* Cederh. Fn. Ingr. n. 200.
* Panz. Ent. Germ. I. p. 173. 17.
* Müll. Zool. D. Pr. p. 83. 909.
Crioc. Capreæ. * Fabr. Mant. I. p. 86. 4. * Sp. Ins. I. p. 150. 4. * S. Ent. p. 118. 2.
* Marsh. Ent. Br. I. p. 225. 14.
* Ross. Mant. I. p. 35. 85. * ed. Hellw. I. p. 372.
Chrys. Capreæ. * Linn. Fn. Sv. n. 566. * S. Nat. I. II. p. 600. 100.
* Brahm Ins. Kal. I. p. 97. 326.
* Bechst. & Scharfenb. Forstinsect. I. p. 147. 25. Gleditsch Einleit. II. p. 61. 88.
Chrys. griseo-nitida. * DeGeer Ins. V. p. 325. 29. T. 9. f. 35 ?
Crioc. pallida. * Herbst Arch. p. 66. 5.?
Crypt. pallescens. * Linn. S. Nat. Gmel. I. IV. p. 1724. 177.
Chrys. longicornis. * Linn. S. Nat. Gmel. I. IV. p. 1688. 181.
Crypt. Capreæ. * Linn. S. Nat. Gmel. I. IV. p. 1718. 126.
* Goeze Eur. Fn. VIII. p. 409. 8.
Adimonia Capreæ. Schrank Fn. Boica 557.
Adimonia polygonata. * Laich. Tyr. Ins. I. I. p. 193. 3.
* Geoffr. Ins. I. p. 254. 4. *Galleruca.*
Acta Ups. 1736. p. 19. 6.
Müll. Linn. Nat. Syst. V. I. p. 196. 100.
Bechst. Naturg. I. II. p. 845. 6.
Mart. Eng. Ent. T. 17. f. 45.
ır. β. * Payk. Fn. Sv. II. p. 89. 4. var. β.
Tumida. Nov. Sp. *b*)

ALLER. TUMIDA: nigra, ore incrassato, thorace brevi, postice gustiore, elytrisque pallide testaceis, abdomine tumido rufo-piceo. Habitat ad Cap. b. Spei. *D. Grōndal.*

Magnitudo & fere statura *Gall. Capreæ.* Caput magnum crassum rum nitidum læve, inter oculos striga transversa impressum; in fronte er antennas macula elevata, sub-cordata, rufo-picea; margo anus supra os elevatus, incrassatus; labrum & os testacea. Antendimidio corpore longiores, nigræ, articulo primo magno, obcoo, basi testaceo. Thorax brevis transversus, undique tenue maratus, antice multo latior, sub-emarginatus, angulis deflexis protis acuminatis, caput ambientibus lateris obliquis, basi truncatus, gulis obtusis; supra modice convexus, flavescenti vel griseo-te

59. . ienniæ. * Fabr. S. El. I. p. 487. 47. * Ent. S. I. II. p. 18. 24.

60. Ruficauda. * Fabr. S. El. I. p. 487. 48. * Ent. S. I. II. p. 18. 23.

— (*Vitellinæ.*) * Fabr. S. El. I. p. 487. 49. — vid. *Chrys. Vitellinæ.* p. 266. 138. huj. Op.

61. *Lactucæ.* c) * Fabr. S. El. I. p. 487. 50. * Ent. S. I. II. p. 18. 25.
* Panz. Ent. Germ. I. p. 172. 10.
Chrys. Lactucæ. * Fabr. Mant. I. p. 75. 105.
Chrys. dresdensis. * Linn. S. Nat. Gmel. I. IV. p. 1671. 91.

62. Palliata. * Fabr. S. El. I. p. 488. 51. * Ent. S. I. p. 22. 4.
Crioc. palliata. * Fabr. Mant. I. p. 87. 6.
* Hübn. Naturf. XXIV. p. 44. 9. T. 2. f. 12.
Chrys. palliata. * Schall. Acta Hal. I. p. 279.
Crypt. palliatus. * Linn. S. Nat. Gmel. I. IV. p. 1718. 128.

63. Orientalis. d) *Chrys. orientalis.* * Hornst. Berl. Mag. I. II. p. 5. 6. T. I. f. 3.
Crypt. orientalis. * Linn. S. Nat. Gmel. I. IV. p. 1712. 249.

64. Humeralis. * Web. Obs. Ent. I. p. 56. 5.

65. Ænipennis. * Illig. Wiedem. Arch. I. II. p. 134. 8.

66. Limbata. * Illig. Wiedem. Arch. I. II. p. 134. 8.

67. *Calmariensis.* * Fabr. S. El. I. p. 488. 52. * Ent. S. I. II. p. 23. 46.
* Latr. Gen. Cr. & Ins. III. p. 62. 2.
Crioc. calmariensis. * Fabr. Mant. I. p. 87. 7. * Syst. Ins. I. p. 150. 6. * S. Ent. p. 119. 4.
* Herbst Arch. p. 66. 3.
* Ross. Fn. Etr. I. p. 103. 264. * ed. Hellw. I. p. 110. 264.
* Thunb. N. Acta Ups. V. p. 93. 10.
* Panz. Ent. Germ. I. p. 173. 18.
* Linn. S. Nat. Gmel. I. IV. p. 1719. 129.

---

ceus nitidus, fere lævis, vel obsoletissime punctulatus, foveola ... soleta utrinque impressus. Scutellum triangulare nigro-piceum læ... Elytra ovata, thoracis basi latiora, posterius dilatata, apice obs... rotundata, supra modice convexa, pallide testacea, parum niti... confertissime punctulata. Thorax subtus et pectus nigra, sub-niti... crebre punctulata; abdomen feminæ, valde dilatatum, tumidum, ... fo-piceum, læve, opacum, segmento ani triangulo, supra pall... Pedes crassiusculi nigri, cinereo-pubescentes. GYLLENH.

c) Wahrscheinlich *Disperis ancea.* teste *D.* Illig.

d) An a præcedenti diversa?



Galler. Ulmi. Oliv. Enc. Meth. VI. p. 589.
Latr. Hist. N. d. Cr. & d. Ins. XI. p. 398.
Chrys. xanthomelæna. * Schrank Enum. p. 78. 145.
* Geoffr. Ins. I. p. 253. 3. *Galeruca.*
r. β. *Galler. calmariensis.* * Payk. Fn. Sv. II. p. 90. 80.
Galler. aquatica. * Müll. Zool. D. Pr. n. 908.
* Linn. S. Nat. Gmel. I. IV. p. 1725. 186.
lorio. * Fabr. S. El. I. p. 488. 53. * Ent. S. I. II. p. 23. 48.
Crioc. Morio. * Fabr. Mant. I. p. 87. 9. * Sp. Ins. I. p. 151. 8.
Crypt. capensis. * Linn. S. Nat. Gmel. I. IV. p. 1719. 131.
anguinea. * Fabr. S. El. I. p. 488. 54. * Ent. S. I. II. p. 23. 49.
* Payk. Fn. Sv. II. p. 94. 9.
* Panz. Ent. Germ. I. p. 174. 19.
Crioc. sanguinea. * Fabr. Mant. I. p. 87. 10. * Sp. Ins. I. p. 151. 9. * S. Ent. p. 119. 5.
* Ross. Fn. Etr. I. p. 105. 267. * ed. Hellw. I. p. 111. 267.
* Linn. S. Nat. Gmel. I. IV. p. 1719. 132.
* Geoffr. Ins. I. p. 253. 2.
Mart. Eng. Ent. T. 14. f. 4.
r. β. *Gall. sanguinea.* * Payk. Fn. Sv. II. p. 94. 9. var.
Crioc. Cratægi. * Marsh. Ent. Br. I. p. 228. 23.
Chrys. Cratægi. * Forst. Cent. I. p. 28. 28.
* Linn. S. Nat. Gmel. I. IV. p. 1724. 174.

arginella. * Fabr. S. El. I. p. 488. 55.
otata. * Fabr. S. El. I. p. 488. 56.
otulata. * Fabr. S. El. I. p. 489. 57.
aura. * Fabr. S. El. I. p. 489. 58.
mericana. * Fabr. S. El. I. p. 489. 59.
tomaria. * Fabr. Syst. El. I. p. 490. 60.
elatinariæ. * Fabr. S. El. I. p. 490. 61.
* Illig. Mag. I. p. 424. 61.
iliginosa. *e)* * Linn. S. Nat. Gmel. I. IV. p. 1688. 284.
Chrys. obscura. * DeGeer Ins. V. p. 354. 8. T. 16. f. 15.
enella. * Fabr. S. El. I. p. 490. 62. * Ent. S. I. II. p. 23. 50.
* Payk. Fn. Sv. II. p. 93. 10.
* Cederh. Fn. Ingr. n. 201.
* Panz. Ent. Germ. I. p. 174. 22.

---

rte idem ac præcedens?

Crioc. tenella. * Fabr. Mant. I. p. 87. 11.
Ins. I. p. 151. 10. * S. Ent. p. 119. 6
* Ross. Fn. Etr. I. p. 105. 268. * ed. I
I. p. 111. 268.
* Linn. S. Nat. Gmel. I. IV. p. 1719. 13
Chrys. tenella. * Linn. Fn. Sv. n. 564. * S
I. II. p. 600. 102.
Auchen. tenella. * Marsh. Ent. Br. I. p. 21
Crioc. parva. * Herbst Arch. p. 66. 4.
* Linn. S. Nat. Gmel. I. IV. p. 1724. 1
Mart. Eng. Ent. T. 16. f. 34.

79. Hæmorrhoidalis. * Fabr. S. El. I. p. 490. 63.

80. Histrionica. * Fabr. S. El. I. p. 490. 64.
Galler. picta. * Fabr. Ent. S. I. II. p. 23. 5
Crioc. picta. * Fabr. Mant. I. p. 87. 12.
* Linn. S. Nat. Gmel. I. IV. p. 1719. 13

81. Varicornis. * Fabr. S. El. I. p. 491. 65.

82. Brevipennis. Illig.
Meloë marginata. * Fabr. S. El. II. p. 5
* Ent. S. I. II. p. 518. 3. * Mant. I.
3. * Sp. Ins. I. p. 328. 3.
* Illig. Mag. IV. p. 168. 5.
* Oliv. Ent. III. 45. p. 7. 5. T. 1. f. 3.
* Panz. Ent. Germ. I. p. 351. 3.
* Linn. S. Nat. Gmel. I. IV. p. 2017.
Vill. Ent. I. p. 405. 13.

Species dubiæ.

83. Impressa. *Crioc. impressa.* * Marsh. Ent. I
p. 226. 16.

84. Angulosa. *Crioc. angulosa.* * Marsh. Ent. I
p. 228. 24.

Saltatoriæ.

Vide genus *Haltica.*

N:o 112. HALTICA. f)

1. Stolida. Nov. Sp. g).

---

f) Omnes *Colaspides*, *Chrysomelas*, *Criocerides* et *Gallerucas* saltatoriis præditas sub genere *Halticæ* conjunctas proponere lum feci ad rationes *Cel. Illigeri* ab Ipso in Mag. I. p. 416 ex In optatis mihi fuit species hujus generis dispescere: *Elytr tato-striatis* et *vage punctatis*; non paucæ tamen *Halticæ* A supersunt, quarum cognitio adhuc me latet.

g) HALTICA STOLIDA: pallida, subtus rufa, elytris lint decim cum dimidiatis duabus punctatis.



4. Saliciens. *Colaspis saliciens.* * Fabr. S. El. I. p. 417. 25.
5. Gibba. *Colaspis gibba.* * Fabr. S. El. I. p. 417. 26.
Galler. gibba. * Fabr. Suppl. p. 99. 72—73.
6. Quercata. *Colasp. quercata.* * Fabr. S. El. I. p. 417. 27.
var. β. * Fabr. S. El. l. c. var. β.
7. Discoïdea. *Chrys. discoïdea.* * Fabr. S. El. I. p. 445. 140.
Galler. discoïdea. * Fabr. Ent. S. I. II. p. 25. 56.
8. Javanica. *Chrys. javanica.* * Fabr. S. El. I. p. 445. 141.
9. Picta. *Chrys. picta.* * Fabr. S. El. I. p. 446. 142.
Galler. picta. * Fabr. Ent. S. I. II. p. 26. 63.
10. Æstuans. *Chrys. æstuans.* * Fabr. S. El. I. p. 446. 143.
Galler. æstuans. * Fabr. Ent. S. I. II. p. 27. 70.
11. Calida. *Chrys. calida.* * Fabr. S. El. I. p. 446. 144.
Galler. calida. * Fabr. Ent. S. I. II. p. 28. 72.
12. Indica. *Chrys. indica.* * Fabr. S. El. I. p. 446. 145.
Galler. indica. * Fabr. Suppl. p. 98. 71—72.
13. Varicornis. *Chrys. varicornis.* * Fabr. S. El. I. p. 446. 146.
14. Fulvicollis. *Chrys. fulvicollis.* * Fabr. S. El. I. p. 446. 147. * Mant. I. p. 77. 128. * Sp. Ins. I. p. 133. 96.
* Linn. S. Nat. Gmel. I. IV. p. 1692. 207.
Galler. fulvicollis. * Fabr. Ent. S. I. II. p. 29. 77.
15. *Napi.* * Entom. Hefte II. p. 30. 12.
* Panz. Ent. Germ. I. p. 176. 3.
* Dict. d. Sciences Nat. I. p. 527. 17.
Chrys. Napi. * Fabr. S. El. I. p. 446. 148.
Galler. Napi. * Fabr. Ent. S. I. II. p. 29. 78.
Chrys. Hyoscyami. * Marsh. Ent. Br. I. p. 199. 55.
Galler. Hyoscyami. * Payk. Fn. Sv. II. p. 105. 25. var. β.
16. Dulcamaræ. * Entom. Hefte II. p. 24. 9. T. 2. f. 5.
17. *Hyoscyami.* * Entom. Hefte II. p. 27. 10 T. 2. f. 6.
* Fabr. S. Ent. p. 113. 5.

Habitat in Capite bon. Spei.

Magnitudine omnibus notis sui generis superat, omnino *Chrys. fastuosæ*, ovata tota glabra, convexa; supra pallida, elytris unicoloribus vel variegatis; subtus rufo-brunnea. Caput retractum fere ut in *Cryptocephalis*, læve, oculis nigris. Antennæ extus sensim crassiores nigræ, basi rufæ. Thorax convexus, lævis, lateribus marginatus. Elytra convexa, submarginata; singulum punctorum impressorum seriebus novem et unica abbreviata juxta suturam. Pectus flavum. Abdomen et pedes brunnea. Femora postica incrassata.

var. α. tota supra flava.

var. β. Elytra luteis linea in singulo duplici brunnea, apicem non attingente.

var. γ. Elytris brunneis maculis minutissimis flavis sparsis, versus marginem majoribus. THUNBERG.

* Panz. Ent. Germ. I. p. 176. 4.
* Hoppe Taschenb. 1797. p. 171. 2.
* Laich. Tyr. Ins. I. I. p. 196. 1.
* Dict. d. Sciences Nat. I. p. 529. 26?
Chrys. Hyoscyami. * Fabr. S. El. I. p. 447. 148.
* Mant. I. p. 77. 129. * Sp. Ins. I. p. 135. 97.
* Linn. Fn. Sv. n. 536. * Syst. Nat. I. II. p. 594. 54. * ed. Gmel. I. IV. p. 1693. 54.
* DeGeer Ins. V. p. 345. 51.
* Ross. Fn. Etr. I. p. 84. 213. * ed. Hoffm. I. p. 88. 213.
* Schrank Enum. p. 85. 161. — Fn. Boica II. p. 562. 701.
* Marsh. Ent. Br. I. p. 193. 55.
* Brahm Ins. Kal. I. p. 31. 106.
Vill. Ent. I. p. 139. 75.
Galler. Hyoscyami. * Fabr. Ent. S. I. II. p. 29. 7.
* Payk. Fn. Sv. II. p. 104. 25. *a.*
* Cederh. Fn. Ingr. n. 204.
Müll. Linn. Nat. Syst. V. I. p. 181. 54.
Bechst. Naturg. I. II. p. 843. 13.
Acta Ups. 1736. p. 18. 5.
Ray Ins. p. 98. 9.
Mart. Engl. Ent. T. 14. f. 15.

16. Cuprea. * Entom. Hefte II. p. 28. 11. T. 2. f. 1.

17. *Chrysocephala.* * Entom. Hefte II. p. 31. 13. Tab. 2. f. 2.
* Müll. Zool. Dan. Pr. p. 84. 920.
* Dict. d. Sciences Nat. I. p. 528. 20.
Chrys. chrysocephala. * Linn. Fn. Sv. n. 535. * Syst. Nat. I. II. p. 594. 53. * ed. Gmel. I. IV. p. 1693. 53.
* Scop. Ent. Carn. n. 213.
* Marsh. Ent. Br. I. p. 193. 54.
Vill. Ent. I. p. 139. 74.
Altica Napi. * Panz. Fn. G. XXI. 3. * Kr. Rev. I. p. 75.

18. Rufilabris. * Entom. Hefte II. p. 33. 14. T. 2. f. 3.
Chrys. Hyoscyami. * Herbst Arch. p. 60. 47.

19. Nigripes. * Fabr. S. Ent. p. 113. 6.
* Panz. Ent. Germ.. I. p. 177. 5.
* Dict. d. Sciences Nat. I. p. 530. 27.
Chrys. nigripes. * Fabr. S. El. I. p. 447. 150. * Mant. I. p. 77. 130. * Sp. Ins. I. p. 133. 98.
* Linn. S. Nat. Gmel. I. IV. p. 1695. 220.
Galler. nigripes. * Fabr. Ent. S. I. II. p. 29. 8.
* Cederh. Fn. Ingr. n. 205.
Chrys. ovalis. * Linn. S. Nat. Gmel. I. IV. p. 1698. 24.
* Geoffr. Ins. I. p. 246. 5. *Altica.*



litidula. * Entom. Hefte II. p. 13. 3.
* Fabr. Syst. Ent. p. 113. 7.
* Panz. Ent. Germ. I. p. 177. 6.
* Preysl. Böhm. Ins. I. p. 91. 86.
* Dict. d. Sciences Nat. I. p. 530. 30.
Chrys. nitidula. * Fabr. S. El. I. p. 447. 151.
* Mant. I. p. 77. 131. * Sp. Ins. I. p. 134. 99.
* Linn. Fn. Sv. n. 542. * S. Nat. I. II. p. 594. 60. * ed. Gmel. I. IV. p. 1694. 60.
* DeGeer Ins. V. p. 346. 54.
* Ross. Fn. Etr I. p. 86. 219. * ed. Hellw. I. p. 90. 219.
* Herbst Arch. p. 60. 48.
* Goeze Eur. Fn. VIII. p. 394. 3.
* Bechst. & Scharfenb. Forstinsect. I. p. 140. 16.
* Brahm. Ins. Kal. I. p. 134. 458.
Gleditsch Einl. II. p. 90. 36.
* Marsh. Ent. Br. I. p. 195. 60.
* Schrank Enum. p. 86. 163. — Fn. Boica I. II. p. 561. 700.
Vill. Ent. I. p. 141. 81.
Galler. nitidula. * Fabr. Ent. S. I. II. p. 30. 81.
* Payk. Fn. Sv. II. p. 105. 26.
* Schæff. Icon. T. 166. f. 5. a. b.
Harrer. Beschr. n. 260. ed. 2da n. 134.
Müll. Linn. Nat. Syst. V. I. p. 183. 6.
Donov. Brit. Ins. T. 273.
Mart. Eng. Ent. T. 14. f. 14.

Helxines. * Entom. Hefte II. p. 15. 4. var. a.
ar. β. Entom. Hefte l. c. var. b.
Chrys. aurata. * Marsh. Ent. Br. I. p. 195. 59.
ar. γ. Entom. Hefte l. c. var. c.
* Geoffr. Ins. I. p. 249. 13.
ar. δ. Entom. Hefte l. c. var. d.
ar. ε. Entom. Hefte l. c. var. e.
Galler. Helxines. * Payk. Fn. Sv. II. p. 107. 27. var. β.
ar. ζ. * Entom. Hefte l. c. var. f.
Chrys. fulvicornis. * Fabr. S. El. I. p. 447. 153.
Galler. fulvicornis. * Fabr. Ent. S. I. II. p. 30. 83.
Alt. fulvicornis. * Panz. Ent. Germ. I. p. 368. 7—8.
* Dict. des Sciences Nat. I. p. 530. 28.
Chrys. Helxines, var. β. * Marsh. Ent. Br. I. p. 195. 58. β.
Chrys. viridi-aurata. * DeGeer Ins. V. p. 345. 52.
* Geoffr. Ins. I. p. 249. 14.
ar. η. * Entom. Hefte l. c. var. g.
Galler. Helxines. * Payk. Fn. Sv. II. p. 107. 27. var. δ.

var. θ. * Entom. Hefte l. c. var. h.
var. ι. * Entom. Hefte l. c. var. i.
Galler. Helxines. * Payk. Fn. Sv. II. p. 106.
* Fabr. Ent. S. I. II. p. 30. 82.
Altica Helxines. * Panz. Fn. G. XXI. 6. *
G. I. p. 177. 7. * Kr. Rev. d. Ins. Fn. I.
* Fabr. S. Ent. p. 113. 8.
* O. Fabr. Fn. Groenl. p. 186. 134.
* Müll. Zool. D. Pr. p. 85. 929.
* Dict. d. Sciences Nat. I. p. 530. 29.
Chrys. Helxines. * Fabr. S. El. I. p. 447.
Mant. I. p. 77. 132. * Sp. Ins. I. p.
* Illig. Mag. I. p. 418. 152.
* Linn. Fn. Sv. n. 540. ? * Syst. Nat. I.
594. 58. ? * ed. Gmel. I. IV. p. 1694.
* Ross. Fn. Etr. I. p. 85. 216. * ed. Hel
p. 89. 216.
* Marsh. Ent. Br. I. p. 194. 58.
* Schrank-En. Ins. II. p. 84. 158.
var. κ. * Entom. Hefte l. c. var. k.
Chrys. viridi-cærulea. * DeGeer Ins. V. p.
Chrys. cærulescens. * Linn. S. Nat. Gmel.
p. 1698. 239.
var. λ. * Entom. Hefte l. c. var. l.
* Geoffr. Ins. I. p. 248. 11.
var. μ. * Payk. Fn. Sv. II. p. 107. 27. var. γ
Chrys. violaceo-punctata. * DeGeer Ins. V.
* Ross. Mant. I. p. 32. 79. * ed. Hel
369. 79.
Chrys. cyano-picta. * Linn. S. Nat. Gmel.
p. 1698. 240.
Chrys. cyanea. * Marsh. Ent. Br. I. p. 196.
22. Trifasciata. * Fabr. S. Ent. p. 113. 9.
* Panz. Ent. Germ. I. p. 177. 8.
Chrys. trifasciata. * Fabr. S. El. I. p. 447.
* Mant. I. p. 77. 133. * Sp. Ins.
134. 101.
* Linn. S. Nat. I. II. p. 594. 61. * ed.
I. IV. p. 1694. 61.
Galler. trifasciata. * Fabr. Ent. S. I. II. p.
23. *Modeeri.* * Entom. Hefte II. p. 47. 24.
* Panz. Fn. G. XXI. 7. * Ent. Germ. I. p.
* Dict. d. Sciences Nat. I. p. 531.
Chrys. Modeeri. * Fabr. S. El. I. p. 44
* Mant. I. p. 77. 134. * Sp. Ins. I. p.

---

b) supra atra "lege": supra albida.

* Linn. Fn. Sv. n. 539. * Syst. Nat. I. II. p. 594. 57. * ed. Gmel. I. IV. p. 1694. 57.
* Ross. Mant. II. p. 90. 37.
* Petagn. Ins. Cal. p. 10. 47.
* Marsh. Ent. Br. I. p. 194. 56.
Vill. Ent. I. p. 140. 78.
Galler. Modeeri. * Fabr. Ent. S. I. II. p. 30. 85.
* Payk. Fn. Sv. II. p. 110. 33.
* Cederh. Fn. Ingr. n. 206.

hrysanthemi. * Entom. Heſte II. p. 45. 23.
Chrys. pedicularia. * Herbst Arch. p. 61. 54.?
* Linn. S. Nat. Gmel. I. IV. p. 1697. 229.?

emiænea. * Entom. Heſte II. p. 43. 22.
* Panz. Ent. Germ. I. p. 177. 10.
* Dict. d. Sciences Nat. I. p. 531.
Chrys. semiænea. * Fabr. S. El. I. p. 448. 156.
* Marsh. Ent. Br. I. p. 194. 57.
Galler. semiænea. * Fabr. Ent. S. I. II. p. 30. 86.
* Payk. Fn. Sv. II. p. 109. 32.
Chrys. rustica. * Linn. S. Nat. I. II. p. 595. 63.?
* ed. Gmel. I. IV. p. 1695. 63.?

ttenuata. * Entom. Heſte II. p. 34. 15. T. 2. f. 10.

rythrocephala. * Fabr. S. Ent. p. 114. 10.
* Panz. Ent. Germ. I. p. 178. 11.
* Dict. d. Sciences Nat. I. p. 527. 19.
Chrys. erythrocephala. * Fabr. S. El. I. p. 448. 157.
* Mant. I. p. 77. 135. * Sp. Ins. I. p. 134. 103.
* Linn. Fn. Sv. n. 538. * Syst. Nat. I. II. p. 594. 56. * ed. Gmel. I. IV. p. 1693. 56.
* Ross. Fn. Etr. I. p. 85. 215. * ed. Hellw. I. p. 89. 215.

elicta. *Chrys. relicta.* * Fabr. S. El. I. p. 448. 158.
Galler. dimidiata. * Fabr. Suppl. p. 99. 93—94.

estacea. * Entom. Heſte II. p. 50. 27.
* Latr. Gen. Cr. & Ins. III. p. 64.
* Fabr. S. Ent. p. 114. 16.
* Panz. Ent. Germ. I. p. 180. 21. * Fn. Germ. XXI. 13.
* Dict. d. Sciences Nat. I. p. 528. 1.
Chrys. testacea. * Fabr. S. El. I. p. 448. 159. * Mant. I. p. 77. 142. * Sp. Ins. I. p. 139. 110.
* Linn. S. Nat. Gmel. I. IV. p. 1696. 225.
* Marsh. Ent. Br. I. p. 202. 81.
Galler. testacea. * Fabr. Ent. S. I. II. p. 33. 99.
* Payk. Fn. Sv. II. p. 108. 30.

* Ross. Fn. Etr. I. p. 88. 222. * ed. Helw. I. p. 91. 222.
Alt. voluta. * Laich. Tyr. Ins. I. I. p. 196. 1. fo[r]te pullus.
* Geoffr. Ins. I. p. 250. 17. *Altica.*
* Schæff. Icon. T. 216. f. 4. a. b.
Harrer Beschr. n. 256. ed. 2:a n. 135.

30. Globosa. *Chrys. globosa.* * Fabr. S. El. I. p. 46[3]. 6[5].
31. Ephippium. *Crioc. ephippium.* * Fabr. S. El. I. p. [4]63. [6]7.
32. Emarginata. *Crioc. emarginata.* * Fabr. S. El. I. p. 463. 66.
33. Collata. *Crioc. collata.* * Fabr. S. El. I. p. 463. 68.
— (*Fulvipes.*) *Crioc. fulvipes.* * Fabr. S. El. I. p. 463. 68. — vid. *Halt. fuscicornis*, n. 34. huj. Op.
34. *Fuscicornis.* * Entom. Hefte II. p. 51. 28.
Chrys. fuscicornis. * Linn. S. Nat. I. II. p. 1[0]66. * ed. Gmel. I. IV. p. 1696. 66.
* Hornst. Berl. Naturf. II. I. p. 8. 9. T. I. f. 2.
* Schrank En. Ins. p. 86. 162.
Crioc. fulvipes. * Fabr. S. El. I. p. 463. 68.
Galler. rufipes. * Fabr. Ent. S. I. II. p. 3[1]. 3[1].
* Payk. Fn. Sv. II. p. 97. 14.
* Cederh. Fn. Ingr. n. 208.
Chrys. rufipes. * Fabr. Mant. I. p. 77. 14[1]. * Ins. I. p. 135. 108.
* DeGeer Ins. V. p. 343. 47. T. 10. f. 12.
* Marsh. Ent. Br. I. p. 198. 68.
Altica rufipes. * Fabr. S. Ent. p. 114. 14.
* Panz. Fn. G. XXI. 10. * Ent. Germ. I. p. 17. * Kr. Rev. d. Ins. Fn. I. p. 79.
* Laich. Tyr. Ins. I. I. p. 199. 4.
* Dict. d. Sciences Nat. I. p. 528. 22. Schrank Fn. Boica I. II. p. 560. 694.
* Geoffr. Ins. I. p. 245. 2. *Altica.*

35. *Fuscipes.* * Entom. Hefte II. p. 10. 1.
* Fabr. S. Ent. p. 114. 15.
* Panz. Fn. G. XXI. 11. * Ent. Germ. I. p. 1[7]. * Kr. Rev. d. Ins. Fn. I. p. 80.
* Dict. d. Sciences Nat. I. p. 528. 23.
Crioc. fuscipes. * Fabr. S. El. I. p. 464.
* Coqueb. Illustr. Ins. III. p. 12[4]. T. [2]. f. [3].
Galler. fuscipes. * Fabr. Ent. S. I. II. p. 3[2].
* Payk. Fn. Sv. II. p. 107. 28.
* Cederh. Fn. Ingr. n. 209.
Chrys. fuscipes. * Fabr. Mant. I. p. 77. 141. Ins. I. p. 135. 109.

* Ross. Fn. Etr. I. p. 86. 218. * ed. Hellw. I. p. 90. 218.
* Marsh. Ent. Br. I. p. 199. 69.
* Linn. S. Nat. Gmel. I. IV. p. 1696. 224.
Altica nitidula. * Laich. Tyr. Ins. I. I. p. 200. 5.
Chrys. versicolor. * Linn. S. Nat. Gmel. I. IV. p. 1698. 244.
* Geoffr. Ins. I. p. 245. 3. *Altica.*
ruficornis.) *Crioc. ruficornis.* * Fabr. S. El. I. p. 464. 70. — vid. *Halt. rufipes*, n. 36. huj. Op.
ufipes. * Entom. Hefte II. p. 11. 2.
* Müll. Zool. Dan. Pr. p. 931.
* Thunb. N. Acta Ups. V. p. 112. 44.
Chrys. rufipes. * Linn. Fn. Sv. n. 545. * Syst. Nat. I. II. p. 595. 65. * ed. Gmel. I. IV. p. 1695. 65.
* Ross. Fn. Etr. I. p. 86. 217. * ed. Helw. I. p. 90. 217.
* Fuessl. Verz. p. 9. 152.
* Scop. Ent. Carn. n. 214.
Crioc. ruficornis. * Fabr. S. El. I. p. 464. 70.
Galler. ruficornis. * Fabr. Ent. S. I. II. p. 32. 96.
* Payk. Fn. Sv. II. p. 108. 29.
Chrys. ruficornis. * Marsh. Ent. Br. I. p. 199. 70.
Altica ruficornis. * Panz. Fn. G. XXI. 12. * Ent. Germ. I. p. 179. 19. * Kr. Rev. d. Ins. I. p. 80.
* Dict. d. Sciences Nat. I. p. 529. 24.
Altica Malvæ. Schrank Fn. Boica I. II. 563. 705.
Chrys. cæruleo-striata. * DeGeer Ins. V. p. 343. 48.
Chrys. striata. * Linn. S. Nat. Gmel. I. IV. p. 1698. 241.
r. β. Eadem, sed femora nigra. Vix species distincta. Habitat in Lapponia, *D. Grape.*
nglica. * Fabr. S. Ent. p. 114. 12.
* Dict. d. Sciences Nat. I. p. 524. 8.
Crioc. anglica. * Fabr. S. El. I. p. 464. 71.
Galler. anglica. * Fabr. Ent. S. I. II. p. 32. 92.
Chrys. anglica. * Fabr. Mant. I. p. 77. 138. * Sp. Ins. I. p. 135. 106.
* Linn. S. Nat. Gmel. I. IV. p. 1693. 218.
uadripustulata. * Entom. Hefte II. p. 73. 43. T. 3. f. 5.
Galler. 4-pustulata. * Payk. Fn. Sv. II. p. 99. 17.
Chrys. 4-pustulata. * Marsh. Ent. Br. I. p. 198. 67.
Chrys. exclamationis. * Thunb. N. Acta Ups. IV. p. 14. 23.
* Linn. Syst. Nat. Gmel. I. IV. p. 1697. 227.

Chrys. 4-guttata. * Pontopp. Nachricht. p. [illegible] 23. T. 16.
Chrys. 4-notata. * Linn. S. Nat. Gmel. I. [illegible] p. 1697. 234.

39. Quadripustulata. * Fabr. S. Ent. p. [illegible]
Crioc. 4-pustulata. * Fabr. S. El. I. p. 464.
Galler. 4-pustulata. * Fabr. Ent. S. I. II. p. [illegible]
Chrys. 4-pustulata. * Fabr. Mant. I. p. 77. * Sp. Ins. I. p. 135. 107.
* Linn. S. Nat. Gmel. I. IV. p. 1693. [illegible]
Altica 4-guttata. * Müll. Zool. Dan. Pr. n. 948.
* Geoffr. Ins. I. p. 250. 15. *Altica.*

40. Bipustulata. *Crioc. bipustulata.* * Fabr. S. El. I. 464. 73.

41. S littera. * Fabr. S. Ent. p. 116. 24.
Crioc. S littera. * Fabr. S. El. I. p. 464. 74.
Galler. S littera. * Fabr. Ent. S. I. II. p. [illegible]
Chrys. S littera. * Fabr. Mant. I. p. 78. 156. * Ins. I. p. 137. 118.
* Linn. S. Nat. I. II. p. 595. 70. * ed. Gm. IV. p. 1696. 70.
* DeGeer Ins. V. p. 357. 13. T. 16. f. [illegible]

42. Armoraciæ. * Entom. Hefte II. p. 75. [illegible] 3. f. 6.

43. Jaceæ. * Panz. Fn. Germ. XCIX. 7.

44. *Atricilla.* * Entom. Hefte II. p. 86. 49.
* Fabr. S. Ent. p. 114. 11.
Crioc. atricilla. * Fabr. S. El. I. p. 465. 75.
* Coquebert. Illustr. Ins. III. p. 124. T. [illegible]
* Illig. Mag. I. p. 420. 75.
Galler. atricilla. * Fabr. Ent. S. I. II. p. [illegible]
* Payk. Fn. Sv. II. p. 103. 23. var. β.
Chrys. atricilla. * Fabr. Mant. I. p. 77. 136. * Ins. I. p. 135. 104.
* Linn. Fn. Sv. n. 537. * Syst. Nat. I. [illegible] 594. 55. * ed. Gmel. I. IV. p. 1693. [illegible]
* Scop. Ent. Carn. n. 217.
* Marsh. Ent. Br. I. p. 200. 74.
* Schrank Enum. p. 83. 156.
Chrys. melanocephala. * DeGeer Ins. V. p. 34[illegible]
* Geoffr. Ins. I. p. 251. 19. *Altica.*
var. β. * Ent. Hefte, var. l. c. — nuper exclusa.
Galler. atricilla. * Payk. Fn. Sv. II. p. 102. [illegible]
Alt. atricilla. * Dict. d. Sciences Nat. I. p. [illegible]
Alt. tabida. * Panz. Fn. Germ. XXI. 15? * Rev. d. Ins. Fn. I. p. 85.
Chrys. tabida. * Ross. Fn. Etr. I. p. 88. 224.? Hellw. I. p. 91. 224?

Alt. Cerinthes. Schrank Fn. Boica I. II. p. 562. 704.
Chrys. femoralis. * Marsh. Ent Br. I. p. 201. 76. forte. — Species dist. videtur. Affinis *Halt. tabida*, teste D. Gyllenh.
elanocephala. Gyllenh. — Spec. dist. videtur.
Chrys. exoleta. * Marsh. Ent. Br. I. p. 201. 75.
isymbrii. *Crioc. Sisymbrii.* * Fabr. S. El. I. p. 465. 76.
Galler. Sisymbrii. * Fabr. Ent. S. I. II. p. 31. 88.
Altica Sisymbrii. * Panz. Ent. Germ. I. p. 178. 12. * Dict. d. Sciences Nat. I. p. 533. 34.
Chrys. Thapsi. * Marsh. Ent. Br. I. p. 202. 79.
erbasci. * Entom. Hefte II. p. 84. 48. T. 3. f. 8. b.
* Panz. Fn. Germ. XXI. 17. * Ent. Germ. I. p. 178. 13. * Kr. Rev. d. Ins. Fn. I. p. 87.
Chrys. Verbasci. * Marsh. Ent. Br. I. p. 202. 78.
Chrys. dorsalis. * Ross. Mant. I. p. 32. 80? * ed. Hellw. I. p. 369. 80.?
ar. β. * Entom. Hefte l. c. var. b.
Alt. tabida. Schrank Fn. Boica I. p. 562. 703.?
yparissiæ. * Entom. Hefte II. p. 80. 47. T. 3. f. 8. a.
* Geoffr. Ins. I. p. 250. 18. *Altica.*
* Schæff. Elem. Tab. 16.?
Nasturtii.) *Crioc. Nasturtii.* * Fabr. S. El. I. p. 465. 77. — vid. *Halt. pratensis*, n. 50. huj. Op.
Albella. * Dumeril Dict. d. Sciences Natur. I. p. 524. 7.
Pratensis. * Entom. Hefte II. p. 88. 50.
* Panz. Fn. Germ. XXI. 16. * Ent. Germ. I. p. 180. 25. * Kr. Rev. d. Ins. Fn. I. p. 86.
ar. β. Entom. Hefte II. p. 88. 50. var. b. T. 3. f. 9.
Crioc. Nasturtii. * Fabr. S. El. I. p. 465. 77.
Galler. Nasturtii. * Fabr. Ent. S. I. II. p. 31. 90. * Cederh. Fn. Ingr. n. 207.
Altica Nasturtii. * Panz. Ent. Germ. I. p. 178. 15.
Galler. atricilla. * Payk. Fn. Sv. II. p. 103. 23. var. γ.
Chrys. suturalis. * Marsh. Ent. Br. I. p. 201. 77.
urida. Chrys. lurida. * Ross. Fn. Etr. I. p. 89. 226. * ed. Hellw. I. p. 92. 226.
* Scop. Ent. Carn. n. 219.
* Dict. d. Sciences Nat. I. p. 523. 3.
Galler. atricilla. * Payk. Fn. Sv. II. p. 104. 23. var. ε.
ar. β. *Galler. atricilla.* * Payk. l. c. var. δ.

52. Pulex. *Chrys. Pulex.* * Ross. Mant. I. p. 32. 78.
* ed. Hellw. I. p. 369. 78.

53. Dorsalis. * Entom. Hefte II. p. 79. 46. T. 3. f. 7.
* Panz. Ent. Germ. I. p. 179. 16.
Crioc. dorsalis. * Fabr. S. El. I. p. 467. 78.
* Coqueb. Illustr. Ins. III. p. 125. T. 28. f. 4.
Galler. dorsalis. * Fabr. Ent. S. I. II. p. 31. 4.
Chrys. dorsalis. * Fabr. Mant. I. p. 77. 137. Ent. Ins. I. p. 135. 105.
* Linn. S. Nat. Gmel. I. IV. p. 1693. 21.

54. Emarginata. * Dict. d. Sciences Natur. I. p. 532. 32.
Chrys. denigrata. * Linn. S. Nat. Gmel. I. IV. p. 1699. 248.
* Geoffr. Ins. I. p. 248. 10. *Altica.*

55. Phtisica. *Crioc. phtisica.* * Fabr. S. El. I. p. 466. 5.

56. *Exoleta.* * Entom. Hefte II. p. 17. 5.
* Fabr. S. Ent. p. 115. 17.
* Panz. Fn. Germ. XXI. 14. * Ent. Germ. I. p. 180. 22.
* Laich. Tyr. Ins. I. I. p. 197. 3.
* Müll. Zool. D. Pr. n. 930.
* Dict. d. Sciences Nat. I. p. 523. 2.
Crioc. exoleta. * Fabr. S. El. I. p. 466. 80.
* Illig. Mag. I. p. 420. 80.
Galler. exoleta. * Fabr. Ent. S. I. II. p. 30. 10.
* Payk. Fn. Sv. II. p. 108. 30.
Chrys. exoleta. * Fabr. Mant. I. p. 78. 143. Ent. Ins. I. p. 136. 111.
* Herbst Arch. p. 163. 63. T. 44. f. 7. l. m.
* Linn. S. Nat. Gmel. I. IV. p. 1694. 59.
* Ross. Fn. Etr. I. p. 87. 220. * ed. Hellw. I. p. 90. 220.
Chrys. ferruginea. * Schrank Enum. p. 82. n. 153.
* Scop. Ent. Carn. n. 216.
* Linn. S. Nat. Gmel. I. IV. p. 1698. 242.
Chrys. transversa. * Marsh. Ent. Br. I. p. 203.
Altica ferruginea. Schrank Fn. Boica I. II. p. 563.
* Schrank Naturf. XXIV. p. 69. 23.
* Scriba Journ. p. 29. 23.
Mordella flava. * Linn. Fn. Sv. ed. 1:a n. 535.
* Geoffr. Ins. I. p. 250. 16. *Altica.*

57. *Affinis.* * Entom. Hefte II. p. 35. 16.
Galler. affinis. * Payk. Fn. Sv. III. App. p. 4. 31. & II. p. 109. 31. var. capite nigro, tura elytrorum fuscescente.
Alt. atricilla. * Panz. Fn. Germ. XXI. 8. * En.

Germ. I. p. 178. 14. * Kr. Rev. d. Ins. Fn. I. p. 84.

Chrys. atricilla. * Herbst Arch. p. 61. 50.

Chrys. exoleta. * Linn. Fn. Sv. n. 541. * Syst. Nat. I. II. p. 599. 59.

ılicariæ. Galler. Salicariæ. * Payk. Fn. Sv. III. App. p. 453. 31—32.

Galler. affinis. * Payk. Fn. Sv. II. p. 109. 31. var: cápite pallido.

ævigata. *Crioc. lævigata.* * Fabr. S. El. I. p. 466. 81.

olkameriæ. *Crioc. Volkameriæ.* * Fabr. S. El. I. p. 466. 82.

Galler. Volkameriæ. * Fabr. Ent. S. I. II. p. 28. 71.

opalina. *Crioc. copalina.* * Fabr. S. El. I. p. 466. 83.

t. Crucis. *Crioc. St. Crucis.* * Fabr. S. El. I. p. 467. 84.

Galler. St. Crucis. * Fabr. S. Ent. I. II. p. 35. 110.

ipustulata. Chrys. bipustulata. * Thunb. N. Acta Ups. IV. p. 13. 21.

* Linn. Syst. Nat. Gmel. I. IV. p. 1685. 151.

lolsatica. * Entom. Hefte II. p. 60. 36.

* Fabr. S. Ent. p. 115. 18.

* Panz. Ent. Germ. I. p. 180. 23.

Crioc. holsatica. * Fabr. S. El. I. p. 467. 85.

Galler. holsatica. * Fabr. Ent. S. I. II. p. 33. 101.

* Payk. Fn. Sv. II. p. 99. 18.

Chrys. holsatica. * Fabr. Mant. I. p. 78. 144. * Sp. Ins. I. p. 136. 112.

* Linn. Fn. Sv. n. 544. * Syst. Nat. I. II. p. 595. 67. * ed. Gmel. I. IV. p. 1696. 67.

* Ross. Mant. II. p. 90. 36.

* Bechst. & Scharfenb. Forstinsect. I. p. 141. 17.

Gleditsch Einleit. II. 90.

Müll. Linn. Nat. Syst. V. I. p. 184. 67.

Vill. Ent. I. p. 143. 88.

ar. β. * Entom. Hefte l. c. var. b.

Chrys. pulicaria. * Linn. S. Nat. I. II. p. 595. 64. * ed. Gmel. I. IV. p. 1695. 64.

Alt. pulicaria. * Thunb. N. Acta Ups. V. p. 113. 45.

* Dict. d. Sciences Nat. I. p. 531.

Tabida. * Fabr. S. Ent. p. 115. 19.

* Panz. Ent. Germ. I. p. 180. 24.

Crioc. tabida. * Fabr. S. El. I. p. 467. 86.

Galler. tabida. * Fabr. Ent. S. I. II. p. 33. 102.

Chrys. tabida. * Fabr. Mant. I. p. 78. 145. * Sp. Ins. I. p. 136. 113.

* Linn. S. Nat. Gmel. I. IV. p. 1695. 221.

* Marsh. Ent. Br. I. p. 203. 82.

66. Ochroleuca. *i) Chrys. ochroleuca.* * Marsh. Ent. Br. I. p. 202. 80.

67. *Lens.* *Chrys. Lens.* * Thunb. N. Acta Ups. IV. p. 13. 22.
* Linn. S. Nat. Gmel. I. IV. p. 1697. 226.

68. Violacea. * Entom. Hefte II. p. 56. 32.

69. *Cærulea.* * Entom. Hefte II. p. 55. 31.
* Dict. d. Sciences Nat. I. p. 526. 16.
Galler. cærulea. * Payk. Fn. Sv. II p. 97. 6
Chrys. flavipes. * Herbst Arch. p. 61. 53.
* Linn. S. Nat. Gmel. I. IV. p. 1697. 228
Chrys. lævigata. * ibid. p. 1699. 247.
* Geoffr. Ins. I. p. 249. 12. *Altica.*
var. β. * Entom. Hefte l. c. var. b.
Alt. Hyoscyami. * Panz. Fn. Germ. XXI. 4. *Rev. d. Ins. Fn. I. p. 79.*
var. γ. * Entom. Hefte l. c. var. c.

70. Nigra. * Entom. Hefte II. p. 57. 33.

71. *Euphorbiæ.* * Entom. Hefte II. p. 58. 34.
* Panz. Ent. Germ. I. p. 181. 29.
* Dict. d. Sciences Nat. I. p. 525. 12.
Crioc. Euphorbiæ. * Fabr. S. El. I. p. 467. 87.
Galler. Euphorbiæ. * Fabr. Ent. S. I. II. p. 34.
* Payk. Fn. Sv. II. p. 101. 20.
Chrys. Euphorbiæ. * Schrank Enum. p. 83.
* Marsh. Ent. Br. I. p. 204. 84.
Vill. Ent. I. p. 144. 91.

72. *Parvula.* * Entom. Hefte II. p. 59. 35.
Galler. parvula. * Payk. Fn. Sv. II. p. 102.
Crioc. atra. * Fabr. S. El. I. p. 467. 88.
* Illig Mag. I. p. 421. 88.
Galler. atra. * Fabr. Ent. S. I. II. p. 34. 105.
Chrys. atra. * Fabr. Mant. I. p. 78. 148.
Ins. I. p. 137. 115.
* Ross. Fn. Etr. I. p. 87. 221. * ed. Hellw. p. 91. 221.
* Linn. S. Nat. Gmel. I. IV. p. 1695. 223.
Alt. atra. * Fabr. S. Ent. p. 115. 21.
* Dict. d. Sciences Nat. I. p. 525. 10.
Schrank Fn. Boica I. II. p. 561. 699.
Chrys. Pulex. * Schrank En. Ins. p. 85. 160.
* Marsh. Ent. Br. I. 204. 85.
Vill. Ent. I. p. 144. 93.
var. β. * Entom. Hefte l. c. var. b.

73. *Aucta*

---

i) Species dist. videtur. Affin. *Halt. tabida.* — A *D. Kirby* mis.



nchusæ. * Entom. Hefte II. p. 62. 37.
Galler. Anchusæ. * Payk. Fn. Sv. II. p. 101. 21.
Altica atra. * Laich. Tyr. Ins. I. I. p. 202. 7.
* Geoffr. Ins. I. p. 247. 8. *Altica.*
ra. * Entom. Hefte II. p. 63. 38.
Galler. atra. * Payk. Fn. Sv. II. p. 100. 19.
Chrys. punctulata. * Marsh. Ent. Br. I. p. 200. 73.
Alt. æthiopissa. * Schrank Naturf. XXIV. p. 69. 24.
* Scriba Journ. p. 29. 24.
Alt. lævis. * Dumeril Dict. d. Sciences Nat. I. p. 525. 11.
Chrys. ochropus. * Linn. S. Nat. Gmel. I. IV. p. 1699. 201. ?
* Geoffr. Ins. I. p. 246. 7. ? *Altica.*
epidii. * Entom. Hefte II. p. 64. 39.
Alt. nigripes. * Panz. Fn. Germ. XXI. 5. * Kr. Rev. d. Ins. Fn. I. p. 77.
Alt. hortensis. * Dict. d. Sciences Nat. I. p. 527. 18.
Chrys. cruciferarum. * Linn. Syst. Nat. Gmel. I. IV. p. 1699. 246.
* Geoffr. Ins. I. p. 246. 6. *Altica.*
ntennata. * Entom. Hefte II. p. 67. 40. T. 3. f. 4.
* Panz. Fn. Germ. XCIX. 5.
Chrys. nodicornis. * Marsh. Ent. Br. I. p. 204. 86.
Nemorum. * Entom. Hefte II. p. 70. 41.
* Fabr. S. Ent. p. 115. 20.
* Panz. Fn. Germ. XXI. 19. * Ent. Germ. I. p. 181. 27.
* Dict. d. Sciences Nat. I. p. 531. 31.
* Müll. Zool. Dan. Pr. n. 922.
Crioc. Nemorum. * Fabr. S. El. I. p. 467. 89.
Galler. Nemorum. * Fabr. Ent. S. I. II. p. 34. 104.
* Payk. Fn. Sv. II. p. 98. 16.
* Cederh. Fn. Ingr. n. 211.
Chrys. Nemorum. * Fabr. Mant. I. p. 78. 147. * Sp. Ins. I. p. 136. 114.
* Linn. Fn. Sv. n. 543. * Syst. Nat. I. II. p. 595. 62. * ed. Gmel. I. IV. p. 1695. 62.
* Ross. Mant. I. p. 31. 77. * ed. Hellw. I. p. 369. 77.
* Scop. Ent. Carn. n. 215.
* Marsh. Ent. Br. I. p. 197. 65.
* Goeze Eur. Fn. VIII. p. 396. 4.
* Schrank Enum. Ins. p. 82. 154. — Fn. Boica I. II. p. 561. 697.
* Roem. Ins. p. 7. T. 3. f. 11. d.
* Brahm Ins. Kal. I. p. 7. 27.

Chrys. fasciata. * DeGeer Ins. V. p. 347. 35.
* Geoffr. Ins. I. p. 247. 9. *Altica.*
Vill. Ent. I. p. 142. 83.
Müll. Linn. Nat. Syst. V. I. p. 183. 62.
Borowsk. Naturg. VI. p. 94. 8. T. 11. f. 4.
Bechst. Naturg. I. II. p. 842. 11.
* Sulz. Gesch. d. Ins. p. 34. T. 3. f. 11. d.
Acta Ups. 1736. p. 18. 6.
List. Mut. T. 31. f. 29.

78. Quadrimaculata. * Entom. Hefte II.
p. 128. 41—42.
Crioc. 4-pustulata. * Panz. Fn. Germ. LXXXVIII.
* Kr. Rev. d. Ins. Fn. I. p. 81. & II. p.

79. *Flexuosa.* * Entom. Hefte II. p. 71. 42.
var. α. * Entom. Hefte l. c. var. a.
Alt. Nasturtii. * Panz. Fn. Germ. XXI. 9.
Rev. d. Ins. Fn. I. p. 83.
Alt. Nemorum. * Laich. Tyr. Ins. I. I. p.
var. β. * Entom. Hefte l. c. var. b.
Alt. flexuosa. * Panz. Fn. Germ.. XXV. 12.
Chrys. flexuosa. * Marsh. Ent. Br. I. p. 196.
var. γ. * Entom. Hefte l. c. var. c.
Alt. flexuosa. * Illig. Schneid. Mag. V. p.
* Panz. Ent. Germ. I. p. 181. 28.
var. δ. * Entom. Hefte l. c. var. d.
Galler. Nemorum. * Payk. Fn. Sv. II. p.
var. β.
var. ε. * Entom. Hefte l. c. var. e.

80. Brassicæ. *Crioc. Brassicæ.* * Fabr. S. El. I. p.
Galler. Brassicæ. * Fabr. Ent. S. I. II. p.
* Cederh. Fn. Ingr. n. 210.
Chrys. Brassicæ. * Fabr. Mant. I. p. 78. 146.
* Linn. S. Nat. Gmel. I. IV. p. 1695.
Alt. Brassicæ. * Panz. Ent. Germ. I. p. 181.
* Dict. d. Sciences Nat. I. p. 432. 33.?

81. Surinamensis. * Fabr. Syst. Ent. p. 116. 23.
Crioc. surinamensis. * Fabr. S. El. I. p. 468.
Galler. surinamensis. * Fabr. Ent. S. I. II. p.
Chrys. surinamensis. * Fabr. Mant. I. p.
* Sp. Ins. I. p. 137. 117.
* Linn. S. Nat. I. II. p. 595. 69. * ed. G
I. IV. p. 1696. 69.
* DeGeer Ins. V. p. 355. 10. T. 16. f. 17.

82. *Rubi.* * Entom. Hefte II. p. 43. 21.
* Dict. d. Sciences Nat. I. p. 526. 14.
Crioc. Rubi. * Fabr. S. El. I. p. 468. 92.
Galler. Rubi. * Payk. Fn. Sv. II. p. 112. 35.

Chrys. striatula. * Marsh. Ent. Br. I. p. 205. 90.
r. β. *k) Chrys. picina.* * Marsh. Ent. Br. I. p. 206. 92.
Erata. *Chrys. ærata.* * Marsh. Ent. Br. I. p. 204. 87.
ridella. * Entom. Hefte II. p. 41. 20. T. 3. f. 2.
Galler. aridella. * Payk. Fn. Sv. II. p. 111. 34.
Chrys. nigro-ænea. * Marsh. Ent. Br. I. p. 197. 64. teste D. Kirby.
r. β. * Entom. Hefte l. c. var. b.
* Payk. Fn. Sv. l. c. var. β.
r. γ. * Entom. Hefte l. c. var. c.
lentipes. * Entom. Hefte II. p. 38. 18. T. 3. f. 1.
Chrys. concinna. * Marsh. Ent. Br. I. p. 196. 61.
* Geoffr. Ins. I. p. 246. 4. *Altica.?*
ar. β. Entom. Hefte l. c. var. b.
emicœrulea. * Entom. Hefte II. p. 40. 19.
ubescens. *l)* * Entom. Hefte II. p. 37. 17.
* Panz. Fn. Germ. XCIX. 6.
ar. β. * Entom. Hefte l. c. var. a.
ar. γ. Entom. Hefte l. c. var. b.
Cynoglossi. * Entom. Hefte II. p. 20. 6. T. 2. f. 2.
ryptocephala. * Entom. Hefte II. p. 22. 7. T. 2. f. 3.
occultans. * Entom. Hefte II. p. 23. 8. T. 2. f. 4.
raminis. * Entom. Hefte II. p. 47. 25.
* Panz. Fn. Germ. LXI. 4.
Chrys. orbiculata. * Marsh. Ent. Br. I. p. 200. 72.
ar. β. Entom. Hefte l. c. var. b.
Auscorum. * Entom. Hefte II. p. 48. 26. T. 2. f. 12.
globosa. * Illig. Schneid. Mag. p. 602. 9.
* Panz. Fn. Germ. XXV. 13. * Ent. G. I. p. 182. 32.
lortorum. * Dumeril Dict. d. Sciences Nat. I. p. 523. 5.
Crioc. hortorum. * Fabr. S. El. I. p. 468. 93.
Galler. hortorum. * Fabr. Ent. S. I. II. p. 35. 111.
arvula. *Crioc parvula.* * Fabr. S. El. I. p. 468. 94.
striolata. *Crioc. vittata.* * Fabr. S. El. I. p. 469. 95.
amelica. *Galler. famelica.* * Fabr. S. El. I. p. 491. 66. * Ent. S. I. II. p. 26. 68.
Chrys. famelica. * Fabr. Mant. I. p. 76. 123.
* Linn. S. Nat. Gmel. I. IV. p. 1692. 208.
Chrys. marginata. * Fabr. Sp. Ins. I. p. 132. 91.

---

ar. β pallida; nuper exclusa videtur.
arietas immaculata. Ex Insula St. Bartholomei. *D. Forsström.*

Alt. marginata. * Fabr. S. Ent. App. p. 8

98. Fasciata. *Galler. fasciata.* * Fabr. S. El. I. p.
* Suppl. p. 96. 55—56.

99. Caroliniana. *Galler. Caroliniana.* * Fabr. S. I
491. 68. * Ent. S. I. II. p. 24. 55.
Coqueb Illustr. Ins. III. p. 126. T. 28.
Chrys. Caroliniana. * Fabr. Mant. I. p. 75
* Linn. S. Nat. Gmel. I. IV. p. 1691.
Crioc. Caroliniana. * Fabr. Sp. Ins. I. p.
* Syst. Ent. p. 122. 21.
Cist. svittata. * Fabr. Ent. S. I. II. p. 47. 30.
Cist. 5-vittata. * Fabr. Mant. I. p. 86. 23.
* Sp. Ins. I. p. 148. 17. * S. Ent.
p. 118. 12.
* Linn. S. Nat. Gmel. I. IV. p. 1715. 113.

100. Equestris. *Galler. equestris.* * Fabr. S. El.
69. * Ent. S. I. II. p. 26. 61.
Chrys. equestris. * Fabr. Mant. I. p. 76. 1
* Linn. S. Nat. Gmel. I. IV. p. 1692.

101. Macula. *Galler. Macula.* * Fabr. S. El. I. p

102. Decemguttata. *Galler. 10-guttata.* * Fabr. S.
492. 71.

103. Nobilitata. *Galler. nobilitata.* * Fabr. S. El
72. * Ent. S. I. p. 26. 64.
Chrys. nobilitata. * Fabr. Mant. I. p. 76.
* Linn. S. Nat. Gmel. I. IV. p. 1693.
* Hybn. Naturf. XXIV. p. 41. 5. T.

104. Quadrifasciata. *Galler. 4-fasciata.* * Fabr.
p. 492. 73. * Ent. S. I. p. 26. 65.
Chrys. 4-fasciata. * Fabr. Mant. I. p. 76.
* Linn. S. Nat. Gmel. I. IV. p. 1692.

105. Sellata. *Galler. sellata.* * Fabr. S. El. I. p

106. Abbreviata. *Galler. abbreviata.* * Fabr. S.
493. 75. * Suppl. p. 97. 63—64.
Alt. bifasciata. Oliv. Enc. Meth. IV. p.

107. Excellens. *Galler. limbata.* * Fabr. S. El. I.
* Suppl. p. 96. 54—55.

108. Thoracica. * Fabr. Syst. Ent. App. p. 82
Galler. thoracica. * Fabr. S. El. I. p. 493.
S. I. p. 24. 54.
Chrys. thoracica. * Fabr. Mant. I. p. 75.
Ins. I. p. 131. 87.
Chrys. fava. * Linn. S. Nat. Gmel. I. IV. p.

109. Lusca. *Crioc. lusca.* * Fabr. S. El. I. p. 45

110. Nitida. *Galler. nitida.* * Fabr. S. El. I. p.

111. Æquinoctialis. * Fabr. Syst. Ent. p. 112.

Galler. æquinoctialis. * Fabr. S. El. I. p. 493. 79. * Ent. S. I. II. p. 28. 73.
Chrys. æquinoctialis. * Fabr. Mant. I. p. 77. 125. * Sp. Ins. I. p. 132. 93.
* Linn. S. Nat. Gmel. I. IV. p. 596. 71. * ed. Gmel. I. IV. p. 1696. 71.
* DeGeer Ins. V. p. 356. 11. T. 16. f. 19.

Albicollis. *Galler. albicollis.* * Fabr. S. El. I. p. 493. 80. * Ent. S. I. II. p. 27. 66.
Chrys. albicollis. * Fabr. Mant. I. p. 76. 122.
Chrys. leucopicta. * Linn. S. Nat. Gmel. I. IV. p. 1692. 209.

Quadrinotata. *Galler. 4-notata.* * Fabr. S. El. I. p. 493. 81. * Suppl. p. 98. 66-67.
Alt. 4-guttata. Oliv. Enc. Meth. IV. p. 105. 4.

Octoguttata. * Nov. Sp. m)

Bicolor. * Fabr. Syst. Ent. p. 112. 1.
Galler. bicolor. * Fabr. S. El. I. p. 494. 82. * Ent. S. I. II. p. 27. 69.
Chrys. bicolor. * Fabr. Mant. I. p. 77. 124. * Sp. Ins. I. p. 132. 92.
* Linn. S. Nat. I. II. p. 593. 52. * ed. Gmel. I. IV. p. 1692. 52.
* DeGeer Ins. V. p. 357. 12. T. 16. f. 20.

Humeralis. *Galler. humeralis.* * Fabr. S. El. I. p. 494. 83.

Lunata. *Galler. lunata.* * Fabr. S. El. I. p. 494. 84.

Collaris. *Galler. collaris.* * Fabr. S. El. I. p. 494. 85. * Suppl. p. 97. 57—58.

Cyanipennis. *Galler. cyanipennis.* * Fabr. S. El. I. p. 494. 86. * Suppl. p. 97. 57—58.

Glabrata. *Galler. glabrata.* * Fabr. S. El. I. p. 494. 87. * Ent. S. I. II. p. 25. 57.
Chrys. glabrata. * Fabr. Mant. I. p. 76. 115.
* Linn. S. Nat. Gmel. I. IV. p. 1693. 215.
Crioc. glabrata. * Fabr. Sp. Ins. I. p. 156. 39.
* Syst. Ent. p. 122. 22.

---

m) HALTICA OCTOGUTTATA: nigra, glabra; capite maculis 3 flavis, thorace albida, elytris atro-violaceis, maculis 8 flavis.
Habitat in Brasilia.
Statura *Gall. Alni* at paulo angustior. Caput nigrum, maculis 3 flavis, 1 frontali, 2 subocularibus; Antennis nigris corpore brevioribus. Thorax supra infraque albidus immaculatus, latiusculus, marginatus. Elytra atro-violacea nitida glabra, marginata; singulis maculæ 4: parva sublinearis ad angulum exteriorem baseos; alia subrotunda prope scutellum, 3:a major in medio elytrorum, & 4:a minor ad apicem. Corpus & pedes nigri. — Tab. 4. fig. 11. *b.* magnit. nat. — *a.* magn. aucta. GRÖNDAL.

121. Miniata. *Galler. miniata.* * Fabr. S. El. I. p. 495. 88.
122. Quercata. *Galler. quercata.* * Fabr. S. El. I. p. 495. 89.
123. Conjugata. *Galler. conjugata.* * Fabr. S. El. I. p. 495. 90.
124. Petaurista. *Galler. Petaurista.* * Fabr. S. El. I. p. 495. 91.
* Coqueb. Illustr. Ins. III. p. 126. T. 28. f. 1.
125. Oculata. *Galler. oculata.* * Fabr. S. El. I. p. 496. 92.
126. Coccinea. *Galler. coccinea.* * Fabr. S. El. I. p. 496. 93.
127. Hectica. *Galler. hectica.* * Fabr. S. El. I. p. 496. 94.
128. Impressa. *Galler. impressa.* * Fabr. S. El. I. p. 496. 95.
* Illig. Mag. I. p. 424. 95.
129. Marginula. *Galler. marginula.* * Fabr. S. El. I. p. 496. 96.
Galler. cincta. * Fabr. Ent. S. I. II. p. 26. 61.
Chrys. cincta. * Fabr. Mant. I. p. 76. 119. * Sp. Ins. I. p. 132. 90.
* Linn. S. Nat. Gmel. I. IV. p. 1692. 24.
130. Fimbriata. *Chrys. fimbriata.* * Forst. Cent. Ins. I. p. 25. 25.
* Linn. S. Nat. Gmel. I. IV. p. 1697. 231.
131. Flavicornis. *Galler. flavicornis.* * Fabr. S. El. I. p. 497. 97. * Suppl. p. 98. 72—73.
132. Obsoleta. *Galler. obsoleta.* * Fabr. S. El. I. p. 497. 98.
— (*Erucæ.*) *Galler. Erucæ.* * Fabr. S. El. I. p. 497. 99. — vid. *Halt. oleracea*, *var.* β. n. 142. hu. Op.
133. Cyanea. *Galler. cyanea.* * Fabr. S. El. I. p. 497. 100.
Alt. cyanea. * Web. Obs. Ent. I. p. 57. 1.?
134. Hudsonias. *Chrys. Hudsonias.* * Forst. Cent. I. p. 26. 26.
* Linn. S. Nat. Gmel. I. IV. p. 1697. 232.
135. Pallens. *Galler. pallens.* * Fabr. S. El. I. p. 497. 101. * Ent. S. I. p. 25. 58.
136. Biguttata. * Fabr. Syst. Ent. App. p. 821. 1.
Galler. biguttata. * Fabr. S. El. I. p. 497. 102.
* Ent. S. I. II. p. 25. 59.
Chrys. biguttata. * Fabr. Mant. I. p. 76. 116. * Sp. Ins. I. p. 132. 88.
* Linn. S. Nat. Gmel. I. IV. p. 1692. 214.
137. Quadriguttata. *Galler. 4-guttata.* * Fabr. S. El. I. p. 497. 103. * Ent. S. I. p. 25. 60.
Chrys. 4-guttata. * Fabr. Mant. I. p. 76. 117. * Sp. Ins. I. p. 132. 89.
* Linn. S. Nat. Gmel. I. IV. p. 1692. 213.
138. Liturata. *Galler. liturata.* * Fabr. S. El. I. p. 498. 104. * Suppl. p. 98. 69—70.
139. Trifasciata. *Galler. trifasciata.* * Fabr. S. El. I. p. 498. 105.

Geminata. *Galler. geminata.* * Fabr. S. El. I. p. 498. 106.
Chrys. lineata. * Ross. Fn. Etr. I. p. 88. 225. ? * ed. Hellw. I. p. 92. 225.
Restituta. *Galler. restituta.* * Fabr. S. El. I. p. 498. 107.
Oleracea. * Entom. Hefte II. p. 54. 30.
* Latr. Gen. Cr. & Ins. III. p. 63. 2. — Hist. N. d. Cr. & d. Ins. XII. p. 14.
* Panz. Fn. Germ. XXI. 1. * Ent. Germ. I. p. 176. 1.
* Fabr. Syst. Ent. p. 112. 3.
* O. Fabr. Fn. Groenl. p. 187. 135.
* Dict. d. Sciences Nat. I. p. 529. 25.
Oliv. Enc. Meth. IV. p. 107.
Galler. oleracea. * Fabr. S. El. I p. 498. 108. * Ent. S. I. II. p. 28. 74.
* Payk. Fn. Sv. II. p. 96. 13.
* Cederh. Fn. Ingr. n. 202.
Chrys. oleracea. * Fabr. Mant. I. p. 77. 126. * Sp. Ins. I. p. 133. 94.
* Linn. Fn. Sv. n. 534. * Syst. Nat. I. II. p. 593. 51. * ed. Gmel. I. IV. p. 1691. 51.
* DeGeer Ins. V. p. 344. 49.
* Schrank Enum. p. 84. 159. — Fn. Boica I. II. p. 560. 696.
* Goeze Eur. Fn. VIII. p. 389. 1.
* Pontopp. Nachricht. p. 202. 18.
* Ross. Fn. Etr. I. p. 85. 214. * ed. Hellw. I. p. 89. 214.
* Petagn. Ins. Cal. p. 10. 46.
* Blumenb. Handb. ed. 7:a p. 326. 4.
* Scop. Ent. Carn. n. 212.
* Marsh. Ent. Br. I. p. 192. 52.
* Brahm Ins. Kal. I. p. 4. 12.
* Geoffr. Ins. I. p. 245. 1. *Altica.*
Müll. Linn. Nat. Syst. V. I. p. 180. 51. T. 4. f. 8.
Bechst. Naturg. I. II. p. 842. 11.
Naturf. VI. 69.
Goeze Natur, Menschenleben und Vorsehung. VI. 271.
Schmiedl. Einleit. 214.
Lüders Gartenbriefe. p. 277.
Vill. Ent. I. p. 138. 73.

ar. β. * Entom. Hefte l. c. var b.
Galler. Erucæ. * Fabr. S. El. I. p. 497. 99. * Ent. S. I. II. p. 28. 75.
* Cederh. Fn. Ingr. n. 203.
Chrys. Erucæ. * Marsh. Ent. Br. I. p. 193. 53.

Alt. Erucæ. * Panz. Ent. Germ. I. p. 176. 1.
* Dict. d. Sciences Nat. I. p. 528. 21.
Galler. oleracea. * Payk. Fn. Sv. II. p. 96. 12. var
Alt. oleracea. * Müll. Zool. Dan. Pr. n. 921.

143. Echii. * Entom. Hefte II. p. 52. 29. T. 3.

144. Pseudoacori. *n*) * Marsh. Ent. Br. I. p. 196.

145. Concinna. *Galler. concinna.* * Fabr. S. El. I. p. 499.

146. Quadripunctata. *Galler. 4-punctata.* * Fabr. S. E
p. 499. 110.
Galler. albicollis. * Fabr. Ent. S. I. II. p. 29.
Chrys. albicollis. * Fabr. Mant. I. p. 77. 127.
Ins. I. p. 133. 95.
* Linn. S. Nat. Gmel. I. IV. p. 1691. 206.
Alt. albicollis. * Fabr. S. Ent. p. 112. 4.

147. Suturalis. *Galler. suturalis.* * Fabr. S. El. I. p. 499.

148. Obsidiana. *Galler. obsidiana.* * Fabr. S. El. I. p. 499.

149. *Mercurialis. Galler. Mercurialis.* * Fabr. S. El. I. p.
113. * Ent. S. I. II. p. 33. 97.
Alt. Mercurialis. * Panz. Ent. Germ. I. p. 180
* Dict. d. Sciences Nat. I. p. 526. 13.

150. Dimidiata. Nov. Sp. o)

151. Advena. *Galler. advena.* * Fabr. S. El. I. p.
114. * Ent. S. I. II. p. 33. 98.

152. Filiformis. *Galler. filiformis.* * Fabr. S. El. I. p.

153. Porrecta. *Galler. porrecta.* * Fabr. S. El. I. p.

154. Elongata. *Galler. elongata.* * Fabr. S. El. I.
117. * Suppl. p. 99. 119.

155. Frontalis. *Galler. frontalis.* * Fabr. S. El. I.
500. 118.

156. Quadrimaculata. * Illig. Wiedem. Arch. I.
131. 25.

157. Cynoglossi. *Chrys. Cynoglossi.* * Marsh.
Br. I. p. 205. 88.

158. Ballotæ. *Chrys. Ballotæ.* * Marsh. Ent.
p. 205. 89.

159. Ni

---

n) Spec. distincta. Affin. *Halt. oleracea*, sed minor, thorace
presso, antennis basi pallidis. A *D. Kirby* missa. GYLL

o) HALT. DIMIDIATA: atra, glabra; antennis, elytris ant
domine pedibusque rubris.
Habitat in Brasilia *Dom. J. Lund.* E Museo *Schönh.*
Magnitudine *Halt. Nopi*, globosa, tota glabra, nitida. Ni
caput, thorax, pars postica elytrorum & femora postica.
antennæ, major pars antica elytrorum, pedes & abdomen.
postica crassiora. THU



Nigricollis. *Chrys. nigricollis.* * Marsh. Ent. Br. I. p. 205. 91.

Truncata. *Chrys. truncata.* * Scop. Ent. Carn. n. 218.
* Ross. Fn. Etr. I. p. 89. 227. * ed. Hellw. I. p. 93. 227.
* Linn. S. Nat. Gmel. I. IV. p. 1698. 243.

Minima. *Chrys. minima.* * Herbst Arch. p. 61. 55.
* Linn. S. Nat. Gmel. I. IV. p. 1697. 230.

Tamaricis. *Chrys. Tamaricis.* * Herbst Arch. p. 163. 64. T. 45. f. 6. g. h.
* Linn. S. Nat. Gmel. I. IV. p. 1697. 231.

N:o 113. CYPHON. Fabr. n. 85.

allidus.) * Fabr. S. El. I. p. 501. 1. — vid. *Cyph. melanurus*, var. β. huj. Op.

idus. * Fabr. S. El. I. p. 501. 2.
* Gyllenh. Ins. Sv. I. I. p. 367. 2.
Cyph. pallidus. * Payk. Fn. Sv. II. p. 118. 1. var. α.
Galler. livida. * Fabr. Ent. S. I. II. p. 22. 44.
Cist. pallida. * Panz. Fn. Germ. VIII. 7.
Altica livida. * Dict. d. Sciences Nat. I. p. 524. 9?
Crioc. mollis. * Marsh. Ent. Br. I. p. 225. 15.

lanurus. * Fabr. S. El. I. p. 502. 6.
* Gyllenh. Ins. Sv. I. I. p. 366. 1.
Galler. melanura. * Fabr. Ent. S. I. II. p. 22. 45.
Elodes pallida. * Latr. Gen. Cr. & Ins. I. p. 253. 1. T. 7. f. 12. — Hist. Nat. d. Cr. & d. Ins. VIII. p. 389. T. 74. f. 9. — Préc. d. Caract. génér. d. Ins. p. 44.
Lampyr. minuta. * Linn. S. Nat. I. II. p. 645. 13.?
* ed. Gmel. I. IV. p. 1885. 13.?
Crioc. pallida. * Marsh. Ent. Br. I. p. 227. 20.

ar. β. * Gyllenh. Ins. Sv. I. I. p. 366. 1. var. b.
Cist. læta. * Panz. Fn. Germ. VIII. 8. * Ent. G. I. p. 187. 26.
Cyph. pallidus. * Payk. Fn. Sv. II. p. 119. 1. var. β.
* Fabr. S. El. I. p. 501. 1.?
Cist. pallida. * Fabr. Ent. S. I. II. p. 46. 26.?
* Fabr. Mant. I. p. 86. 17.? * Sp. Ins. I. p. 148. 11.? * S. Ent. p. 117. 8.?
* Oliv. Ent. III. 54. p. 7. 7. T. 1. f. 10. a. b.?
* Ross. Fn. Etr. I. p. 102. 261.? * ed. Hellw. I. p. 109. 261.?
* Panz. Ent. Germ. I. p. 187. 25.?

Crypt. pallidus. * Linn. Syst. Nat. Gmel. I. IV. p. 1715. 107. ?

var. γ. * Gyllenh. Ins. Sv. I. I. p. 366. 1. var. c.

var. δ. * Gyllenh. Ins. Sv. I. c. var. d.

3. *Marginatus.* * Fabr. S. El. I. p. 502. 5.

* Gyllenh. Ins. Sv. I. I. p. 368. 3.

Cist. marginata. * Fabr. Suppl. p. 103. 25–26.

Cist. nimbata. * Panz. Fn. Germ. XXIV. 15. Ent. Germ. I. p. 187. 27.

var. β. * Gyllenh. Ins. Sv. I. I. p. 368. 3. var. b.

Cyph. pallidus. * Payk. Fn. Sv. II. p. 119. 1. var. b.

Crioc. circumfusa. * Marsh. Ent. Br. I. p. 227. 2.

4. *Pubescens.* * Fabr. S. El. I. p. 502. 4.

* Gyllenh. Ins. Sv. I. I. p. 369. 4.

Cist. pubescens. * Fabr. Ent. S. I. II. p. 47. 32.

Canth. variabilis, var. * Thunb. Mus. Acad. IV. p. 54. 11.

5. *Griseus.* * Fabr. S. El. I. p. 502. 3.

* Gyllenh. Ins. Sv. I. I. p. 370. 5.

Galler. livida. * Fabr. Ent. S. I. II. p. 17. 21.

* Panz. Ent. Germ. I. p. 171. 6.

Cyph. coarctatus. * Payk. Fn. Sv. II. p. 120. 3.

Elodes fuscescens. * Latr. Gen. Cr. & Ins. I. p. 253. 2. — Hist. Nat. d. Cr. & d. Ins. VIII. p. 390.

Canth. variabilis, var. * Thunb. Mus. Acad. IV. p. 54. 11.

var. β. * Gyllenh. Ins. Sv. I. I. p. 370. 5. var. b.

Crioc. nigricans. * Marsh. Ent. Br. I. p. 226. 7.

var. γ. * Gyllenh. Ins. Sv. I. c. var. c.

Cyph. coarctatus. * Payk. Fn. Sv. II. p. 120. 3. var. b.

Crioc. concolor. * Marsh. Ent. Br. I. p. 226. 8.

6. *Padi.* * Gyllenh. Ins. Sv. I. I. p. 371. 6.

Chrys. Padi. * Linn. Fn. Sv. n. 513. * Syst. Nat. I. II. p. 588. 14. * ed. Gmel. I. IV. p. 1673. 14.

* Bechst. & Scharfenb. Forstinsect. I. p. 139.

* Müll. Zool. Dan. Pr. p. 82. 897.

* Müll. Linn. Nat. Syst. V. I. p. 169. 14.

Vill. Ent. I. p. 121. 10.

var. β. * Gyllenh. Ins. Sv. I. c. var. b.

Crioc. Padi. * Marsh. Ent. Br. I. p. 226. 10.

Cyphon. coarctatus, var. pygmæa. * Payk. Fn. Sv. II. p. 121. Not.

Cyphon. discolor. * Panz. Fn. Germ. XCIX. 9.

7. Rugosus. *Cistela rugosa.* * Oliv. Ent. III. 51. 10. 14. T. 1. f. 9. a. b.

b) *Saltatorii.*

emisphæricus. * Fabr. S. El. I. p. 502. 7.
* Gyllenh. Ins. Sv. I. I. p. 372. 7.
* Payk. Fn. Sv. II. p. 119. 2.
* Panz. Fn. Germ. XCVI. 7.
Galler. hemisphærica. * Fabr. Ent. S. I. II. p. 34. 107.
Chrys. hemisphærica. * Fabr. Mant. I. p. 78. 149. * Sp. Ins. I. p. 137. 116.
* Linn. S. Nat. I. II. p. 595. 68. * ed. Gmel. I. IV. p. 1696. 68.
* Ross. Fn. Etr. I. p. 88. 223. * ed. Hellw. I. p. 91. 223.
* Herbst Arch. p. 61. 52.
* Marsh. Ent. Br. I. p. 199. 71.
Vill. Ent. I. p. 143. 89.
Elodes hemisphærica. * Latr. Gen. Crust. & Ins. I. p. 254. 3. — Hist. Nat. d. Crust. & d. Ins. VIII. p. 391.
Chrys. fusca. * DeGeer Ins. V. p. 348. 56.
Altica hemisphærica. * Fabr. S. Ent. p. 115. 22.
* Panz. Ent. Germ. I. p. 181. 30.
* Dict. d. Sciences Nat. I. p. 526. 15.
Alt. latiuscula. * Müll. Zool. D. Pr. n. 926.
* Linn. S. Nat. Gmel. I. IV. p. 1698. 238.
orbicularis. *Altica orbicularis.* * Panz. Fn. Germ. VIII. 6. * Ent. Germ. I. p. 182. 31. * Kr. Rev. d. Ins. Fn. I. p. 87.
orbiculatus. * Fabr. S. El. I. p. 503. 8.
ompressicornis. * Fabr. S. El. I. p. 503. 9.
asciatus. * Fabr. S. El. I. p. 503. 10.
estaceus. * Fabr. S. El. I. p. 503. 11.
epressus. * Fabr. S. El. I. p. 504. 12.

114. ENDOMYCHUS. Fabr. n. 86. p)

rginatus. * Fabr. S. El. I. p. 504. 1.
ccineus. * Fabr. S. El. I. p. 505. 2. * Suppl. p. 100. 2.
* Latr. Gen. Cr. & Ins. III. p. 73. 1. — Hist. N. d. Cr. & d. Ins. XII. p. 77. T. 93. f. 10.
* Payk. Fn. Sv. II. p. 112. 1.
* Panz. Fn. G. XLIV. 17. * Ent. Germ. I. p. 175. 1.
Galleruca coccinea. * Fabr. Ent. S. I. II. p. 20. 31.
* Gyllenh. N. Acta Ups. VI. p. 128. 18.

---

id. Illig. Mag. III. p. 134. & Müll. in ejusd. Op. IV. p. 218.

Chrys. coccinea. * Fabr. Mant. I. p. 73. 109.
Ins. I. p. 131. 83. * S. Ent. p. 105.
* Linn. Fn. Sv. n. 532. * Syst. Nat. I.
592. 43. * ed. Gmel. I. IV. p. 1682.
* Panz. Naturf. XXIV. p. 14. n. 20. T. 1.
Herbst Naturf. VI. T. 11. f. 3.
* Ross. Fn. Etr. I. p. 80. 202. * ed. He
p. 84. 202.
* Oliv. Ent. V. 91. T. 1. f. 10.
Chrys. 4-maculata. * DeGeer Ins. V. p. 30
T. 9. f. 1.
Tenebr. coccineus. * Marsh. Ent. Br. I. p. 47
* Uddm. Diss. p. 10. 13. *Coccinella.*
Mart. Eng. Ent. T. 16. f. 38.
Vill. Ent. I. p. 132. 35.

— (*Cruciatus.*) * Fabr. S. El. I. p. 505. 3. — vid. *Lyc*
na cruciata, n. 3. huj. Op.

— (*Quadripustulatus.*) * Fabr. S. El. I. p. 505.
vid. *Lycop. 4-pustulata*, n. 2. huj. Op.

— (*Fasciatus.*) * Fabr. S. El. I. p. 505. 5. — vid.
4-pustulata, *var.* β. n. 2. huj. Op.

— (*Bovistæ.*) * Fabr. S. El. I. p. 505. 6. — vid.
immaculata, n. 1. huj. Op.

N:o 115. LYCOPERDINA. Latr. n.

1. *Immaculata.* * Latr. Gen. Cr. & Ins. III. p.
Endom. Bovistæ. * Fabr. S. El. I. p. 505. 6. *
p. 101. 5.
* Payk. Fn. Sv. II. p. 115. 4.
* Panz. Ent. Germ. I. p. 175. 4.
Galler. Bovistæ. * Fabr. Ent. S. I. II. p. 20.
* Panz. Fn. Germ. VIII. 4.
Tenebr. Bovistæ. * Marsh. Ent. Br. I. p.
Endom. Lycoperdi. Latr. Hist. Nat. d. Cr
Ins. XII. p. 78.

2. *Quadripustulata.* *Endom. 4-pustulatus.* * Fabr.
p. 505. 4. * Suppl. p. 100. 4.
* Panz. Fn. G. XLIV. 18. * Ent. Germ. I. p.
Galler. 4-pustulata. * Fabr. Ent. S. I. II. p.
Endom. succinctus. * Payk. Fn. Sv. II p.
Silpha succincta. * Linn. Syst. Nat. I. II. p.
* ed. Gmel. I. IV. p. 1624. 26.

var. β. nuper exclusa.
Endom. fasciatus. * Fabr. S. El. I. p. 505.

3. *Cruciata.* *Endom. cruciatus.* * Fabr. S. El. I. p.
* Suppl. p. 100. 3.



* Payk. Fn. Sv. II. p. 114. 2.
* Panz. Ent. Germ. I. p. 175. 3.
Galler. cruciata. * Fabr. Ent. S. I. II. p. 20. 32.
* Panz. Fn. Germ. VIII. 5.
Chrys. cruciata. * Fabr. Mant. I. p. 75. 110.
* Rehn Schneid. Mag. p. 237. 5.
* Schall. Acta Hal. I. p. 273.
* Linn. S. Nat. Gmel. I. IV. p. 1682. 135.
Tenebr. cruciatus. * Panz. Naturf. XXIV. p. 35. 49. T. 1. f. 50.
* Scriba Journ. p. 20. 49.
Opatr. Lithophilus. * Linn. S. Nat. Gmel. I. IV. p. 1633. 12.
Lithophilus. * Herbst Arch. p. 37. 1. T. 21. f. 4. a.

No 116. EROTYLUS. Fabr. n. 87. *q)*

ganteus. * Fabr. S. El. II. p. 3. 1. * Ent. S. II. p. 35. 1. * Mant. I. p. 91. 1. * Sp. Ins. I. p. 157. 1. * S. Ent. p. 123. 1.
* Herbst Col. VIII. p. 360. 3. T. 136. f. 9.
* Illig. Mag. V. p. 230. 1.
* Roem. Ins. p. 43. 34. T. 3. f. 8.
Chrys. gigantea. * Linn. S. Nat. I. II. p. 586. 1. * ed. Gmel. I. IV. p. 1726. 191.
* DeGeer Ins. V. p. 349. 1. T. 16. f. 8.
* Oliv. Ent. V. 89. T. 1. f. 6.
* Sulz. Gesch. d. Ins. T. 3. f. 8.
* Sulz. Kennz. T. 3. f. 15. a.
Voet. Col. II. (ed. Panz. IV.) T. 33. f. 4.

eticulatus.) * Fabr. S. El. II. p. 3. 2. — vid. *Chrys. reticulata*, p. 237. 1. huj. Op.

fasciatus. * Fabr. S. El. II. 3. 3. * Ent. S. II. p. 36. 3.
* Herbst Col. VIII. p. 375. 17.

trio. * Fabr. S. El. II. p. 4. 4. * Ent. S. I. II. p. 36. 4. * Mant. I. p. 91. 3.
* Herbst Col. VIII. p. 376. 18.
* Linn. S. Nat. Gmel. I. IV. p. 1727. 193.

staceus. * Fabr. S. El. I. p. 4. 5. * Ent. S. I. II. p. 36. 5. Mant. I. p. 91. 4. * Sp. Ins. I. p. 157. 2. * S. Ent. App. p. 822. 1—2.
* Herbst Col. VIII. p. 377. 21.
Crypt. lugubris. * Linn. S. Nat. Gmel. I. IV. p. 1727. 194.

---

r. Latr. Gen. Cr. & Ins. III. p. 69. Gen. 336.

5. Sphacelatus. * Fabr. S. El. II. p. 4. 6.
6. Gibbosus. * Fabr. S. El. II. p. 4. 7. * Ent. S. I. II. p. 36. 6. * Mant. I. p. 91. 5. * Sp. Ins. I. p. 157. 3.
* Illig. Mag. V. p. 230. 7. var. α.
Chrys. gibbosa. * Linn. Amœn. Acad. VI. p. 393. 13. * Cent. Ins. p. 10. 13. * Syst. Nat. I. II. p. 586. 2. * ed. Gmel. I. IV. p. 1727. 195.
Voet Col. II. (ed. Panz. IV.) T. 44. f. 1.
Gron. Zooph. 606. T. 13. f. 5. *Chrysomela.*
var. β *Erot. gibbosus.* * Illig. Mag. V. p. 230. 7. var.
* Herbst Col. VIII. p. 366. 8. T. 137. f. 5.
* Oliv. Ent. V. 89. T. 1. f. 4. a. b.
Oliv. Enc. Meth. VI. p. 432. 5.
Chrys. gibbosa. * Herbst Arch. p. 51. 3. T. 23. f. 5.
Voet Col. II. (ed. Panz. IV.) T. 44. f. 2.
7. Elevatus. r) * Fabr. S. El. II. p. 4. 8.
8. Notatus. * Fabr. S. El. II. p. 4. 9. * Ent. S. I. II. p. 37.
* Herbst Col. VIII. p. 371. 13. T. 137. f. 10.
* Oliv. Ent. V. 89. T. 1. f. 11.
Oliv. Enc. Meth. VI. p. 435. 18.
Erot. tessellatus. Voet Col. II. (ed. Panz. IV.) T. 33. f. 6.
— (Concatenatus.) * Fabr. S. El. II. p. 5. 10. —
Chrys. concatenata, p. 237. 3. huj. Op.
9. Quinquepunctatus. * Fabr. S. El. II. p. 5. 11.
S. I. II. p. 37. 9. * Mant. I. p. 91. 8.
Ins. I. p. 157. 4. * S. Ent. p. 123. 2.
* Herbst Col. VIII. p. 357. 1. T. 136. f. 7.
* Oliv. Ent. V. 89. T. 1. f. 5.
* Linn. S. Nat. Gmel. I. IV. p. 1727. 198.
Chrys. 5-punctata. * Linn. S. Nat. I. II. p. 586.
Gron. Zooph. p. 673. T. 16. f. 7. *Coccinella.*
Petiv. Gazoph. p. 613. T. 16. f. 7.
10. Punctatissimus. * Fabr. S. El. II. p. 5. 12. * Ent.
I. II. p. 37. 10. * Mant. I. p. 91. 9. * Sp.
I. p. 157. 5. * S. Ent. p. 123. 3.
* Herbst Col. VIII. p. 367. 9. T. 137. f. 6.
* Linn. S. Nat. Gmel. I. IV. p. 1727. 199.
Coccin. centumpunctata. * Herbst Arch. p. 45.
T. 22. f. 13.
* Linn. S. Nat. Gmel. I. IV. p. 1658. 118.
11. Variegatus. * Fabr. S. El. II. p. 5. 13. * Ent. S. I.

---

r) Wie ist er vom *Erot. punctatissimus* n. 10. verschieden? — Ill.





p. 37. 11 * Mant. I. p. 92. 10. * Sp. Ins. I. p. 157. 6.
* Herbst Col. VIII. p. 365. 7. T. 137. f. 4.
* Oliv. Ent. V. 89. T. 1. f. 7.
Erot. pustulatus. * Herbst Col. VIII. p. 364. 6. T. 137. f. 3.
Crypt. varius. * Linn. S. Nat. Gmel. I. IV. p. 1727. 200.
Erot. sanguinolentus. Voet ed. Panz. IV. 40. V. T. 33. f. 5.
)ctomaculatus. * Fabr. S. El. II. p. 5. 14.
emmatus. * Fabr. S. El. II. p. 5. 15. * Ent. S. I. II. p. 38. 12.
* Herbst Col. VIII. p. 361. 4. T. 137. f. 1.
ongimanus. * Fabr. S. El. II. p. 5. 16. * Ent. S. I. II. p. 38. 13. * Mant. I. p. 92. 11.
* Herbst Col. VIII. p. 376. 19.
Crypt. macrocheiros. * Linn. S. Nat. Gmel. I. IV. p. 1728. 201.
bdominalis. * Fabr. S. El. II. p. 5. 17. * Ent. S. I. II. p. 38. 14.
* Herbst Col. VIII. p. 377. 20.
nifasciatus. * Fabr. S. El. II. p. 6. 18. * Suppl. p. 101. 14—15.
* Herbst Col. VIII. p. 383. 33.
asciatus. * Fabr. S. El. II. p. 6. 19. * Ent. S. I. II. p. p. 38. 15. * Mant. I. p. 92. 12. * Sp. Ins. I. p. 158. 7.
* Illig. Mag. V. p. 231. 19.
* Herbst Col. VIII. p. 378. 22.
* Linn. S. Nat. Gmel. I. IV. p. 1728. 202.
Helops fasciatus. Oliv. Enc. Meth. VII. p. 46. 7.
ar. β. nuper exclusus.
Erot. bifasciatus. * Herbst Col. VIII. p. 370. 12. T. 137. f. 9.
Chrys. indica. * Herbst Arch. p. 52. 5. T. 23. f. 5.
* Linn. S. Nat. Gmel. I. IV. p. 1685. n. 155.
ar. γ. *Erot. alternans.* * Oliv. Ent. V. 89. T. 1. f. 10.
* Herbst Col. VIII. p. 369. 11. T. 137. f. 8.
* Illig. Mag. V. p. 232. 22. & III. p. 160. 22.
Chrys. Gronovii. * Herbst Arch. p. 52. 4. T. 23. f. 4.
* Linn. S. Nat. Gmel. I. IV. p. 1685. 154.
)uadipustulatus. * Fabr. S. El. II. p. 6. 20.
Zebra. * Fabr. S. El. II. p. 6. 21. * Ent. S. I. II. p. 38. 16. * Mant. I. p. 92. 13.
* Herbst Col. VIII. p. 378. 23.
* Linn. S. Nat. Gmel. I. IV. p. 1728. 203.

20. Alternans. * Fabr. S. El. II. p. 7. 22. * Ent. S. I. II. p. 39. 17.
* Illig. Mag. V. p. 232. 22.
21. Dentatus. * Fabr. S. El. II. p. 7. 23.
22. Limbatus. * Fabr. S. El. II. p. 7. 24. * Ent. S. I. II. p. 39. 20.
* Herbst Col. VIII. p. 379. 25.
Oliv. Enc. Meth. VI. p. 437. 30.
23. Brunneus. * Fabr. S. El. II. p. 7. 25.
* Web. Obs. Ent. I. p. 59. 1.
24. Atratus. * Fabr. S. El. II. p. 8. 26.
25. Rufipennis. * Fabr. S. El. II. p. 8. 27.
26. Tricolor. * Fabr. S. El. II. p. 8. 28.
27. Undatus. * Fabr. S. El. II. p. 8. 29.
28. Rubricatus. *s*) * Herbst Col. VIII. p. 363. 5. T. 137. f. 2.
29. Quagga. * Herbst Col. VIII. p. 368. 10. T. 137. f. 7.
30. Surinamensis. * Fabr. Ent. S. I. II. p. 39. 18.
* Herbst Col. VIII. p. 375. 15. T. 137. f. 11.
* Oliv. Ent. V. 89. T. 1. f. 9.
Ægithus surinamensis. * Fabr. S. El. II. p. 9. 1.
* Illig. Mag. III. p. 160. 1. & V. p. 232. 1.
Coccin. surinamensis. * Fabr. Ent S. I. p. 2[illegible]
* Mant. I. p. 53. 4. * Sp. Ins. I. p. [illegible]
* S. Ent. p. 79. 2.
* Linn. Amœn. Acad. VI. p. 393. 12. * Cent. Ins. p. 10. 12. * Syst. Nat. I. II. p. 574. 4
* ed. Gmel. I. IV. p. 1645. 2.
Chrys. clavicornis. * Linn. S. Nat. I. II. p. 590. 15
* ed. Gmel. I. IV. p. 1678. 29.
* DeGeer Ins. V. p. 351. 4. T. 16. f. 11.
Oliv. Enc. Meth. V. p. 718. 127.
31. Cinctus. *Ægithus cinctus.* * Fabr. S. El. II. p. 10. 3
32. Discoïdeus. *Ægithus discoïdeus.* * Fabr. S. El. II. p. 10. 4.
33. Guadeloupensis. *Ægithus Guadeloupensis.* * Fabr. S. El. II. p. 10. 5.
Goller. Guadeloupensis. * Fabr. Ent. S. II. I. p. 16. 1
Erot. marginatus. Oliv. Enc. Meth. VI. p. 437. 31
34. Hispidus. * Herbst Col. VIII. p. 374. 16. T. 137. f. 13. a.

Æ. Gl.

s) An hujus generis?

US. Fabr. n. 88. (Cfr. Illig. Mag. III. p. 160.)
mensis.) * Fabr. S. El. II. p. 9. 1. — vid. *Erot. surinamensis*, n. 30 huj. Op.
natus). * Fabr. S. El. II. p. 10. 2. — vid. *Nilio villosus*, p. 209. 1. huj. Op.
s.) * Fabr. S. El. II. p. 10. 3. — vid. *Erot. cinctus*, n. 31. huj. Op.
deus.) * Fabr. S. El. II. p. 10. 4. — vid. *Erot. discoideus*, n. 32. huj. Op.
loupensis). * Fabr. S. El. II. p. 10. 5. — vid. *Erot. Guadeloupensis*, n. 33. huj. Op.

117. EUMORPHUS. Fabr. n. 89.

inatus. * Fabr. S. El. II. p. 11. 1.
llig. Mag. III. p. 160. 1.
morph. Sumatræ. * Web. Obs. Ent. I. p. 59. 1.
* Illig. Mag. I. p. 246.
ot. 4-guttatus. * Illig. Wiedem. Arch. I. II. p. 124. 18. T. 1. f. 4.
itus. * Fabr. S. El. II. p. 12. 2.
ius. * Latr. Gen. Cr. & Ins. III. p. 72. 1. T. 11. f. 12.
eri. Nov. Sp. *t*)

118. CNODALON. Fabr. n. 90.

ii. * Fabr. S. El. II. p. 12. 1.
otyl. cupreus. * Fabr. Ent. S. I. II. p. 40. 21. * Mant. I. p. 92. 15. * Sp. Ins. I. p. 158. 9. * S. Ent. p. 123. 5.
Herbst Col. VIII. p. 380. 26.
lops cupreus. * Oliv. Ent. III. 58. 7. 6. T. 1. f. 6.
ptoceph. venereus. * Linn. S. Nat. Gmel. I. IV. p. 1728. 205.

X 5

PH. SCHNEIDERI: ater, elytris maculis quatuor pallidis. in India Orientali. E Museo proprio.

Eum. immarginati, at magnitudine *Endom. coccineum* vix Corpus nigrum, abdomine parum rufescente. Caput thoo angustius, exsertum. Antennæ articulis ultimis tribus maerfoliatis compressis. Thorax ater, punctulatus, quadratus, usco-brunneo, complanato dilatato, medio dorso convexus. nvexa glabra, subtilissime punctulata, marginata: macula singulo pallida, undulato-dentata, margines non attingenia subtus nigra abdomine parum rufescente.

D. H. Schneider. Consil. Strals. Inclytus Entomologus.

2. Nebulosum. *u*) * Fabr. S. El. II. p. 13. 2.
Erotyl. nebulosus. * Fabr. Ent. S. I. II. p. 40. 2.
* Mant. I. p. 92. 16. * Sp. Ins. I. p. 158. 2.
* Herbst Col. VIII. p. 380. 27.
* Linn. S. Nat. Gmel. I. IV. p. 1728. 206.
Helops nebulosus. * Oliv. Ent. III. 58. p. 11. 2. T. 2. f. 3.

3. Dilatatum. * Fabr. S. El. II. p. 13. 3.
Erotyl. dilatatus. * Fabr. Ent. S. I. II. p. 40. 3.
* Mant. I. p. 92. 17. * Sp. Ins. I. p. 158. 3.
* Gen. Ins. p. 222. 5—6.
* Herbst Col. VIII. p. 381. 28.
* Linn. S. Nat. Gmel. I. IV. p. 1728. 207.

4. Triste. * Fabr. S. El. II. p. 13. 4.
Erot. tristis. * Fabr. Suppl. p. 102. 23—24.
* Herbst Col. VIII. p. 384. 35.

5. Smaragdulum. * Fabr. S. El. I. p. 13. 5.
Erot. smaragdulus. * Fabr. Ent. S. I. II. p. 40. 4.
* Mant. I. p. 92. 18. * Sp. Ins. I. p. 158. 4.
* S. Ent. p. 123. 6.
* Herbst Col. VIII. p. 381. 29.
* Linn. S. Nat. Gmel. I. IV. p. 1728. 208.
Helops smaragdulus. * Oliv. Ent. III. 58. p. 6. 4. T. 1. f. 5.

6. Amethystinum. * Fabr. S. El. II. p. 13. 6.
Erot. amethystinus. * Fabr. Ent. S. I. II. p. 40. 5.
* Mant. I. p. 92. 19. * Sp. Ins. I. p. 158. 5.
* S. Ent. p. 124. 7.
* Herbst Col. VIII. p. 382. 30.
* Linn. S. Nat. Gmel. I. IV. p. 1728. 209.
Helops amethystinus. * Oliv. Ent. III. 58. p. 9. 9. T. 1. f. 9.

7. Bicolor. * Fabr. S. El. II. p. 14. 7.
Erot. bicolor. * Fabr. Ent. S. I. II. p. 40. 6.
* Mant. I. p. 92. 20. * Sp. Ins. I. p. 158. 6.
* S. Ent. p. 124. 8.
* Herbst Col. VIII. p. 382. 31.
* Linn. S. Nat. Gmel. I. IV. p. 1728. 210.
Helops bicolor. * Oliv. Ent. III. 58. p. 9. 10. T. 2. f. 7.

8. Viride. * Latr. Gen. Cr. & Ins. II. p. 182. 1. T. 8. f. 7. — Hist. Nat. d. Cr. & d. Ins. X. p. 7. T. 89. f. 5. — Précc. d. Caract. gén. d. Ins. p. 99.
Helops morbillosus. * Fabr. S. El. I. p. 158. 12.

---

u) Forsan ad genus *Epitragus* (Latr.) pertinet.



N:o 119. CEBRIO. Fabr. n. 91.

g a s. * Fabr. S. El. II. p. 14. 1. * Ent. S. I. II. p. 41. 1.
* Latr. Gen. Crust. & Ins. I. p. 251. 1. — Hist. Nat. d. Cr. & d. Ins. VIII. p. 395.
* Panz. Fn. Germ. V. 10. * Ent. Germ. I. p. 183. 1.
Cistela gigas. * Fabr. Mant. I. p. 84. 1.
* Ross. Fn. Etr. I. p. 100. 256. T. 7. f. 9. * ed. Hellw. I. p. 107. 256. T. 7. f. 9.
Cebrio longicornis. * Oliv. Ent. II. 30. bis. p. 5. 1. T. 1. f. 1. a. b. c. & *Elater*, T. 1. f. 1. a. b. c.
* Ross. Mant. I. p. 34. 83. * ed. Hellw. I. p. 372. 83.
Cryptoceph. gigas. * Linn. S. Nat. Gmel. I. IV. p. 1713. 91.
scus. * Fabr. S. El. II. p. 14. 2. * Ent. S. I. II. p. 41. 2.
olor. * Fabr. S. El. II. p. 14. 3.
* Palis. de Beauvois Ins. Afr. & Amer. I. p. 9. T. 1. f. 2. a—d.
icollis. * Fabr. S. El. II. p. 15. 4. * Suppl. p. 102. 3.
e v i c o r n i s. *w*) * Oliv. Ent. II. 30. bis. p. 5. 2. T. 1. f. 2. a. b. c.
* Ross. Mant. I. p. 34. 84. * ed. Hellw. I. p. 372. 84.
Tenebr. dubius. * Ross. Fn. Etr. I. p. 234. 583. T. 1. f. 2. * ed. Hellw. I. p. 283. 583. T. 1. f. 2.

N:o 120. ATOPA. Fabr. n. 92.

rvina. * Fabr. S. El. II. p. 15. 1.
* Payk. Fn. Sv. II. p. 116. 1.
* Gyllenh. Ins. Sv. I. I. p. 574. 1. var. b.
Cistela cervina. * Fabr. Ent. S. I. II. p. 42. 1. * Mant. I. p. 85. 2. * Sp. Ins. I. p. 146. 1. * S. Ent. p. 116. 1.
* Ross. Fn. Etr. I. p. 102. 258. * ed. Hellw. I. p. 108. 258.
* Panz. Ent. Germ. I. p. 183. 1.
Dascillus cervinus. * Latr. Gen. Crust. & Ins. I. p. 252. 1. — Hist. Nat. d. Crust. & d. Ins. VIII. p. 386. — Précis des Caract. génér. des Insect. p. 43.
Chrys. cervina. Donov. Br. Ins. T. 78. f. 3.
Crioceris cinerea. * Marsh. Ent. Br. I. p. 220. 3.

---

z hujus generis.

Ptinus testaceo-villosus. * DeGeer Ins. IV. p.
6. T. 9. f. 8.
Cryptoceph. cervinus. * Linn. S. Nat. Gmel. I.
p. 1713. 92.
var. β. * Payk. Fn. Sv. II. p. 117. 1. var. β.
* Gyllenh. Ins. Sv. I. I. p. 373. 1. *d.*
Atopa cinerea. * Fabr. S. El. II. p. 15. 2.
Cistela cinerea. * Fabr. Ent. S. I. II. p.
* Mant. I. p. 85. 3. * Sp. Ins. I. p.
* Panz. Ent. Germ. I. p. 183. 2.
Chrys. cervina. * Linn. Fn. Sv. n. 575. * Syst.
I. II. p. 602. 15.
Vill. Ent. I. p. 166. 185.
Cist. cervina. * Oliv. Ent. III. 54. p. 4. 1. T. 1.
* Petagn. Ins. Cal. p. 11. 55.
Cryptoceph. cinereus. * Linn. S. Nat. Gmel.
p. 1713. 92.
Criocer. cervina. * Marsh. Ent. Br. I. p.
Donov. Br. Ins. T. 78. f. 4.
Mart. Engl. Ent. T. 17. f. 56.

2. Livida. * Fabr. S. El. II. p. 16. 3.
Cistela livida. * Fabr. Ent. S. I. II. p. 42. 3.
I. p. 85. 4. * Sp. Ins. I. p. 147. 3.
p. 116. 2.
Cryptoceph. lividus. * Linn. S. Nat. Gmel.
p. 1713. 94.

N:o 121. CISTELA. Fabr. n. 93.

1. *Ceramboïdes.* * Fabr. S. El. II. p. 16. 1. * Ent.
II. p. 42. 4. * Mant. I. p. 85. 5. * Sp.
I. p. 147. 4. * S. Ent. p. 116. 3.
* Latr. Gen. Cr. & Ins. II. p. 226. 1. — Hist.
d. Cr. & d. Ins. XI. p. 20.
* Payk. Fn. Sv. II. p. 121. 1.
* Oliv. Ent. III. 54. p. 4. 2. T. 1. f. 4. a.
* Panz. Ent. Germ. I. p. 183. 3.
* Ross. Fn. Etr. I. p. 101. 257. * ed. Hell.
p. 108. 257.
* Petagn. Ins. Cal. p. 12. 56.
* Linn. S. Nat. Gmel. I. IV. p. 1713. 95.
* Marsh. Ent. Br. I. p. 222. 6.?
Chrys. ceramboides. * Linn. Fn. Sv. n. 576.
Nat. I. II. p. 602. 117.
* Schrank Enum. p. 99. n. 188.
* Brahm Ins. Kal. I. p. 185. 612.
Vill. Ent. I. p. 166. 187.





Pyrochroa rufa * DeGeer Ins. V. p. 23. 3. T. 1 f. 20—22.
* Geoffr. Ins. I. p. 354. 3. *Mordella.*
* Schæff. Zw. u. Schw. Tab. fig. 5.
ar. β. *Cist. ceramboïdes.* * Fabr. Ent. S. I. II. p. 4 4. var.
* Herbst Arch. p. 64. 1. T. 23. f. 27.
eptuoïdes. * Fabr. S. El. II. p. 17. 2. * En S. I. II. p. 43. 5. * Mant. I. p. 85. 6.
* Oliv. Ent. III. 54. p. 5. 3. T. 1. f. 3. a.
* Panz. Fn. G. V. 11. * Ent. Germ. I. p. 184.
* Ross. Fn. Etr. I. p. 103. 263. * ed. Hellw. p. 109. 263.
Canth. fraxinea. * Scop. Ent. Carn. p. 42. 134.?
estacea.) * Fabr. S. El. II. p. 17. 3. — vid. *Crio abdominalis*, p. 272. 29. huj. Op.
cipes. * Fabr. S. El. II. p. 17. 4. * Ent. S. I. I p. 43. 7.
* Coqueb. Illustr. Ins. III. p. 127. T. 29. f. 3.
Cist. Betulæ. * Herbst Arch. p. 65. 5. T. 23. f. 3
* Linn. Syst. Nat. Gmel. I. IV. p. 1716. 120.
Chrys. Herbsti. * Brahm Ins. Kal. I. p. 109. 375.
Cist. rufitarsis. Leske Iter. I. p. 15. 5. T. A. f.
mentosa. x) *Pyrochr. tomentosa.* * DeGeer Ins. V p. 26. 1. T. 13. f. 4.
icolor.) * Fabr. S. El. II. p. 18. 5. — vid. *Cist. su phurea, var.* β. n. 5. huj. Op.
lphurea * Fabr. S. El. II. p. 18. 6. * Ent. S. I. I p. 43. 8. * Mant. I. p. 85. 8. * Sp. Ins. I p. 147. 6. * S. Ent. p. 117. 5.
* Latr. Gen. Cr. & Ins. II. p. 226. 2. — Hist. N d. Cr. & d. Ins. XI. p. 19.
* Payk. Fn. Sv. II. p. 125. 7.
* Oliv. Ent. III. 54. p. 6. 5. T. 1. f. 6. a.
* Herbst Arch. p. 64. 2. T. 23. f. 28.
* Thunb. N. Acta Ups. V. p. 109. 40.
* Ross. Fn. Etr. I. p. 103. 262. * ed. Hellw. p. 109. 262.
* Panz. Ent. Germ. I. p. 184. 6.
Chrys. sulphurea. * Linn. S. Nat. I. II. p. 602. 21
* Müll. Zool. Dan. Pr n. 903.
* Schrank Enum. p. 98. 187. — Fn. Boica p. 566. 709.
* Brahm Ins. Kal. I. p. 182. 161.
Müll. Linn. Nat. Syst. V. I. p. 200. 114.

orte hujus generis.

Crypt. sulphureus. * Linn. S. Nat. Gmel. I.IV 1714. 98.
* Goeze Eur. Fn. VIII. p. 405. 5.
Tenebr. flavus. * Scop. Ent. Carn. p. 84. 260.
* Linn. S. Nat. Gmel. I. IV. p. 1998. 47.
Crioc. sulphurea. * Marsh. Ent. Br. I. p. 219
Canth. flava. * Scop. Ent. Carn. p. 42. 133.?
* Geoffr. Ins. I. p. 351. 11. *Tenebrio.*
Borowsk. Naturg. VI. p. 96. 13. T. 11. f.
Bechst. Naturg. I. II. p. 844. 4.
Mart. Engl. Ent. T. 17. f. 44.
* Roem. Ins. T. 34. f. 16.
* Schæff. Zw. u. Schw. Tab. fig. 1.
var. β. *Cist. bicolor.* * Fabr. S. El. II. p. 18. 5. *
S. IV. App. p. 447. 8—9.
* Illig. Mag. III. p. 161. 5.
* Panz. Fn. G. XXXIV. 8. * Ent. G. I. p. 1
Crypt. sulphuratus. * Linn. S. Nat. Gmel. I
p. 1717. 260.
* Leske Mus. p. 17. 338.
* Schæff. Zw. u. Schw. Tab. fig. 3.?
(Ruficollis. * Fabr. S. El. II. p. 18. 7. * E
I. p. 43. 9. * Mant. I. p. 85. 9. * Sp
I. p. 147. 7.
* Oliv. Ent. III. 54. p. 6. 4. T. 1. f. 5. a.
Crypt. rubricollis. * Linn. S. Nat. Gmel.
p. 1714. 99.
Cœrulea. * Fabr. S. El. II. p. 18. 8. * Ent. S.
p. 43. 10. * Mant. I. p. 85. 10.
* Coquch. Illustr. Ins. III. p. 127. T. 29. f.
Cist. cœrulescens. * Oliv. Ent. III. 54. p. 1
T. 2. f. 18. a. b.
* Linn. S. Nat. Gmel. I. IV. p. 1714. 10
(Nigripennis.) * Fabr. S. El. II. p. 18. 9. –
Helops nigripennis, huj. Op. I. I. p. 159
Analis. * Fabr. S. El. II. p. 18. 10. * Ent. S. I.
44. 12. * Mant. I. p. 85. 11. * Sp
I. p. 147. 8. * S. Ent. p. 117. 6.
* Linn. S. Nat. Gmel. I. IV. p. 1714. 10
var. β. * Fabr. S. El. l. c. var.
Melanocephala. * Fabr. S. El. II. p. 18. 11.
Rufipes. * Fabr. S. El. II. p. 19. 12. * E
I. II. p. 44. 13.
* Panz. Ent. Germ. I. p. 184. 8.
Fulvipes. * Fabr. S. El. II. p. 19. 13. * Ent. S.
p. 44. 14.
* Payk. Fn. Sv. II. p. 122. 2.



* Panz. Ent. Germ. I. p. 184. 9.
* Illig. Mag. III. p. 161. 13.
Cist. Luperus. * Herbst Arch. p. 65. 4. T. 23. f. 3.
* Linn. S. Nat. Gmel. I. IV. p. 1716. 119.
Crioc. erythropa. * Marsh. Ent. Br. I. p. 223. 2. var. forte.
r. β. *Allecula ferruginea.* * Fabr. S. El. II. p. 22. 4.
Cist. ferruginea. * Fabr. Ent. S. I. II. p. 45. 2.
* Panz. Ent. Germ. I. p. 185. 12.
lorio. * Fabr. S. El. II. p. 19. 14.
Erotyl. Morio. * Fabr. Ent. S. I. II. p. 39. 2.
* Mant. I. p. 92. 14. * Sp. Ins. I. p. 15. 8. * S. Ent. p. 123. 4.
* Herbst Col. VIII. p. 379. 24.
Helops æneus. * Oliv. Ent. III. 58. p. 8. 7. T. 1. f. 7.
Crypt. immaculatus. * Linn. S. Nat. Gmel. I. IV. p. 1728. 204.
lurina. * Fabr. S. El. II. p. 19. 15. * Ent. S. I. II. p. 44. 16. * Mant. I. p. 85. 13. * Sp. Ins. I. p. 147. 9. * S. Ent. p. 117. 7.
* Payk. Fn. Sv. II. p. 126. 8.
* Oliv. Ent. III. 54. p. 7. 6. T. 1. f. 13. a.
* Ross. Fn. Etr. II. p. 102. 260. * ed. Hellw. I. p. 109. 260.
* Thunb. N. Acta Ups. V. p. 94. 12.
* Panz. Ent. Germ. I. p. 185. 11.
Chrys. murina. * Linn. Fn. Sv. n. 577. * Syst. Nat. I. II. p. 602. 118.
Vill. Ent. I. p. 167. 188.
Cist. reppensis. * Herbst Arch. p. 65. 6. T. 23. f. 3.
* Panz. Ent. Germ. I. p. 187. 28.
Chrys. Galii. * Brahm Ins. Kal. I. p. 100. 335.
Crypt. murinus. * Linn. S. Nat. Gmel. I. IV. p. 1714. 103.
* Goeze Eur. Fn. VIII. p. 406. 6.
Anaspis murina. * Müll. Zool. D. Pr. p. 58. 512.
Crioc. murina. * Marsh. Ent. Br. I. p. 222. 7.
Crypt. reppensis. * Linn. S. Nat. Gmel. I. IV. p. 1716. 121.
* Geoffr. Ins. I. p. 355. 4. *Mordella.*
Müll. Linn. Nat. Syst. V. I. p. 201. 118.
Mart. Engl. Ent. T. 16. f. 32.
ar. β. *Cist. thoracica.* * Fabr. S. El. II. p. 19. 16.
* Ent. S. II. p. 15. 18.
* Panz. Ent. Germ. I. p. 185. 13.
ar. γ. *Cist. Evonymi.* * Fabr. S. El. II. p. 20. 19. * Ent. S. I. II. p. 45. 20.
* Panz. Fn. G. XXXIV. 7. * Ent. G. I. p. 185. 14.

Cist. rufa. * Towns. Voy. en Hongr. III. p.
129. T. 2. f. 3.

4. Rubricollis. γ) * Panz. Fn. Germ. XXXIV
— (*Thoracica.*) * Fabr. S. El. II. p. 19. 16. —
Cist. murina, *var.* γ. n. 13. huj. Op.

5. Fuscula. * Illigeri.
Catops flavipes. * Fabr. S. El. II. p. 564. 5.
Helops flavipes. * Fabr. Ent. S. I. p. 122.

6. Antennata. * Panz. Fn. Germ. LVII. 8.

7. *Axillaris.* * Payk. Fn. Sv. II. p. 123. 4.
Cist. murina. * Herbst Arch. p. 64. 3. T. 23.

8. *Flavipes.* * Fabr. S. El. II. p. 19. 17. * Ent. S.
p. 45. 19.
* Payk. Fn. Sv. II. p. 125. 6.
Cist. humeralis. * Illig. Schneid. Mag. p. 607.
Lept. bipustulata. * Thunb. N. Acta Ups. IV. p.
* Linn, S. Nat. Gmel. I. IV. p. 1874. 57.

9. *Humeralis.* * Fabr. S. El. II. p. 19. 18. Ent. S.
p. 45. 21. * Mant. I. p. 85. 14.
* Panz. Fn. Germ. XXV. 14. * Ent. G. I. p.
* Linn. S. Nat. Gmel. I. IV. p. 1715. 104.
Cist. scapularis. * Illig.

10. *Bipustulata.* * Illig. Schneid. Mag. p. 606. 12.
* Payk. Fn. Sv. II. p. 124. 5.
* Panz. Fn. G. XXV. 15. * Ent. Germ. I. p.
— (*Evonymi.*) * Fabr. S. El. II. p. 20. 19. —
murina, *var.* δ. n. 13. huj. Op.

11. *Brevis.* * Illig. Schneid. Mag. I. p. 608. 14.
* Panz. Fn. G. XXV. 17. * Ent. G. I. p.
Cist. maura. * Payk. Acta Holm. 1501. p.
Helops barbatus. * Latr. Gen. Cr. & Ins.
189. 4. — Hist. N. d. Cr. & d. Ins. X.
Helops picipes. * Panz. Fn. G. XXIV. 4.? *
Germ. I. p. 44. 12.?
Cist. flavipes. * Oliv. Ent. III. 54. p. 13.
2. f. 21. a. b.?
Crypt. capucinus. * Linn. S. Nat. Gmel. I.
1718. 258.
* Leske Mus. p. 16. 335.
Melandrya barbata. * Fabr. & Illig. — huj.
I. p. 165. 3. idem forte.

12. Linearis. ε) * Illig. Schneid. Mag. p. 607.
* Panz. Fn. G. XXV. 16. * Ent. G. I. p.
23. N.

γ) Distincta a *Cist. thoracica.* Fabr.
ε) Mas *Cistelæ brevis.* LATR.

ſigrita. * Fabr. S. El. II. p. 20. 20. * Ent. S. IV. App. p. 447. 21—22.
* Panz. Ent. Germ. I. p. 187. 23.

ſaura. * Fabr. S. El. II. p. 20. 21. * Ent. S. I. II. p. 45. 22.
* Panz. Ent. Germ. I. p. 186. 19.
Cist. fusca. * Illig. Schneid. Mag. p. 610. 16.
* Panz. Fn. Germ. XXV. 19. * Ent. Germ. I. p. 186. 21. *a)*
Crioc. fusca. * Marsh. Ent. Br. I. p. 223. 8.

allipes. * Fabr. S. El. II. p. 20. 22. * Ent. S. I. II. p. 46. 23.
* Panz. Ent. Germ. I. p. 187. 22.

ngustata. * Fabr. S. El. II. p. 20. 23. * Ent. S. I. II. p. 46. 25. * Mant. I. p. 86. 16. * Sp. Ins. I. p. 148. 10.
Cryptoceph. angustatus. * Linn. S. Nat. Gmel. I. IV. p. 1715. 106.

estiva. * Fabr. S. El. II. p. 20. 24. * Ent. S. I. II. p. 47. 28. * Mant. I. p. 86. 19. * Sp. Ins. I. p. 148. 13.
Cryptoceph. festivus. * Linn. S. Nat. Gmel. I. IV. p. 1715. 109.

ulica. * Fabr. S. El. II. p. 20. 25. * Ent. S. I. II. p. 47. 29. * Mant. I. p. 86. 20. * Sp. Ins. I. p. 148. 14.
Cryptoceph. aulicus. * Linn. S. Nat. Gmel. I. IV. p. 1715. 110.

lirta. * Fabr. S. El. II. p. 20. 26. * Ent. S. I. II. p. 47. 31. * Mant. I. 86. 24. * Sp. Ins. I. p. 149. 18.
* Linn. S. Nat. Gmel. I. IV. p. 1716. 114.

gilis. * Fabr. S. El. II. p. 20. 27.

exlineata). * Fabr. S. El. II. p. 21. 28. — vid. *Galler. trilineata*, p. 295. n. 47. hujus Op.

itida. *Pyrochr. nitida.* * DeGeer Ins. V. p. 27. 2. T. 13. f. 6. 7.

oxalis. * Oliv. Ent. III. 54. p. 8. 9. T. 1. f. 8. a. b.

linuta. *b)* * Oliv. Ent. III. 54. p. 9. 10. T. 1. f. 12. a. b.

---

uc pertinet secundum Museum *Dom. T. Lund.*

on *Chrys. minuta* Linn. qui est *Hydr. bipunctatus* Fabr., seu *Cist. inta* Fabr. Mant, qui est *Catops rufescens* Syst. Eleuth, — Forte *ibon.*

34. Tenella. * Oliv. Ent. III. 54. p. 9. 11. T. 1. f.
35. Atra. * Oliv. Ent. III. 54. p. 11. 15. T. 2. f. 16
36. Femoralis. * Oliv. Ent. III. 54. p. 12. 18. T. 2. f. 1
37. Oblonga. * Oliv. Ent. III. 54. p. 13. 19. T. 2.

Species dubiæ.

38. Castanea. *Crioc. castanea.* * Marsh. Ent. p. 223. 9.
39. Nigrina. *Crioc. nigrina.* * Marsh. Ent. B 223. 11.

N:o 122. ALLECULA. c) Fabr. n. 9

1. *Morio.* * Fabr. S. El. II. p. 21. 1.
* Illig. Mag. III. p. 162. 1.
* Panz. Fn. Germ. XCV. 1.
Cist. Morio. * Fabr. Ent. S. I. II. p.
* Mant. I. p. 86. 15.
* Payk. Fn. Sv. II. p. 122. 3.
* Panz. Ent. Germ. I. p. 187. 24.
* Oliv. Ent. III. 54. p. 8. 8. T. 1. f. 7.
* Linn. S. Nat. Gmel. I. IV. p. 1715. 10
Cist. opaca. * Illig. Schneid. Mag. p. 610. 1
* Panz. Fn. Germ. XXV. 18. * Ent. G p. 186. 20.
Erot. rufipes. * Fabr. Ent. S. II. p. 4
* Mant. I. p. 92. 21.? * Sp. Ins. I. p.
* Panz. Ent. Germ. I. p. 182. 1.
* Herbst Col. VIII. p. 383. 32.
Erot. rufus. * Fabr. Gen. Ins. p. 222. 9.?
Cryptoceph. Kiloniensis. * Linn. S. Nat. G IV. p. 1728. 211. ?
Cfr. Latr. Gen. Cr. & Ins. II. p. 227. 2. *Cist. sulphuream.*
2. Varians. d) * Fabr. S. El. II. p. 22. 2.
Cist. varians. * Fabr. Ent. S. I. II. p.
* Mant. I. p. 85. 12.
* Oliv. Ent. III. 54. p. 11. 16. T. 2. f. 1
* Panz. Ent. Germ. I. p. 184. 10.
* Linn. S. Nat. Gmel. I. IV. p. 1714. 102
3. Pallicornis. * Fabr. S. El. II. p. 22. 3.

---

c) Tarsis pedum 4 anticorum quinque-articulatis, posticorum q ticulatis. — Obs. *D. Illig.*

d) *Cistela varians* aber und *fuscata*, so wie *ferruginea*, weld



ruginea.) e) * Fabr. S. El. II. p. 22. 4. — vid. *Cist. fulvipes, var.* β. p. 335. n. 11. huj. Op.

scata. e) * Fabr. S. El. II. p. 22. 5.
Cist. fuscata. * Fabr. Suppl. p. 102. 22—23.

N:o 123. ZYGIA. Fabr. n. 95.

longa. * Fabr. S. El. II. p. 22. 1. * Ent. S. I. II. p. 48. 1. * Mant. I. p. 94. 1. * Sp. Ins. I. p. 161. 1. * S. Ent. p. 126. 1.
* Latr. Gen. Cr. & Ins. I. p. 264. 1. T. 8. f. 3.
* Illig. Mag. V. p. 233. 1.
* Linn. S. Nat. Gmel. I. IV. p. 1738. 1.

N:o 124. ZONITIS. Fabr. n. 96.

lida. * Fabr. S. El. II. p. 23. 1. * Ent. S. IV. App. p. 447. 1.

æusta. * Fabr. S. El. II. p. 23. 2. * Ent. S. I. II. p. 48. 1.
* Latr. Gen. Cr. & Ins. II. p. 223. 1. — Hist. Nat. d. Cr. & d. Ins. X. p. 406. T. 90. f. 1.
* Illig. Mag. III. p. 163. 2.
* Panz. Fn. Germ. XXXVI. 7. ♀.
Mylabr. testacea. * Fabr. Mant. I. p. 217. 8. * Sp. Ins. I. p. 331. 7.
* Ross. Mant. I. p. 93. 209. * ed. Hellw. I. p. 440. 209.
* Linn. S. Nat. Gmel. I. IV. p. 2019. 14.
Lytta afra. * Ross. Fn. Etr. I. p. 240. 594. T. 3. f. 1. ♀ & Add. p. 344 594. * ed. Hellw. I. p. 292. 594. T. 3. f. 1. ♀ & Add. p. 456. 594.

ar. β. *l.* ♂. *Zonitis nigripennis.* * Fabr. S. El. II. p. 23. 3. * Suppl. p. 103. 1.
Zonit. præusta. * Fabr. Ent. S. I. II. p. 49. 1. ♂.
* Panz. Fn. Germ. XXXVI. 6. ♂.
Lytta afra. * Ross. Fn. Etr. I. p. 240. 594. T. 3. f. 3. ♂. * ed. Hellw. I. p. 292. 594. T. 3. f. 3. ♂.

gulata. * Fabr. S. El. II. p. 23. 4. * Ent. S. I. II. p. 49. 2.
* Hybn. Naturf. XXIV. p. 45. 11. T. 2. f. 12.
Canth. angulata. * Fabr. S. El. II. p. 168. 17.
* Linn. S. Nat. Gmel. I. IV. p. 1894. 34.

---

h nicht ausgefärbte *Cistela fulvipes* ist, kann man von den übrigen *telen* nicht trennen. — *Illig. Mag. III.* p. 162. *Allecula Morio*, Not. r. not. anteced.

4. Mutica. * Fabr. S. El. II. p. 23. 5. * Ent. S. I. p. 49. 3.
* Panz. Ent. Germ. I. p. 369. 1.
Mylabr. fulva. * Ross. Mant. I. p. 94. 210. T. fig. F. * ed. Hellw. I. p. 440. 210.
Zonitis mahia, (*l. mutica.*) * Hübn. Naturf. XI. p. 44. 10. T. 2. f. 11.
* Scriba Journ. p. 23. 10.

5. Fulvipennis. * Fabr. S. El. II. p. 24. 6. * S. I. II. p. 49. 4.
* Illig. Mag. III. p. 163. 6.

6. Chrysomelina. * Fabr. S. El. II. p. 24. 7. * E. I. II. p. 49. 5. * Mant. I. p. 95. 1. * Ins. I. p. 161. 1. * S. Ent. p. 126. 4.
* Linn. S. Nat. Gmel. I. IV. p. 1738. 1.

7. Flava. *f)* * Fabr. S. El. II. p. 24. 8. * Ent. S. I. p. 49. 6. * Mant. I. p. 95. 2. * Sp. I. p. 161. 2. * S. Ent. p. 127. 2.
* Linn. S. Nat. Gmel. I. IV. p. 1738. 2.

8. *Sexmaculata.* *g)* * Latr. Gen. Cr. & Ins. II. p. 1. — Hist. Nat. d. Cr. & d. Ins. X. p. 4.
Apal. sexmaculatus. * Oliv. Ent. III. 52. p. 5. T. 1. f. 3.

9. Viridipennis. * Fabr. S. El. II. p. 24. 9. * Suppl. 103. 2.

10. Rostrata. * Fabr. S. El. II. p. 24. 10. * Ent. S. II. p. 50. 7.
* Latr. Gen. Cr. & Ins. II. p. 224. 2. not.

11. Vittata. * Fabr. S. El. II. p. 24. 11.
* Coqueb. Illustr. Ins. III. p. 128. T. 29. f. 10. f. 12. ♂.
* Latr. Gen. Cr. & Ins. II. p. 224. 2. not.
Zon. Picta. * Fabr. Suppl. p. 104. 7—8.
* Web. Obs. Ent. I. p. 60. 1.

12. Atra. Nov. Sp. *h)*

13. Bifasciata. Nov. Sp. *i)*

---

f) Vielleicht eine Abändrung der *Z. præusta.* Illig. Mag. III. p.

g) Conf. cum illa *Zonitides chrysomelina, flava.* — LATR.

h) ZONITIS ATRA: thorace mutico elytrisque atris.
Habitat in Hungaria. *D. von Koy.*
Mas magnitudine *Zon. fulvipennis* dimidio minor femina quæ *Mylabr. Faesslini* æqvat. Tota atra. Thorax rotundatus, longitudinali postice impressus. Elytra maris in colorem vergunt. SWART

i) ZONITIS BIFASCIATA: thorace mutico; atra, elytris r staceis, fasciis binis undulatis atris.



N:o 125. SITARIS. Latr. n. 262.

meralis. * Latr. Gen. Cr. & Ins. II. p. 222. 1.
— Hist. Nat. d. Cr. & d. Ins. X. p. 403.
Necydal. humeralis. * Fabr. S. El. II. p. 371. 15.
* Ent. S. I. II. p. 352. 12. * Mant. I. p. 170. 7. * Sp. Ins. I. p. 263. 5. * S. Ent. p. 209. 4.
* Ross. Fn. Etr. I. p. 175. 434. * Mant. II. App. p. 133. * ed. Hellw. I. p. 201. 434.
* Marsh. Ent. Br. I. p. 359. 3.
* Panz. Ent. Germ. I. p. 277. 11.
Vill. Ent. I. p. 283. 14.
* Linn. S. Nat. Gmel. I. IV. p. 1880. 18.
Canth. humeralis. * Oliv. Ent. III. 46. p. 19. 22. T. 2. f. 22.
Necydal. muralis. * Forst. Cent. I. p. 48. 48.
* Geoffr. Ins. I. p. 342. 2. *Cantharis.*
Mart. Engl. Ent. T. 23. f. 7.
Donov. Brit. Ins. T. 358. f. 1.
bicalis. * Latr. Gen. Cr. & Ins. II. p. 222. 2.
— Hist. Nat. d. Cr. & d. Ins. X. p. 403.

N:o 126. APALUS. Fabr. n. 97.

maculatus. *k*) * Fabr. S. El. II. p. 24. 1. * Ent. S. I. II. p. 50. 1. Mant. I. p. 95. 1. * Sp. Ins. I. p. 161. 1. * S. Ent. p. 127. 1.
* Payk. Fn. Sv. II. p. 127. 1.
* Oliv. Ent. III. 52. p. 5. 1. T. 1. f. 2. a. b.
* Quens. Svensk Zoologi. I. I. n. 5. T. 5. fig. C.
* Roem. Ins. p. 44. T. 34. f. 18.
* Linn. S. Nat. Gmel. I. IV. p. 1738. 1.
* Dict. d. Sciences Natur. II. p. 269. ?
* Latr. Gen. Cr. & Ins. II. p. 224.
Meloë bimaculatus. * Linn. Fn. Sv. n. 828. * Syst. Nat. I. II. p. 680. 9.

---

habitat in Hungaria. *D. v. Koy.* Cum priori communicata a Cl. *Schneider.*

Magnitudo utriusque sexus præcedentis. Caput antennisque atris. Thorax ater, impressione media lineari. Scutellum atrum. Elytra testacea (maris pallidiora fere flava) fasciis duabus latis undulatis atris, superior media latior, altera supra apicem. Abdomen pedesque atris. SWARTZ.

rte *Zonitis*, teste Dom. Illig. in Mag. III. p. 163.

Pyrochroa bimaculata. * DeGeer Ins. V. p.
T. 1. f. 18. 19.
* Uddm. Diss. p. 17. 32. *Cerambyx.*
2. Quadrimaculatus. * Fabr. S. El. II. p. 25. 2. *
S. I. II. p. 50. 2.

N:o 127. ALURNUS. Fabr. n. 98. *l*).

1. Grossus. * Fabr. S. El. II. p. 25. 1. * Ent. S.
p. 51. 1. * Mant. I. p. 66. 1. * Sp
I. p. 115. 1. * S. Ent. p. 94. 1.
* Linn. S. Nat. Gmel. I. IV. p. 1666. 1.
Voet Col. II. T. 29. f. 9.
2. Testaceus. * Fabr. S. El. II. p. 25. 2.
3. Ferrugineus. * Fabr. S. El. II. p. 26. 3.

N: 128. SAGRA. Fabr. n. 99.

1. Femorata. * Fabr. S. El. II. p. 26. 1. * Ent. S
II. p. 51. 1.
* Latr. Gen. Cr. & Ins. III. p. 43. 1. —
Nat. d. Cr. & d. Ins. XI. p. 343.
* Herbst Col. VII. p. 266. 3. T. 112. f. 6.
Oliv. Enc. Meth. IV. p. 128.
* Web. Obs. Ent. I. p. 60. 1.
Alurnus femoratus. * Fabr. Mant. I. p.
* Sp. Ins. I. p. 115. 2.
* Linn. S. Nat. Gmel. I. IV. p. 1666. 2.
* Roem. Gen. Ins. p. 42 29. T. 7. f. 8.
Tenebr. femoratus. * Drury Ins. II. p. 64. T.
Tenebr. viridis. * Sulz. Gesch. d. Ins. T. 7.
2. Splendida. * Fabr. S. El. II. p. 27. 2.
* Web. Obs. Ent. I. p. 61. 2.
3. Purpurea. * Fabr. S. El. II. p. 27. 3.
* Herbst Col. VII. p. 265. 2. T. 112. f. 6.
* Web. Obs. Ent. I. p. 61. 3.
* Illig. Mag. III. p. 163. 5.
Lichtenst. Catal. Mus. Holthuys. p. 60.
var. β. *Sagra dentipes.* * Herbst Col. VII. p.
T. 112. f. 4.
4. Tridentata. Web. Obs. Ent. I. p. 62. 4.
5. Fulgida. * Fabr. S. El. II. p. 27. 4.
* Web. Obs. Ent. I. p. 62. 5.

---

l) Cfr. Latr. Gen. Cr. & Ins. III. p. 49. gen. *Alurnus.*

istis. * Fabr. S. El. II. p. 27. 5. * Suppl. p. 104. 1-2.
* Web. Obs. Ent. I. p. 63. 7.
stipes. * Fabr. S. El. II. p. 28. 6. * Ent. S. I. II. p. 52. 2.
* Web. Obs. Ent. I. p. 63. 6.
Lichtenst. Catal. Mus. Hohenwyn. p. 20. 706.
Alurnus dentipes. * Fabr. Mant. I. p. 66. 3.
* Linn. S. Nat. Gmel. I. IV. p. 1666. 3.
n. m) *Chrys. indu.* * Linn. Mus. L. Ulr. p. 41. * Syst. Nat. I. II. p. 603. 121. * ed. Gmel. I. IV. p. 1732. 227.

N:o 129. CHLAMYS. Knoch. n)

rosa. * Knoch n. Beytr. I. p. 128. 1. T. 4. f. 1. 4.
Bruchus gibbosus. * Fabr. S. El. II. p. 397. 10.
* Ent. S. I. II. p. 370. 8. * Mant. I. p. 41. 5. * Gen. Ins. p. 212. 2—3.
Oliv. Enc. Meth. V. p. 198. 8.
Clythra plicata. * Fabr. S. El. II. p. 33. 20. * Suppl. p. 111. 10.
* Coqueb. Illustr. Ins. III. p. 129. T. 29. f. 8.
ulata. * Knoch n. Beytr. I. 130. 1. T. 4. f. 9.
strosa. *Clythra monstrosa.* * Fabr. S. El. II. p. 33. 19. * Suppl. p. 111. 9.
* Illig. Mag. III. p. 164. 19.
ibber. *Clythra gibber.* * Fabr. S. El. II. p. 33. 21. * Suppl. p. 112. 11.
* Illig. Mag. III. p. 163. 19.
* Coqueb. Illustr. Ins. III. p. 129. T. 29. f. 7.
ipressa. *Clythra impressa.* * Fabr. S. El. II. p. 33. 22.
* Illig. Mag. III. p. 164. 19.
istata. *Clythra cristata.* * Fabr. S. El. II. p. 33. 23.
* Illig. Mag. III. p. 164. 19.

N:o 130. CLYTHRA. Fabr. n. 100.

ongipes. * Fabr. S. El. II. p. 28. 1. * Suppl. p. 109. 1.
* Lsich. Tyr. Ins. I. I. p. 166. 1.
* Panz. Ent. Germ. I. p. 188. 1.

Vix hujus generis.
str. Gen. Cr. & Ins. III. n. 53. Gen. CCCXXIV.

Crypt. longipes. * Fabr. Ent. S. I. II. p.
* Mant. I. p. 78. 1. * Sp. Ins. I. p.
* S. Ent. p. 105. 1.
* Ross. Fn. Etr. I. p. 89. 228. * ed. H
p. 93. 228.
* Preysl. Böhm. Ins. p. 90. 85.
* Linn. S. Nat. Gmel. I. IV. p. 1700. 1.
Chrys. longipes. * Brahm Ins. Kal. I. p.
Bupr. sexpunctata. * Scop. Carn. p. 67. 20
* Schæff. Icon. T. 6. f. 3.
Harrer Beschr. n. 52. ed. 2:dra n. 136.
* Sulz. Kennz. T. 3. f. 18. ?
var. β.? *Crypt. longipes.* * Petagn. Ins. Cal. p
Tab. f. 28.

2. Tripunctata. * Fabr. S. El. II. p. 28. 2. *
p. 110. 2.
* Schneid. Mag. p. 191. 7.
Crypt. tripunctatus. * Fabr. Ent. S. I. II.
Crypt. sexpunctatus. * Petagn. Ins. Cal. p
Tab. fig. 29. ?

3. Curvata. * Fabr. S. El. II. p. 29. 3.
4. Curvipes. * Fabr. S. El. II. 29. 4.
5. Tibialis. * Fabr. S. El. II. 29. 5.
6. Obliqua. * Fabr. S. El. II. p. 29. 6.
7. Palliata. * Fabr. S. El. II. p. 30. 7.
* Illig. Mag. III. p. 164. 7.
Cl. transversa. * Illig. Mag. I. p. 182. 13.
8. Hirta. * Fabr. S. El. II. p. 30. 8.
9. Fasciata. * Fabr. S. El. II. p. 30. 9.
10. Sexmaculata. * Fabr. S. El. II. p.
* Suppl. p. 110. 3.
* Schneid. Mag. p. 187. 1.
Crypt. sexmaculatus. * Fabr. Ent. S. I. II.
* Mant. I. p. 78. 2. * Sp. Ins. I.
* Linn. S. Nat. Gmel. I. IV. p. 17
11. Argentata. * Fabr. S. El. II. p. 31. 11.
12. Sexnotata. * Fabr. S. El. II. p. 31. 12.
13. Bicruciata. * Illig. Wiedem. Arch. I.
14. *Quadripunctata.* * Fabr. S. El. II.

Crypt. 4-punctatus. * Fabr. Ent. S. I. II. p. 54. 6.
* Mant. I. p. 78. 3. * Sp. Ins. I. p. 138. 3.
* S. Ent. p. 106. 2.
* Payk. Fn. Sv. II. p. 128. 1.
* Cederh. Fn. Ingr. n. 212.
* Ross. Fn. Etr. I. p. 90. 229. * ed. Hellw. I. p. 93. 229.
* Linn. S. Nat. Gmel. I. IV. p. 1700. 3.
* Panz. Ent. Germ. I. p. 188. 3.
* Marsh. Ent. Br. I. p. 207. 2.
* Goeze Eur. Fn. VIII. p. 400. 1.
Chrys. 4-punctata. * Linn. Fn. Sv. n. 547. * Syst. Nat. I. II. p. 596. 76.
* DeGeer Ins. V. p. 329. 32. T. 10. f. 7.
* Schrank Enum. p. 87. 164.
* Brahm Ins. Kal. I. p. 127. 442.
Vill. Ent. I. p. 147. 116.
Bupr. 4-punctata. * Scop. Carn. n. 206.
Melolontha 4-punctata. * Müll. Zool. D. Prodr. p. 57. 510.
* Oliv. Ent. V. 96. T. 1. f. 1. a—f.
* Geoffr. Ins. I. p. 195. 1. T. 3. f. 4. *Melolontha.*
* Schæff. Elem. Tab. 83.
* Schæff. Icon. T. 6. f. 1. 2.
Harrer Beschr. n. 53. ed. 2:a n. 137.
Müll. Linn. N. Syst. V. I. p. 187. 76. T. 4. f. 9.
Bechst. Naturg. I. II. p. 844. 3.
Mart. Eng. Ent. T. 17. f. 50.
Donov. Brit. Ins. T. 111. f. 1. 2.
Acta Nidr. IV. p. 320. 10. T. 16. f. 6.
* Schall. Acta Hal. I. p. 328. Larva, Tab. 1. f. 8.
:umana. * Illig. Wiedem. Arch. I. II. p. 126. 19.
a. * Fabr. S. El. II. p. 32. 14. * Suppl. p. 115. 36.
adrinotata. * Fabr. S. El. II. p. 32. 15. * Suppl. p. 110. 5.
Crypt. 4-notatus. * Fabr. Ent. S. I. II. p. 54. 7.
* Mant. I. p. 79. 4.
* Linn. S. Nat. Gmel. I. IV. p. 1700. 4.
on. *Chrys. Colon.* * Thunb. Mus. Acad. IV. p. 45. 20. Tab. fig. 9.
maculata. * Fabr. S. El. II. p. 32. 16. * Suppl. p. 110. 6.
:rsecta. * Illig. Wiedem. Arch. I. II. p. 128. 21.
;osa. * Fabr. S. El. II. p. 32. 17. * Suppl. p. 111. 7.
Chrys. bifasciata. * DeGeer Ins. VII. p. 664. 69. T. 49. f. 17.

22. Atraphaxidis. * Fabr. S. El. II. p. 33. 1
* Suppl. p. 111. 8.
* Illig. Mag. III. p. 164. 18.
Crypt. Atraphaxidis. * Fabr. Ent. S. I. II. p. 3
9. * Mant. I. p. 79. 5. * Sp. Ins. I. p. 13
* Linn. S. Nat. Gmel. I. IV. p. 1701. 5.
Chrys. Atraphaxidis. Pall. Iter. II. p. 725. 6
* Oliv. Ent. V. 96. T. 1. f. 7.?

— (Monstrosa.) * Fabr. S. El. II. p. 33. 19. — vid.
Chlamys monstrosa, p. 343. 3. huj. Op.

— (Plicata.) * Fabr. S. El. II. p. 33. 20. — vid. Ch
mys tuberosa, p. 343. 1. huj. Op.

— (Gibber.) * Fabr. S. El. II. p. 33. 21. — vid. Ch
mys gibber, p. 343. 4. huj. Op.

— (Impressa.) * Fabr. S. El. II. p. 33. 22. — vid. Ch
mys impressa, p. 343. 5. huj. Op.

— (Cristata.) * Fabr. S. El. II. p. 33. 23. — *Chlamys*
stata, p. 343. 6. huj. Op.

23. Lunulata. * Fabr. S. El. II. p. 33. 24. * Suppl.
112. 12.
Crypt. lunulatus. * Fabr. Ent. S. I. II. p. 15
* Mant. I. p. 79. 6. * Sp. Ins. I. p. 13
* Linn. Syst. Nat. Gmel. I. IV. p. 1701.

24. Duodecimmaculata. * Fabr. S. El. II. p.
* Suppl. p. 112. 13.
Crypt. 12-maculatus. * Fabr. Ent. S. I. II.
11. * Mant. I. p. 79. 7. * Sp. Ins. I.
6. * S. Ent. p. 106. 3.
* Linn. Syst. Nat. Gmel. I. IV. p. 1701.
Crypt. javanus. * Linn. S. Nat. Gmel. I. IV. p. 17
Chrys. cryptocephala. * Hornst. Berl. Naturf. I.
8. T. 1. f. 2. 5. 8. 11.

25. Obsita. * Fabr. S. El. II. p. 34. 26. * Suppl. p. 1
Crypt. obsitus. * Fabr. Ent. S. I. II. p.
* Mant. I. p. 79. 8. * Sp. Ins. I. p.
* S. Ent. p. 106. 4.
* Linn. S. Nat. Gmel. I. IV. p. 1701. 8.

— (*Tridentata.*) * Fabr. S. El. II. p. 34. 27. — vi
thra humeralis, n. 26. huj. Op.

26. Humeralis. * Schneid. Mag. p. 192. 11.
* Panz. Fn. G. XLVIII. 13. * Ent. Germ. I. p.
Clythra tridentata * Fabr. S. El. II. p.
* Suppl. p. 113. 15.
Crypt. tridentatus. * Fabr. Ent. S. I. II. p.
* Mant. I. p. 79. 9. * Sp. Ins. I.
8. * S. Ent. p. 106. 5.

* Linn. Syst. Nat. Gmel. I. IV. p. 1701. 9.
* Panz. Ent. Germ. I. p. 189. 4.
* Hellw. apud Rossi Fn. Etr. I. p. 96. 234.
* Bechst. & Scharfenb. Forstins. I. p. 142. not. b.
* Schæff. Icon. T. 77. f. 5.
* Harrer Beschr. n. 54. ed. 2:a n. 138.

Tridentata. * Schneid. Mag. p. 191. 10.
* Laich. Tyr. Ins. I. I. p. 170. 4.
Oliv. Enc. Meth. VI. p. 31. 2.
Chrys. tridentata. * Linn. Fn. Sv. n. 546. * Syst. Nat. I. II. p. 196. 73.
* DeGeer Ins. V. p. 333. 36. T. 10. f. 10.
* Panz. En. S. Schæff. Icon. p. 52. 13.
* Goeze Eur. Fn. VIII. p. 401. 2.
* Schrank Enum. p. 78. 144.
* Bechst. & Scharfenb. Forstinsect. I. p. 142. 18. *a.*
Vill. Ent. I. p. 147. 114.
Gleditsch Abhandl. II. p. 199. 6.
Müll. Linn. Nat. Syst. V. I. p. 186. 73.
Crypt. tridentatus. * Payk. Fn. Sv. II. p. 129. 2.
* Ross. Fn. Etr. I. p. 92. 234. * ed. Hellw. I. p. 95. 234.
* Marsh. Ent. Br. I. p. 206. 1.
Clythra longimana. * Fabr. S. El. II. p. 37. 40. * Suppl. p. 113. 22.
* Panz. Fn. Germ. XLVIII. 14. * Ent. Germ. I. p. 190. 10.
Crypt. longimanus. * Fabr. Ent. S. I. II. p. 58. 25. * Mant. I. p. 80. 19. * Sp. Ins. I. p. 140. 16.
* Linn. S. Nat. Gmel. I. IV. p. 1703. 19.
Chrys. longimana. * Hübner in Füessly Arch. App. p. 1. T. 31. f. 5.
Bupr. cærulescens. * Scop. Carn. p. 65. 200.?
* Oliv. Ent. V. 96. T. 2. f. 16. a. b.
* Schæff. Icon. T. 36. f. 13.
Müll. Linn. Nat. Syst. V. I. p. 186. 73.

Longimana. * Schneid. Mag. p. 191. 9.
* Panz. En. S. Schæff. Icon. p. 79. 7.
Chrys. longimana. * Linn. Fn. Sv. n. 562. * Syst. Nat. I. II. p. 599. 95.
Crypt. longimanus. * Payk. Fn. Sv. II. p. 131. 4.
Clythra tridentata. * Panz. Fn. Germ. XLVIII. 12. * Ent. Germ. I. p. 189. 4.
* Geoffr. Ins. I. p. 196. 3. *Melolontha.*
* Schæff. Icon. T. 62. f. 7.
Harrer Beschr. n. 59. ed. 2:a n. 142.

Dominicana. * Fabr. S. El. II. p. 34. 28.

Faciornis. * Fabr. S. El. II. p. 34. 29. * Suppl. p. 112. 16.

Crypt. taxicornis. * Fabr. Ent. S. I. II. p. 56
* Payk. Fn. Sv. II. p. 130. 3.
Crypt. tridentatus. * Petagn. Ins. Cal. p. 11.
Tab. fig. 8.
Clythra similis. * Schneid. Mag. p. 191. 8. 2.
* Oliv. Ent. VI. 96. T. 1. f. 2. a. b.

31. Decora. * Fabr. S. El. II. p. 35. 30.

32. Bifasciata. * Fabr. S. El. II. p. 35. 31.
* Illig. Wiedem. Arch. I. II. p. 130. 24.
Clythra bicolor. * Web. Obs. Ent. p. 64. 1.

33. Equestris. Nov. Sp. o)

34. Bistrinotata. *Clythra sexnotata.* * Fabr. S. El. II. p. 3

35. Octosignata. * Fabr. S. El. II. p. 36. 33.

36. Octopunctata. * Fabr. S. El. II. p. 36. 34. * S
p. 112. 17.
* Panz. Ent. Germ. I. p. 189. 6.
* *Crypt. octopunctatus.* * Fabr. Ent. S. I.
56. 18. * Mant. I. p. 79. 13.
* Linn. S. Nat. Gmel. I. IV. p. 1702. 13.

37. Macropus. * Illig. Wiedem. Arch. I. II. p. 1
Clythra Dorychnii. Schneid.
var. β. * Illig. l. c. var. 1.
var. γ. * Illig. l. c. var. 2.

38. Maxillosa. * Fabr. S. El. II. p. 36. 34. * Sup
113. 18.
Crypt. maxillosus. * Fabr. Ent. S. I. II. p.
* Mant. I. p. 80. 14. * Sp. Ins. p. 1
* Linn. S. Nat. Gmel. I. IV. p. 1702. 14
Antipus rufus. * DeGeer Ins. VII. p. 659.
49. f. 10. 11.

39. Erythrotis. * Illig. Wiedem. Arch. I. II. p. 1

40. Collaris. * Schneid. Mag. p. 193. 14. not.
auritam. * ibid. p. 613. 17. not. ad *Cl.*

---

o) CLYTHRA EQUESTRIS: cœrulea; elytris rugosis flavi tribus cœruleis; postica brevi anali.
Habitat in India Orientali. *Dom. Osbeck jun.* E Museo
Elegans, tota nitida, sub-pubescens, magnitudine *Cl. Mac* put inæquale punctulatum, linea frontali impressa; cœrule cula minuta supra oculos rufa. Oculi flavi. Thorax brevi gine parum elevato, supra inæqualis, punctatus, viride- Scutellum elevatum atrum. Elytra punctata seu subrugosa nata, flava, fasciis tribus transversis cœruleis marginem ex non attingentibus, fascia prima & secunda latissima, versus exteriorem dilatata; tertia macularis analis. Pectus & abdo ruleum, oculo bene armato temere punctulatum. Pedes

J. V. DAL

urita. * Fabr. S. El. II. p. 36. 36. * Suppl. p. 113. 19.
* Schneid. Mag. p. 193. 14.
* Panz. Ent. Germ. I. p. 189. 7.
Crypt. auritus. * Fabr. Ent. S. I. II. p. 57. 20. * Mant. I. p. 80. 15. * Sp. Ins. I. p. 139. 12. * S. Ent. p. 107. 8.
* Panz. Fn. Germ. XXV. 20.
* Herbst Arch. p. 163. 19. T. 44. f. 5.
* Petagn. Ins. Cal. p. 10. 49.
* Linn. S. Nat. Gmel. I. IV. p. 1702. 15.
* Ross. Fn. Etr. I. p. 93. 236. ? * ed. Hellw. I. p. 96. 236. ?
Chrys. aurita. * Linn. S. Nat. I. II. p. 596. 75.
* Bechst. & Scharfenb. Forstinsect. I. p. 143. 19. Walth. Lehrb. der Forstwiss. p. 541.
* Brahm Ins. Kal. I. p. 179. 592.
* Schæff. Icon. T. 52. f. 11. 12.
Harrer Beschr. n. 55. ed. 2:a. n. 139.
ffinis. * Illig. Schneid. Mag. p. 611. 17.
* Panz. Ent. Germ. I. p. 190. 8.
Crypt. affinis. * Payk. Fn. Sv. II. p. 132. 6.
* Panz. Fn. Germ. XXV. 21.
* Ross. Fn. Etr. ed. Hellw. I. p. 97. 236. Obs.
Clythra musciformis. * Schneid. Mag. p. 194. 15.
Chrys. musciformis. Goeze Ent. Beytr. I. p. 319. 22.
Chrys. collaris. * Schrank Enum. p. 76. 141.
* Füessl. n. Mag. II. p. 151. 141.
entisci. * Fabr. S. El. II. p. 36. 37. * Suppl. p. 113. 20.
Crypt. Lentisci. * Fabr. Ent. S. I. II. p. 57. 21.
Chrys. variolosa. * Linn. S. Nat. Gmel. I. IV. p. 1679. 33.
* Fabr. Mant. I. p. 70. 50. * Sp. Ins. I. p. 122. 39. * S. Ent. p. 99. 28.
)uadrimaculata. * Fabr. S. El. II. p. 36. 38. * Suppl. p. 113. 21.
* Illig Mag. III. p. 164. 38.
* Panz. Ent. Germ. I. p. 190. 9.
Crypt. 4-maculatus. * Fabr. Ent. S. I. II. p. 57. 23. * Mant. I. p. 80. 17. * Sp. Ins. I. p. 140. 14. * S. Ent. p. 107. 10.
* Linn. S. Nat. Gmel. I. IV. p. 1702. 17.
Chrys. 4-maculata * Linn. S. Nat. I. II. p. 596. 77.
Clythra Scopolina. * Panz. Fn. Germ. XLVIII. 15.
* Kr. Rev. d. Ins. Fn. I. p. 92.

Crypt. Scopolinus. * Ross. Fn. Etr. I. p. 91. 232.
* ed. Hellw. I. p. 94. 232.
* Panz. Naturf. XXIV. p. 17. 23. T. 1. f. 23.
* Scriba Journ. p. 14. 23.
Chrys. Scopolina. * Preysl. in Mayers Anfs. Böhm. Naturg. II. p. 35. 32. Tab. fig. 32.
* Schrank Enum. p. 88. 166.
Bupr. unifasciata. * Scop. Carn. p. 66. 205.

45. Scopolina. * Fabr. S. El. II. p. 39. 52. * Suppl. p. 114. 31.
* Panz. Ent. Germ. I. p. 191. 14.
Crypt. Scopolinus. * Fabr. Ent. S. I. II. p. 68.
* Mant. I. p. 83. 58. * Sp. Ins. I. p. 145.
* S. Ent. p. 111. 30.
* Linn. S. Nat. Gmel. I. IV. p. 1708. 58.
Chrys. Scopolina. * Linn. S. Nat. I. II. 597. 81.

var. — *Clythra rubicunda.* * Laich. Tyr. Ins. I. I. p. 169.
Clythra rubra. Oliv. Enc. Meth. VI. p. 35. 22.
Chrys. melanocephala. * Schall. Acta Hal. I. p. 27.
Cl. quadrimaculatata. * Panz. Enum. S. Schaff. p. 9. n. 6. 7.
* Schneid. Mag. p. 189. 4.
Cl. bimaculata. * Schneid. Mag. p. 188. 3.?
* Geoffr. Ins. I. p. 196. 2. *Melolontha.*
* Schæff. Icon. T. 6. f. 6. 7.
Harrer Beschr. n. 53. ed. 2:a n. 140.

46. Ruficollis. * Fabr. S. El. II. p. 38. 45. * Suppl. p. 114. 26.
Crypt. ruficollis. * Fabr. Ent. S. I. II. p. 61.
* Mant. I. p. 81. 32. * Sp. Ins. I. p. 142.
* S. Ent. p. 109. 17.
* Linn. S. Nat. Gmel. I. IV. p. 1705. 32.
Crypt. octopunctatus. * Panz. Naturf. XXIV. p. 22. T. 1. f. 22. ♀. f. 22. b. ♂.
* Scriba Journ. I. p. 14. 22.
Clythra octopunctata. * Schneid. Mag. p. 188. 1.
* Panz. En. S. Schæff. Icon. p. 210. 3.
Crypt. bimaculatus. * Ross. Fn. Etr. I. p. 91.
* ed. Hellw. I. p. 94. 231.
Crypt. 4-maculatus. * Petagn. Ins. Cal. p. 11. Tab. fig. 30. 31.
* Schæff. Icon. T. 36. f. 14.? & T. 264. f. 3. a.
Harrer Beschr. n. 57. ed. 2:a n. 141. & n.

47. Turcica. * Fabr. S. El. II. p. 37. 39.

— (*Longimana.*) * Fabr. S. El. II. p. 37. 40. — vid. *tridentata*, n. 27. huj. Op.

48. Lar. * Fabr. S. El. II. p. 37. 41. * Suppl. p. 113.



Crypt. Lar. * Fabr. Ent. S. I. II. p. 58. 26. * Mant. I. p. 80. 20.
* Linn. S. Nat. Gmel. I. IV. p. 1703. 20.
lumeralis. * Fabr. S. El. II. p. 37. 42.
lagiocephala. * Fabr. S. El. II. p. 38. 43.
* Suppl. p. 113. 24.
* Coqueb. Illustr. Ins. III. p. 128. T. 29. f. 6.
Crypt. plagiocephalus. * Fabr. Ent. S. I. II. p. 60. 37.
allens. *p*) * Fabr. S. El. II. p. 38. 44. * Suppl. p. 114. 25.
Crypt. pallens. * Fabr. Ent. S. I. II. p. 61. 39.
* Mant. I. p. 81. 29.
* Linn. S. Nat. Gmel. I. IV. p. 1704. 29.
uficollis.) * Fabr. S. El. II. p. 38. 45. — vide supra n. 46.
ligripes. * Fabr. S. El. II. p. 38. 46. * Suppl. p. 114. 27.
Crypt. nigripes. * Fabr. Ent. S. I. II. p. 61. 43.
* Mant. I. p. 81. 33. * Sp. Ins. I. p. 142. 26.
* Gen. Ins. p. 221. 17—18.
* Linn. S. Nat. Gmel. I. IV. p. 1705. 33.
runnea. * Fabr. S. El. II. p. 38. 47.
r. *β*. * Fabr. S. El. l. c. var.
r. *γ*. * Illig. Mag. III. p. 165. 47.
œrulans. * Fabr. S. El. II. p. 38. 48.
Crypt. cœrulans. * Fabr. Ent. S. I. II. p. 62. 45.
* Sp. Ins. I. p. 143. 28.
Crypt. cœruleus. * Fabr. Mant. I. p. 81. 35.
* Linn. S. Nat. Gmel. I. IV. p. 1705. 35.
uprea. * Fabr. S. El. II. p. 39. 49. * Suppl. p. 114. 28.
Crypt. cupreus. * Fabr. Ent. S. I. II. p. 62. 47.
* Mant. I. p. 81. 36.
* Linn. S. Nat. Gmel. I. IV. p. 1705. 36.
yanea. * Fabr. S. El. II. p. 39. 50. * Suppl. p. 114. 29.
* Schneid. Mag. p. 193. 12
* Panz. Fn. G. XLV. 5. * Ent. Germ. I. p. 191. 12.
* *Crypt. cyaneus.* * Fabr. Ent. S. I. II. p. 63. 52.
* Mant. I. p. 82. 39. * Sp. Ins. I. p. 143. 30.
* S. Ent. p. 109. 20.
* Payk. Fn. Sv. II. p. 132. 5.
* Ross. Fn. Etr. I. p. 95. 241. * ed. Hellw. I. p. 99. 241.

---

r. *β*. Eadem, elytris singulis puncto s. lincola oblonga nigra in ulo interiore prope scutellum. Ex India Or. China. *D. Kyrsell.*

Crypt. saphirinus. * Linn. S. Nat. Gmel. I. IV 1705. 39.
Chrys. ruficollis. * Herbst Arch. p. 162. 61. 45. f. 3.
Clythra persicariæ. * Schrank Naturf. XXIV. p. 6
* Scriba Journ. p. 28. 20.
Bupr. salicina. * Scop. Carn. p. 65. 199.
* Geoffr. Ins. I. p. 197. 4. *Melolontha.*
* Schæff. Icon. T. 51. f. 5.
Harrer Beschr. n. 60. ed. 2:a n. 143.
var. β. * Illig. Mag. III. p. 165. 50.

57. Bucephala. * Fabr. S. El. II. p. 39. 51. * S p. 114. 30.
* Schneid. Mag. I. p. 194. 16.
* Panz. Fn. Germ. XLV. 6. * Ent. Germ p. 191. 13.
Crypt. bucephalus. * Fabr. Ent. S. I. II. p. 6 * Mant. I. p. 82. 41.
* Ross. Fn. Etr. II. App. p. 342. 236. * Hellw. I. p. 452. 236.
* Linn. S. Nat. Gmel. I. IV. p. 1706. 41.
* Towns. Voy. en Hongr. III. p. 172. 14
Chrys. bucephala. * Schall. Acta Hal. p. 276. b
Crypt. musciformis. * Linn. S. Nat. Gmel. I p. 1711. 83.
* Geoffr. Ins. I. p. 197. 5. *Melolontha.*

— (Scopolina.) * Fabr. S. El. II. p. 39. 52. ante n. 45.

58. Kœnigii. * Fabr. S. El. II. p. 39. 53. * Suppl. p. 1
Crypt. Kœnigii. * Fabr. Ent. S. I. II. p. * Mant. I. 83. 59. * Sp. Ins. I. p. 1 * S. Ent. p. 111. 29.
* Hübn. Naturf. XXIV. p. 41. 6. T. 2. f.
* Scriba Journ. p. 22. 6.
* Linn. S. Nat. Gmel. I. IV. p. 1708. 59

59. Paracenthesis. * Fabr. S. El. II. p. 3 * Suppl. p. 115. 33.
* Illig. Mag. III. p. 166. 59.
Crypt. paracenthesis. * Fabr. Ent. S. I. II. p. * Mant. I. p. 83. 60. * Sp. Ins. I. p. 1 * S. Ent. p. 111. 31.
* Linn. S. Nat. Gmel. I. IV. p. 1708. 6
* Panz. Ent. Germ. I. p. 199. 31.
Chrys. paracenthesis. * Linn. S. Nat. I. II. p. 1

60. Bicolor. * Fabr. S. El. II. p. 40. 55.

61. Bipustulata. * Fabr. S. El. II. p. 40. 56.

62. P



Punctulata. * Fabr. S. El. II. p. 40. 57.
Nitidula. * Fabr. S. El. II. p. 40. 58.
Concolor. * Fabr. S. El. II. p. 40. 58. * Suppl. p. 115. 35.
Crypt. concolor. * Fabr. Ent. S. I. II. p. 69. 83.
Hordei. *q*) * Fabr. El. II. p. 41. 59. * Suppl. p. 115. 34.
Crypt. Hordei. * Fabr. Ent. S. I. II. p. 69. 82. * Mant. I. p. 83. 61.
* Linn. S. Nat. Gmel. I. IV. p. 1708. 61.
Limbata. * Steven, Mem. des Nat. de Mouscou. I. p. 157. T. 10. f. 1.
Martinia. *r*) *Chrys. Martinia.* * Schall. Acta Hal. I. p. 278.
Crypt. Martinius. * Linn. S. Nat. Gmel. I. IV. p. 1710. 74.
Laticlavia. *r*) *Chrys. laticlavia.* * Forst. Cent. I. p. 27. 27.
Crypt. laticlavius. * Linn. S. Nat. Gmel. I. IV. p. 1710. 78.

131. CRYPTOCEPHALUS. Fabr. p. 101.

Elatus. * Fabr. S. El. II. p. 41. 1.
Sexsignatus. * Fabr. S. El. II. p. 41. 2.
Salicis. * Fabr. S. El. II. p. 42. 3. * Ent. S. I. II. p. 53. 3.
Clythra? Salicis. * Panz. Ent. Germ. I. p. 288. 2.
Crypt. imperialis. * Laich. Tyr. Ins. I. I. p. 179. 6.
Trimaculatus. *s*) * Ross. Fn. Etr. I. p. 96. 246. T. 4. f. 12. * ed. Hellw. I. p. 101. 246. T. 4. f. 12.

---

q) Habitat in Barbar. & in Lusitan.

r) Forte hujus generis.

s) Certe est propria species & diversa ab illa quæ vulgo *Crypt. salicis* salutatur. In Coll. *Dom. Hæffneri* duos observavi *Cryptocephalos* ex Italia missos, quos prima facie, pro varietate *Cr. bipunctati* punctis 3 singulis elytris: 1, 2, habui; perpense vero demum examinata, elytra eorum leviter tantum punctato-striata, margine nigro destituta inveniuntur, quod ab assertione Rossi nulla in re differt nec magnitudine *Cr. bipunctati*, ut dicit, proxima. *Cr. salicis* e contrario, huic multo major, ejusque sutura & pars postica margi- exterioris nigra sunt. Haud facile tamen dictu e descriptione t. "*Distinctus omnino a C. longipedo. Antennæ breves*" an po- *Clythra* esset, quamvis *Cr. salicis* ad *Cryptocephalos* in Syst. ch. retulit Auctor.

5. Sexnotatus. *1*) * Fabr. S. El. II. p. 42. 4. * S. I. II. p. 53. 4.
* Illig. Mag. III. p. 166. 4.
Cr. rugicollis. Oliv. Enc. Meth. VI. p. 619.
6. Lætus. * Fabr. S. El. II. p. 42. 5. * Ent. S. I. p. 54. 8.
* Panz. Ent. Germ. I. p. 192. 1. * Fn. G. XCVIII. 3.
Cr. mixtus. * Schneid. Mag. p. 212. 23.
7. Blockii. * Ross. Mant. II. p. 91. 39. T. 3. f.
8. Lineatus. * Fabr. S. El. II. p. 42. 6. * Ent. S. I. p. 55. 13. * Mant. I. p. 79. 10. * Sp. I. p. 139. 9. * S. Ent. p. 106. 6.
* Linn. S. Nat. Gmel. I. IV. p. 1701. 10.
9. Venustus. * Fabr. S. El. II. p. 42. 7. * Ent. S. I. p. 56. 16. * Mant. I. p. 79. 11.
* Linn. S. Nat. Gmel. I. IV. p. 1701. 11.
var. β. *Cr. ornatus.* * Fabr. S. El. II. p. 47. 32. * S. p. 106. 44—45.
* Coqueb. Illustr. Ins. III. p. 129. T. 29.
10. Sexguttatus. * Fabr. S. El. II. p. 42. 8. * Supp. 105. 17—18.
11. Gorteriæ. * Fabr. S. El. II. p. 42. 9. * Ent. S. I. p. 56. 17. * Mant. I. p. 79. 12. * Sp. I. p. 139. 10. * S. Ent. p. 107. 7.
Chrys. Gorterii. Linn. Amœn. Ac. VI. p. 3[illegible]
* Cent. Ins. n. 16. * Syst. Nat. I. II. 596. 74. * ed. Gmel. I. IV. p. 1701.
12. Modestus. * Fabr. S. El. II. p. 42. 10.
13. Didymus. * Fabr. S. El. II. p. 43. 11. * Ent. II. p. 57. 22. * Mant. I. p. 80. 16. * Ins. I. p. 140. 13. * S. Ent. p. 107. 9.
* Linn. S. Nat. Gmel. I. IV. p. 1702. 16.
14. Flavicollis. * Fabr. S. El. II. p. 43. 12. * Ent. II. p. 58. 24. Mant. I. p. 80. 18. * Sp. I. p. 140. 15.
* Linn. S. Nat. Gmel. I. IV. p. 1702. 18.

---

1) var. β. puncto exteriore baseos cum illo ad apicem in postice dilatatam submarginalem confluente.
var. γ. absque punctis, sed lineolis 2 intra marginalibus supra alteram, quasi una interrupta.
var. δ. lineolis binis brevissimis, una in humero, altera apicem.
var. ε. lineolo s. puncto oblongo unico humerali.
Cr. humeralis * Fabr. S. El. II. p. 43. 14.?

[a r g i n a t u s. * Fabr. S. El. II. p. 43. 13. * Ent. S. I. II. p. 58. 27. * Mant. I. p. 80. 21. * Sp. Ins. I. p. 140. 17. ♀.
* Panz. Fn. Germ. LXVIII. 1. ♀. * Ent. Germ. I. p. 192. 3. ♀.
* Linn. S. Nat. Gmel. I. IV. p. 1703. 21. ♀.
* Ross. Fn. Etr. I. p. 94. 239. & II. App. p. 342. 239. * ed. Hellw. I. p. 98. 239. ♂. ♀. & p. 453. 239.
* Illig. Mag. III. p. 167. 13. (cfr. Hellw. Ross. Fn. Etr. I. p. 98. 239. not. ad *Cr. marginat.*)
ir. β. *Cr. marginatus.* * Schneid. Mag. p. 195. 1. var.
* Rœm. Ins. p. 43. 31. T. 34. f. 15.
Chrys. phalerata. * Schall. Acta Hal. I. p. 276.
* Schæff. Icon. T. 87. f. 6.
Harrer Beschr. n. 82. ed. 2a n. 144.
tragula. * Ross. Mant. II. p. 90. 38. T. 1. fig. E.
lumeralis.) * Fabr. S. El. II. p. 43. 14. — vid. *Cr. sexmaculatus, var. s.* n. 5. huj. Op.
ubescens. * Fabr. S. El. II. p. 43. 15. * Ent. S. I. II. p. 58. 28. * Mant. I. p. 80. 22. * Sp. Ins. I. p. 141. 18. * Gen. Ins. p. 220. 11—12.
Cr. hirsutus. * Linn. S. Nat. Gmel. I. IV. p. 1703. 22.
ipunctatus.) * Fabr. S. El. II. p. 43. 16. — vid. *Cr. dispar, α.* n. 18. huj. Op.
ispar. * Payk. Fn. Sv. II. p. 142. 15. α.
Cr. bipunctatus. * Fabr. S. El. II. p. 43. 16. * Ent. S. I. II. p. 59. 29. * Mant. I. p. 80. 23. * Sp. Ins. I. p. 141. 19. * S. Ent. p. 108. 12.
* Schneid. Mag. p. 205. 15.
* Panz. Fn. Germ. LXVIII. 2. * Ent. Germ. I. p. 193. 6.
* Ross. Fn. Etr. I. p. 90. 230. * ed. Hellw. I. p. 94. 230.
* Preysl. in Mayers Aufs. Böhm. Naturg. III. p. 218. 14.
* Herbst Arch. p. 62. 5.
* Cederh. Fn. Ingr. n. 213.
* Linn. S. Nat. Gmel. I. IV. p. 1703. 23.
* Schrank Enum. p. 87. 165.
* Müll. Zool. Dan. Pr. p. 58. 524.
* Brahm Ins. Kal. I. p. 205. 691.
Chrys. bipunctata. * Linn. Fn. Sv. n. 548. * Syst. Nat. I. II. p. 597. 78.
* DeGeer Ins. V. p. 332. 35.
Cr. Vibex. * Linn. S. Nat. Gmel. I. IV. p. 1711. 84.
* Geoffr. Ins. I. p. 234. 6. T. 4. f. 3.

* Schæff. Icon. T. 86. f. 8.
Harrer Beschr. n. 77. ed. 2:a n. 145.
Müll. Linn. Nat. Syst. V. I. p. 188.
Petiv. Gazoph. T. 31. f. 4.
var. β. * Payk. Fn. Sv. I. c. var. β.
Cr. Lineola. * Fabr. S. El. II. p. 44. 17. * Ent. S. I. II. p. 59. 30.
* Marsh. Ent. Br. I. p. 207. 3.
* Cederh. Fn. Ingr. n. 214.
* Panz. Ent. Germ. I. p. 193. 7.
* Illig. Mag. III. p. 167. 17.
Cr. bipunctatus. * Schneid. Mag. p. 205. 15. var.
* Linn. S. Nat. Gmel. I. IV. p. 1703. 23. var.
* Ross. Fn. Etr. I. p. 90. 230. var. * ed. Helw. I. p. 94. 230. var.
Chrys. bipunctata. * Linn. Fn. Sv. n. 548. β. * Syst. Nat. I. II. p. 597. 78. β.
Chrys. bilituratа. Don. Brit. Ins. T. 99. f. 1. 2.
Crypt. bipustulatus. * Hoppe Enum. Ins. p. 34.
Cr. limbatus. * Laich. Tyr. Ins. I. I. p. 181.
Bupr. sanguinolenta. * Scop. Carn. p. 66. 202.
* Uddm. Diss. p. 22. 21. *Chrysomela.*
* Schæff. Icon. T. 77. f. 8.
Harrer Beschr. n. 78. ed. 2:a n. 146.
var. γ. * Payk. Fn. Sv. I. c. var. γ.
Cr. bipunctatus. * Schneid. Mag. p. 206. 15.
var. δ. * Payk. Fn. Sv. I. c. var. δ.
var. ε. * Payk. Fn. Sv. I. c. var. ε.
Cr. bipustulatus. * Fabr. S. El. II. p. 54. 73. * Ent. S. I. II. p. 67. 74. * Mant. I. p. 83. 59.
* Sp. Ins. I. p. 145. 40. * S. Ent. Ap. p. 821. 28—29.
* Hoppe Enum. Ins. p. 34. δ.
* Panz. Fn. Germ. LXVIII. 15. * Ent. Germ. I. p. 199. 34.
* Ross. Fn. Etr. I. p. 97. 247. α. ? * ed. Helw. I. p. 101. 247. α. ?
* Linn. S. Nat. Gmel. I. IV. p. 1707. 53.
Cr. bipunctatus. * Schneid. Mag. p. 206. 15. var.
Cr. ater. * Preysl. in Mayers Aufs. Böhm. Nat. III. p. 210. 3.
Cr. biguttatus. * Herbst Arch. p. 163. 20. T. i. 6. i. k.
Cr. Podæ. * Laich. Tyr. Ins. I. I. p. 179. 7.
Chrys. biguttata. * Schrank Enum. p. 89. 169.
Chrys. ferrugata. * Schrank Beytr. p. 64. 7.
Chrys. Moræi. Poda Mus. Græc. p. 38. var. β.
Bupr. biguttata. * Scop. Carn. p. 65. 201.

* Schæff. Icon. T. 30. f. 4. 5.
Harrer Beschr. n. 73. ed. 2:a n. 158. 160.
r. ♀. * Payk. Fn. Sv. l. c. var. ♀.
* Schæff. Icon. T. 30. f. 6.
ineola.) * Fabr. S. El. II. p. 44. 17. — vid. *Cr. dispar, var.* β. n. 18. huj. Op.
imaculatus.) * Fabr. S. El. II. p. 44. 17. — vid. *Cr. Coryli, var.* γ. ♀. n. 24. huj. Op.
ordiger. *u*) * Fabr. S. El. II. p. 44. 19. * Ent. S. I. II. p. 59. 32. * Mant. I. p. 80. 25. * Sp. Ins. I. p. 141. 21. * S. Ent. p. 108. 13.
* Payk. Fn. Sv. II. p. 133. 7.
* Schneid. Mag. p. 209. 18.
* Panz. Fn. G. XIII. 6. * Ent. Germ. I. p. 103. 8.
* Ross. Fn. Etr. I. p. 92. 233. * ed. Hellw. I. p. 95. 233.
* Cederh. Fn. Ingr. n. 215.
* Linn. S. Nat. Gmel. I. IV. p. 1704. 25.
* Dunk. Ent. Bild. I. p. 89. T. 2. f. 4.
Chrys. cordigera. * Linn. Fn. Sv. n. 558. * Syst. Nat. I. II. p. 598. 91.
* DeGeer Ins. V. p. 330. 33.
* Geoffr. Ins. I. p. 235. 7. *Cryptocephalus.*
ariabilis. * Schneid. Mag. p. 207. 17.
* Panz. Fn. G. XIII. 7. * Ent. Germ. I. p. 194. 9.
Crypt. cordiger. * Payk. Fn. Sv. II. p. 134. 7. var. β.
Crypt. sexpunctatus, var. γ. * Laich. Tyr. Ins. I. I. p. 178. 5.
Chrys. sexpuctata. * Schrank Enum. p. 88. 167.
Bupr. octopunctata. * Scop. Carn. p. 67. 209. ?
* Schæff. Icon. T. 30. f. 1. 2. 3.
Harrer Beschr. n. 74. & 75. ed. 2:a n. 147. 148. 149.
ır. β. Elytris punctis tribus nigris: 2, 1.
Cr. variabilis. * Fabr. S. El. II. p. 44. 20. * Suppl. p. 105. 32.
ır. γ. *Cr. cordiger.* * Payk. Fn. Sv. II. p. 134. 7. var. γ.
Cr. sexpunctatus. * Laich. Tyr. Ins. I. I. p. 175. 5.
ır. δ. *Cr. sexpunctatus, var.* δ. * Laich. Tyr. Ins. I. I. p. 178. 5. var. δ.
* Oliv. Ent. V. 96. T. 2. f. 19.
ır. ε. *Cr. cordiger.* * Payk. Fn. Sv. II. p. 134. 7. var. δ.

---

var. β. Præced. similis, sed elytris punctis sex: 2. 1.
var. γ. Thorax niger, lineola antice longitudinali, in medio interrupta, postice puncto subquadrato; lateribus flavis puncto utrinque in medio nigro cum disco confluente. Elytris punctis quatuor: 1, 1. Habit. in Finlandia.

21. Tricolor. * Ross. Mant. I. p. 33. 82. T. 1. f. 1
* ed. Hellw. I. p. 371. 82.
— (Trilineatus.) * Fabr. S. El. II. p. 45. 11. –
vid. *Cr.* 10-*punctatus*, *var.* γ. n. 68. huj.
— (Bothnicus.) * Fabr. S. El. II. p. 45. 12. –
Cr. 10-*punctatus*, *var.* ζ. n. 68. huj. O
— (Frenatus.) * Fabr. S. El. II. p. 45. 23. –
Cr. 10-*punctatus*, *var.* δ. n. 68. huj. O
22. Luridus. * Fabr. S. El. II. p. 45. 24. * Su
106. 34—35.
23. Impressus. * Fabr. S. El. II. p. 45. 25.
24. *Coryli.* * Fabr. S. El. II. p. 45. 26. ♀. * Ent. S. I.
p. 60. 38. ♂. ♀. * Mant. I. p. 81. 28. ♀.
Ins. I. p. 132. 24. ♀. * S. Ent. p. 109.
* Payk. Fn. Sv. II. p. 137. 10. ♂. ♀.
* Schneid. Mag. p. 204. 14. ♂. ♀.
* Panz. Fn. Germ. LXVIII. 6. ♀. * Ent. G
I. p. 195. 14. ♀.
* Ross. Fn. Etr. I. p. 99. 251. ♀. * ed. H
p. 104. 251. ♀.
* Cederh. Fn. Ingr. n. 216. ♀.
* Laich. Tyr. Ins. I. I. p. 173. 3. ♀.
* Schrank Enum. p. 89. 168. ♀.
* Müll. Zool. D. Pr. I. p. 58. 523. ♀.
* Linn. S. Nat. Gmel. I. IV. p. 1704. 28.
* Marsh. Ent. Br. I. p. 208. 4. ♂. ♀.
* Illig. Mag. V. p. 233. 26. ♂.
* Panz. Enum. S. Schæff. Icon. p. 118. 7.
Chrys. Coryli. * Linn. Fn. Sv. n. 555. ♀.
Nat. I. II. p. 598. 88. ♀.
* Brahm Ins. Kal. I. p. 96. 322.
Cr. Panzeri. Schreckenstein Verz. d. Kæf. a
Don. und Neckar. p. 26. ♂.
* Panz. Enum. S. Schæff. Icon. p. 99. 6. ♀.
Cr. Vitis. * Panz. Fn. Germ. LXVIII. 5. ♂.
Rev. d. Ins. Fn. I. p. 93.
Cr. chermesinus. * Geoffr. Ins. I. App. p. 53
Ent. Par. I. p. 94. 15.
* Schæff. Icon. T. 187. f. 4. ♀. T. 109. f. 7.
T. 86. f. 6. ♂.
Harrer Beschr. n. 80. ed. 2:a n. 152. ♀. &
79. ed. 2:a n. 151. ♂.
Donov. Brit. Ins. T. 321. f. 1.
var. β. * Payk. Fn. Sv. II. p. 138. 10. var. β.
var. γ. * Payk. Fn. Sv. l. c. var. γ. ♂. ♀.
Cr. bimaculatus. * Fabr. S. El. II. p. 44. 18
* Ent. S. I. II. p. 59. 31. ♀. * Mant.
80. 24. ♀. * Sp. Ins. I. p. 141. 20. ♀.



* Næzén Acta Holm. 1794. p. 268. 3. T. 9. f. 1. ♂. ♀.
* Linn. S. Nat. Gmel. I. IV. p. 1703. 24. ♀.
* Illig. Mag. V. p. 233. 18. ?
Clythra bimaculata. * Panz. Ent. Germ. I. p. 191. 11. ♀.
Cr. Vitis, var. * Hellw. Ross. Fn. Etr. I. p. 105. 252. ♂.
* Uddm. Diss. p. 12. 22. *Chrysomela.* ♂.
* Schæff. Icon. T. 30. f. 8. ♀. ?
Harrer Beschr. n. 68. ed. 2da n. 154. ♀. ?

variegatus. w) * Fabr. S. El. II. p. 46. 27. * Ent. S. I. II. p. 61. 40. * Mant. I. p. 81. 30. Sp. Ins. II. App. p. 497.
* Payk. Fn. Sv. II. p. 135. 8.
* Panz. Ent. Germ. I. p. 195. 15.
* Linn. S. Nat. Gmel. IV. p. 1704. 30.
Cr. distinguendus. * Schneid. Mag. p. 209. 19.
* Panz. Fn. Germ. XIII. 8.
Chrys. cordigera, var. * DeGeer Ins. V. p. 331. 33.
* Uddm. Diss. p. 22. 23. *Chrysomela.*

var. β. * Payk. Fn. Sv. II. p. 135. 8. β.

trifasciatus. * Fabr. S. El. II. p. 46. 28. * Ent. S. I. II. p. 61. 41. * Mant. I. p. 81. 31.
* Linn. S. Nat. Nat. Gmel. I. IV. p. 1705. 31.

imperialis. * Fabr. S. El. II. p. 46. 29. * Suppl. p. 106. 44—45.

expunctatus. * Fabr. S. El. II. p. 46. 30. * Ent. S. I. II. p. 62. 44. * Mant. I. p. 81. 34. * Sp. Ins. I. p. 142. 27. * S. Ent. p. 109. 18.
* Payk. Fn. Sv. II. p. 136. 9.
* Schneid. Mag. p. 206. 16. α.
* Panz. Fn. Germ. LXVIII. 7. * Ent. Germ. I. p. 195. 16.
* Cederh. Fn. Ingr. n. 217.
* Marsh. Ent. Br. I. p. 208. 5.
* Linn. S. Nat. Gmel. I. IV. p. 1705. 34.
* Ross. Fn. Etr. I. p. 95. 242. * ed. Hellw. I. p. 99. 242.
Chrys. sexpunctata. * Linn. Fn. Sv. n. 559. * Syst. Nat. I. II. p. 599. 92.
* DeGeer Ins. V. p. 331. 34. T. 10. f. 9.
* Brahm Ins. Kal. I. p. 93. 308.

var. β. * Schneid. Mag. p. 206. 16. var. b.
Bupr. quinquepunctata. * Scop. Carn. n. 207.

---

var. γ. Thoracis margine antico & laterali flavis, elytris rubro-flavis, margine antico, sutura punctisque quatuor nigris. Habit. in Lapponia. *Dom. Grape.*

var. δ. eadem, sed elytris puncto utrinque humerali nigro.

var. γ. * Schneid. Mag. l. c. var. c.
* Payk. Fn. Sv. II. p. 136. 9. var. β.
Cr. signatus. * Laich. Tyr. Ins. I. I. p. 174.
var. δ. * Schneid. Mag. l. c. var. d.
var. ε. (x) * Payk. Fn. Sv. II. p. 137. 9. var. γ.

29. Flavescens. * Fabr. S. El. II. p. 46. 31. * S. IV. App. p. 448. 44—45.
* Schneid. Mag. p. 196. 3.
* Panz. Ent. Germ. I. p. 193. 5. & p. 195.

30. Ochrocephalus. * Linn. S. Nat. Gmel. I. p. 1713. 255.
* Leske Mus. I. p. 15. 312.

— (Ornatus.) * Fabr. S. El. II. p. 47. 32. — vid. C. *nustus*, *var.* β. n. 9. huj. Op.

31. *Violaceus.* y) * Fabr. S. El. II. p. 47. 33. * En. I. II. p. 62. 46.
* Panz. Ent. Germ. I. p. 196. 18.
* Schneid. Mag. p. 215. 27.
* Laich. Tyr. Ins. I. p. 172. 2.
Cr. fuscatus. * Linn. S. Nat. Gmel. I. IV. p. 1713.
* Leske Mus. I. p. 15. 310.
* Schæff. Icon. T. 187. f. 5.
Harrer Beschr. n. 66. ed. 2:a n. 153.

32. Congestus. * Fabr. S. El. II. p. 47. 34. * Supp. 107. 44—45.
* Coqueb. Illustr. Ins. III. p. 129. T. 29. f.

33. Obliquus. * Fabr. S. El. II. p. 47. 35.

34. Rubrifrons. * Fabr. S. El. II. p. 47. 36. * Ent. II. p. 62. 48. * Mant. I. p. 81. 37.
* Linn. S. Nat. Gmel. I. IV. p. 1705. 37.

— (Calcaratus.) * Fabr. S. El. II. p. 47. 37. — vid. *laspis calcarata*, p. 233. 26. huj. Op.

— (Dentipes). * Fabr. S. El. II. p. 47. 38. — vid. C. *spis dentipes*, p. 233. 27. huj. Op.

35. Lo.

---

x) *var.* ζ. Niger, thorace antice, lineola dorsali latiori abbr. lateribusque rubris, puncto utrinque nigro; elytr. gris, macula baseos trigona, media fascia undulat. ceque macula magna flavo-rubra. Omnia femora genu puncto albicante notata.

var. η. Thorax præcedentis; elytra nigra, lunula rubra versus suturam medio curvata; macula exoleta marginem exteriorem & magna rubra ad apicem.
Habitat cum varietate præcedenti in Suecia s. trionali.

y) Nimis affinis *Cr. sericeo*, forte ejus varietas.

obatus. * Fabr. S. El. II. p. 47. 39. * Ent. S. I. II. p. 63. 50.
* Panz. Fn. Germ. XIII. 9. * Ent. Germ. I. p. 196. 19.
Cr. notatus. * Schneid. Mag. p. 213. 25.
inctus. * Fabr. S. El. II. p. 48. 40. * Ent. S. I. II. p. 63. 53. * Mant. I. p. 82. 40.
* Linn. S. Nat. Gmel. I. IV. p. 1706. 40.
illardieri. * Fabr. S. El. II. p. 48. 41.
undi. * Fabr. S. El. II. p. 48. 42. * Suppl. p. 107. 54—55.
ehesteati. * Fabr. S. El. II. p. 48. 43. * Suppl. p. 107. 54—55.
ahli. * Fabr. S. El. II. p. 48. 44. * Suppl. p. 108. 54—55.
ollaris. * Fabr. S. El. II. p. 49. 45. * Ent. S. I. II. p. 63. 55. * Mant. I. p. 82. 42. * Sp. Ins. I. p. 143. 31.
* Linn. S. Nat. Gmel. I. IV. p. 1706. 42.
ericeus. * Fabr. S. El. II. p. 49. 46. * Ent. S. I. II. 63. 56. * Mant. I. p. 82. 43. * Sp. Ins. I. p. 143. 32. * S. Ent. p. 109. 21.
* Latr. Gen. Cr. & Ins. III. p. 54. 1. — Hist. N. d. Cr. & d. Ins. XI. p. 362.
* Oliv. Ent. V. 96. T. 1. f. 5. a. — Enc. Meth. VI. 607.
* Payk. Fn. Sv. II. p. 139. 12.
* Schneid. Mag. p. 214. 26.
* Marsh. Ent. Br. I. p. 209. 6.
* Petagn. Ins. Cal. p. 10. 50.
* Panz. Ent. Germ. I. p. 196. 20.
* Ross. Fn. Etr. I. p. 93. 237. * ed. Hellw. I. p. 97. 237.
* Linn. S. Nat. Gmel. I. IV. p. 1706. 43.
* Laich. Tyr. Ins. I. I. p. 171. 1.
* Müll. Zool. D. Pr. p. 58. 518.
Chrys. sericea. * Linn. Fn. Sv. n. 554. * S. Nat. I. II. p. 598. 86.
* DeGeer Ins. V. p. 334. 47.
* Schrank En. Ins. p. 92. 174. — Fn. Boica I. p. 548. 671.
* Bechst. & Scharfenb. Forstinsect. I. p. 144. 20.
* Goeze Eur. Fn. VIII. p. 403. 4.
* Brahm Ins. Kal. I. p. 121. 421.
* Rœm. Ins. p. 7. T. 3. f. 13.
Vill. Ent. I. p. 152. 126.
Gleditsch Abhandl. II. p. 61. 87.
Bupr. Syngenesiæ. * Scop. Carn. p. 63. 193.

* Sulz. Gesch. d. Ins. T. 3. f. 13.
* Geoffr. Ins. I. p. 233. 3.
* Schæff. Icon. T. 65. f. 2. 3.
Harrer Beschr. n. 86. ed. 2:a n. 153.
Donov. Brit. Ins. T. 321. f. 2.
Mart. Eng. Ent. T. 14. f. 6. 7.
Poda Ins. 27. 7.
Acta Ups. 1736. p. 17. 2.
Müll. Linn. Nat. Syst. V. I. p. 190. 86.
Bechst. Naturg. I. II. p. 843. 2.
* Schæff. Elem. Tab. 53.
var. β. * Schneid. Mag. p. 215. 26. var. a.
var. γ. * Schneid. Mag. l. c. var. b.
* Payk. Fn. Sv. II. p. 140. 12. var. β.
Bupr. Syngenesiæ. * Scop. Carn. n. 193. var.
* Oliv. Ent. V. 96. T. 1. f. 5. b.
* Schæff. Icon. T. 65. f. 5.
var. δ. * Schneid. Mag. l. c. var. c.
* Schæff. Icon. T. 65. f. 4. T. 198. f. 6.
var. ε. * Schneid. Mag. l. c. var. d.
* Laich. Tyr. Ins. I. I. p. 172. 1. var. γ.

43. *Nitens.* * Fabr. S. El. II. p. 49. 47. * Ent. S. I
p. 64. 57. * Mant. I. p. 82. 44. * Sp.
I. p. 144. 33. * S. Ent. p. 110. 22.
* Payk. Fn. Sv. II. p. 140. 13. α.
* Schneid. Mag. p. 216. 28. var. b.
* Panz. Fn. Germ. LXVIII. 8. * Ent. Ge
p. 196. 21.
* Preysl. in Mayers Aufs. Böhm. Naturg.
p. 211. 5.
* Linn. S. Nat. Gmel. I. IV. p. 1706. 44.
* Herbst Arch. p. 62. 9.
* Ross. Fn. Etr. I. p. 94. 238.? * ed. Helw
p. 97. 238.?
* Marsh. Ent. Br. I. p. 209. 7.
* Müll. Zool. D. Pr. p. 58. 522.
Chrys. nitens. * Linn. Fn. Sv. n. 551. * Syst
I. II. p. 598. 84.
* DeGeer Ins. V. p. 334. 38.

44. Glabratus. * Fabr. S. El. II. p. 49. 48. * Ent.
II. p. 64. 58. * Mant. I. p. 82. 45.
Ins. I. p. 144. 34. * S. Ent. p. 110.
* Linn. S. Nat. Gmel. I. IV. p. 1706. 45.
* Illig. Mag. III. p. 167. 48.

45. Viduatus. * Fabr. S. El. II. p. 49. 49.

46. Lituratus. * Fabr. S. El. II. p. 50. 50.

47. Pustulatus. * Fabr. S. El. II. p. 50. 51. * Suf
108. 58—59.



Vittatus. * Fabr. S. El. II. p. 50. 52. * Ent. S. I. II. p. 64. 59. * Mant. I. p. 82. 47. * Sp. Ins. I. p. 144. 36. * S. Ent. p. 110. 24.
* Schneid. Mag. I. p. 201. 8.
* Herbst Arch. p. 62. 10. T. 23. f. 23.
* Linn. Syst. Nat. Gmel. I. IV. p. 1706. 47.
* Panz. Ent. Germ. I. p. 196. 22.
* Geoffr. Ins. I. p. 233. 4. *Cryptoceph.*
* Schæff. Icon. T. 260. f. 3. a. b.
Harrer Beschr. n. 81. ed. 2:a n. 155.
var. β. * Fabr. Ent. S. I. II. p. 64. 59. var.
Cr. Quadrum. * Fabr. Mant. I. p. 82. 46. * Sp. Ins. I. p. 144. 35. * Gen. Ins. p. 221. 23—24.
* Linn. S. Nat. Gmel. I. IV. p. 1706. 46.
* Oliv. Ent. V. 96. T. 2. f. 27. a. b.
Bilineatus. * Payk. Fn. Sv. II. p. 150. 23.
* Schneid. Mag. p. 202. 9.
* Thunb. N. Acta Ups. V. p. 112. 43.
* Linn. S. Nat. Gmel. I. IV. p. 1709. 70.
Chrys. bilineata. * Linn. S. Nat. I. II. p. 597. 83.
Limbatus. * Fabr. S. El. II. p. 50. 53. * Ent. S. I. II. p. 64. 60. * Mant. I. p. 82. 48. Sp. Ins. II. App. p. 498.
* Linn. S. Nat. Gmel. I. IV. p. 1707. 48.
Vitidulus. * Fabr. S. El. II. p. 51. 54. * Ent. S. I. II. p. 64. 61. * Mant. I. p. 84. 65.
* Linn. S. Nat. Gmel. I. IV. p. 1709. 65.
Cr. nitens. * Payk. Fn. Sv. II. p. 141. 13. var. γ.
* Schneid. Mag. p. 216. 28. var. a.
Chrys. nitens, var. * DeGeer Ins. V. p. 335. 38.
Tricolor. * Fabr. S. El. II. p. 51. 55.
Labiatus. * Fabr. S. El. II. p. 51. 56. * Ent. S. I. II. p. 65. 62. * Mant. I. p. 84. 66. * Sp. Ins. I. p. 146. 49. * S. Ent. p. 112. 33.
* Payk. Fn. Sv. II. p. 147. 20.
* Panz. Fn. G. XLVIII. 9. * Ent. Germ. I. p. 197. 23.
* Schneid. Mag. p. 203. 12.
* Herbst Arch. p. 63. 12.
* Ross. Fn. Etr. I. p. 96. 244. * ed. Hellw. I. p. 100. 244.
* Marsh. Ent. Br. I. p. 211. 11.
* Linn. S. Nat. Gmel. I. IV. p. 1709. 66.
Chrys. labiata. * Linn. Fn. Sv. n. 553. * Syst. Nat. I. II. p. 598. 87.
* Bechst. & Scharfenb. Forstinsect. I. p. 145. 21.
* Brahm Ins. Kal. I. p. 184. 606.
Vill. Ent. I. p. 152. 127.

Müll. Linn. Nat. Syst. V. I. p. 191. 87.
Walth. Forstwissensch. 541.
Cr. parisinus. * Linn. S. Nat. Gmel. I. IV.
1711. 87.?
* Geoffr. Ins. I. p. 236. 10.?
var. β. * Schneid. Mag. p. 204. 12. var. a.
Cr. Barbareæ. * Herbst Arch. p. 63. 14.
var. γ. * Schneid. Mag. l. c. var. b.
54. Exiguus. * Schneid. Mag. p. 204. 13.
55. *Barbareæ.* * Linn. S. Nat. Gmel. I. IV. p. 17
* Marsh. Ent. Br. I. p. 212. 13.
Chrys. Barbareæ. * Linn. Fn. Sv. n. 552. *
Nat. I. II. p. 598. 85.
Vill. Ent. I. p. 151. 125.
56. *Flavilabris.* * Fabr. S. El. I. p. 51. 57. * Ent.
II. p. 65. 63. * Mant. I. p. 84. 67.
* Payk. Fn. Sv. II. p. 146. 18.
* Schneid. Mag. p. 217. 29.
* Bechst. & Scharfenb. Forstinsect. I. p. 145.
* Linn. S. Nat. Gmel. I. IV. p. 1709. 67.
* Panz. Ent. Germ. I. p. 197. 24.
* Illig. Mag. III. p. 168. 57. — Cfr. Hellw.
Fn. Etr. I. p. 98. 239. not. ad *Cr. me*
* Ross. Fn. Etr. I. p. 95. 240. * ed. Hellw.
99. 240.
Cr. parvulus. * Müll. Zool. Dan. Pr. p. 58
Cr. livens. * Linn. S. Nat. Gmel. I. IV. p. 17
* Geoffr. Ins. I. p. 235. 8. *Cryptoceph.?*
var. β. * Payk. Fn. Sv. II. p. 146. 18. var. β.
57. *Punctiger.* * Payk. Fn. Sv. II. p. 146. 19.
Chrys. chrysocephala. * DeGeer Ins. V. p. 3
58. *Flavipes.* * Fabr. S. El. II. p. 51. 58. * Ent. S.
p. 65. 64. * Mant. I. p. 84. 68. * Sp.
I. p. 146. 50.
* Payk. Fn. Sv. II. p. 144. 16. ♂. ♀.
* Panz. Fn. Germ. LXVIII. 10. * Ent. G
p. 197. 25.
* Ross. Fn. Etr. I. p. 96. 243. * ed. Hellw.
100. 243.
* Linn. S. Nat. Gmel. I. p. 1709. 68.
* Brahm Ins. Kal. I. IV. p. 99. 333.
Cr. parenthesis. * Schneid. Mag. p. 203. 11.
* Herbst Arch. 64. 17.
Chrys. parenthesis. * Schrank in Füessl. N. M
p. 153. α. ♀. β. ♂.
* Brahm Ins. Kal. I. p. 160. 516.
* Bechst. & Scharfenb. Forstinsect. I. p. 14

Walth. Forstwissensch. n. 541.
Schrank Fn. Boica n. 553.
Chrys. marginata. * Schrank Enum. p. 90. 170.
Chrys. glaucoeephala. * Schall. Acta Hal. I. p. 277. 8.
Crypt. glaucocephalus. * Linn. S. Nat. Gmel. I. IV. p. 1709. 72.
Chrys. bothnica, var. * DeGeer Ins. V. p. 336. 39.
Cr. flavifrons. * Linn. S. Nat. Gmel. I. IV. p. 1713. 253.
* Leske Mus. I. p. 15. 306.
rontalis. * Marsh. Ent. Br. I. p. 211. 12.
lavifrons. * Fabr. S. El. II. p. 51. 59. * Ent. S. I. II. p. 65. 65.
* Panz. Ent. Germ. I. p. 197. 26.
Cr. nitens. * Payk. Fn. Sv. II. p. 141. 13. var. β.?
* Schneid. Mag. p. 216. 28. sine var.
Cr. assimilis. * Herbst Arch. p. 63. 13.
* Linn. S. Nat. Gmel. I. IV. p. 1710. 75.
Cr. Berchtesgadensis. Schrank in Füessl. N. Mag. II. p. 319.
Cr. punctatus. * Linn. Syst. Nat. Gmel. I. IV. p. 1711. 86.
* Geoffr. Ins. I. p. 236. 9. *Cryptocephalus.*
übneri. * Fabr. S. El. II. p. 51. 60. * Ent. S. I. II. p. 65. 66.
* Panz. Fn. Germ. XXXIX. 16. * Ent. Germ. I. p. 198. 27.
Cr. hæmorrhoidalis. * Schneid. Mag. p. 202. 10.
* Preysl. in Mayers Aufs. Böhm. Naturg. III. p. 214. 8.
Crypt. biguttatus. * Linn. S. Nat. Gmel. I. IV. p. 1710. 73.
Chrys. biguttata. * Schall. Acta Hal. I. p. 278.
Crypt. chrysopus. * Linn. S. Nat. Gmel. I. IV. p. 1713. 257.
* Leske Mus. I. p. 16. 315.
nsignis. * Payk. Fn. Sv. III. App. p. 453. 20—21.
* Payk. Acta Holm. 1799. p. 116.
loræi. * Fabr. S. El. II. p. 52. 61. * Ent. S. I. II. p. 66. 67. * Mant. I. p. 82. 49. * Sp. Ins. I. p. 144. 37. * S. Ent. p. 110. 25.
* Payk. Fn. Sv. II. p. 145. 17.
* Panz. Fn. Germ. LXVIII. 11. ♀. * Ent. Germ. I. p. 198. 28.
* Schneid. Mag. p. 201. 7.
* Preysl. in Mayers Aufs. Böhm. Naturg. III. p. 169. 2.
* Ross. Fn. Etr. I. p. 92. 35. * Mant. I. p. 33. 81.
* ed. Hellw. I. p. 96. 235. & p. 370. 81.

* Marsh. Ent. Br. I. p. 212. 14.
* Linn. S. Nat. Gmel. IV. p. 1707. 49.
Chrys. Moræi. * Linn. Fn. Sv. n. 550. ♂. *
Nat. I. II. p. 597. 82.
* Brahm Ins. Kal. I. p. 203. 682.
Vill. Ent. I. p. 150. 122.
Bupr. Moræi. * Scop. Ent. Carn. n. 202. ♂.
Chrys. flavoguttata. * Schrank Enum. p. 90.
Crypt. 4-guttatus. * Müll. Zool. D. Pr. p. 58.
* Geoffr. Ins. I. p. 234. 5. *Cryptocephalus.*
* Schæff. Icon. T. 232. f. 1. a. b.? & T. 30.
Harrer Beschr. n. 69. ed. 2:a n. 161. n. 1
Gadd Satag. 28.
var. β. * Schneid. Mag. p. 201. 7. var.
Cr. quadrinotatus. * Panz. En. S. Schæff. Icon. p.
Cr. bifasciatus. * Towns. Voy. en Hongr. II.
174. 148. T. 11. f. 4.
* Schæff. Icon. T. 238. f. 2. ?
Harrer Beschr. n. 70. ed. 2:a n. 157.?

64. Canellus. * Fabr. S. El. II. p. 52. 62.

65. Octoguttatus. * Fabr. S. El. II. p. 52. 63.
S. I. II. p. 66. 68. * Mant. I. p. 82.
* Schneid. Mag. p. 200. 6.
* Panz. Ent. Germ. I. p. 198. 29.
* Linn. S. Nat. Gmel. I. IV. p. 1707. 50.
Cr. sexpustulatus. * Ross. Fn. Etr. I. p.
T. 2. f. 7. * ed. Hellw. I. p. 102.
2. f. 7.
var. β. * Illig. Mag. III. p. 168. 63. var.
* Towns. Voy. en Hongr. III. p. 173. 145.
Cr. sexpustulatus. * Ross. Fn. Etr. l. c. var.

66. Quinquedecimguttatus. * Fabr. S. El. II. p.
* Ent. S. I. II. p. 66. 69. * Mant. I.
51. * Sp. Ins. I. p. 144. 38 * S. Ent. p.
* Linn. S. Nat. Gmel. I. IV. p. 1707. 5

67. Guttula. * Fabr. S. El. II. p. 52. 65.
var. β. * Fabr. S. El. II. p. 53. 65.

68. *Decempunctatus.* * Fabr. S. El. II. p. 53. 66.
S. I. II. p. 66. 70. * Mant. I. p. 83. 5
Ins. I. p. 145. 39. * S. Ent. p. 111.
* Schneid. Mag. p. 197. 4.
* Panz. Fn. Germ. LXVIII. 12. * Ent.
I. p. 198. 30.
* Herbst Arch. p. 164. 22 T. 45. f. 4. a. b
* Ross. Fn. Etr. I. p. 98. 250. * ed. He
p. 103. 250.
* Linn. S. Nat. Gmel. I. IV. p. 1707. 52.

Chrys. 10-punctata. * Linn. Fn. Sv. n. 560. * Syst. Nat. I. II. p. 599. 93.
Cr. varians. * Payk. Fn. Sv. II. p. 149. 21. var. β.
r. β. * Schneid. Mag. p. 197. 4. var. a.
r. γ. *Cr. trilineatus.* * Fabr. S. El. II. p. 45. 21. * Suppl. p. 105. 32—33.
Cr. 10-punctatus. * Schneid. Mag. p. 198. 4. var. b.
Cr. frenatus. * Laich. Tyr. Ins. I. I. p. 183. 10. * Panz. Fn. Germ. LXVIII. 4.
Cr. bothnicus.? * Towns. Voy. en Hongr. III. p. 172. 153.
r. δ. *Cr. frenatus.* * Fabr. S. El. II. p. 45. 23. * Ent. S. I. II. p. 60. 34. * Laich. Tyr. Ins. I. I. p. 184. 10. var. γ. * Illig. Mag. III. p. 167. 23. * Panz. Ent. Germ. I. p. 194. 11.
r. ε. *Cr. ornatus.* * Herbst Arch. p. 63. 15. T. 23. f. 24. * Linn. S. Nat. Gmel. I. IV. p. 1710. 76.
Cr. 10-punctatus. * Schneid. Mag. p. 198. 4. var. c.
r. ζ. *Cr. bothnicus.* * Fabr. S. El. II p. 45. 22. * Ent. S. I. II. p. 59. 33. * Mant. I. p. 80. 26. * Sp. Ins. I. p. 142. 22. * S. Ent. p. 108. 14. * Panz. Fn. Germ. LXVIII. 3. * Ent. Germ. I. p. 194. 10. * Herbst Arch. p. 164. 21. T. 44. f. 8. n. o. * Linn. S. Nat. Gmel. I. IV. p. 1704. 26.
Chrys. bothnica. * Linn. Fn. Sv. n. 557. * Syst. Nat. I. II. p. 598. 90. * DeGeer Ins. V. p. 335. 39.
Crypt. varians. * Payk. Fn. Sv. II. p. 148. 21. var. a.
Cr. 10-punctatus. * Schneid. Mag. p. 199. var. d.
Hieroglyphicus. * Fabr. S. El. II. p. 53. 67. * Ent. S. I. II. p. 66. 71. * Panz. Fn. Germ. LXVIII. 13. * Ent. Germ. I. p. 198. 31. * Schneid. Mag. p. 199. 5. * Laich. Tyr. Ins. I. I. p. 182. 9. * Herbst Arch. p. 64. 18. T. 23. f. 26. * Schæff. Icon. T. 114. f. 6. a. b. Harrer Beschr. n. 85. ed. 2:a n. 165.
Histrio. * Fabr. S. El. II. p. 55. 77. * Ent. S. I. II. p. 68. 78. * Mant. I. p. 83. 57. * Sp. Ins. I. p. 145. 43. * Linn. S. Nat. Gmel. I. IV. p. 1708. 57. * Ross. Fn. Etr. I. p. 98. 249. * ed. Hellw. I. p. 103. 249. * Oliv. Ent. V. 96. T. 3. f. 31. a. b.
ar. β. * *Crypt. tristis.* * Laich. Tyr. Ins. I. I. p. 184. 11.

var. γ. *Cr. tristis.* * Laich. Tyr. Ins. l. c. var. β.
var. δ. *Cr. tristis.* * Laich. Tyr. Ins. l. c. var. γ.

71. Coloratus. * Fabr. S. El. II. p. 53. 68. * S
p. 108. 71—72.
* Panz. Fn. Germ. XCVIII. 4.
* Illig. Mag. III. p. 168. 68.
Cr. flavicollis. * Towns. Voy. en Hongr. I
173. 151. T. 11. f. 5. 6.
Cr. quatuordecimmaculatus. * Schneid. Mag. p.

72. Octopunctatus. Nov. Sp. z)

73. Octomaculatus. * Ross. Fn. Etr. I.
245. * ed. Hellw. I. p. 101. 245.

— (Dubius.) * Fabr. S. El. II. p. 53. 69. — vid. E
pus dubius, p. 236. 27. huj. Op.

74. Duodecimpunctatus. * Fabr. S. El.
54. 70. * Ent. S. I. II. p. 67. 72.
* Panz. Ent. Germ. I. p. 198. 32.
* Schæff. Icon. T. 86. f. 7.
Harrer Beschr. n. 76. ed. 2:a n. 150.

75. Octonotatus. * Schneid. Mag. p. 210. 20.

76. Hæmorrhoidalis. * Fabr. S. El. II. p.
* Ent. S. I. II. p. 67. 73.
* Panz. Fn. Germ. LXVIII. 14. * Ent.
I. p. 199. 33.
Cr. Schæfferi. * Schneid. Mag. p. 212. 24.
* Schrank Naturf. XXIV. p. 69. 21.
* Scriba Journ. p. 29. 21.
* Hoppe Taschenb. 1797. p. 220. 20.
* Panz. Ent. Germ. I. p. 192. 2.

* S

---

z) CRYPTOCEPHALUS 8-PUNCTATUS: rufus, thorace r
racteribus flavis, elytris testaceis, vitta baseos rufa punct
nigris.

Habitat ad Algiriam *Dom. de Paykull.* Mus. *Schönherr.*

Magnitudo & statura *Crypt. coloratí.* Caput punctulatum,
rufum, maxillis palpisque rufis apice nigris. Antennæ fuscæ b
Oculi nigri. Ad antennarum basin punctum nigrum, & ant
cingulum flavum. Thorax punctatus rufus, margine anterior
terali, lineolaque antica media abbreviata, flavis; postice
duabus oppositis flavis; ad scutelli basin coëuntibus. Scutell
scure rufum. Elytra obsolete punctato-striata, interstitiis sub
latis, testacea, punctis 4 (2, 2) nigris, inter qua vitta ab
rufa. Margo exterior rufus; sutura tenuissima nigra. Pe
scum, margine anteriore flavo. Abdomen punctulatum rufu
des rufi

Obs. Oculo armato, pube brevissima parcius adspersus.

J. V. DAL

* Schæff. Icon. T. 77. f. 7.
Harrer Beschr. n. 73. ed. 2:a n. 159.

l a r g i n e l l u s. * Illig. Mag. III. p. 168. 71. sub *Cr. hæmorrhoidalis.*

Cr. bipustulatus, var. β. * Ross. Fn. Etr. I. p. 97. 247. * ed. Hellw. I. p. 102. 247. var. β.

cutellaris. * Fabr. S. El. II. p. 54. 72.

bipustulatus). * Fabr. S. El. II. p. 54. 73. — vid. *Cr. dispar, var.* ε. n. 18. huj. Op.

bifasciatis. * Fabr. S. El. II. p. 55. 74. * Ent. S. I. II. p. 67. 75. * Mant. I. p. 83. 54. * Sp. Ins. I. p. 145. 41.
* Linn. S. Nat. Gmel. I. IV. p. 1707. 54.

quadripustulatus. a) * Fabr. S. El. II. p. 55. 75. * Ent. S. I. II. p. 68. 76. * Mant. I. p. 83. 55. * Sp. Ins. I. p. 145. 42. * S. Ent. p. 111. 28.
* Linn. S. Nat. Gmel. I. IV. p. 1708. 55.

lotatus. * Fabr. S. El. II. p. 55. 76. * Ent. S. I. II. p. 68. 77. * Mant. I. p. 83. 56.
* Linn. S. Nat. Gmel. I. IV. p. 1708. 56.

l i s t r i o) * Fabr. S. El. II. 55. 77. — vide supra, n. 70.

maragdulus. * Fabr. S. El. II. p. 55. 78.

riguttatus. * Fabr. S. El. II. p. 55. 79.

aponatus. * Fabr. S. El. II. p. 55. 80.

pengleri. * Fabr. S. El. II. p. 56. 81. * Suppl. p. 109. 81—82.

lecticus. * Fabr. S. El. II. p. 56. 82.

Pini. * Fabr. S. El. II. p. 56. 83. * Ent. S. I. II. p. 69. 84. * Mant. I. p. 84. 62. * Sp. Ins. I. p. 146. 47.
* Payk. Fn. Sv. II. p. 138. 11.
* Schneid. Mag. p. 211. 21.
* Panz. Fn. Germ. XXXIX. 17. * Ent. Germ. I. p. 199. 36.
* Cederh. Fn. Ingr. n. 218.
* Linn. S. Nat. Gmel. I. IV. p. 1708. 62.
Chrys. Pini. * Linn. Fn. Sv. n. 556. * Syst. Nat. I. II. p. 598. 89.
* Bechst. & Scharfenb. Forstinsect. I. p. 146. 24.
δ. *Crypt. dorsalis.* * Marsh. Ent. Br. I. p. 210. 8.? ar. β. * Payk. Fn. Sv. II. p. 139. 11. var. β.

Linné's *Chrysom. quadripustulata* ist der *Mycetoph. quadrimaculatus*, elleicht auch diese Fabric. Kæfer. — Illig. Mag. III. p. 168. 75. bs. mihi tamen vix jure.

88. Reticulatus. * Fabr. S. El. II. p. 56. 84. * Ent. II. p. 69. 85. * Mant. I. p. 84. 63. * Linn. S. Nat. Gmel. I. IV. p. 1708. 63.

— (*Pusillus.*) * Fabr. S. El. I. p. 56. 85. — vid. Cr. *nutus*, *var.* γ. n. 89. huj. Op.

89. *Minutus.* * Fabr. S. El. II. p. 57. 87. * Ent. S. p. 70. 87.
* Payk. Fn. Sv. II. p. 149. 22.
* Panz. Fn. Germ. XXXIX. 18. * Ent. Ge. p. 200. 38.
Cr. pusillus, var. * Schneid. Mag. p. 212. 22.
* Hellw. Ross. Fn. Etr. I. p. 106. Nota a *pusill.* var. α.
Chrys. exoleta. * DeGeer Ins. V. p. 338. 42.
Cr. fulvus. * Linn. S. Nat. Gmel. I. IV. p. 17
* Geoffr. Ins. I. p. 437. 12. *Cryptocephalus.*
var. β. * Payk. Fn. Sv. l. c. var. β.
* Hellw. Ross. Fn. Etr. I. p. 106. Nota ad C. *sill.* var. β.
var. γ. * Hellw. l. c. var. γ.
var. δ. * Payk. Fn. Sv. l. c. var. γ.
Cr. pusillus. * Fabr. S. El. II. p. 56. 85. * E. I. II. p. 69. 86. * Mant. I. p. 84. 64. * Ins. I. p. 146. 48. * Gen. Ins. p. 221.
* Schneid. Mag. p. 211. 22.
* Hellw. Ross. Fn. Etr. l. c. var. δ.
* Linn. S. Nat. Gmel. I. IV. p. 1709. 64.
* Panz. Ent. Germ. I. p. 199. 37.
* Illig. Mag. III. p. 168. 85.
* Marsh. Ent. Br. I. p. 210. 9.
Chrys. minuta. * Herbst Arch. p. 57. 31. T. 35.
Chrys. exilis. * Linn. S. Nat. Gmel. IV. p. 1696.
Crypt. suturalis. * Linn. S. Nat. Gmel. I. IV. 1713. 256.
* Leske Mus. I. p. 16. 314.
var. ε. * Hellw. l. c. var. ε.
var. ζ. * Hellw. l. c. var. ζ.
var. η. * Hellw. l. c. var. η.
Cr. marginellus. * Marsh. Ent. Br. I. p. 211.
Chrys. marginella. Donov. Brit. Ins. Tab. 33.
var. ϑ. * Hellw. l. c. var. ϑ.
Cr. gracilis. * Fabr. S. El. II. p. 57. 89. (Ob. lum caract. non descript.) * Ent S. p. 70. 88.
* Panz. Fn. Germ. XCVIII. 5.
Cr. sanguinicollis. Frölich Naturf. XXVI. p. 1
Cr. rufipes. * Linn. S. Nat. Gmel. I. IV. p. 171
* Geoffr. Ins. I. p. 236. 11. *Cryptocephalus.*

P u s i l l u s. *b*) * Ross. Fn. Etr. I. p. 100. 255. * ed. Hellw. I. p. 105. 255. (Exclus. Synonym. & Nota Dom. Hellwigii.)

[illegible]nus. * Fabr. S. El. II. p. 56. 86.

[illegible]rvulus. * Fabr. S. El. II. p. 57. 88. * Suppl. p. 109. 87—88.

[illegible]racilis.) * Fabr. S. El. II. p. 55. 89. — vid. *Cr. minutus*, *var.* β. n. 89. huj. Op.

[illegible]y g m æ u s. * Fabr. Ent S. I. II. p. 70. 89. * Illig. Mag. III. p. 169. 93.

Cr. auratus. * Fabr. S. El. II. p. 57. 91.

[illegible]. β. *C. auratus.* * Fabr. S. El. l. c. var.

[illegible] *Cr. vittatus.* * Ross. Mant. II. p. 91. 40.

[illegible] *Cr. amabilis.* Creutz.

[illegible]e t o g u t t a t u s. *Chrys. octoguttata.* * Linn. S. Nat. I. II. p. 597. 79.

[illegible]anocephalus. * Linn. S. Nat. Gmel. I. IV. p. 1712. 252. * Leske Mus. I. p. 15. 298. b.

b) *Femoribus saltatoriis.*

[illegible]ens. *Cr. pygmaeus.* * Fabr. S. El. II. p. 57. 92. * Illig. Mag. III. p. 169. 92.

[illegible]ator. *Cr. saliens.* * Fabr. S. El. II. p. 57. 93. * Illig. Mag. III. p. 169. 93.

[illegible]s species distinctæ.

Addenda.

Pag.	Num.	Linea.	
11.	3.	8—9.	* Gyllenh. Ins. Sv. I. I. p. 466.
12.	3.	24—	*var. β. Dyt. marginalis.* * Gyllenh. I. I. p. 466. 2. var. b.
	4.	5—	Cfr. Gyllenh. Ins. Sv. I. I. p. 468.
	5.	1.	I. I. p. 468. 3.
		1—	*var. β.* * Gyllenh. Ins. Sv. I. c. v
	6.	3—4.	* Gyllenh. Ins. Sv. I. I. p. 469.
	7.	5—6.	* Gyllenh. Ins. Sv. I. I. p. 470.
14.	17.	6—7.	* Gyllenh. Ins. Sv. I. I. p. 471.
15.		6—	*var. β.* * Gyllenh. Ins. Sv. I. I.
	20.	3—4.	* Gyllenh. Ins. Sv. I. I. p. 476.
		10—	*var. β.* * Gyllenh. Ins. Sv. I. c.
			var. γ. * Gyllenh. Ins. Sv. I. c.
	21.	2—3.	* Gyllenh. Ins. Sv. I. I. p. 477.
	22.	1—	* Gyllenh. Ins. Sv. I. I. p. 478.
18.	27.	1—2.	* Gyllenh. Ins. Sv. I. I. p. 473.
	28.	5—6.	* Gyllenh. Ins. Sv. I. I. p. 474.
	29.	2—3.	* Gyllenh. Ins. Sv. I. I. p. 475.
19.	42.	4—5.	*Dyt. ater, var.* * DeGeer Ins. IV.
	44.	4.	var. major.
20.	50.	1.	* Gyllenh. Ins. Sv. I. I. p. 479.
	53.	3—4.	* Gyllenh. Ins. Sv. I. I. p. 480
23.	69.	4—5.	*Dyt. bilineatus, var. β.* * DeGeer p. 400. 6.
27.	2.	4.	forte spec. dist.
40.	2. β.	4—5.	*Hydroph. aneus*, ♂. * DeGeer p. 380. 5.
43.	5.	12—	* Gyllenh. Ins. Sv. I. I. p. 310.
44.		33—	*var. β.* * Gyllenh., Ross., Payk l. c. var.
45.	1.	4—5.	* Gyllenh. Ins. Sv. I. I. p. 313
		6—7.	* Ent. Hefte II. p. 112. ♀.
	1. β.	4—	* Gyllenh. Ins. Sv. I. I. 313. 1.
			* Ent. Hefte II. p. 112. ♂.
63.	9.	4—5.	*Teleph. testaceus.* * DeGeer Ir 71. 4. ♀.
	10.	1—	* Gyllenh. Ins. Sv. I. I. p. 354
64.	10. β.	1—	* Gyllenh. Ins. Sv. I. c. var. b.
77.	4 β.	2—	* Isers Entom. I. III. p. 15. T.
81.	25.	10—11.	* Isers Entom. I. III. p. 17. T. 1
	29.	10—11.	* Isers Entom. I. III. p. 15. T.
111.	1.	15—16.	*Hispa mutica.*. * Goeze Eur. I p. 422. 2.
			Müll. Linn. Nat. Syst. V. I.
			Borowsk. Naturg. VI. p. 100. 2.
			Bechst. Naturg. I. II. p. 846. 2

Num. Lines.

1. 21— var. β. ? *Hispa pomaticornis.* * Rossi. Fn. Etr. I. p. 52. 130. * ed. Helw. I. p. 56. 130.

3. β. 9— *Hispa serraticornis.* * Linn. S. Nat. Gmel. I. IV. p. 1733. 16.

Col. 1. suprem. CEBRIO. vid. p. 400.

Index Alphabeticus

in

SYNONYMIAM INSECTORUM

Sectionis 2dæ.

Obs. Nomina specifica, quibus in ipso Opere numerus est præfixus systematica, & asterisco (*) in hoc Indice notata, ut melius synonymus distinguerentur.

ADIMONIA.

Capreæ. p. 297. 57.
polygonata. p. 297. 57.
Tanaceti. p. 290. 17. p. 291. 19.
verna. p. 296. 54.
violacea. p. 292. 30.

ADORIUM. p. 230. 103.

* anale. p. 231. 8.
* bipunctatum. p. 230. 2.
* concolor. p. 231. 7.
* *decempunctatum.* p. 230. 1.
* ferrugineum. p. 231. 9.
* lividum. p. 230. 5.
* pallcatum. p. 230. 3.
* testaceum. p. 230. 4.
* vittatum. p. 231. 6.

ÆGITHUS.

(cinctus. p. 329.) p. 328. 31.
(discoideus. p. 329.) p. 328. 32.
(guadeloupensis. p. 329.) p. 328. 33.
(marginatus. p. 329.) p. 209. 1.
(surinamensis. p. 329.) p. 328. 30.

ALLECULA. p. 338. 122.

(ferruginea. p. 339.)
* fuscata. p. 339. 4.
* Morio. p. 338. 1.
* pallicornis. p. 338. 3.
* varians. p. 338. 2.

ALTICA, vide HALTICA

ALURNUS. p. 342. 11

dentipes. p. 343. 7.
femoratus. p. 342. 1.
* ferrugineus. p. 342. 3.
* grossus. p. 342. 1.
* testaceus. p. 342. 2.

ANASPIS.

murina. p. 335. 13.

ANOBIUM. p. 101.

* abietinum. p. 103. 11.
* Abietis. p. 104. 11.
bifasciatum. p. 45. 13.
(Boleti. p. 104.)
brunneum. p. 103. 5.
* capense. p. 106. 19. p. 4
* Carpini. p. 102. 4.
* castaneum. p. 105. 6. p.
cœruleum. p. 52. 9.
* denticolle. p. 101. 2.
Dorcatoma. p. 114. 1.
elongatum. p. 102. 5.
excavatum. p. 103. 6.
Fagi. p. 102. 3.
ferrugineum. p. 105. 1
flabellicornis. p. 113. 3.
Juglandis. p. 102. 5.
lævigatum. p. 104. 10.
(micans. p. 106.)

p. 105. 15. (p. 106)
). 104. 10. p. 105. 11.
. p. 103. 8. (p. 106.)
m. p. 105. 15.
1. p. 113. 3.
)e. p. 118. 2.
:. p. 103. 7. p. 101. 1.
3.
p. 106. 7.
im. p. 105. 13.
:s. p. 106. 21.
ns. p. 106. 20.
m. p. 101. 1.
. p. 103. 7.
1. p. 106. 18.
m. p. 102.)
. p. 103. 9. p. 51. 4.
p. 102. 5. p. 51. 2.
e. p. 113. 3.
. p. 101. 3. p. 103. 7.
8.
. 104. 10.
im. p. 101. 1.
. p. 104. 10.
um. p. 105. 14.
p. 106. 18.
52. 8.

ICUS. p. 54. 65.
ialis. p. 55. 8.
icus. p. 56. 20. p.
p. 57. 21.
56. 15.
p. 58. 27.
us. p. 59. 38.
itus. p. 57. 22.
is. p. 56.)
s. p. 56. 14.
is. 58. 26.
s. p. 56. 19.
s. p. 55. 2. * p. 55. 3.
is. p. 59.)
p. 55. 11.
l. p. 55. 10.
s. p. 58. 31.
p. 57. 25.
is. p. 55. 7.
p. 58. 37.

* fuscipennis. p. 55. 9.
* gracilis. p. 57. 23.
(Hellwigii. p. 58.) p. 59. 1.
* hirtellus. p. 58. 29.
* hispidulus. p. 58. 34.
* limbatus. p. 58. 28.
* melanocephalus. p. 58. 38.
(minutus. p. 58.) p. 59. 1.
* Monoceros. p. 54. 1.
* Monodon. p. 55. 5.
* nectarinus. p. 56. 17.
* oculatus. p. 58. 33.
* *Paykullii*. p. 55. 12.
* pedestris. p. 56. 16.
* populneus. p. 58. 31.
* quadriguttatus. p. 56. 18.
* Rhinoceros. p. 55. 4.
* ruficollis. p. 55. 6. * p. 58. 36.
* rufipes. p. 58. 30.
(sanguineus. p. 59.)
* sellatus. p. 57. 21.
* tenuicollis. p. 58. 35.
* thoracicus. p. 56. 13.
* trifasciatus. p. 57. 27.

ANTHRENUS.

fasciatus. p. 88. 14.
glaber p. 85. 5.
versicolor. p. 88. 13.
Viennensis. p. 94. 42.

ANTHRIBUS.

æneus. p. 145. 47.
bipunctatus. p. 208. 2.
livi us. p. 209. 3.
pulicarius. p. 149. 2.
testaceus. p. 138. 14.
unicolor. p. 139. 19.

ANTIPUS.

rufus. p. 318. 38.

APALUS. p. 341. 126.

* bimaculatus. p. 341. 1.
* quadrimaculatus. p. 342. 2.
sexmaculatus. p. 340. 8.

APATE.
marginatus. p. 150. 1.

ATOPA. p. 331 120.
* cervina. p. 331. 1.
cinerea. p. 332. 1.
* livida. p. 332. 2.

ATTAGENUS.
Serra. p. 94. 42.
undatus. p. 87. 7.

ATTELABUS.
Ammios. p. 48. 5.
apiarius. p. 48. 6. p. 49. 8.
Asparagi. p. 282. 19.
bifasciatus. p. 48. 3.
crabroniformis. p. 49. 11.
cyaneus p. 49. 10.
dubius. p. 43. 2.
duodecimpunctatus. p. 281. 13.
fasciatus. p. 54. 10.
formicarius. p. 44. 5.
Geoffroyanus. p. 50. 1.
ichneumoneus. p. 43. 3.
Lilii. p. 279. 9.
mollis. p. 52. 3.
Monoceros. p. 55. 1.
mutillarius. p. 43. 1.
octomaculatus. p. 47. 1.
quadrimaculatus. p. 45. 11.
quatuordecimpunctatus. p. 281. 14.
serraticornis. p. 46. 2.
sexguttatus. p. 44. 9.
sipylus. p. 48. 4.
speciosus. p. 279. 1.
Sphegeus. 43. 4.
tricolor. p. 47. 2.
unifasciatus. p. 46. 2.

AUCHENIA.
Asparagi. p. 282. 19.
cyanella. p. 284. 26.
duodecimpunctata. p. 281. 13.
flavicollis. p. 286. 33.
flavipes. p. 275. 55.
melanopa. p. 285. 32.
merdigera. p. 280. 10.
quadrimaculata. p. 294.
rufipes. p. 275. 55.
subspinosa. p. 286. 33.
tenella. p. 300. 78.

BLAPS.
variolosa. p. 124. 9.

BLATTA.
americana. p. 123. 5.

BOSTRICHUS.
capucinus. p. 60. 1.
pectinatus. p. 112. 2.

BRACHYPTERUS.
pedicularius. p. 149. 4.
scutellatus. p. 145. 1.
Urticæ. p. 148. 2.

BRUCHUS.
æneus. p. 233. 22.
cruciatus. p. 109. 6.
Fur. p. 108. 5.
Furunculus. p. 109. 8.
gibbosus. p. 343. 1.
imperialis. p. 109. 6.
rufipes. p. 113. 3.
serraticornis. p. 113. 3.

BUPRESTIS.
biguttata. p. 356. 18.
cærulescens. p. 347. 27.
Fur. p. 108. 5.
granularis. p. 40. 2.
Moræi. p. 366. 63.
octopunctata. p. 357. 20.
quadripunctata. p. 345. 14.
quinquepunctata. p. 359.
salicina. p. 352. 56.
sanguinolenta. p. 356. 18.
sexpunctata. p. 344. 1.

æ. p. 361. 42. p. 362. 42.
ta. p. 350. 44.

BYRRHUS.

us. p. 103. 7.
. 103. 6.
p. 105. 15.
p. 101. 1. p. 102. 3.
204. 173.
us. p. 101. 1.

URUS. p. 95. 74.
. p. 96. 2. p. 93. 36.
12.
osus. p. 95. 1.

ANTHARIS.

iata. p. 70. 52.
malis. p. 64. 12. p.
76. 3.
p. 79. 17.
p. 64. 11.
82. 36.
. p. 68. 39.
p. 64. 14.
a. p. 72. 70. p. 339. 2.
a. p. 66. 24.
s. p. 63. 8. p. 63. 9.
p. 67. 31. p. 67. 29.
30.
p. 68. 40.
sis. p. 69. 42.
p. 71. 67. p. 67. 34.
17.
p. 73. p. 74. 4. p.
. 75. 5. p. 75. 7.
p. 74. 4. α. β.
a. p. 70. 55.
ata. p. 68. 39.
ata. p. 69. 48.
a. p. 77. 4.
. p. 70. 57.
. p. 75. 8.
nnis. p. 70. 53.
ollis. p. 68. 36.
hala. p. 67. 34.

canescens. p. 61. 3.
(Cardiacæ. p. 73.) p. 80. 23.
* Carolina. p. 64. 16.
Chrysomeloides. p. 79. 16.
* clypeata. p. 72. 68.
coccinea. p. 78. 7.
collaris. p. 79. 12.
* *coronata*. p. 62. 5.
cyanea. p. 78. 6.
* Diadema. p. 68. 38.
* dimidiata. p. 69. 47.
* dispar. p. 61. 3. p. 62. 4.
* *dubia*. p. 73. 71.
* elongata. p. 66. 29.
* *emarginata*. p. 66. 26.
fasciata. p. 74. 3. p. 76. 2. p. 81. 29.
flava. p. 334. 5.
flaveola. p. 73. 1.
* flavicollis. p. 68. 37. * p. 71. 62.
* flavilabris. p. 67. 32.
* flavipennis. p. 65. 20.
* flavipes. p. 69. 45.
fraxinea. p. 333. 2.
frontalis. p. 74. 4.
fulva. p. 67. 34. p. 71. 60.
* fulvicollis. p. 70. 50. p. 67. 34.
* *fumosa*. p. 70. 58.
* *fusca*. p. 60. 1. p. 61. 2. p. 61. 3. 62. 4.
* fuscicornis. p. 71. 61.
* hæmorrhoidalis. p. 68. 41.
humeralis. p. 74. 2. p. 341. 1.
janthina. p. 66. 25.
immunis. p. 74 1.
* læta. p. 70. 49.
* lateralis. p. 65. 23.
leucogastra. p. 81. 25.
* limbata. p. 65. 21. p. 68. 36.
* lineata. p. 71. 66.
* lineola. p. 70. 51.
* liturata. p. 63. 9.
* livida. p. 62. 4. p. 61. 3. p. 63. 7.
* longicornis. p. 70. 59.
* lugubris. p. 66. 28.
* manca. p. 70. 54.

* marginata. p. 68. 35.
media. p. 61. 3.
* melanocephala. p. 69. 46. p. 69. 42. p. 71. 61. p. 75. 7.
* melanura. p. 70. 60.
(minima. p. 73.) p. 74. 4. p. 75. 6. p. 75. 7. α. β.
nemoralis. p. 81. 25.
(nigra. p. 72.)
* nigricans. p. 65. 17.
* nigripennis. p. 69. 44.
(nigripes. p. 70.)
* nitidula. p. 71. 65.
nivea. p. 72. 68.
* obscura. p. 64. 15. p. 65. 17.
ochropus. p. 80. 20.
oculata. p. 79. 11.
* *palliata*. p. 63. 6.
* pallida. p. 68. 42.
(pallipes. p. 68.) p. 69. 42.
* paludosa p. 67. 30.
* pectoralis. p. 71. 63.
pedicularia. p. 80. 23. p. 81. 24.
* pellucida. p. 65. 18. p. 72. 69.
* pilosa. p. 63. 10.
plumbea. p. 67. 31.
* pulicaria. p. 67. 33. (p. 72.)
quadriguttata. p. 82. 37.
* rubens. p. 65. 22.
rubricollis. p. 81. 26.
* rufa p. 63. 7.
* ruficollis. p. 69. 43. p. 67. 34.
* ruficornis. p. 65. 19.
rufipes. p. 61. 3.
* rustica. p. 61. 2.
sanguinicollis. p. 75. 6.
sanguinolenta. p. 78. 7.
sericea. p. 294. 40.
serraticornis. p. 113. 1.
* smaragdula. p. 66. 25.
* testacea. p. 72. 69. p. 72. 68. p. 72. 69. β.
* thoracica. p. 67. 34.
* trilineata. p. 70. 56.
* tristis. p. 66. 27.
variabilis. p. 322. 4. p. 322. 5.
* violacea. p. 64. 13. p. 66. 25.
(viridescens. p. 64.) p. 66. 25.
* vittata. p. 71. 64.

CARABUS

Non plus utra. p. 60. 3.
pedestris. p. 56. 16.

CASSIDA. p. 209. 1

* adhærens. p. 222. 97.
* adspersa. p. 222. 100.
(affinis. p. 211.) p. 214.
* angustata. p. 229. 1
224. 112.
* annulata. p. 226. 12
* annulus. p. 217. 44.
* arcuata. p. 221. 82.
159.
* Argus. p. 230. 160. p.
* aterrima. p. 230. 163.
atra. p. 225. 115.
* atrata. p. 212. 13.
aurata. p. 220. 76.
* aurulenta. p. 217. 39.
* austriaca. p. 212. 11.
* azurea. p. 212. 9.
(bicolor. p. 220.) p.
* bicornis. p. 224. 11
* bidens. p. 225. 11
* bifasciata. p. 217.
* biguttata. p. 223. 9
* bimaculata. p. 221. 9
222. 98. p. 227. 1
* binotata. p. 221. 8
* bipunctata. p. 229. 1
* bipustulata. p. 225. 1
228. 142.
* bis tripunctata. p. 2
p. 220. 76.
bis-tripustulata. p. 218.
* bituberculata. p. 22
* brachiata. p. 217. 38.
* brunnea. p. 216. 25. p.
canaliculata. p. 212. 1
Cardui. p. 210. 1. p.
* cassidata. p. 216. 24.
* chinensis. p. 224. 10
* cincta. p. 216. 30.
156.
* circumdata. p. 218.
* clathrata. p. 219. 64.
103.

. p. 221. 83.
. p. 216. 23.
. p. 219. 65.
. p. 220. 75. p. 221.
. p. 212. 10.
. p. 212. 7.
. 220. 77.
p. 228. 144.
p. 224. 111.
. p. 217. 43.
ta. p. 227. 131.
p. 218. 63.
. p. 222. 93.
ea. p. 228. 140.
p. 228. 143.
p. 218. 57.
p. 212. 5.
. p. 223. 104.
impustulata. p. 229.
a. p. 212. 12.
. p. 221. 87.
um. p. 230. 166.
is. p. 110. 3.
. p. 224. 110.
ationis. p. 227. 133.
p. 214. 18.
nea. p. 214. 19. p.
. 225. 118.
. 215. 22.
culata. p. 227. 134.
. 221. 86.
214. 19.
. 218. 62.
p. 225. 116.
p. 226. 130.
pis. p. 226. 127.
tes. p. 230. 160.
. p. 216. 32.
hærica. p. 220. 73.
phica. p. 230. 164.
nsis. p. 223. 108.
p. 226. 127.
is. p. 227. 136.
ata. p. 218. 59.
. p. 227. 135.
p. 216. 34.
lævis. p. 219. 68.
* lateralis. p. 227. 137. p. 227. 136.
* leucophæa. p. 225. 119.
* limbata. p. 221. 88. p. 134. 6.
* lineata. p. 227. 132.
* Lineola. p. 213. 16.
* liriophora. p. 212. 6.
* livida. p. 217. 47.
lunata. p. 227. 136.
maculata. p. 213. 17.
* margaritacea. p. 220. 72. p. 220. 71. p. 220. 73.
* marginata. p. 222. 101. p. 230. 156.
* marginella. p. 216. 28.
* marylandica. p. 216. 33.
* micans. p. 221. 86.
* miliaris. p. 221. 84. * p. 222. 96.
* Morio. p. 217. 37.
* Muriæa. p. 213. 17.
mutabilis. p. 220. 72.
* nebulosa. p. 214. 21. (p. 212.) p. 215. 21. p. 215. 22.
* nervosa. p. 226. 126.
* nigra. p. 212. 14.
* nigromaculata. p. 218. 54. p. 217. 46.
* nobilis. p. 219. 68.
obliterata. p. 217. 46.
* obscura. p. 217. 35.
* obsoleta. p. 215. 22.
ocellata. p. 214. 18.
* ocliopunctata. p. 218. 60.
* ornata. p. 216. 31. p. 212. 9. p. 226. 120.
* pallida. p. 218. 48. * p. 220. 74.
* palliata. p. 227. 138. p. 215. 22.
* pavonina. p. 229. 147.
perforata. p. 224. 112.
* Phlyctæna. p. 228. 142.
* prasina. p. 211. 4.
pulchella. p. 219. 68.
* pumila. p. 218. 58.
* punctaria. p. 216. 29.
* punctata. p. 222. 99. p. 216. 29. p. 226. 124.

* Punctum. p. 226. 122.
* purpurea. p. 217. 40. * p. 217. 41.
* quadrata. p. 218. 49.
* quadrimaculata. p. 221. 92. p. 228. 140.
4-notata. p. 217. 38.
4 punctata. p. 221. 80.
* 4-pustulata. p. 222. 102. p. 223. 103.
* 4 *remis*. p. 223. 105.
* quatuordecimmaculata. p. 230. 155.
* quinquefasciata. p. 223. 105.
* reticularis. p. 218. 53. * p. 225. 120. p. 216. 32.
* reticulata. p. 218. 52.
* retiformis. p. 226. 124.
* retusa. p. 230. 162.
rubiginosa. p. 134. 6. p. 210. 1.
* rutescens. p. 219. 66.
russica. p. 213. 16.
* sanguinolenta. p. 212. 7. * p. 230. 158. p. 212. 11.
* St. Crucis. p. 223. 106.
* scalaris. p. 216. 27.
* scripta. p. 218. 61.
* sedecimpunctata. p. 229. 150.
16-pustulata. p. 229. 150.
* sexnotata. p. 217. 45.
* sexpunctata. p. 218. 55.
* sexpustulata. p. 229. 148.
* signata. p. 213. 15.
* signifer. p. 221. 78.
similis. p. 210. 1.
* sinuata. p. 221. 81.
* speciosa. p. 214. 20.
Spergulæ. p. 230. 71.
* spinifex. p. 224. 112.
splendidula. p. 220. 68.
subferruginea. p. 214. 19.
* supposita. p. 229. 153.
* suturalis. p. 222. 94.
* *Swartzii*. p. 229. 152.
* tæniata. p. 220. 69.
* Taurus. p. 225. 114.
* testacea p. 230. 165.
* tetrastigma. p. 228. 146.
* thoracica. p. 210. 2.
tigrina. p. 215. 21.
* transversa. p. 223. 103.
* tredecimpunctata. p. 221.
* tricolor. p. 228. 145.
* trifasciata. p. 226. 123.
* tristriata. p. 217. 36.
* trivittata. p. 220. 70.
* truncata. p. 226. 117.
* tuberculata. p. 221. 90.
* turrita. p. 230. 157.
* undecimpunctata. p. 21
* unicolor. p. 216. 26.
urticæ. p. 219. 68.
* varians. p. 218. 51. * p. 128.
* variegata. p. 226. 121.
* variolosa. p. 228. 139.
* venosa. p. 226. 125.
* vesicularis. p. 217. 42.
* vibex. p. 211. 5.
* vigintimaculata. p. 219.
* viridana. d. 212. 8.
* viridis. p. 209. 1. p. 21
210. 3. p. 211. 4. p. 21
* viridula. p. 220. 71.
* vittata. p. 214. 18.
(zona. p. 217.) p. 217.

CATERETES.

ater. p. 99. 19.
* bipustulatus. p. 149. 3.
* brachypterus. p. 150. 6.
* conicus. p. 150. 9.
dentatus. p. 98. 13.
fimetarii. p. 99. 21.
* glaberrimus. p. 150. 5.
* gravidus. p. 148. 1.
* pedicularius. p. 149. 4.
pulicarius. p. 148. 1.
* rufilabris. p. 150. 7.
Samacola. p. 101. 33.
* spissicornis. p. 150. 8.
* Urticæ. p. 148. 2.

CATOPS.

flavipes. p. 336. 15.

:ERAMBYX.
108. 5.

CERCUS.
rius. p. 149. 4.
s. p. 148. 1.
. p. 150. 7.
). 148. 2.

AMYS. p. 343. 129.
i. p. 343. 6.
ata. p. 343. 2.
p. 343. 4.
sa. p. 343. 5.
osa. p. 343. 3.
sa. p. 343. 1.

)MELA. p. 237. 106.
i. p. 293. 36.
dis. p. 246. 56.
p. 256.) p. 256. 97.
p. 248. 67. p. 245. 51.
.)
alis. p. 317. 111.
315. 83.
244. 42.
p. 237. 31.
p. 238. 5. p. 301. 8.
9. p. 243. 41.
p. 240. 22. * p. 257. 99.
p. 317. 112. p. 320.
292. 30.
as. p. 240. 24. p. 260.
204. 175.
ensis p. 250. 76.
ina. p. 260. 116. p.
stina. p. 241. 32. p.
p. 263. 127. p. 264.
264. 128.
). 241. 42. p. 307. 37.
s. p. 241. 31.
p. 238. 7.
p. 265. 131.

* Armoraciæ. p. 268. 143. p. 267. 138. p. 269. 144.
asiatica. p. 234. 5.
Asparagi. p. 282. 19.
* aterrima. p. 270. 159.
atra. p. 232. 15. p. 312. 78.
Atraphaxidis. p. 346. 22.
atricilla. p. 308. 44. p. 311. 57.
* atro-violascens. p. 270. 163.
* auta. p. 264. 128.
aurata. p. 235. 9. p. 261. 120. p. 303. 21.
aurita. p. 349. 41.
* Australasiæ. p. 241. 29.
Baaderi. p. 255. 93.
Ballotæ. p. 320. 158.
* Banksii. p. 244. 46.
barbara. p. 232. 15.
barbareæ. p. 364. 55.
barbarica. p. 260. 116.
bataviensis. p. 277. 71.
Beccabungæ. p. 278. 2.
Betulæ. p. 267. 138. p. 268. 144.
* bicolor. p. 243. 42. p. 317. 115.
bifasciata. p. 240. 17. p. 277. 69. p. 345. 21.
* bifrons. p. 248. 65.
biguttata. p. 318. 136. p. 356. 18. p. 365. 61.
bilineata. p. 363. 49.
biliturata. p. 356. 18.
bimaculata. p. 277. 70. p. 288. 8.
bipunctata. p. 230. 2. p. 355. 18. p. 356. 18.
bipustulata. p. 311. 63.
* bivittata. p. 259. 114. * p. 262. 121.
bothnica. p. 365. 58. p. 367. 68.
* bractea. p. 241. 34.
Brassicæ. p. 314. 80.
* brunnea. p. 259. 113. * p. 270. 155.
bucephala. p. 352. 57.
(bulgarensis. p. 266.) p. 245. 49. p. 249. 67.
buprestoïdes. p. 117. 1.
Cacaliæ. p. 261. 120.
* cærulans. p. 250. 73.

cærulea. p. 242. 38.
cærulea. Betulæ. p. 267. 138.
cærulea Salicis. p. 268. 143.
cæruleo-striata. p. 307. 36.
cæruleo-violacea. p. 248. 67.
cærulescens. p. 304. 21.
* cajennensis. p. 258. 105. p. 290. 12.
Calcarata. p. 245. 52.
calida. p. 301. 9.
calmariensis. p. 296. 54.
campestris. p. 283. 20.
cantharoïdes. p. 276. 61.
* Capreæ. p. 256. 97. p. 297. 57.
(Carnifex. p. 262) p. 262. 122. p. 263. 124.
caroliniana p. 316. 99.
* castanea. p. 270. 153.
(Centaurii. p. 241.) p. 249. 70. * p. 250. 71.
Ceramboïdes. p. 332. 1.
Cerasi. p. 242. 37. p. 287. 1.
* cerealis. p. 259. 115.
cervina. p. 331. 1. p. 332. 1.
* chalcea. p. 270. 161.
chrysocephala. p. 302. 17. p. 364. 57.
cincta. p. 318. 129.
* *circumscripta*. p. 268. 142.
* clavata. p. 246. 57.
clavicornis. p. 328. 30.
coccinea. p. 324. 2.
coccinelloides. p. 247. 61.
* Cochleariæ. p. 268. 144.
cognata. p. 268. 143.
* collaris. p. 253. 89. p. 254. 89. p. 349. 42.
Colon. p. 345. 18.
* concatenata. p. 237. 3.
concinna. p. 315. 85.
concolor. p. 231. 7.
* conjugata. p. 240. 16.
cordigera. p. 357. 19. p. 359. 25.
* coriaria. p. 259. 11.
Coryli. p. 358. 24.
* crassicornis. p. 258. 102.
Crataegi. p. 299. 69.
crenata. p. 231. 2.
Crotonis. p. 232. 7.
* cruciata. p. 240. 19. p. 325.
cruciferarum. p. 313. 74.
cruenta. p. 291. 27.
cruenrata. p. 237. 2.
cryptocephala. p. 346. 16.
* cuprea. p. 248. 66. * p. 140. p. 252. 80.
cuprea-Salicis. p. 250. 7[illegible]
curvilinea. p. 258. 103.
cyanea. p. 234. 3. p. [illegible] p. 304. 21.
cyanella. p. 284. 26.
* cyanicornis. p. 236. 9[illegible]
* cyanipes. p. 256. 94.
cyano-picta. p. 304. 21.
Cynoglossi. p. 320. 157.
decemmaculata. p. 178. [illegible]
10-notata. p. 254. 91.
(10-punctata. p. 256.) p. 92. p. 254. 93. p. [illegible] p. 367. 68.
* 10-pustulata. p. 245. [illegible] 246. 59.
10-striata. p. 260. 116.
decipiens. p. 241. 27.
denigrata. p. 310. 54.
didymata. p. 244. 49.
* dimidiata. p. 265. 13[illegible]
discoïdea. p. 301. 5.
* dispar. p. 256. 98. p. [illegible]
dorsalis. p. 246. 59. p. [illegible] p. 310. 53.
dresdensis. p. 298. 66.
* duodecimguttata. p. [illegible] (p. 247.)
12-punctata. p. 274. 40. 13.
* ebriæa. p. 247. 61.
elongata. p. 45. 1.
equestris. p. 316. 100.
Erucæ. p. 319. 142.
erythrocephala. p. 395.
erythroptera. p. 243. 4[illegible]
erythropus. p. 269. 147.
Eupho biæ. p. 312. 71.
* exclamationis. p. [illegible] p. 307. 38.
exilis. p. 370. 89.

). 309. 45. p. 310. 56.
57. p. 370. 89.
p. 315. 97.
). 240. 24. p. 289. 8.
77.
i. p. 260. 118. p. 261.
p. 309. 44.
p. 356. 18.
:a. p. 244.) p. 231. 9.
149. p. 310. 56.
. p. 252. 81.
p. 260. 117.
p. 318. 130.
316. 108.
. p. 242.) p. 242. 37.
s. p. 231. 4.
). 275. 55. p. 312. 69.
ta. p. 366. 63.
p. 314. 79.
lalensis. p. 255. 93.
s. p. 263. 126.
. 266.) p. 243. 42.
p. 247. 63.
272. 30.
. p. 301. 12.
s. 303. 21.
323. 8.
s. p. 248. 67. p. 306.
p. 306. 35.
335. 13.
. p. 243. 42.
ta. p. 244. 43.
. p. 240. 14. p. 326.
.
p. 325. 1.
234. 3.
p. 255. 16. p. 317.
a. p. 234. 3.
hala. p. 365. 58.
. p. 245. 48. p. 306.
. p. 241. 30.
i. p. 261. 120.
gensis. p. 242. 39. p.
. p. 243. 40.
p. 354. 11.

* graminis. p. 247. 63.
* grisea. p. 270. 156.
grisea-Alni. p. 296. 53. p. 296. 54.
griseo-nitida. p. 297. 57.
Gronovii. p. 327. 17.
* grossa. p. 251. 79. p. 239. 8.
* guttata. p. 246. 59.
* hæmoptera. p. 249. 69. p. 243. 39. p. 243. 40. p. 249. 68.
(hæmorrhoidalis. p. 266.) p. 249. 67. p. 254. 93. p. 255. 93.
hæmostata. p. 238. 4.
Halensis. p. 293. 39.
Hannoverana. p. 264. 130. p. 265. 130.
Helxines. p. 303. 21. p. 304. 21.
hemisphærica. p. 323. 8.
Herbsti. p. 333. 3.
hollandiæ. p. 267. 140.
holsatica. p. 311. 64.
* Hottentotta. p. 243. 40.
Hudsonias. p. 318. 134.
Hyoscyami. p. 301. 13. p. 302. 15. p. 302. 18.
Hyperici. p. 244. 42. p. 249. 70. p. 250. 70.
Hypochæridis. p. 245. 51.
* japonica. p. 270. 158.
Javanica. p. 301. 6.
ignita. p. 234. 1.
incrassata. p. 245. 49.
inda. p. 343. 8.
indica. p. 301. 10. p. 327. 17.
* interrupta. p. 258. 104.
Jopa. p. 242. 38.
junci. p. 278. 2.
labiata. p. 363. 53.
Lactucæ. p. 298. 61.
lævigata p. 239. 8. p. 312. 69.
* Lamina. p. 245. 49.
* lapponica. p. 258. 103.
laticis-via. p. 353. 68.
* latipes. p. 270. 154.
Lens. p. 312. 67.
lepturoides. p. 278. 6.

leucopicta. p. 317. 112.
* limbata. p. 262. 122.
(Linea. p. 253.) p. 240. 24.
lineata. p. 319. 140.
* lineatopunctata. p. 241. 28.
* Lineola. p. 266. 135.
Linnæana. p. 255. 93.
littoralis. p. 289. 10.
* Litura. p. 242. 37.
* *lituratα*. p. 241. 25.
lomata. p. 264. 127. p. 264. 128.
longicornis. p. 297. 57.
longimana. p. 347. 27. p. 347. 28.
longipes. p. 344. 1.
* lunata. p. 253. 83.
* lurida. p. 253. 84. p. 309. 51.
* lusitanica. p. 244. 44. p. 272. 29.
luteicornis. p. 232. 6.
* malaccensis. p. 269. 149.
* marginata. p. 263. 125. p. 263. 124. p. 264. 128. p. 315. 97. p. 365. 58.
* marginella. p. 264. 130. p. 264. 128. p. 265. 130. p. 370. 89.
marginella-Ranunculi. p. 264. 130.
* marmorata. p. 258. 106.
Marshami. p. 250. 70.
Martinia. p. 353. 67.
* mediata. p. 264. 129.
(Megerlei. p. 260.) p. 260. 115.
melanocephala. p. 308. 44. p. 350. 45.
melanopa. p. 250. 74. p. 285. 32.
* Menthæ. p. 267. 139.
meridigera. p. 279. 9. p. 280. 10.
* metallica. p. 244. 47. p. 237. 31. p. 244. 44. p. 248. 66.
(micans. p. 241.)
minima. p. 321. 161.
minuta. p. 9. 35. p. 370. 89.
Modeeri. p. 304. 23.
modesta. p. 235. 17.
Molluginis. p. 243. 46.
Moræi. p. 356. 18. p. 356. 19.
* morbillosa. p. 245. 51.
* Morio. p. 239. 16.
murina. p. 335. 13.
musciformis. p. 349. 31.
Napi. p. 301. 13.
Nemorum. p. 313. 77.
nigricollis. p. 321. 159.
* nigricornis. p. 253. 81. p. 249. 63.
* nigripes. p. 250. 74. p. 253. 93. p. 302. 19.
* nigrita. p. 242. 38. p. 243. 39.
nigro-ænea. p. 315. 84.
nigroquadrata. p. 236. 11.
nitens. p. 362. 43. p. 363. 44.
nitida. p. 234. 4.
nitidula. p. 303. 20.
nobilitata. p. 316. 103.
nodicornis. p. 313. 76.
* notata. p. 257. 100.
noveboracensis. p. 241. 29.
novemvittata. p. 241. 29.
Nymphææ. p. 296. 54.
obscura. p. 236. 24. p. 236. 25.
* obscurata. p. 245. 52.
obtusa. p. 259. 111.
occidentalis. p. 231. 4.
ochroleuca. p. 312. 69.
ochropus. p. 313. 74.
* octodecimguttata. p. 355. 17.
octoguttata. p. 238. 5. p. 371. 1.
* octomaculata. p. 238. 5.
* octopunctata. p. 270. 151.
octovittata. p. 260. 115.
oleracea. p. 319. 142.
olivacea. p. 242. 37. α. β. 244. 42.
* orbicula. p. 241. 35.
orbiculata. p. 315. 91.
oricalcia. p. 245. 49.
orientalis. p. 298. 63.
orychalca. p. 244. 42.
ovalis. p. 302. 19.
Padi. p. 256. 98. p. 322.
palliata. p. 298. 62.

p. 256.) p. 256. 98.
98.
. p. 269. 146.
esis p. 352. 59.
is. p. 364. 58.
. p. 265.) p. 208. 2.
a. p. 305. 24.
p. 355. 15.
ii. p. 277. 1.
phica. p. 241. 27.
)
293. 37.
315. 82.
01. 7.
69. 87.
s. p. 269. 145.
). 252. 82. p. 251. 78.
ii. p. 258. 111. p. 245.
p. 250. 77. p. 251. 78.
. p. 265. 130.
. 235. 8.
ns. p. 270. 162.
p. 240. 18.
310. 52. p. 312. 72.
p. 311. 64.
. 253. 86.
isima. p. 238. 3. * p.
.
ta. p. 245. 53. p. 313.
1. p. 237. 2.
p. 269. 145.
ata. p. 316. 104.
. 308. 38. p. 318. 137.
. p. 274. 45. p. 294.
14. 2. p. 349. 44.
). 308. 38.
p. 345. 14.
. p. 307. 38. p. 308. 39.
cimguttata. p. 247.)
io.
a. p. 246.) p. 288. 6.
is. p. 244. 43.
a. p. 265. 133. p. 283.
16. 9.
p. 265. 130.

* Raphani. p. 245. 51.
relicta. p. 305. 28.
* reticulata. p. 237. 1.
* Rhois. p. 254. 91.
* Rossia. p. 263. 124.
* Rubi. p. 270. 157.
rubra-Liliorum. p. 279. 9. p. 280. 10.
rubromarginata. p. 263. 123.
* rubropunctata. p. 238. 4.
* *rufescens*. p. 267. 141.
ruficaudis. p. 248. 66.
ruficollis. p. 259. 112. p. 289. 9. p. 352. 56.
ruficornis. p. 307. 36.
* rufipes. p. 244. 45. * p. 254. 92. p. 269. 147. p. 306. 34. p. 307. 36.
rufitarsis. p. 257. 98.
* rugosa. p. 239. 9.
* Rumicis. p. 257. 101.
* russica. p. 259. 112.
rustica. p. 290. 17. p. 305. 25.
* sacra. p. 266. 136.
Salicis. p. 254. 89.
sanguinea. p. 276. 56.
* sanguinolenta. p. 262. 123. p. 263. 124.
* sapphirina. p. 238. 6.
* Saphirus. p. 247. 62.
(Schach. p. 263.) p. 264. 127. β. γ.
Scopolina. p. 350. 44. p. 350. 45.
* scripta. p. 258. 107.
(scutellata. p. 265.) p. 208. 1.
semiænea. p. 305. 25.
* semistriata. p. 250. 75.
Senecionis. p. 262. 120.
* senegalensis. p. 254. 90.
sericea. p. 361. 42.
(sexnotata. p. 256.) p. 256. 97.
* sexpunctata. p. 256. 96. p. 357. 20. p. 359. 28.
* silacea. p. 241. 33.
similis. p. 254. 89. p. 268. 143. p. 280. 10.

S littera. p. 308. 41.
* Sophiæ. p. 269. 147.
* *soriculata*. p. 246. 58.
(speciosa. p. 262.) p. 261. 118. p. 261. 120.
* splendidula. p. 261. 119.
* staphylæa. p. 251 80.
stercoraria. p. 280. 10.
sternicornis. p. 238. 5.
* stolida. p. 253. 87.
* striata. p. 240. 23. p. 307. 36.
striatula. p. 315. 82.
* stygia. p. 270. 160.
* submarginata. p. 240. 15.
subspinosa. p. 286. 33.
sulphurea. p. 333. 5.
sumptuosa. p. 235. 15.
superba. p. 262. 120.
(surinamensis. p. 239.) p. 234. 3. p. 314. 81.
* suturalis. p. 240. 17. p. 240. 18. p. 309. 50.
tabida. p. 308. 44. p. 311. 65.
Tamaricis. p. 321. 162.
Tanaceti. p. 290. 19.
* Taraxaci. p. 269. 148.
* tenebricosa. p. 238. 8. p. 239. 11.
tenebrioïdes. p. 239. 8.
tenella. p. 300. 78.
testacea. p. 241. 33. p. 305. 29.
Thapsi. p. 309. 46.
* thoracica. p. 240. 21. p. 316. 108.
* tibialis. p. 266. 137.
tomentosa. p. 290. 15.
transversa. p. 310. 56.
* Tremulæ. p. 251. 78.
tricolor. p. 232. 9.
tridentata. p. 347. 27.
* trifasciata. p. 238. 7. p. 304. 22.
trifurcata. p. 287. 39.
trilineata. p. 150. 19. p. 246. 56.
* trimaculata. p. 239. 12.
* tristis. p. 249. 68.
* trivittata. p. 242. 36.
truncata. p. 321. 160.
undata. p. 237. 2. p. 257.
* undulata. p. 258. 108.
* unicolor. p. 258. 110. p. 2
unifasciata. p. 278. 5.
* varians. p. 249. 70. p. 70.
varicornis. p. 241. 31. p.
variolosa. p. 349. 43.
Verbasci. p. 309. 47.
vernalis. p. 242. 37.
versicolor. p. 307. 35.
versicolora. p. 249. 67.
viciesmaculata. p. 265.
viennensis. p. 266. 137.
* vigintipunctata. p. 265.
* *vigintiquatuorsignata*. p. 26.
villosula. p. 236. 25.
* Viminalis. p. 254. 93. p. 93.
* violacea. p. 250. 72. p. 115.
violaceo-cærulea. p.
violaceo-nigra. p.
violaceo-punctata. p.
viridi-ænea. p. 250.
viridi-aurata. p. 303.
viridi-cærulea. p. 243. 304. 21.
* viridicollis. p. 270.
viridis-Alni. p. 248. 67.
viridula. p. 245. 51. p.
* vittata. p. 240. 13. p.
* Vittellinæ. p. 266. 267. 139. p. 269. 144.
vulgatissima. p. 249. 267. 138.
(vulpina. p. 257.) p.
xanthomelæna. p. 299.
xanthopoda. p. 275. 5.

CICINDELA.

elegans. p. 78. 6.
rotundata. p. 80. 20.
thoracica. p. 79. 15.

LA. p. 332. 121.
p. 271. 19.
. 337. 30.
). 334. 8.
:a. p. 337. 26.
ta. p. 336. 16.
338. 35.
. 337. 28.
p. 336. 17.
333. 3.
. 333.) p. 334. 5.
ata. p. 336. 20.
). 336. 21.
p. 334. 7.
is. p. 334. 7.
. p. 338. 38.
ides. p. 332. 1. p.
. 331. 1. p. 332. 1.
332. 1.
337. 32.
271. 11.
p. 336.) p. 335. 13.
. p. 338. 36.
p. 335 11.
p. 337. 27.
p. 336. 18. p. 336.
p. 334. 11.
37. 24.
339. 4.
). 336. 15.
31. 1.
337. 29.
s. p. 336. 19. p.
271. 11.
1. 2.
es. p. 333. 2.
p. 336. 22.
32. 2.
. 335. 11.
). 337. 24. p. 336.
p. 322. 3.
phala. p. 334. 9. p.
). 337. 33.

* Morio. p. 335. 12. p. 338. 1.
* murina. p. 335. 13. p. 336. 17.
* nigrina. p. 338. 39.
(nigripennis. p. 334.)
* nigrita. p. 337. 23.
nimbata. p. 322. 3.
nitida. p. 337. 31.
* oblonga. p. 338. 37.
opaca. p. 338. 1.
pallida. p. 321. 1. p. 321. 2.
* pallipes. p. 337. 25.
* picipes. p. 333. 3.
pubescens. p. 322. 4.
quinquevittata. p. 316. 99.
reppensis. p. 335. 13.
* rubricollis. p. 336. 14.
rufa. p. 336. 13.
* ruficollis. p. 334. 6.
* rufipes. p. 334. 10.
rufitarsis. p. 333. 3.
rugosa. p. 322. 7.
scapularis. p. 336. 19.
(sexlineata. p. 337.) p. 295. 47.
sulphurea. p. 333. 5.
svittata. p. 316. 99.
* tenella. p. 338. 34.
(testacea. p. 333.) p. 272. 29.
(thoracica. p. 336.) p. 335. 13.
* tomentosa. p. 333. 4.
varians. p. 338. 2.

CLERUS. p. 42. 58.

alvearius. p. 49. 8.
Ammios. p. 48. 5.
apiarius. p. 48. 6. p. 49. 7. p. 49. 8.
* bifasciatus. p. 45. 15. p. 47. 3.
cæruleus. p. 50. 1.
* capensis. p. 45. 16.
crabroniformis. p. 49. 11.
cyaneus. p. 49. 10.
* dubius. p. 43. 2.
elongatus. p. 45. 1. p. 46. 1.
fasciatus. p. 43. 1. p. 44. 5.
fasciculatus. p. 50. 13.
favarius. p. 49. 7.

* formicarius. p. 43. 5. p. 46. 2.
fusco-fasciatus. p. 53. 3.
* Ichneumoneus. p. 43. 3.
leucopsideus. p. 49. 9.
mollis. p. 52. 3.
* mutillarius. p. 42. 1.
octopunctatus. p. 47. 1.
pallidus. p. 54. 8.
porcatus. p. 52 1.
Quadra. p. 50. 1.
* quadriguttatus. p. 45. 14.
* quadrimaculatus. p. 44. 11.
ruficollis. p. 51. 4.
* rufipes. p. 44. 6. * p. 44. 7. p. 51. 2.
* rufus. p. 44. 8.
scabrosus. p. 54. 9.
scutellaris. p. 51. 3.
* sexguttatus. p. 44. 9.
sipylus. p. 48. 4.
* Sphægeus. p. 43. 4.
* spinosus. p. 44. 10.
* thoracicus. p. 45. 13.
tricolor. p. 47. 2.
Umbellatarum. p. 49. 12.
(unifasciatus. p. 45.) p. 46. 2.
* univittatus. p. 45. 12.
violaceus. p. 50. 1. p. 52. 2.

CLYTHRA. p. 343. 130.

* affinis. p. 349. 42.
* argentata. p. 344. 11.
* Atraphaxidis. p. 346. 22.
* aurita. p. 349. 41.
* bicolor. p. 352. 60. p. 348. 32.
* bicruciata. p. 344. 13.
* bifasciata. p. 348. 32.
bimaculata. p. 350. 45. p. 359. 24.
* bipustulata. p. 352. 61.
* bistrinotata. p. 348. 34.
* brunnea. p. 351. 53.
* bucephala. p. 352. 57.
* cærulans. p. 351. 54.
clavata. p 246. 57.
* collaris. p. 348. 40.
* Colon. p. 345. 18.
* concolor. p. 353. 64.
(cristata. p. 346.) p. 343. 6
* cuprea. p. 351. 55.
* curvata. p. 344. 3.
* curvipes p. 344. 4.
* cyanea. p. 351. 56.
* decora p. 348. 31.
* decumana. p. 345. 15.
* dominicana. p. 347. 29.
Dorychnii. p. 348. 37.
* duodecimmaculata. p. 24.
* *equestris*. p. 348. 33.
* erythrotis. p. 348. 39.
* fasciata. p. 344. 9.
(gibber. p. 346.) p. 343. 4
* hirta. p. 344. 8.
* Hordei. p. 353. 65.
* humeralis. p. 346. 26. 351. 49.
(impressa. p. 346.) p. 34
* intersecta. p. 345. 20.
* Kœnigii. p. 352. 58.
* Lar. p. 350. 48.
* laticlavia. p. 353. 68.
* Lentisci. p. 349. 43.
* limbata. p. 353. 66.
* longimana. p. 347. 3. 347. 27. (p. 350.)
* longipes. p. 343. 1.
* lunulata. p. 346. 23.
* macropus. p. 348. 37.
* Martinia. p. 353. 67.
* maxillosa. p. 348. 38.
(monstrosa. p. 340.) p. 3
musciformis. p. 349. 42.
* nigripes. p. 351. 52.
* nitidula. p. 353. 63.
* obliqua. p. 341. 6.
* obsita. p. 346. 25.
* octopunctata. p. 348. 350. 46.
* octosignata. p. 348. 3
* pallens. p. 351. 51.
* palliata. p. 344. 7.
* paracenthesis. p. 352.
Persicariæ. p. 352. 50.
* picta. p. 345. 16.

phala. p. 351. 51.
346.) p. 343. 1.
ta. p. 353. 62.
aculata. p. 349. 44.
45.
. p. 345. 17.
ta. p. 344. 14.
. p. 350. 45.
350. 45.
. p. 350. 46. (p. 351.)
p. 345. 21.
353. 3.
ia. p. 350. 45. p. 349.
352.)
llata. p. 344. 10.
ta. p. 344. 12. p. 348.
348. 30.
is. p. 347. 30.
p. 344. 5.
. p. 344. 7.
a. p. 347. 27. (p. 346.)
6. p. 347. 28.
ata. p. 345. 19.
ita. p. 344. 2.
p. 350. 47.

OTUS. vid. HA-

LON. p. 329. 118.
tinum. p. 330. 6.
p. 330. 7.
. p. 329. 1.
n. p. 330. 3.
im. p. 330. 2.
ulum. p. 330. 5.
. 330. 4.
. 330. 8.

ELLA. p. 151. 99.
ita. p. 158. 32.
is. p. 197. 133.
p. 203. 172. (p. 151.)
. 194. 120.
205. 178.
156. 16.

* *albo lineata*. p. 158. 30.
* analis. p. 206. 184. (p. 195.)
(annulata. p. 156.) p. 161. 34.
aptera. p. 153. 12.
* arctica. p. 199. 142. p. 159.
33.
* arcuata. p. 170. 44. * p. 207.
186.
* areata. p. 194. 124.
* argulata. p. 202. 159.
Argus. p. 180. 74.
* atra. p. 207. 188. p. 198. 135.
* aucta. p. 178. 12.
aurita. p. 194. 123.
Aurora. p. 209. 3.
austriaca. p. 163. 35. p. 164.
35. p. 204. 177.
Betulæ. p. 249. 70.
* bifasciata. p. 170. 53. p. 172.
55.
(biguttata. p. 190.) p. 164. 35.
biliturata. p. 207. 184.
bimaculata. p. 163. 35. p. 205.
178.
bimaculosa. p. 164. 35.
* *biplagiata*. p. 196. 29.
(bipunctata. p. 159.) p. 159. 34.
p. 160. 34. p. 161. 34. p.
162. 34. p. 163. 35.
* bipustulata. p. 196. 132. p.
163. 35. p. 197. 133.
* bis bipustulata. p. 205. 179.
α. γ. (p. 199.) p. 206. 180.
bis biverrucata. p. 205. 179.
* *bis 4-punctata*. p. 186. 102.
* bis 5-pustulata. p. 200. 150.
* bis 7-guttata. p. 192. 116.
* bis 6-guttata. p. 191. 113.
(bis 6-pustulata. p. 200.) p. 188.
103. p. 200. 182.
* bis 3-pustulata. p. 200. 145.
* biverrucata. p. 205. 178. (p.
195.)
Bœberi. p. 183. 88.
* borealis. p. 181. 80.
botnica. p. 168. 37.
brunnea. p. 203. 172.
* Cacti. p. 196. 131. p. 197. 133.

caffra. p. 169. 41.
cajennensis. p. 191. 114.
campestris. p. 193. 136.
camtschatcensis. p. 190. 111.
canina. p. 203. 162.
* capensis. p. 181. 78. p. 177. 63.
capitata. p. 206. 183.
* cassidea. p. 181. 83.
cassidoïdes. p. 199. 138.
* catenata. p. 170. 46.
centumpunctata. p. 326. 10.
* chrysomelina. p. 181. 79.
* cincta. p. 152. 9. p. 159. 34. p. 161. 34.
* cingulata. p. 170. 49.
* *circumdata*. p. 152. 10.
* coccinea. p. 152. 6.
collaris. p. 179. 73. p. 180. 73.
* Colon. p. 206. 181. p. 154. 13.
* Comma. p. 157. 28.
* confluens. p. 190. 105.
* *congener*. p. 197. 134.
* conglobata. p. 186. 103. p. 187. 103. (p. 188.) p. 189. 104. p. 190. 104.
(conglomerata. p. 186.) p. 167. 36. p. 187. 103. p. 188. 103.
* *connectens*. p. 157. 21.
constellata. p. 176. 59.
* *crucigera*. p. 182. 87.
* Crux. p. 157. 27.
* decemguttata. p. 190. 112.
10-guttata major. p. 191. 112.
10-guttata minor. p. 167. 36.
* 10-maculata. p. 178. 68. p. 167. 36.
(10-punctata. p. 178.) p. 164. 36. p. 165. 36. p. 166. 36. p. 167. 36. p. 179. 73.
(10-pustulata. p. 200.) p. 167. 36.
dentata. p. 188. 103.
* dentipes. p. 198. 137.
* detrita. p. 190. 109. p. 164. 36.
* diaphana. p. 151. 3.
* dilatata. p. 178. 71. p. 178. 72.
* dimidiata. p. 155. 15.
* discoïdea. p. 203. 195).
* discolor. p. 152. 8.
* dispar. p. 159. 34. * 84. p. 163. 35. p. 1
* distincta. p. 184. 93.
* divisa. p. 199. 140.
* dorsimacula. p. 156.
dubia. p. 199. 142.
duodecimgemmata. p.
* 12-guttata. p. 191. 11 113.
* 12-notata. p. 181. 8
* 12-punctata. p. 180. 7 36. p. 181. 76.
(12-pustulata. p. 200.) 103.
* 12-verrucata. p. 200.
elaterii. p. 181. 79.
* erythrocephala. p.
* fasciata. p. 199. 139. 132. p. 199. 144.
fastuosa. p. 261. 118.
* felina. p. 202. 157.
fennica. p. 176. 59.
fimbriata. p. 152. 8. p.
* flava. p. 203. 169.
flavicollis. p. 178. 70.
* flavilabris. p. 204.
* flavipes. p. 207. 187. p. 190. 104. p. 194. 1 183.
flavo-maculata. p. 16
(flexuosa. p. 170.) p. p. 172. 55.
* floralis. p. 204. 174.
frigida. p. 159. 33.
* frontalis. p. 204. 1 p. 197. 132. p. 198. 198.) p. 204. 176 177. p 205. 179.
fulvifrons. p. 206. 1
gemella. p. 189. 104.
* gibba. p. 181. 81.
(glacialis. p. 172.) p.
* globosa. p. 153. 1
graminis. p. 247. 63.
grandis. p. 122. 86.



lata. p. 200. 151.
ctata. p. 168. 36.
astulata. p. 201. 155.
oidalis. p. 198. 135.
p. 155. 13. p. 207.
55. 93.
). 158. 29.
161. 34.
184. 88.
rica. p. 199. 141.
hica. p. 168. 38. p.
). 151.
. p. 163. 35. p. 167.
. 123. p. 204. 176.
p. 159. 33.
p. 169. 39.
ta. p. 151. 4. p. 153.
. 36.
). 182. 86.
a. p. 153. 12. p. 153.
. 13. p. 155. 13.
ta. p. 188. 104. p.
). 190. 104. (p. 194.)
p. 170. 50.
. 178. 70.
p. 170.) p. 172. 55.
77.
184. 89.
2.) p. 175. 59.
200. 146.
). 199. 142.
p. 198. 136.
). 202. 160.
151.) p. 157. 25.
). p. 177. 59.
. 157. 25.
p. 190. 106. p. 156.
. 169. 38.
09. 3.
52. 7. p. 154. 13.
163. 35. p. 170. 45.
. 170. 45. * p. 200.
p. 207. 191. p. 163.
199. 138.
lutea. p. 203. 168.
maculata. p. 178. 68.
marginalis. p. 204. 177.
* marginata. p. 151. 1. p. 163. 35.
* marginella. p. 195. 126. p. 151. 2. p. 156. 16. p. 163. 35.
marginemaculata. p. 189. 104.
* marginepunctata. p. 156. 16. p. 164. 36.
mediopustulata. p. 197. 133.
minima. p. 207. 188. p. 207. 190.
* minuta. p. 155. 14.
minutissima. p. 199. 144.
* M nigrum. p. 152. 7.
* Morio. p. 204. 177. (p. 198.) p. 207. 190.
moscovica. p. 158. 31.
* mutabilis. p. 175. 59. p. 163. 35.
* nigrina. p. 207. 190.
* nigrita. p. 194. 122.
nigrofasciata. p. 179. 73.
* nitidula. p. 194. 121.
notata. p. 156. 16. p. 174. 57.
* novemdecimpunctata. p. 185. 95.
* novemmaculata. p. 177. 65.
* 9-notata. p. 177. 66.
(9-punctata. p. 178.) p. 175. 59. p. 176. 59. p. 177. 65. p. 179. 73.
* 9-signata. p. 178. 67.
* obliterata. p. 203. 164. p. 165. 36.
oblonga. p. 174. 57.
* oblongoguttata. p. 193. 119.
oblongopunctata. p. 155. 31.
observepunctata. p. 176. 59.
obsoleta. p. 152. 7.
* ocellata. p. 182. 88. p. 183. 88.
* octodecimguttata. p. 193. 118.
18-maculata. p. 189. 104.
18-notata. p. 203. 167.
* 18-punctata. p. 184. 94. p. 189. 104.
* octoguttata. p. 190. III. p. 160. 34. p. 238. 5.

* octomaculata. p. 177. 62. * p. 177. 63.
* 8-notata. p. 177. 64. p. 177. 63.
(8 punctata. p. 177.) p. 165. 36.
* 8-pustulata. p. 200. 148. p. 161. 34. p. 169. 38.
8-stagnata. p. 238. 5.
* oculata. p. 196. 130. p. 179. 73. p. 184. 91.
omma. p. 184. 91.
* *orbicula*. p. 205. 177.
ornata. p. 193. 118.
* palliata. p. 151. 2.
* pallida. p. 203. 166. p. 152. 7.
* pantherina. p. 203. 165. (p. 200.) p. 160. 34. p. 168. 36.
(pardalina. p. 202.) p. 246. 59.
* parvula. p. 206. 183. (p. 195.) p. 207. 184.
pectoralis. p. 208. 2.
perforata. p. 162. 34.
Peruana. p. 157. 19.
polita. p. 253. 82.
Populi. p. 251. 77.
* Psi. p. 169. 43.
* pubescens. p. 203. 170. * p. 203. 171. (p. 151.) p. 205. 179.
* *Pulex*. p. 157. 20.
* punctatissima. p. 203. 163.
punctato-guttata. p. 168. 36.
Punctum. p. 153. 12.
* *pupillata*. p. 184. 90.
* pusilla. p. 190. 107. * p. 207. 189.
Pygmæa. p. 206. 183.
* *quadrifasciata*. p. 178. 69.
4-guttata. p. 205. 179.
4-lineata. p. 169. 38.
* 4 lunulata. p. 206. 180.
(4-maculata. p. 171.) p. 161. 34. p. 180. 73. p. 205. 179.
(4-notata. p. 171.) 154. 13.
* 4-*plagiata*. p. 195. 128.
4-punctata. p. 156. 16. p. 164. 36.
(4-pustulata. p. 198.) p. 159. 34. p. 160. 34. p. 198. 138. 199. 138.
* 4-verrucata. p. 198. 138.
* quatuordecimguttata. p. 115. p. 201. 153.
(14-maculata. p. 182.) p. 103. p. 201. 153.
14-punctata. p. 167. 36. p. 103. p. 188. 103.
* 14-pustulata. p. 200. 1[illegible] 201. 153.
quindecimguttata. p. 192.
(quinquemaculata. p. 171. 176. 59.
* 5-punctata. p. 171. 54. p. 88.
remota. p. 158. 32.
* renipustulata. p. 197. 1[illegible]
repanda. p. 169. 42.
* reppensis. 194. 125.
* reticulata. p. 170. 47.
riparia. p. 278. 2.
rivosa. p. 200. 149.
* rivularis. p. 169. 41.
rosea. p. 189. 104.
ruficollis. p. 207. 184.
(rufipes. p. 198.) p. [illegible] p. 275. 55.
* russica. p. 200. 152.
* sanguinea. p. 153. 11.
scutellata. p. 208. 1. a. 3.
* sedecimguttata. p. 192.
(16-maculata. p. 154.) p. 104.
* 16-notata. p. 184. 92.
(16-punctata. p. 184.) p. 16. 181. 76. p. 189. 10[illegible]
16-pustulata. p. 201. 154.
segetalis. p. 174. 57.
* septemmaculata. p. 174.
(7-notata. p. 175.) p. 17[illegible]
* 7-punctata. p. 172. 56.
7-pustulata. p. 161. 34.
* *sexguttata*. p. 206. 182.
(sexlineata. p. 158.) p. 1[illegible]
* sexmaculata. p. 172. 5[illegible] 165. 36.

p. 152. 7.
:a. p. 172.) p. 165.
75. 59. p. 176. 59.
9. p. 199. 138.
ta. p. 200.) p. 159.
60. 34. p. 161. 34.
5. p. 164. 35.
:ata. p. 200. 147.
169. 42. p. 254. 93.
168. 36.
). 177. 60. p. 175.
7. 133.
169. 38.
169. 38.
86. 101.
ia. p. 262. 120.
a. p. 157. 22.
157. 26. p. 157. 25.
p. 190. 110. * p.
. 156. 17.
. p. 164. 36. p. 165.
6. 36. p. 167. 36.
p. 200. 149.
s. p. 328. 30.
p. 157. 24.
. 187. 103. p. 188.
p. 187. 103.
p. 207. 185. (p.
p. 163. 35.
. 202. 161.
lis. p. 177. 61.
iculata. p. 182.) p.
. 167. 36.
ta. p. 174. 58. p.
p. 179. 73.
p. 169. 42.
). 190. 108.
p. 170. 52.
p. 156. 19. p. 169.
p. 208. 192.
a. p. 169. 40. p.
). 180. 73.
* tripustulata. p. 195. 127. p. 161. 34.
* undata. p. 170. 48.
* undecimmaculata. p. 180. 74. p. 175. 58. p. 179. 73. p. 180. 75.
* 11-notata. p. 180. 75. p. 166. 36.
* 11-punctata. p. 178. 73. p. 166. 36. p. 175. 59. p. 175. 59. p. 180. 76.
* undulata. p. 182. 85. p. 172. 55.
ungulata. p. 170. 49.
* unicolor. p. 151. 5.
(unifasciata. p. 156.) p. 161. 34. p. 163. 35. p. 164. 35.
ursicolor. p. 182. 86.
* ursina. p. 202. 158.
* variabilis. p. 164. 36. p. 163. 35. p. 164. 35. p. 166. 36. (p. 198.)
* varians. p. 170. 51.
* variegata. p. 181. 77. p. 182. 84.
* versicolor. p. 182. 86.
* vigintiduomaculata. p. 186. 99.
* 22-punctata. p. 185. 96. p. 155. 13. (p. 186.)
22-punctata obscura. p. 155. 13.
(vigintiguttata. p. 193.) p. 202. 161.
* vigintioctopunctata. p. 186. 101.
(vigintipunctata. p. 185.) p. 185. 96. p. 265. 132.
20-pustulata. p. 203. 164.
vingintiquatuormaculata. p. 186. 100.
(24-punctata. p. 186.) p. 154. 13.
vigintiquinquepunctata. p. 154. 13.
(vigintitripunctata. p. 186.) p. 154. 13. p. 155. 13.
(villosa. p. 195.) p. 205. 179. p. 209. 1.
* vittata. p. 157. 23.
Vittellinæ. p. 248. 66.

vulgatissima. p. 267. 138.
(vulpina. p. 202.) p. 200. 149.

COLASPIS. p. 231. 104.

* ænea. p. 232. 10.
* barbara. p. 232. 15.
* brunnea. p. 233. 24.
* calcarata. p. 233. 26.
* crenata. p. 231. 2.
* Crotonis. p. 232. 7.
* cuprea. p. 232. 12.
* dentipes. p. 233. 27.
* ferruginea. p. 232. 16.
* flavicornis. p. 231. 4.
* fulva. p. 232. 14.
* fulvipes. p. 232. 11.
gibba. p. 301. 3.
* glabrata. p. 231. 3.
* lævigata. p. 232. 19.
* luteicornis. p. 232. 6.
* marginata. p. 233. 21.
* metallica. p. 233. 22.
* nigricornis. p. 232. 18.
* nitidula. p. 232. 17.
* obscura. p. 232. 13.
* *pusilla*. p. 233. 28.
quercata. p. 301. 4.
* ruficornis. p. 233. 23.
* rufipes. p. 232. 8.
saliens. p. 301. 2.
* *sericea*. p. 231. 5.
* Suilla. p. 233. 25.
* testacea. p. 231. 1.
(tricolor. p. 232.) p. 232. 9.
* viridi-ænea. p. 232. 20.
* viridis. p. 232. 9.

COLOBICUS. p. 135. 95.

* marginatus. p. 135. 1.

CORTICARIA.

denticulata. p. 97. 4.
fumata. p. 97. 3.
obcordata. p. 98. 5.
rufa. p. 97. 2.

CORYNETES. p. 5

* abdominalis. p. 51. 6
* cæruleus. p. 52. 9.
* *collaris*. p. 51. 5.
* ruficollis. p. 51. 4.
* rufipes. p. 51. 2.
* sanguinicollis. p. 51.
* scutellaris. p. 51. 3.
* violaceus. p. 50. 1.
* viridis. p. 52. 8.

CRIOCERIS. p. 270.

* abdominalis. p. 272.
292. 29.
* abrupta. p. 271. 18.
* adusta. p. 276. 38.
* æruginea. p. 271. 19.
* albicornis. p. 273. 39.
anglica. p. 307. 37.
angulosa. p. 300. 84.
Asparagi. p. 282. 19.
atra. p. 312. 72.
atricilla. p. 308. 44.
* aulica. p. 274. 42.
* batavіensis. p. 277.
(Betulæ. p. 276.)
* bicolor. p. 271.
55. p. 284. 29.
* bidentata. p. 270.
* bifasciata. p. 274. 49.
35.
* bimaculata. p. 277.
294. 41.
* bioculata. p. 274. 45.
bipustulata. p. 303. 40.
* bispinosa. p. 271. 3.
* bituberculata. p. 270.
* bivittata. p. 271. 25.
Brassicæ. p. 314. 80.
brunnea. p. 280. 10.
cayennensis. p. 274. 41.
calmariensis. p. 296. 53.
54. p. 298. 67.
* caminea. p. 274. 47.
campestris. p. 282. 19.
20.
* cantharoïdes. p. 276.



i. p. 271. 16.
p. 296. 53. p. 297. 57.
ia. p. 316. 99.
p. 338. 38.
). 272.) p. 287. 1.
p. 332. 1.
294. 46.
). 331. 1.
a. p. 322. 3.
. 306. 33.
p. 322. 5.
iæ. p. 280. 10.
p. 311. 61.
p. 299. 69.
p. 274. 43.
p. 284. 26.
nnis. p. 271. 10.
s. p. 271. 6. * p.
.
ephala. p. 276. 59.
rnis. p. 273. 38.
p. 271. 8.
p. 283. 22. p. 310.

punctata. p. 273. 40.
13.
p. 274. 46.
. 271. 22.
p. 45. 1.
a. p. 306. 32.
n. p. 306. 31.
is. p. 274. 50.
cephala. p. 276. 64.
33.
. p. 335. 11.
æ. p. 312. 71.
. 310. 56.
iea. p. 272. 32.
is. p. 273. 35.
. p. 275. 55.
p. 273. 41.
. 271. 4. * p. 272. 30.
. p. 287. 1.
p. 306. 33. p. 306. 34.
337. 24.
). 306. 35.
p. 272.) p. 287. 1. p.
).

* grisea. p. 276. 65.
hafensis. p. 294. 39.
holsatica. p. 311. 64.
hortorum. p. 315. 94.
* humeralis. p. 275. 53.
* impressa. p. 272. 28. p. 279. 2. p. 300. 83.
* innuba. p. 271. 11.
* læta. p. 271. 23.
lævigata. p. 311. 59.
lata. p. 272. 27.
* liciens. p. 276. 60.
Lilii. p. 279. 9.
* lineata. p. 272. 27.
(Lineola. p. 276.) p. 287. 1. p. 287. 2. p. 296. 53.
livida. p. 295. 51.
(lusca. p. 273.) p. 316. 109.
* marginalis. p. 271. 24.
* melanocephala. p. 271. 7.
melanogaster. p. 294. 41.
melanopa. p. 285. 32.
merdigera. p. 279. 9. p. 280. 10.
* minuta. p. 276. 63.
* modesta. p. 271. 13.
mollis. p. 321. 2.
Morio. p. 299. 68.
* multicolor. p. 277. 69.
murina. p. 335. 13.
(Nasturtii. p. 309.) p. 309. 50.
Nemorum. p. 313. 77.
nigricans. p. 322. 5.
(nigricornis. p. 271.) p. 293. 39.
nigrina. p. 338. 39.
nigripes. p. 286. 36.
Nympheæ. p. 296. 56.
* obsoleta. p. 271. 9.
* ochreata. p. 272. 31.
* oculata. p. 274. 44.
* olivacea. p. 271. 14.
Padi. p. 322. 6.
* pallens. p. 274. 48.
palliata. p. 295. 62.
* pallida. p. 272. 33. p. 297. 57. p. 321. 2.
parisina. p. 113. 1.

parva. p. 300. 78.
parvula. p. 315. 95.
* Phellandrii. p. 277. 1.
phtisica. p. 310. 55.
picta. p. 300. 80.
ptinoides. p. 106. 21.
* pygmæa. p. 276. 62.
quadrimaculata. p. 294. 41.
* quadrinotata. p. 274. 51.
* 4-punctata. p. 275. 54.
4-pustulata. 279. 1. p. 308. 39. p. 314. 78.
quatuordecimpunctata. p. 281. 14.
* quinquemaculata. p. 271. 17.
quinquepunctata. p. 283. 23.
retusa. p. 280. 12.
Rubi. p. 314. 82.
* *rubra*. p. 272. 34.
* ruficollis. p. 271. 21. p. 282. 17.
ruficornis. p. 273. 38. p. 307. 36.
(rufipes. p. 275.) p. 275. 55. p. 280. 10.
* sanguinea. p. 276. 56. p. 299. 69.
St. Crucis. p. 311. 62.
sexpunctata. p. 294. 42.
Sturmii. p. 309. 46.
Suffriani. p. 308. 41.
Sulzeri. p. 277. 67. p. 284. 25.
sub[illegible]ia. p. 280. 10.
(subspinosa. p. 276.) p. 286. 33.
suffurea. p. 334. 5.
suinamensis. 314. 81.
suturalis. p. 283. 25.
* [illegible]. p. 276. 57.
tabida. p. 311. 65.
terrella. p. 300. 78.
testacea. p. 292. 29.
* thoracica. p. 273. 37.
* trianguliris. p. 274. 52.
* tricolor. p. 277. 68.
* trifasciata. p. 271. 15.
trilineata. p. 295. 47.
triloba. p. 295. 48.
* tripunctata. p. 271. 11.
unicolor. p. 280. 10.
unifasciata. p. 286. 34.
* variegata. p. 273. 36.
Viburni. p. 296. 55.
* violacea. p. 278. 2.
* viridula. p. 271. 20.
* vittata. p. 272. 26. p. 59.
Volcamariæ. p. 311. 60.

CRYPTOCEPHALI p. 353. 131.

abdominalis. p. 292. 29.
æneus. p. 237. 32.
ærugineus. p. 271. 19.
affinis. p. 349. 42.
amænus. p. 371. 93.
americanus. p. 272. 26.
angustatus. p. 337. 16.
arenarius. p. 237. 32.
Asparagi. p. 282. 19.
assimilis. p. 365. 60.
ater. p. 356. 18.
Atraphaxidis. p. 346. 8.
atratus. p. 236. 26. p. 59.
aulicus. p. 337. 28.
auratus. p. 235. 9. p. 57.
auritus. p. 340. 41.
australis. p. 286. 35.
* Barbareæ. p. 294. 55. p. 53.
bataviensis. p. 277. 71.
berchtesgadensis. p. 3[illegible].
berolinensis. p. 286. 33.
* bifasciatus. p. 369. 79. 63.
biguttatus. p. 356. 18. p. 61.
* bilineatus. p. 363. 49.
* Billardieri. p. 361. 37.
(bimaculatus. p. 357.) p. 46. p. 358. 24.
(bipunctatus. p. 355.) p. 18. p. 356. 18. β. γ.
(bipustulatus. p. 309.) p. 18. β. ε. p. 369. 77.
* Blocki. p. 354. 7.



p. 358.) p. 367.
p. 352. 57.
351. 54.
351. 54.
p. 360.) p. 233. 26.
p 283. 20.
p. 237. 1.
p. 366. 64.
299. 68.
297. 57.
p. 336. 21.
. p. 282. 17.
332. 1.
s. p. 358. 24.
p. 365. 61.
332. 1.
. 361. 36.
296. 52.
. 361. 41.
p. 368. 71.
p. 353. 64.
. p. 360. 32.
p. 357. 19. p. 357.
s.
358. 24.
351. 55.
. 284. 26.
234. 3. p. 351. 56.
halus. p. 371. 95.
ıctatus. p. 366. 68.
8. γ. ε. ζ.
. 360.) p. 233. 27.
p. 354. 13.
us. p. 359. 25.
355. 18.
369. 87.
368.) p. 236. 27.
aculatus. p. 346. 24.
tus. p. 368. 74. p.
353. 1.
is. p. 275. 55.
p. 280. 10.
76. 63.
p. 364. 54.
337. 27.
p. 360. 29.

* flavicollis. p. 354. 14. p. 368. 71.
* flavifrons. p. 365. 60. p. 365. 58.
* flavilabris. p. 364. 56.
* flavipes. p. 364. 58.
(frenatus. p. 358.) p. 367. 68. γ. δ.
* frontalis. p. 365. 59.
fulvipes. p. 275. 55.
fulvus. p. 370. 89.
fuscatus. p. 360. 31.
gigas. p. 331. 1.
* glabratus. p. 362. 44.
glaucocephalus. p. 365. 58.
* Gorteriæ. p. 354. 11.
(gracilis. p. 371.) p. 370. 89.
* Guttula. p. 366. 67.
* hæmorrhoidalis. p. 368. 76. p. 365. 61.
* hecticus. p. 369. 86.
* hieroglyphicus. p. 367. 69.
hirsutus. p. 355. 17.
* Histrio. p. 367. 70.
Hordei. p. 353. 65.
* Hübneri. p. 365. 61.
(humeralis. p. 355.) p. 354. 5. not.
javanus. p. 346. 24.
immaculatus. p. 335. 13.
* imperialis. p. 359. 27. p. 353. 31.
* impressus. p. 358. 23.
indicus. p. 292. 29.
innubus. p. 271. 11.
* insignis. p. 365. 62.
kiloniensis. p. 338. 1.
Kœnigii. p. 352. 58.
* labiatus. p. 363. 53.
* lætus. p. 351. 6.
Lar. p. 351. 48.
laticlavius. p. 353. 68.
Lentisci. p. 319. 43.
* limbatus. p. 363. 50. p. 356. 18.
* lineatus. p. 354. 8.
(Lineola. p. 357.) p. 356. 18.
* lituratus. p. 362. 46.
livens. p. 364. 56.

lividus. p. 332. 2.
* lobatus. p. 361. 35.
longimanus. p. 347. 27. p. 347. 28.
longipes. p. 344. 1. α. β.
longus. p. 278. 3.
* Lundi. p. 361. 38.
lugubris p. 325. 4.
lunulatus. p. 346. 23.
* luridus. p. 358. 22.
macrocheiros. p. 327. 14.
Marchiæ. p. 45. 1.
* marginatus. p. 355. 15.
* marginellus. p. 369. 77. p. 370. 89.
Martinius. p. 353. 67.
maxillosus. p. 348. 38.
melanopus. p. 285. 32.
merdigera. p. 279. 9.
* minutus. p. 370. 89.
mixtus. p. 354. 6.
* modestus. p. 354. 12.
* Moræi. p. 365. 63.
murinus. p. 335. 13.
musciformis. p. 352. 57.
nanus. p. 371. 91.
nigricans. p. 275. 55.
nigricornis. p. 274. 48.
nigripes. p. 351. 52.
* nitens. p. 362. 43. p. 363. 51. p. 365. 60.
* nitidulus. p. 363. 51.
nitidus. p. 274. 42.
* notatus. p. 369. 81. p. 361. 35.
novæ Hollandiæ. p. 286. 36.
Nympheæ. p. 296. 56.
* obliquus. p. 360. 33.
obscurus. p. 236. 24.
obsitus. p. 346. 25.
ochraceus. p. 295. 51.
ochrocephalus. p. 360. 30.
ochropus. p. 275. 55.
* octoguttatus. p. 366. 65. * p. 371. 94.
* octomaculatus. p. 368. 73.
* octonotatus. p. 368. 75.
* octopunctatus. p. 368. 72. p. 348. 36. p. 350. 46.
orientalis. p. 298. 63. (ornatus. p. 360.) p. p. 367. 68.
pallescens. p. 297. 57.
pallens. p. 351. 51.
palliatus. p. 298. 62.
pallidus. p. 322. 2.
Panzeri. p. 358. 24.
paracenthesis. p. 352.
parenthesis. p. 364. 58
parisinus. p. 364. 53.
* parvulus. p. 371. 92. 56.
peregrinus. p. 235. 7.
pilosus. p. 237. 32.
* Pini. p. 369. 87.
plagiocephalus. p. 351.
Podæ. 356. 18.
pretiosus. p. 235. 8.
* pubescens. p. 355.
punctatus. p. 365. 60.
* punctiger. p. 364. 57
punctulatus. p. 270. 15
* pusillus. p. 371. (p. 370. 89. α. δ.
* pustulatus. p. 362. 237. 2.
* pygmæus. p. 371. 93. 96.
quadriguttatus. p. 366.
4-maculatus. p. 349. 350. 46.
4-notatus. p. 345. 17. 63.
4-punctatus. p. 345. 14
* 4-pustulatus. p. 369.
Quadrum. p. 363. 48.
quatuordecimmaculatu 71.
* quindecimguttatus. 66.
quinquenotatus. p. 28
reppensis. p. 335. 13.
* reticulatus. p. 370.
rubricollis. p. 334. 6.
* rubrifrons. p. 360.
ruficollis. p. 350. 46.
rufipes. p. 232. 8. p.

354. 5.
353. 3.
. 371. 96. p. 371.
). 371. 97.
s. p. 370. 89.
). 352. 56.
p. 369. 84.
. 275. 55.
368. 76.
p. 350. 44. p. 350.
. p. 369. 78.
i. p. 361. 39.
p. 361. 42.
is. p. 354. 10.
s. p. 341. 10.
s. p. 354. 5.
tus. p. 359. 28. p.
357. 20. α. γ. δ.
is. p. 366. 65.
is. p. 353. 2.
. 279. 1.
360. 28.
us. p. 369. 82.
p. 369. 85.
272. 26.
355. 16.
is. p. 235. 14.
. p. 286. 33.
p. 334. 5.
p. 334. 5.
p. 277. 70.
370. 89.
). 348. 30.
272. 29.
358. 21. * p. 363.
p. 346. 26. p. 347.
. 30.
s. p. 359. 26.
p. 287. 39.
s. p. 369. 83.
p. 358.) p. 367. 68.
us. p. 353. 4.
p. 344. 2.
67. 70. p. 368. 70.
p. 286. 34.

* Vahli. p. 361. 40.
* variabilis. p. 357. 20. α. β.
varians. p. 367. 68. α. ζ.
* variegatus p. 359. 25.
varius. p. 327. 11.
venereus. p. 329. 1.
ventralis. p. 83. 1.
* venustus. p. 354. 9.
Vibex. p. 355. 18.
* viduatus. p. 362. 45.
villosus. p. 236. 25.
* violaceus. p. 360. 31.
Vitis. p. 236. 25. p. 358. 24. p. 359. 24.
* vittatus. p. 363. 48. p. 371. 93.

CRYPTOPHAGUS. p. 96. 76.

* Abietis. p. 98. 5.
* ater. p. 99. 19.
* Atomus. p. 100. 31.
* bimaculatus. p. 98. 8.
* brunneus. p. 98. 11.
* brunnipes. p. 100. 30.
* cellaris. p. 97. 4. α. γ.
* crenatus. p. 98. 6. p. 98. 4.
* dentatus. p. 98. 13.
* fimetarii. p. 99. 21.
* *Forsströmii.* p. 100. 24.
* fumatus. p. 97. 3.
* fungorum. p. 98. 9.
* fuscatus. p. 100. 26.
* fuscipes. p. 100. 22.
* fuscus. p. 100. 27.
* glaber. p. 99. 16.
* Globulus. p. 100. 29.
* hirtus. p. 100. 28.
* ipsoïdes. p. 100. 25.
* Lycoperdi. p. 97. 2.
* mesomelus. p. 99. 20.
* minutus. p. 101. 32.
* nigripennis. p. 99. 18.
* pallens. p. 99. 15.
* Populi. p. 97. 1.
* pusillus. p. 100. 22.
ruficollis. p. 99. 18.
* Samacola. p. 100. 33.

* *Schönherrii.* p. 98. 10.
* semi-niger. p. 99. 17.
* serratus. p. 98. 7.
* silaceus. p. 98. 14.
* Typhæ. p. 98. 12.

CYCHRAMUS.

Colon. p. 139. 18.
luteus. p. 139. 19.

CYPHON. p. 321. 113.

coarctatus. p. 322. 5. p. 322. 6.
* compressicornis. p. 323. 11.
* depressus. p. 323. 14.
discolor. p. 322. 6.
* fasciatus. p. 323. 12.
* griseus. p. 322. 5.
* hemisphæricus. p. 323. 8.
* lividus. p. 321. 1.
* marginatus. p. 322. 3.
* melanurus. p. 321. 2.
* orbicularis. p. 323. 9.
* orbiculatus. p. 323. 10.
* Padi. p. 322. 6.
(pallidus. p. 321.) p. 321. 2. p. 322. 3.
* pubescens. p. 322. 4.
* rugosus. p. 322. 7.
* testaceus. p. 323. 14.

CEBRIO. p. 331. 119.

* bicolor. p. 331. 3.
* brevicornis. p. 331. 5.
* fuscus. p. 331. 2.
* gigas. p. 331. 1.
longicornis. p. 331. 1.
* ruficollis. p. 331. 4.

DASCILLUS.

cervinus. p. 331. 1.

DERMESTES. p. 83. 73.

Abietis. p. 98. 5.
(Adstrictor. p. 92.) p. 96. 1.
formicarius. p. 44. 5.
formicaroïdes. p. 43. 1.
Frischii. p. 90. 21.
* frontalis. p. 92. 31.
* fuliginosus. p. 90. 13.
fulvipes. p. 136. 4.
(fumatus. p. 92.) * p. 94. p. 95. 1. p. 96. 1.
fungorum. p. 97. 2.
bimaculatus. p. 98. 8.
(bipunctatus. p. 92.) p. p. 102. 3. p. 135. 2.
(bipustulatus. p. 94.) p.
(brachypterus. p. 94.) p.
Brassicæ. p. 146. 47.
brevicornis. p. 86. 5.
* cadaverinus. p. 83. 3. p. 21.
cæruleus. p. 52. 9.
cafer. p. 45. 15.
capensis p. 45. 16.
* carnivorus. p. 84. 4.
Catta. p. 91. 26.
(cellaris. p. 94.) p. 97.
* chinensis. p. 93. 39.
chrysomeloïdes. p.
clavicornis. p. 111. 1.
coarctatus. p. 209. 3.
* Colon. p. 94. 44.
* *coronatus.* p. 85. 4.
(crenatus. p. 94.) p.
cylindricornis. p. 87. 6.
dentatus. p. 47. 1. p.
* *dimiatus.* p. 89. 17.
domesticus. p. 102. 3. p.
dubius. p. 60. 1.
emarginatis. p. 94. 43.
Faber. p. 101. 1.
* fasciatus. p. 88. 14. p. 24.
* felinus. p. 90. 22.
(fenestratus. p. 93.) p. p. 150. 1.
ferrugineus. p. 142. 32.
(fimetarius. p. 92.) p. p. 99. 21.
flavescens. p. 95. 1.

). 354. 5.
. 353. 3.
p. 371. 96. p. 371.
p. 371. 97.
lis. p. 370. 89.
p. 352. 56.
). p. 369. 84.
p. 275. 55.
). 368. 76.
p. 350. 44. p. 350.
s. p. 369. 78.
ti. p. 361. 39.
p. 361. 42.
us. p. 354. 10.
is. p. 344. 10.
is. p. 354. 5.
atus. p. 359. 28. p.
. 357. 20. α. γ. δ.
us. p. 366. 65.
ús. p. 353. 2.
p. 279. 1.
. 360. 28.
ilus. p. 369. 82.
i. p. 369. 85.
272. 26.
355. 16.
nis. p. 235. 14.
s. p. 286. 33.
. p. 334. 5.
p. 334. 5.
. p. 277. 70.
. 370. 89.
p. 348. 30.
). 272. 29.
). 358. 21. * p. 363.
. p. 346. 26. p. 347.
8. 30.
is. p. 359. 26.
p. 287. 39.
is. p. 369. 83.
. p. 358.) p. 367. 68.
tus. p. 353. 4.
s. p. 344. 2.
367. 70. p. 368. 70.
s. p. 280. 34.

* Vahli. p. 361. 40.
* variabilis. p. 357. 20. α. β.
varians. p. 367. 68. α. ζ.
* variegatus p. 359. 25.
varius. p. 327. 11.
venereus. p. 329. 1.
ventralis. p. 83. 1.
* venustus. p. 354. 9.
Vibex. p. 355. 18.
* viduatus. p. 362. 45.
villosus. p. 236. 25.
* violaceus. p. 360. 31.
Vitis. p. 236. 25. p. 358. 24. p. 359. 24.
* vittatus. p. 363. 48. p. 371. 93.

CRYPTOPHAGUS. p. 96. 76.

* Abietis. p. 98. 5.
* ater. p. 99. 19.
* Atomus. p. 100. 31.
* bimaculatus. p. 98. 8.
* brunneus. p. 98. 11.
* brunnipes. p. 100. 30.
* cellaris. p. 97. 4. α. γ.
* crenatus. p. 98. 6. p. 98. 4.
* dentatus. p. 98. 13.
* fimetarii. p. 99. 21.
* *Forsströmii.* p. 100. 24.
* fumatus. p. 97. 3.
* fungorum. p. 98. 9.
* fuscatus. p. 100. 26.
* fuscipes. p. 100. 22.
* fuscus. p. 100. 27.
* glaber. p. 99. 16.
* Globulus. p. 100. 29.
* hirtus. p. 100. 28.
* ipsoïdes. p. 100. 25.
* Lycoperdi. p. 97. 2.
* mesomelus. p. 99. 20.
* minutus. p. 101. 32.
* nigripennis. p. 99. 18.
* pallens. p. 99. 15.
* Populi. p. 97. 1.
* pusillus. p. 100. 22.
ruficollis. p. 99. 18.
* Samacola. p. 100. 34.

* *Schönherri.* p. 98. 10.
* semi-niger. p. 99. 17.
* serratus. p. 98. 7.
* silaceus. p. 98. 14.
* Typhæ. p. 98. 12.

CYCHRAMUS.

Colon. p. 139. 18.
luteus. p. 139. 19.

CYPHON. p. 321. 113.

coarctatus. p. 322. 5. p. 322. 6.
* compressicornis. p. 323. 11.
* depressus. p. 323. 14.
discolor. p. 322. 6.
* fasciatus. p. 323. 12.
* griseus. p. 322. 5.
* hemisphæricus. p. 323. 8.
* lividus. p. 321. 1.
* marginatus. p. 322. 3.
* melanurus. p. 321. 2.
* orbicularis. p. 323. 9.
* orbiculatus. p. 323. 10.
* Padi. p. 322. 6.
(pallidus. p. 321.) p. 321. 2. p. 322. 3.
* pubescens. p. 322. 4.
* rugosus. p. 322. 7.
* testaceus. p. 323. 14.

CEBRIO. p. 331. 119.

* bicolor. p. 331. 3.
* brevicornis. p. 331. 5.
* fuscus. p. 331. 2.
* gigas. p. 331. 1.
longicornis. p. 331. 1.
* ruficollis. p. 331. 4.

DASCILLUS.

cervinus. p. 331. 1.

DERMESTES. p. 83. 73.

Abietis. p. 98. 5.
(Adstrictor. p. 92.) p. 96. 1.
* affinis. p. 91. 27.
apiarius. p. 48. 6.
aquaticus. p. 39. 1.
ater. p. 87. 6. p. 90. 22. 28. p. 140. 22.
* bicolor. p. 89. 20.
(bidentatus. p. 92.)
* bifasciatus. p. 88. 11. 88. 12. * p. 88. 15.
bimaculatus. p. 98. 8.
(bipunctatus. p. 92.) p. p. 102. 3. p. 135. 2.
(bipustulatus. p. 94.) p.
(brachypterus. p. 94.) p.
Brassicæ. p. 146. 47.
brevicornis. p. 86. 5.
* cadaverinus. p. 83. 3 21.
cæruleus. p. 52. 9.
cafer. p. 45. 15.
capensis. p. 45. 16.
* carnivorus. p. 84. 2.
Catta. p. 91. 26.
(cellaris. p. 94.) p. 97.
* chinensis. p. 93.
chrysomeloïdes. p.
clavicornis. p. 111.
coadunatus. p. 209.
* Colon. p. 94. 44.
* *coronatus.* p. 85.
(crenatus. p. 94.) p.
cylindricornis. p. 87.
dentatus. p. 47. 1. p.
* *dimidiatus.* p. 89.
domesticus. p. 102. 3. p.
dubius. p. 60. 1.
emarginatus. p. 94.
Faber. p. 101. 1.
* fasciatus. p. 88. 11. 24.
* felinus. p. 90. 22.
(fenestratus. p. 93.) p. p. 150. 1.
ferrugineus. p. 142.
(fimetarius. p. 92.) p. p. 99. 21.
flavescens. p. 95. 1.

s. p. 44. 5.
ides. p. 43. 1.
). 90. 21.
. p. 92. 31.
sus. p. 90. 23.
p. 136. 4.
p. 92.) * p. 94. 45.
. p. 96. 1.
p. 97. 2.
p. 100. 27.
92. 33.
18. p. 150. 5.
p. 100. 29.
p. 141. 28.
p. 148. 1.
s. p. 147. 58. p. 148. 2.
lis. p. 90. 24.
nus. p. 209. 3.
tus p. 94. 47.
s. p. 91. 28.
s. p. 83. 1.
s. p. 148. 1.
s. p. 93. 41.
is. 118. 1.
p. 92.)
139. 19.
i. p. 91.) 97. 2.
s. p. 85. 5. p. 91. 28.
. p. 90. 21.
tus. p. 94. 43. p. 90. 21.
is. p. 194. 125.
ina. p. 85. 5.
s. p. 99. 20.
p. 94.) p. 100. 21.
32.
53. 3. p. 104. 10.
. p. 90. 26. p. 90.
1. 27. p. 92. 29.
. p. 91. 26.
s. p. 98. 14.
p. 5. 19.
s. p. 99. 18.
. p. 88. 16. (p. 92.)
p. 94. 49.
s. p. 93. 36. p. 96. 2.
p. 88. 10.
s. p. 95. 1.
is. p. 94. 51.

paniceus. p. 105. 15.
* *Pardalis.* p. 90. 25. p. 92. 30.
pectinicornis.. p. 112. 2.
(pedicularius. p. 94.) p. 149. 4.
* Pellio. p. 86. 6. p. 86. 5. p. 87. 6.
pertinax. p. 102. 3.
* piceus. p. 94. 46. p. 90. 22.
picipes. p. 93. 36. p. 96. 2.
pulicarius. p. 148. 2.
punctatus. p. 89. 18.
pusillus. p. 100. 23.
psyllius. p. 145. 47.
4-punctatus. p. 112. 2.
Rosæ. p. 139. 19.
rosea. p. 208. 2.
ruficollis. p. 51. 4.
rufipes. p. 51. 2. p. 113. 3.
ruftarsis. p. 93. 35.
Sambuci. p. 96. 1.
sanguinicollis. p. 51. 7.
* scaber. p. 93. 38.
(scaricus. p. 93.) * p. 94. 48. p. 97. 4.
scarabæoides. p. 135. 2.
Schaefferi. p. 85. 5.
* Serra. p. 91. 42. p. 114. 1.
(sexdentatus. p. 92.)
* sub-fasciatus. p. 87. 8.
* subterraneus. p. 93. 40.
* sulcatus. p. 94. 50.
* suturalis. p. 92. 34.
* tessellatus. p. 91. 29. * p. 92. 39. p. 91. 27. p. 101. 1.
* testaceus. p. 93. 37. p. 95. 1. p. 208. 2.
* tomentosus. p. 92. 32. p. 95. 1.
* tigrinus. p. 89. 19.
* trifasciatus. p. 88. 9.
* undatus. p. 87. 7.
undulatus. p. 87. 7. p. 92. 29.
unicolor. p. 86. 5.
(unidentatus. p. 92.)
(Urticæ. p. 94.) p. 148. 2.
(variabilis. p. 93.)
variegatus. p. 142. 32.
Vastator. p. 96. 1.

* versicolor. p. 88. 13.
Vespillo. p. 120. 7.
* 20-guttatus. p. 89. 18.
villosus. p. 151. 1.
vini. p. 98. 5.
violaceus. p. 50. 1.
viridis. p. 52. 8.
Vulpecula. p. 92. 29.
* vulpinus. p. 89. 21.
zanthocephalus. p. 194. 125.

DORCATOMA. p. 114. 84.
bistriata. p. 114. 1
* Bovistæ. p. 114. 3.
* *castanea*. p. 114. 2.
* dresdense. p. 114. 1. p. 113. 4.
* rubens. p. 114. 4.

DORYPHORA. vid. CHRYSOMELA.

DRILUS. p. 113. 83.
* flavescens. p. 113. 1.

DRYOPS.
auriculatus. p. 116. 2.
Lanceolii. p. 116. 6.
picipes. p. 116. 5.

DYTISCUS. p. 10. 51.
* abbreviatus. p. 20. 56.
aciculatus. p. 19. 2.
aeduductus. p. 17. 34.
* adspersus. p. 23. 69.
æneus. p. 19. 42.
* affinis. p. 19. 48.
* agilis. p. 23. 68.
alpinus. p. 34. 23.
amœnus. p. 27. 5.
amplissimus. p. 10. 1.
anastomozans. p. 10. 1.
aquaticus. p. 25. 88.
arcticus. p. 23. 70.
arcuatus. p. 32. 12. α. β.
assimilis. p. 26. 1. p. 34. 22.
* ater. p. 19. 44. p. 35. 25. p. 19. 42.
* atratus. p. 13. 10.
* bicolor. p. 23. 73.
* biguttatus. p. 19. 49.
* bilineatus. p. 16. 27. p. 68.
* bipunctatus. p. 18. 38.
* bipustulatus. p. 17. 33. 17. 34. p. 19. 43. p. 19.
bistriatus. p. 20. 50.
* brunneus. p. 22. 63.
calidus. p. 20. 50.
capricornis. p. 25. 79.
caraboides. p. 3. 5.
* carbonarius. p. 17. 34.
* *castaneus*. p. 21. 58.
* chalconatus. p. 19. 43.
chrysomelinus. p. 7. 32.
* cicur. p. 15. 24.
cicurius. p. 16. 24.
cicurus. p. 15. 24.
ciliatus. p. 19. 42.
* cinctus. p. 18. 37. p.
* cinereus. p. 16. 28. p. 17. p. 16. 29.
* circumflexus. p. 12.
clavicornis. p. 25. 79.
coccinelloides. p. 9.
collaris. p. 23. 67. p. p. 30. 6.
concinnus. p. 19. 42.
confluens. p. 30. 7.
* congener. p. 22. 61.
* conspersus. p. 22.
* costalis. p. 13. 11. * 12.
* crassicornis. p. 24. 79
Crux. p. 32. 12.
curculinus. p. 27. 2.
danicus. p. 20. 50.
* decempunctatus. p. 1
depressus. p. 31. 21.
dermestoides. p. 6. 25.
didymus. p. 21. 56.
* dimidiatus. p. 12. 6.
* dispar. p. 26. 96. p.
dissimilis. p. 13. 9.

tus. p. 15. 22.
). 33. 19.
tus. p. 33. 18.
. 34. 21.
p. 27. 6.
us. p. 1. 1.
phalus. p. 22.) p.
p. 35. 25. p. 35. 27.
s. p. 23. 77.
s. p. 15. 18. p. 14. 17.
is. p. 22. 60.
itus. p. 18. 42. p. 19.
9. 44. p. 19. 46.
is. p. 26. 1. p. 27. 2.
. p. 15. 19.
. p. 33. 19. p. 34. 20.
p. 31. 9.
p. 27. 2.
. p. 25. 85. * p. 25. 89.
llatus. p. 12. 4.
p. 32. 12.
). 17. 33.
p. 13. 17.
p. 23. 67.
sus. p. 17. 33.
26. 1.
nis. p. 18. 36.
p. 4. 14.
s. p. 35. 25.
p. 15. 21. p. 15. 20.
p. 32. 13.
. 24. 78.
. 24. 78.
p. 16. 26. p. 13. 9.
. p. 36. 30.
atus. p. 33. 17.
. 17. 31.
). 29. 1.
s. p. 19. 46.
s. p. 19. 47.
s. p. 4. 14.
thoidalis. p. 23. 72.
p. 33. 17.
p. 2. 3.
i. p. 28. 1.
eus. p. 35. 26.
. p. 35. 25.
ii. p. 19. 50. p. 17. 33.
* hyalinus. p. 26. 91. p. 24. 78.
immaculatus. p. 19. 43.
* immarginatus. p. 13. 8.
impressopunctatus. p. 31. 9.
impressus. p. 26. 2.
inæqualis. p. 21. 57. p. 29. 5.
p. 30. 6.
* Interrogationis. p. 22. 65.
interpunctatus. p. 26. 1.
interruptus. p. 24. 78.
intricatus. p. 13. 9.
* irroratus. p. 22. 62.
* insulanus. p. 26. 92.
insularius. p. 26. 92.
labiatus. p. 22. 60.
* lævigatus. p. 13. 14.
(lacustris. p. 19.) p. 17. 33.
laminatus. p. 27. 2.
* Lanio. p. 15. 23.
* lapponicus. p. 12. 5.
laterale-marginalis. p. 13. 7.
* lateralis. p. 13. 13.
* latissimus. p. 10. 1.
* latus. p. 14. 15.
* Leander. p. 20. 54.
lepidus. p. 30. 8.
* limbatus. p. 10. 2.
lineatocollis. p. 27. 4.
lineatus. p. 31. 9. p. p. 31. 10.
p. 32. 15.
lituratus. p. 34. 20. p. 34. 24.
lividus. p. 7. 32. p. 35. 25.
luctuosus. p. 17. 35.
luridus. p. 6. 29.
* maculatus. p. 21. 57.
* marginalis. 11. 3. p. 13. 7.
marginellus. p. 9. 35.
marginepunctatus. p. 27. 3.
marmoreus. p. 24. 78.
melanocephalus. p. 36. 28.
minimus. p. 36. 30.
* minutus. p. 24. 78. p. 27. 2.
monostriatus. p. 32. 14.
Nanus. p. 32. 14.
natator. p. 37. 1.
nebulosus. p. 18. 38.
Neuhoffii. p. 34. 21.
nigricans. p. 35. 25.

nigrita. p. 36. 28.
nigro-æneus. p. 19. 43.
* nitidus. p. 20. 51.
* notatus. p. 22. 67.
nubilus. p. 33. 17.
obliquus. p. 27. 5.
* oblongus. p. 23. 70. * p. 26. 95.
obscurus. p. 19. 44. p. 24. 78.
* octopustulatus. p. 25. 82.
oculatus. p. 23. 69.
orbicularis. p. 5. 17.
ornatus. p. 21. 57.
ovalis. p. 29. 2. p. 30. 6. p. 31. 9.
* ovatus. p. 25. 80. p. 28. 1. p. 29. 2. p. 33. 15.
(paludosus. p. 22.) p. 22. 61.
palustris. p. 34. 20.
parapleurus. p. 20. 50.
* parvulus. p. 25. 87. p. 32. 13. p. 32. 14. p. 33. 15.
* pedicularius. p. 26. 93.
* piceolus. p. 26. 97.
piceus. p. 1. 1.
picinus. p. 19. 46.
picipes. p. 31. 9.
pictus. p. 32. 12.
planus. p. 35. 25.
politus. p. 22. 61.
porcatus. p. 13. 7.
* posticatus. p. 23. 74.
punctatus. p. 12. 7. p. 14. 17. p. 23. 67. p. 31. 9.
* punctulatus. p. 12. 7. p. 13. 9.
* pusillus. p. 25. 86.
* pustulatus. p. 18. 39.
* Pygmæus. p. 25. 84. p. 26. 90.
recurvus. p. 30. 6.
reticulatus. p. 30. 6.
* Rœseli. p. 13. 9.
roridus. p. 23. 67.
* ruficollis. p. 14. 16. * p. 23. 75. p. 27. 2.
rufifrons. p. 33. 19.
rufipes. p. 31. 9. p. 35. 25.
* scaber. p. 25. 88.
scarabæoïdes. p. 3. 5. p. 4. 14.
Schalleri. p. 23. 75.
Scopolii. p. 14. 17.
scriptus. p. 29. 3.
seminiger. p. 20. 50.
* Seminulum. p. 26. 94.
* semipunctatus. p. 25. 83.
semistriatus. p. 12. 3.
semisulcatus. p. 13. 7.
* serricornis. p. 18. 40.
sexpustulatus. p. 34. 20.
signatus. p. 25. 81.
* simplex. p. 23. 76.
sordidus. p. 35. 25.
sparsus. p. 27. 7.
sphæricus. p. 29. 1.
* stagnalis. p. 20. 52.
* stictícus. p. 16. 31.
* striatus. p. 15. 20. p. 15.
* *Sturmi*. p. 18. 41.
* sulcatus. p. 14. 17.
tardus. p. 27. 1.
tæniatus. p. 16. 28.
thoracicus. p. 27. 2.
toto-marginalis. p. 11. 3.
* transversalis. p. 20. 53.
transversestriatus. p. 15. 21.
trifidus. p. 32. 13.
tripunctatus. p. 13. 13.
tristis. p. 36. 29.
* uliginosus. p. 22. 59. p. 1.
umbrinus. p. 18. 41.
undulatus. p. 21. 56.
* unifasciatus. p. 16. 30.
unilineatus. p. 36. 30.
unistriatus. p. 32. 13. p. 3.
variegatus. p. 34. 20.
variolosus. p. 24. 79.
* varius. p. 22. 64.
versicolor. p. 30. 5.
virens. p. 13. 9.
virescens. p. 13. 9. p. 2
* vitreus. p. 19. 45.
* vittatus. p. 16. 25.
Volckmari. p. 117. 1.
* zonatus. p. 16. 29.

ELATER.

buprestoïdes. p. 115. 2.
clavicornis. p. 96. 1.

nigrita. p. 36. 28.
nigro-æneus. p. 19. 43.
* nitidus. p. 20. 51.
* notatus. p. 22. 67.
nubilus. p. 33. 17.
obliquus. p. 27. 5.
* oblongus. p. 23. 70. * p. 26. 95.
obscurus. p. 19. 44. p. 24. 78.
* octopustulatus. p. 25. 82.
oculatus. p. 23. 69.
orbicularis. p. 5. 17.
ornatus. p. 21. 57.
ovalis. p. 29. 2. p. 30. 6. p.
* ovatus. p. 25. 80. p.
p. 29. 2. p. 33. 15.
(paludosus. p. 22.)
pulustris. p. 34. 20.
parapleurus. p. 20.
* parvulus. p. 2
13. p. 32. 14.
* pedicularius.
* piceolus. p.
piceus. p. 1.
picinus. p.
picipes. p.
pictus. p.
planus. p
politus.
porcatu
* post
punct
p.
* p
*
*
*
Scopolii. p.
scriptus. p
seminige
* Semi
* sem
semi
sep
*

1. (quadripustulatus. p. 324.) p. 324. 2.
succinctus. p. 324. 2.

ENOPLIUM. p. 46. 60.

damicorne. p. 47. 3.
'ermestoïde. p. 47. 4.
raticorne. p. 46. 1.
eri. p. 47. 2.

TIS. p. 325. 216.

p. 327. 15.
328. 20. p. 327.

330. 6.
228. 24.
330. 7.
sciatus. p. 327. 17.
brunneus. p. 328. 23.
* cinctus. p. 328. 31. p. 209. 1.
(concatenatus. p. 326.) p. 237. 3.
1. cupreus. p. 329. 1.
* dentatus. p. 328. 21.
dilatatus. p. 330. 3.
p. * discoïdeus. p. 328. 32.
* elevatus. p. 326. 7.
* fasciatus. p. 327. 17.
flavipes. p. 231. 4.
* gemmatus. p. 327. 13.
* gibbosus. p. 326. 6. α. β.
* giganteus. p. 325. 1.
* guadeloupensis. p. 328. 33.
* hispidus. p. 328. 34.
* Histrio. p. 325. 3.
jamaicensis. p. 231. 4.
* limbatus. p. 328. 22.
* longimanus. p. 327. 14.
marginatus. p. 209. 1. p. 328. 33.
Morio. p. 335. 12.
4. nebulosus. p. 330. 2.
* notatus. p. 326. 8.
* octomaculatus. p. 327. 12.
3. * punctatissimus. p. 326. 10.
pustulatus. p. 237. 2. p. 327. 11.
quadriguttatus. p. 329. 1.
* 4-pustulatus. p. 327. 18.
Quagga. p. 328. 29.

oïdes. p. 96. 1. p. 116. 1.
cornis. p. 116. 1.

ELMIS.

si. p. 117. 5.
i. p. 117. 1. p. 117. 7.
ari. p. 117. 1.

ELODES.

ns. p. 322. 5.
ærica. p. 323. 8.
p. 321. 2.

HORUS. p. 39. 56.

s. p. 39. 1. p. 39. 2.
. 2.
p. 41. 11.
stus. p. 116. 1.
us. p. 41. 11.
is. p. 40. 6.
atus. p. 41. 9. p. 41. 11.
:us. p. 40. 5.
. p. 41.) p. 39. 1. p.
p. 40. 3.
is. p. 39. 1.
laris. p. 39. 2.
s. p. 40. 3.
ralis. p. 41. 10.
. p. 42. 2.
is. p. 42.) p. 42. 1.
simus. p. 42. 4.
. p. 40. 3.
is. p. 40. 8.
us. p. 42.) p. 42. 3.
us. p. 40. 7.
:ulatus. p. 40. 4.

MYCHUS. p. 323. 114.

e. p. 324.) p. 324. 1.
ieus. p. 323. 2.
us. p. 321.) p. 324. 3.
s. p. 291. 27.
is. p. 324.) p. 324. 2.
di. p. 324. 1.
natus. p. 323. 1.

(quadripustulatus. p. 324.) p. 324. 2.
succinctus. p. 324. 2.

ENOPLIUM. p. 46. 60.

* damicorne. p. 47. 3.
* dermestoïde. p. 47. 4.
* serraticorne. p. 46. 1.
* Weberi. p. 47. 2.

EROTYLUS. p. 325. 216.

* abdominalis. p. 327. 15.
* alternans. p. 328. 20. p. 327. 17.
amethystinus. p. 330. 6.
* atratus. p. 228. 24.
bicolor. p. 330. 7.
* bifasciatus. p. 327. 17.
* brunneus. p. 328. 23.
* cinctus. p. 328. 31. p. 209. 1. (concatenatus. p. 326.) p. 237. 3.
cupreus. p. 329. 1.
* dentatus. p. 328. 21.
dilatatus. p. 330. 3.
* discoïdeus. p. 328. 32.
* elevatus. p. 326. 7.
* fasciatus. p. 327. 17.
flavipes. p. 231. 4.
* gemmatus. p. 327. 13.
* gibbosus. p. 326. 6. α. β.
* giganteus. p. 325. 1.
* guadeloupensis. p. 328. 33.
* hispidus. p. 328. 34.
* Histrio. p. 325. 3.
jamaicensis. p. 231. 4.
* limbatus. p. 328. 22.
* longimanus. p. 327. 14.
marginatus. p. 209. 1. p. 328. 33.
Morio. p. 335. 12.
nebulosus. p. 330. 2.
* notatus. p. 326. 8.
* octomaculatus. p. 327. 12.
* punctatissimus. p. 326. 10.
pustulatus. p. 237. 2. p. 327. 11.
quadriguttatus. p. 329. 1.
* 4-pustulatus. p. 327. 18.
Quagga. p. 328. 29.

* quinquepunctatus. p. 326. 9.
(reticulatus. p. 325.) p. 237. 1.
rubricatus. p. 328. 23.
* rufipennis. p. 328. 25.
rufipes. p. 338. 1.
rufus. p. 338. 1.
sanguinolentus. p. 327. 11.
* sexfasciatus. p. 325. 2.
smaragdulus. p. 330. 5.
* sphacelatus. p. 326. 5.
sternicornis. p. 238. 2.
* surinamensis. p. 328. 30.
tessellatus. p. 326. 8.
* testaceus. p. 325. 4.
* tricolor. p. 328. 26.
tristis. p. 330. 4.
* undatus. p. 328. 27.
* unifasciatus. p. 327. 16.
* variegatus. p. 326. 11.
* Zebra. p. 327. 19.

EUMOLPUS. p. 234. 105.

* æneus. p. 236. 21.
* ærugineus. p. 237. 31.
* antennatus. p. 235. 11.
* arenarius. p. 237. 32.
* asiaticus. p. 234. 5.
* atratus. p. 236. 26.
* auratus. p. 235. 9.
bengalensis. p. 235. 6.
* compressicornis. p. 235. 10.
cupreus. p. 233. 27.
* cyaneus. p. 234. 6.
* dentipes. p. 236. 20.
* dubius. p. 230. 27.
* femoratus. p. 237. 30.
* fulgidus. p. 234. 2.
* glabratus. p. 235. 16.
* *Gröndali*. p. 235. 12.
* hirtus. p. 236. 19.
* ignitus. p. 234. 1.
* metallicus. p. 236. 18.
* modestus. p. 235. 17.
* nigritus. p. 236. 22.
* nitidulus. p. 236. 23.
* nitidus. p. 234. 4.
* obscurus. p. 236. 24.
* peregrinus. p. 235. 7.
* pretiosus. p. 235. 8.
* ruber. p. 235. 14.
* ruficollis. p. 237. 29.
* splendidus. p. 235. 13.
* sumptuosus. p. 235. 15.
* surinamensis. p. 234. 3.
* variabilis. p. 236. 28.
* Vitis. p. 236. 25.

EUMORPHUS. p. 329. 117.

* immarginatus. p. 329. 1.
* Kirbyanus. p. 329. 3.
* marginatus. p. 329. 2.
Schneideri. p. 329. 4.
Sumatræ. p. 329. 1.

GALLERUCA. p. 288. 111.

abbreviata. p. 316. 106.
* abdominalis. p. 292. 29.
* Absinthii. p. 293. 36.
advena. p. 320. 151.
ænipennis. p. 298. 65.
æquinoctialis. p. 317. 111.
ærugínea. p. 271. 19.
æstuans. p. 301. 8.
* *affinis*. p. 289. 7. p. 310. 57. p. 310. 58.
albicollis. p. 317. 112. p. 320. 146.
albicornis. p. 273. 39.
* Alni. p. 292. 30.
* alpina. p. 292. 31.
* americana. p. 299. 74.
* analis. p. 291. 26.
Anchusæ. p. 313. 73.
anglica. p. 307. 37.
* angulosa. p. 300. 84.
aquatica. p. 299. 67.
arundella. p. 315. 84.
* atomaria. p. 299. 75.
atra. p. 312. 72. p. 313. 74.
atricilla. p. 308. 44. p. 309. 50. p. 309. 51.
(atripennis. p. 291.) p. 292. 3.
* Avicenniæ. p. 298. 59.
* Baccharidis. p. 290. 15.

* Bu-

293. 34.
e. p. 278. 2.
293.) p. 269. 144.
291. 25. p. 317. 115.
. p. 294. 43.
). 274. 51.
. 318. 136.
a. p. 288. 1.
324. 1.
. 314. 80.
p. 290. 13.
nis. p. 300. 82.
233. 24.
312. 69.
. 245. 52.
01. 9.
sis. p. 298. 67. p.
p. 297. 57.
p. 316. 99.
sis. p. 290. 12.
287. 1.
294. 46. p. 318. 129.
. 318. 126. p. 323. 2.
p. 296. 52.
317. 118.
icornis. p. 292. 32.
). 320. 145.
. 231. 7.
p. 318. 123.
231. 2.
325. 3.
p. 291. 27.
318. 133.
s. p. 317. 119.
ta. p. 316. 102.
. p. 273. 38.
p. 305. 28.
. p. 294. 44. p. 301. 5.
310. 53.
nctata. p. 273. 40.
. 320. 154.
). 316. 100.
118. 132. p. 319. 142.
. p. 312. 71.
310. 56.
. 315. 97.
289. 8. p. 315. 98.
* fasciola. p. 289. 8.
* ferruginea. p. 291. 28.
filiformis. p. 320. 152.
flavicornis. p. 231. 4. p. 318. 131.
flavipes. p. 275. 55.
frontalis. p. 320. 155.
* fuliginosa. p. 299. 77.
fulvicollis. p. 301. 12.
fulvicornis. p. 303. 21.
fuscipes. p. 306. 35.
* Gelatinariæ. p. 299. 76.
geminata. p. 319. 140.
gibba. p. 301. 3.
* gigantea. p. 290. 16.
glabrata. p. 317. 120.
* *grandis*. p. 288. 5.
guadeloupensis. p. 328. 33.
* hæmorrhoa. p. 291. 25.
* hæmorrhoidalis. p. 300. 79.
hectica. p. 318. 127.
Helxines. p. 303. 21. p. 304. 21.
hemisphærica. p. 323. 8.
* histrionica. p. 300. 80.
holsatica. p. 311. 64.
hortorum. p. 315. 91.
* humeralis. p. 298. 64. p. 317. 116.
Hyoscyami. p. 301. 13. p. 302. 15.
jamaïcensis. p. 293. 34.
* impressa. p. 300. 83. p. 294. 43. p. 318. 128.
indica. p. 301. 10.
* interrupta. p. 290. 18.
* Lactucæ. p. 298. 61.
* Lawsoniæ. p. 293. 35.
* limbata. p. 294. 45. * p. 298. 66. p. 316. 107.
* Lineola. p. 296. 53.
* littoralis. p. 289. 10.
liturata. p. 318. 138.
* livida. p. 295. 51. p. 321. f. 322. 5.
lunata. p. 317. 117.
* luteicornis. p. 291. 24.
* Lythri. p. 296. 54.

Macula. p. 316. 101.
* marginata. p. 291. 22.
* marginella. p. 299. 70.
marginula. p. 318. 129.
* Maura. p. 299. 73.
melanocephala. p. 271. 16.
melanura. p. 321. 2.
Mercurialis. p. 320. 149.
minuta. p. 318. 121.
Modeeri. p. 305. 23.
morbillosa. p. 245. 54.
* Morio. p. 299. 68.
Napi. p. 301. 13.
Nasturtii. p. 309. 50.
* *nebulosa*. p. 292. 33.
Nemorum. p. 313. 77. p. 314. 79.
* nigricornis. p. 293. 39.
* nigripennis. p. 290. 13.
nigripes. p. 272. 29. p. 302. 19.
nitida. p. 316. 110.
nitidula. p. 303. 20.
nobilitata. p. 316. 103.
* notata. p. 299. 71.
* notulata. p. 299. 72.
* Nympheæ. p. 296. 56.
* *oblonga*. p. 295. 50.
* obscura. p. 290. 14.
obsidiana. p. 320. 148.
obsoleta. p. 318. 132.
oculata. p. 318. 125.
oleracea. p. 319. 142. p. 320. 142.
* orientalis. p. 298. 63.
pallens. p. 318. 135.
* palliata. p. 298. 62.
* pallicornis. p. 291. 23.
(pallipes. p. 288.) p. 288. 3.
parvula. p. 312. 72.
Pectaurista. p. 318. 124.
* picea. p. 293. 37.
picta. p. 300. 80. p. 301. 7.
punctata. p. 320. 153.
punctulata. p. 245. 53.
quadrifasciata. p. 316. 104.
4-guttata. p. 318. 137.
* 4-maculata. p. 294. 41.
4-punctata. p. 320. 146.
4-pustulata. p. 307. 38. p. 308. 39. p. 324. 2.
quatuordecimpunctata. p. 288. 6.
quercata. p. 318. 122.
Raphani. p. 245. 51.
restituta. p. 319. 141.
* rosea p. 288. 4. p. 288. 5.
Rubi. p. 314. 82.
* ruficauda. p. 298. 60.
* ruficollis. p. 289. 9.
ruficornis. p. 307. 36.
rufipes. p. 275. 55. p. 306. 34.
* rustica. p. 290. 17. p. 290. 18.
Salicariæ. p. 311. 58.
Salicis. p. 267. 137. p. 268. 145.
* sanguinea. p. 299. 69.
St. Crucis. p. 311. 62.
sellata. p. 316. 105.
semiænea. p. 315. 25.
* sericea. p. 294. 40.
* sexpunctata. p. 294. 42.
Sisymbrii. p. 309. 46.
S littera. p. 308. 41.
(Sumatræ. p. 289.) p. 288. 5.
surinamensis. p. 314. 81.
suturalis. p. 320. 147.
* Tanaceti. p. 290. 15.
* tenella. p. 299. 78.
* testacea. p. 288. 2. p. 288. 3. p. 303. 29.
thoracica. p. 316. 108.
* tranquebarica. p. 289. 11.
* tricolor. 291. 21. p. 293. 38.
trifasciata. p. 304. 22. p. 314. 139.
* trilineata. p. 295. 47.
* triloba. p. 295. 48.
* *tumida*. p. 297. 58.
Ulmi. p. 299. 67.
* unicolor. p. 295. 49. p. 288. 3. (p. 289.)
* variabilis. p. 288. 3.
* varicornis. p. 300. 81.
* ventralis. p. 293. 38.
* Viburni. p. 296. 55.
vigintipunctata. p. 265. 132.
viridis. p. 232. 9. p. 294. 39.



. p. 298). p. 266. 138.
138.
iæ. p. 311. 60.
). 291. 20.

UM. p. 110. 79.
p. 110. 1.

NUS. p. 36. 55.
nus p 38. 6.
. p. 38. 5.
p. 38. 4. p. 38. 14.
p. 38. 10.
). 38. 13.
p. 38. 3.
p. 38. 4.
. p. 38. 11.
38. 9.
38. 14.
nus. p. 38. 8.
. p. 38. 2.
p. 38. 7.
. p. 38. 14.
p. 39. 18.
p. 36. 1. p. 38. 14.
. p. 38. 15.
ius. p. 38. 9.
p. 39. 17.
. p. 38. 12.
p. 38. 13.
. p. 39. 16.
. p. 39. 18.
iatica. p. 116. 1.

S. p. 26. 52.
. p. 27. 6.
eus. p. 26. 1.
is. p. 26. 2.
ollis. p. 27. 4.
punctatus. p. 27. 3.
. p. 27. 5.
p. 27. 7.

[CA. p. 300. 112.
ta. p. 316. 106.
p. 320. 151.

* æquinoctialis. p. 316. 111.
* ærata. p. 315. 83.
* æstuans. p. 301. 8.
æthiopissa. p. 313. 74.
* affinis. p. 310. 57.
* albella. p. 309. 49.
* albicollis. p. 317. 112. p. 320. 146.
* Anchusæ. p. 413. 73.
* anglica. p. 307. 37.
* antennata. p. 313. 76.
* aridella. p. 315. 84.
* Armoraciæ. p. 308. 42.
* atra. p. 313. 74. p. 312. 72. p. 313. 73.
* atricilla. p. 308. 44. p. 310. 57.
* attenuata. p. 305. 26.
* Ballotæ. p. 320. 158.
* bicolor. p. 317. 115.
bifasciata. p. 316. 106.
* bigutata. p. 318. 136.
* bipustulata. p. 308. 40. * p. 311. 63.
* Brassicæ. p. 314. 80. p. 276. 57.
* cærulea. p. 312. 69.
* calida. p. 301. 9.
* caroliniana. p. 316. 99.
Cerinthes. p. 309. 44.
* Chrysanthemi. p. 305. 24.
* chrysocephala. p. 302. 17.
* coccinea. p. 318. 126.
conjugata. p. 318. 123.
* collaris. p. 317. 118.
* collata. p. 306. 33.
* concinna. p. 320. 145.
* copalina. p. 311. 61.
* cryptocephala. p. 315. 89.
* cuprea. p. 302. 16.
* cyanea. p. 318. 133.
* cyanipennis. p. 317. 119.
* Cynoglossi. p. 315. 88. * p. 320. 157.
* Cyparissiæ. p. 309. 48.
* decemguttata. p. 316. 102.
* dentipes. p. 315. 85.
* *dimidiata*. p. 320. 150.

* discoïdea. p. 301. 5.
* dorsalis. p. 310. 53.
* Dulcamaræ. p. 301. 14.
* Echii. p. 320. 143.
* elongata. p. 320. 154.
* emarginata. p. 306. 32. * p. 310. 54.
* ephippium. p. 306. 31.
* equestris. p. 316. 100.
(Erucæ. p. 318.) p. 269. 144. p. 320. 142.
* erythrocephala. p. 305. 27.
* Euphorbiæ. p. 312. 71.
* excellens. p. 317. 107.
* exoleta. p. 310. 56.
* fametica. p. 315. 97.
* fasciata. p. 316. 98.
ferruginea. p. 310. 56.
filiformis. p. 320. 152.
* fimbriata. p. 318. 130.
* flavicornis. p. 318. 131.
* flexuosa. p. 314. 79.
* frontalis. p. 320. 155.
* fulvicollis. p. 301. 12.
fulvicornis. p. 303. 21.
(fulvipes. p. 306.)
* fuscicornis. p. 306. 34.
* fuscipes. p. 306. 35.
* geminata. p. 319. 140.
* gibba. p. 301. 3.
* glabrata. p. 317. 120.
* globosa. p. 306. 30. * p. 315. 93.
* graminis. p. 315. 91.
* hectica. p. 318. 127.
* Helxines. p. 303. 21. p. 304. 21.
hemisphærica. p. 323. 8.
* holsatica. p. 311. 64.
hortensis. p. 313. 74.
* hortorum. p. 315. 94.
* Hudsonias. p. 318. 134.
* humeralis. p. 317. 116.
* Hyoscyami. p. 301. 15. p. 312. 69.
* Jaceæ. p. 308. 43.
* Javanica. p. 301. 6.
* impressa. p. 318. 128.
* indica. p. 301. 10.
* lævigata. p. 311. 59.
lævis. p. 313. 74.
latiuscula. p. 323. 8.
* Lens. p. 312. 67.
* Lepidii. p. 313. 75.
* liturata. p. 318. 138.
livida. p. 321. 1.
* lunata. p. 317. 117.
* lurida. p. 309. 51.
* lusca. p. 316. 109.
* Macula. p. 316. 101.
Malvæ. p. 307. 36.
marginata. p. 316. 97.
* marginula. p. 318. 129.
* melanocephala. p. 309. 4
* Mercurialis. p. 320. 149.
* miniata. p. 317. 121.
* minima. p. 321. 161.
* Modeeri. p. 304. 23.
* muscorum. p. 315. 92.
* Napi. p. 301. 13. p. 301.
(Nasturtii. p. 309.) p. 309. p. 314. 79.
* Nemorum. p. 313. 77. p. 79.
* nigra. p. 312. 70.
* nigricollis. p. 321. 159.
* nigripes. p. 302. 19. p. 75.
* nitida. p. 316. 110.
* nitidula. p. 303. 20. p. 35.
* nobilitata. p. 316. 103.
* obsidiana. p. 320. 148.
* obsoleta. p. 318. 132.
* occultans. p. 315. 90.
* ochroleuca. p. 312. 66.
* octoguttata. p. 317. 119
* oculata. p. 318. 125.
* oleracea. p. 319. 142. p. 142.
orbicularis. p. 323. 9.
* pallens. p. 318. 133.
* parvula. p. 312. 72. * p. 95.
* Petaurista. p. 318. 12
* phthisica. p. 310. 55.

301. 7.
p. 320. 153.
. p. 309. 50.
:011. p. 320. 144.
is. p. 315. 87.
. 310. 52.
. 311. 64.
:ciata. p. 316. 104.
. p. 318. 137. p. 308.
7. 113.
ta. p. 314. 78. * p.

p. 317. 113.
a. p. 320. 146.
ta. p. 307. 28. * p.

p. 301. 4. * p. 318.

. 305. 28.
p. 319. 141.
314. 82.
p. 307.) p. 307. 36.
. p. 302. 18.
p. 307. 36. p. 306.

. p. 311. 58.
). 301. 2.
. 316. 105.
a. p. 305. 25.
lea. p. 315. 86.
. p. 309. 46.
p. 308. 41.
276. 57.
s. p. 311. 62.
. 300. 1.
p. 315. 96.
nsis. p. 314. 81.
p. 320. 147.
). 311. 65. p. 308.
9. 47. p. 311. 65.
s. p. 321. 162.
p. 305. 29.
. p. 316. 108.
i. p. 304. 22. * p.

p. 321. 160.
s. p. 301. 11.
. p. 309. 47.

* violacea. p. 312. 68.
* Volkamariæ. p. 311. 60.
voluta. p. 306. 29.

HELODES. p. 277. 108.

Beccabungæ. p. 278. 2.
(campestris. p. 278.) p. 283. 20.
* elongata. p. 278. 3.
* lepturoïdes. p. 278. 6.
* Phellandrii. p. 277. 1.
* porrecta. p. 278. 5.
* *quadrilineata*. p. 278. 4.
* violacea. p. 278. 2.

HELOPS.

æneus. p. 335. 12.
amethystinus. p. 330. 6.
basbatus. p. 336. 21.
bicolor. p. 330. 7.
cupreus. p. 329. 1.
fasciatus. p. 327. 17.
flavipes. p. 336. 15.
morbillosus. p. 330. 8.
nebulosus. p. 330. 2.
nigripennis. p. 334. 7—8.
picipes. p. 336. 21.
smaragdulus. p. 330. 5.

HETEROCERUS. p. 150. 98.

* dubius. p. 151. 2.
* flavidus. p. 151. 3.
(lævigatus. p. 151.) p. 150. 1.
p. 151. 1.
* marginatus. p. 150. 1. p. 151. 1.

HISPA.

flabellicornis. p. 115. 2.
flavescens. p. 113. 1.
mutica. p. 111. 1.
mystacina. p. 111. 1.
pectinicornis. p. 112. 2.
pontaticornis. p. 111. 1.
scabra. p. 134. 5.
serraticornis. p. 113. 3.

HISTER.

glabratus. p. 140. 23.

HYDRACHNA.

gibba. p. 28. 1.
Hermanni. p. 28. 1.
ovalis. p. 29. 2.
scripta. p. 29. 3.

HYDRÆNA. p. 42. 57.

* longipalpis. p. 42. 1.
* margipallens. p. 42. 2.
* minutissima. p. 42. 4.
* riparia. p. 42. 3. p. 42. 1.

HYDROPHILUS. p. 1. 50.

* abbreviatus. p. 3. 12.
affinis. p. 6. 25. p. 40. 3.
* ater. p. 2. 2.
* attenuatus. p. 6. 26.
æneus. p. 39. 1. p. 40. 2.
* bicolor. p. 7. 31. (p. 5.) p. p. p. 7. 32.
* bipunctatus. p. 9. 35.
* bipustulatus. p. 9. 36.
* caraboïdes. p. 2. 5.
chrysomelinus. p. 7. 32. p. 9. 35.
cicindeloïdes. p. 41. 9.
cinereus. p. 40. 5.
coccinelloïdes. p. 9. 35.
* collaris. p. 5. 21.
dermestoïdes. p. 7. 30.
dorsalis. p. 40. 6.
* ellipticus. p. 3. 9.
emarginatus. p. 1. 1.
* erythrocephalus. p. 5. 23.
* *flavipes*. p. 3. 6.
fulvus. p. 7. 31.
* *fuscipes*. p. 8. 34. p. 4. 14.
fuscus. p. 6. 29.
* gibbus. p. 4. 16.
* glaber. p. 3. 8.
* Globulus. p. 5. 18.
* griseus. p. 7. 32.
* hæmorrhoidalis. p. 6. 24.
impressus. p. 42. 5.
* lateralis. p. 3. 11.
lividus. p. 7. 31. p. 7. 31. p. 8. 32.
longipalpis. p. 42. 1.
* luridus. p. 6. 29.
* lutosus. p. 10. 42.
* marginellus. p. 6. 25.
margipallens. p. 42. 2.
* melanocephalus. p. 7. 30
(minutus. p. 9.) p. 5. 18. p. 6. 25. p. 7. 30. α. ε. p. 9. 35.
mollis. p. 9. 39.
niger. p. 4. 14.
* nigriceps. p. 9. 38.
nigricornis. p. 3. 5.
nitidus. p. 9. 39.
nubilus. p. 41. 8.
* oblongus. p. 2. 4. p. 4. 15.
* obscurus. p. 6. 27. p. 7. 30.
ochropterus. p. 7. 30.
* olivaceus. p. 2. 3.
* orbicularis. p. 4. 17.
pallidus. p. 8. 32.
parvulus. p. 9. 39.
* peregrinus. p. 6. 28.
* piceus. p. 1. 1.
* picinus. p. 9. 41.
* picipes. p. 4. 15.
Pilula. p. 5. 17.
* pygmæus. p. 9. 37.
quadripunctatus. p. 7. 30.
ruficornis. p. 2. 1.
* rufipes. p. 3. 13.
* scarabæoïdes. p. 4. 14.
* scrobiculatus. p. 3. 7.
* Seminulum. p. 5. 19.
sordidus. p. 1. 1.
* *spinosus*. p. 8. 33.
stagnalis. p. 39. 1.
striatulus. p. 9. 35. (p. 8.)
* subrotundus. p. 5. 20.
testaceus. p. 7. 30. (p. 5.)
torquatus. p. 7. 30.
* tricolor. p. 9. 40.
* truncatellus. p. 9. 39.
* undatus. p. 5. 22.
variegatus. p. 8. 32.

. p. 1. 1.
. p. 3. 10.

DRUS. p. 28. 54.
p. 34. 23.
p. 34. 22.
. p. 30. 7.
p. 31. 11.
s. p. 34. 21.
p. 33. 19.
apustulatus. p. 33.

ephalus. p. 35. 27.
. p. 28. 1.
p. 32. 13.
. 28. 1.
s. p. 36. 30.
p. 33. 17.
p. 28. 1.
ceus. p. 35. 26.
s. p. 29. 5.
p. 30. 8.
p. 31. 10. * p. 32. 15.
p. 34. 24.
. 29. 4.
. 36. 28.
atus. p. 33. 16.
. 29. 2.
p. 31. 9.
. 32. 12.
p. 35. 25.
is. p. 30. 6.
p. 29. 3.
latus. p. 34. 20.
. 36. 29.
us. p. 32. 14.

DIUM. p. 134. 94.
n. p. 134. 2.
m. p. 135. 6.
p. 134. 4.
um. p. 135. 5.
m. p. 134. 3.
tum. p. 134. 1.

IPS.
96. 2. p. 98. 12.

cellaris, p. 97. 4. α. γ.
fusca. p. 100. 27.
Lycoperdi.. p. 97. 2.
nigricornis. p. 98. 14.
silacea. p. 98. 14.

LAGRIA.

abdominalis. p. 83. 1.
ambulans. p. 46. 1.
antherina. p. 57. 20.
atra. p. 46. 1.
bifasciata. p. 59. 38.
elongata. p. 45. 1.
floralis. p. 57. 25.
lampyroïdes. p. 290. 15.
ruficollis. p. 45. 1.

LAMPYRIS.

minuta. p. 321. 2.

LARIA.

Dulcamaræ. p. 145. 46.

LATRIDIUS.

ater. p. 99. 18. p. 99. 19. p. 99. 20.
dorsalis. p. 99. 20.
flavescens. p. 99. 19.
mesomelus. p. 99. 20.
nigripennis. p. 99. 18.

LEMA. p. 278. 109.

* albicornis. p. 279. 8.
* armata. p. 279. 5.
* Asparagi. p. 282. 19.
* atrata. p. 283. 21.
* Betulæ. p. 286. 38.
* bicolor. p. 284. 29.
* bifasciata. p. 286. 35.
* brunnea. p. 280. 10.
* campestris. p. 282. 20.
* cornuta. p. 284. 27.
* coromandeliana. p. 284. 24.
* cuprea. p. 287. 41.
* cyanea. p. 284. 28.

* cyanella. p. 284. 26.
* cyanipennis. p. 279. 6.
* duodecimpunctata. p. 280. 13.
equestris. p. 274. 50.
flavipes. p. 275. 55.
* impressa. p. 279. 2.
* marginella. 285. 31.
* melanopa. p. 285. 32.
* melanura. p. 282. 18.
* merdigera. p. 279. 9.
* nigricornis. p. 283. 22.
* nigripes. p. 286. 36.
* nitidula. p. 287. 42.
* obscura. p. 286. 37.
* posticata. p. 287. 45.
* præusta. p. 279. 7.
* *quadripunctata.* p. 281. 15.
* quadripustulata. p. 278. 1.
* quatuordecimpunctata. p. 281. 14.
* quinquepunctata. p. 283. 23.
* retusa. p. 280. 12.
* ruficollis. p. 282. 17.
* *rufina.* p. 284. 30.
rufipes. p. 275. 55.
* semipunctata. p. 279. 4.
* Solani. p. 284. 25.
* stercoraria. p. 280. 11.
* striata. p. 287. 43.
* subspinosa. p. 285. 33.
* tranquebarica. p. 282. 16.
* trifurcata. p. 287. 39.
* unifasciata. p. 286. 34.
* unipunctata. p. 279. 3.
* varia. p. 287. 44.
* vittata. p. 287. 40.

LEPTURA.

bipustulata. p. 336. 18.
coromandeliana. p. 284. 24.
tranquebarica. p. 282. 16.

LIGNIPERDA.

pectinicornis. p. 112. 2.

LIMNIUS. p. 117. 90.

* æneus. p. 117. 7.
* Araneolus. p. 117. 6.
* cupreus. p. 117. 9.
Megerlei. p. 117. 7.
* obscurus. p. 117. 8.
* opacus. p. 117. 2.
* parallelepipedus. p. 117. 4.
* pygmæus. p. 117. 5.
* tuberculatus. p. 117. 3.
Volckmari. p. 117. 1.

LITHOPHILUS. p. 315. 3.

LUPERUS.

Alni. p. 292. 30.
quadrimaculatus. p. 294. 44.

LYCOPERDINA. p. 324. 315.

* cruciata. p. 324. 3.
* immaculata. p. 324. 1.
* quadripustulata. p. 324. 2.

LYCTUS.

abbreviatus. p. 147. 59.

LYTTA.

afra. p. 339. 2. α. β.
antherina. p. 57. 20.
Boleti. p. 58. 25.
floralis. p. 57. 25.
fusca. p. 57. 25.
Monoceros. p. 55. 1.
nigricollis. p. 58. 33.
picea. p. 60. 3.

MACRONYCHUS. p. 116. 89.

* 4-tuberculatus. p. 116. 1.

MALACHIUS. p. 76. 71.

* abdominalis. p. 79. 18.
* æneus. p. 73. 3. α. β.
* albifrons. p. 83. 31.
* Altica. p. 82. 36.
* analis. p. 81. 27.
* angulatus. p. 79. 17.



i. p. 79. 13.
s. p. 82. 29.
atus. p. 77. 4. p. 77.
. 6. α. β.
e. p. 80. 23.
:es. p. 80. 22.
eloïdes. p. 79. 16.
p. 79. 12.
r. p. 82. 34.
. p. 79. 14.
p. 78.) p. 78. 6.
p. 82.) p. 82. 29.
las. p. 78. 7.
s. p. 81. 29.
p. 80. 20. p. 80. 19.
s. 82. 29.
. p. 82. 33.
. 76. 2.
s. p. 82. 30.
p. 80. 21.
illus. p. 77. 5.
s. p. 82. 35.
s. p. 79. 11.
s. 80. 20.
arius. 80. 24. p. 80. 23.
is. p. 79. 19.
. p. 79. 19.
. p. 76. 1.
us. p. 81. 25. p. 81. 26.
tus. p. 82. 37.
atus. p. 78. 9.
latus. p. 81. 28.
llis. p. 81. 26.
s. p. 78. 8. p. 81. 26.
p. 82. 32.
77.) p. 77. 3. p. 78. 7.
iolentus. p. 78. 7.
cus. p. 79. 15.
ennis. p. 78. 10.
p. 78. 6.

HINUS. p. 73. 70.

tus. p. 74. 5.
ilus. p. 74. 4.
illis. p. 75. 8.
p. 74. 4. p. 75. 5.
is. p. 74. 3.
* flavus. p. 73. 1.
* humeralis. p. 74. 2.
* marginatus. p. 75. 7.
ruficollis. p. 75. 6.
* sanguinicollis. p. 75. 6.

MASTIGUS. p. 59. 66.

* deustus. p. 59. 2.
* flavus. p. 59. 3.
* palpalis. p. 59. 1.

MEGATOMA.

atra. p. 87. 6.
brevicornis. p. 86. 5.
rufitarse. p. 93. 35.
Schæfferi. p. 85. 5.
Schranki. p. 87. 6.
undata. p. 87. 7.
undulata. p. 87. 7.

MELANDRYA.

barbata. p. 336. 21.

MELASIS. p. 114. 85.

buprestoïdes. p. 115. 2. p. 115. 3.
* elateroïdes. p. 115. 3.
* flabellicornis. p. 115. 2. p. 115. 3.
(mystacina. p. 115.) p. 115. 1.
* picea. p. 114. 1.

MELOLONTHA.

4-punctata. p. 345. 14.

MELOE.

antherinus. p. 57. 20.
bimaculatus. p. 341. 1.
floralis. p. 57. 25.
Govani. p. 82. 29.
marginata. p. 300. 82.
Monoceros. p. 54. 1. p. 55. 2.
pedicularius. p. 57. 25.

MELYRIS. p. 82. 72.

* abdominalis. p. 82. 1.
aulicus. p. 274. 42.
* bicolor. p. 83. 3.
* ciliatus. p. 83. 6.

* lineata. p. 83. 5.
* nigra. p. 83. 4.
pubescens. p. 83. 5.
* viridis. p. 83. 2.

MORDELLA.

flava. p. 310. 56.

MYCETOPHAGUS.

nigricornis. p. 98. 14.

MYLABRIS.

fulva. p. 340. 4.
testacea. p. 339. 2.

NECROBIA.

ruficollis. p. 51. 4.
rufipes. p. 51. 2.
violacea. p. 50. 1.

NECROPHORUS. p. 117. 91.
americanus. p. 119. 3.
* germanicus. p. 117. 1. p. 118. 1. γ. p. 119. 2.
* grandis. p. 119. 3.
* Humator. p. 118. 2.
* marginatus. p. 119. 6.
* mediatus. p. 119. 4.
* mortuorum. p. 121. 8.
tomentosus. p. 119. 5.
* velutinus. p. 119. 5.
* Vespillo. p. 119. 7. p. 121. 7. p. 121. 8.
vespilloïdes. p. 121. 8.
virginicus. p. 119. 3.
vulgaris. p. 120. 7.

NECYDALIS.

humeralis. p. 341. 1.
muralis. p. 341. 1.
notata. p. 276. 58.
ruficollis. p. 71. 65.

NILIO. p. 209. 101.
* villosus. p. 209. 1

NITIDULA. p. 135. 96.
* abbreviata. p. 136. 5.
* ænea. p. 145. 47.
* æstiva. p. 138. 14. (p. 137.) p. 137. 7. p. 138. 9. p. 138. 15.
* Æthiops. p. 145. 44.
* analis. p. 139. 21.
aquatica. p. 39. 1.
* atra. p. 129. 22.
atrata. p. 144. 40.
* bicolor. p. 143. 36.
biloba. p. 137. 6.
* bimaculata. p. 147. 50. p. 147. 58.
bipunctata. p. 208. 1.
* bipustulata. p. 135. 2.
Brassicæ. p. 146. 47.
buprestoïdes. p. 143. 34.
* cadaverina. p. 147. 62.
cærulea. p. 146. 47.
chrysomeloïdes. p. 147. 52.
* Colon. p. 143. 38. p. 144. 33. p. 144. 38.
* cornuta. p. 138. 16.
* decemguttata. p. 141. 30.
* depressa. p. 137. 7. p. 143.
* dimidiata. p. 147. 56.
* discoïdes. p. 144. 39.
* dorsalis. p. 147. 55.
* dubia. p. 146. 49.
* Dulcamaræ. p. 145. 46.
elongata. p. 41. 9.
* erythropa. p. 145. 45.
* fasciata. p. 140. 24. * p. 147. 53. (p. 146.) p. 209. 3.
* ferruginea. p. 138. 15. 142. 32. p. 143. 33.
* fervida. p. 139. 17.
flavomaculata. p. 143. 35.
* flexuosa. p. 143. 35. p. 147.
floralis. p. 204. 174.
fulva. p. 138. 15.
* glabrata. p. 140. 23.
grisea. p. 142. 32.
* grossa. p. 135. 1.
guttalis. p. 136. 3.
(hæmorrdoïdalis. p. 141.) 144. 38. p. 144. 39.
* hemiptera. p. 147. 57.
hirta. p. 135. 1.
* humeralis. 147. 60.
immaculata. p. 143. 3.
* imperialis. p. 141. 29.

. p. 145. 43.
). 19.
145. 41.
p. 143. 37.
146.) p. 208. 3.
140. 26.
139. 19.
. p. 147. 51.
a. p. 136. 6.
ra. p. 148. 63.
40. 3.
). 141. 29.
145. 44.
41. 8.
p. 138. 12.
p. 136. 4. * p. 139. 20.
p. 137. 10. β. γ.
'. p. 138. 10.
a. p. 146. 48.
). 137. 9.
ia. p. 144. 41. p.
p. 146. 47.
p. 138. 13.
. 148. 1.
p. 143. 34.
sima. p. 142. 31.
138. 13. p. 149. 3.
p. 138. 11.
). 145. 41.
p. 146.) p. 147. 58.
). 147. 58.
a. p. 139. 18.
ta. p. 136. 3.
p. 208. 1.
p. 133. 2.
). 140. 25. * p. 144.
46.) p. 146. 47.
147. 61.
lenta. p. 147. 54.
137. 8.
lata. p. 147. 59.
). 137. 8.
45. 41.
p. 142. 33.
138. 15.
p. 141. 28.
p. 140. 27.
a. p. 145. 42.

* sulcata. p. 148. 64.
testacea. p. 209. 3.
tripunctata. p. 149. 3.
(truncata. p. 146.) p. 150. 4.
undata. p. 141. 28. p. 141. 29.
unicolor. p. 138. 9.
* varia. p. 142. 32. p. 143. 33.
* variegata. 138. 10. p. 142. 38.
Verbasci. p. 141. 28.
veris. p. 139. 19.
villosa. p. 137. 7.
(viridescens. p. 146.) p. 146. 47.

NOTOXUS. p. 52. 63.

antherinus. p. 56. 20.
ater. p. 56. 15.
bicolor. p. 57. 25.
bifasciatus. p. 56. 17.
bimaculatus. p. 57. 22.
cæruleus. p. 56. 14.
calycinus. p. 58. 25.
castaneus. p. 58. 26.
* chinensis. p. 53. 5.
cinctellus. p. 56. 19.
cornutus. p. 55. 2. p. 55. 3.
deustus. p. 59. 2.
equestris. p. 56. 16.
* fasciatus. p. 54. 10.
flavipes. p. 58. 30.
flavus. p. 59. 3.
floralis. p. 57. 25.
formicarius. p. 57. 25.
fulvus. p. 58. 37.
gracilis. p. 57. 23.
hirtellus. p. 58. 29.
hispidulus. p. 58. 34.
hispidus. p. 58. 29.
humeralis. p. 58. 29.
* *Illigeri*. p. 53. 6.
* indicus. p. 53. 4.
limbatus. p. 58. 28.
melanocephalus. p. 58. 32.
minutus. p. 59. 1. p. 59. 3.
* mollis. p. 52. 3.
Monoceros. p. 54. 1. p. 55. 2.
myrmicocephalus. p. 58. 25.
nectarinus. p. 56. 17.
Non plus ultra. p. 59. 3.

* pallidus. p. 54. 8.
pedestris. p. 56. 16.
populneus. p. 58. 31.
* porcatus. p. 52. 1.
quadriguttatus. p. 56. 18.
Rhinoceros p. 55. 4.
ruficollis. p. 58. 36.
* scabrosus. p. 54. 9.
* Schædia. p. 53. 7.
sellatus. p. 57. 21.
serricornis. p. 55. 4.
tenuicollis. p. 58. 35.
thoracicus. p. 56. 19.
trifasciatus. p. 55. 2.
* violaceus. p. 52. 2.

OÏDES.

bipunctata. p. 230. 2.
livida. p. 231. 8.

OMALIUM.

Ranunculi. p. 132. 27.

OPATRUM.

lithophilus. p. 325. 3.
minutum. p. 41. 8.

OPILUS.

mollis. p. 53. 3.

ORSODACHNA. p. 287. 110.
* chlorotica. p. 287. 1.
* humeralis. p. 287. 3.
* nigriceps. p. 287. 2.

ORTHOCERUS.

hirticornis. p. 111. 1.

OSTOMA.

bipustulata. p. 136. 2.
Colon. p. 141. 38.
discoidea. p. 144. 39.
ferruginea. p. 142. 32.
rubicunda. p. 133. 2.

PÆLOBIUS. p. 27. 53.
* tardus. p. 27. 1.

PARNUS. p. 116. 88.
* acuminatus. p. 116. 4.
* auriculatus. p. 116. 1.
* Dumerilii. p. 116. 6.
(obscurus. p. 116.) p. 116. 1.
* picipes. p. 116. 5.
* prolifericornis. p. 116. 1.
* substriatus. p. 116. 3.

PELTIS. p. 132. 93.

aquatica. p. 39. 1.
atrata. p. 127. 16.
bipustulata. p. 135. 2.
brunnea. p. 134. 6.
complicata. p. 129. 17.
contusa. p. 122. 2.
* dentata. p. 134. 5.
femorata. p. 122. 2.
* ferruginea. 132. 2. p. 141. 34.
gibbosa. p. 122. 2.
* grossa. p. 132. 1.
* limbata. p. 134. 6.
littoralis. p. 122. 2.
* oblonga. p. 133. 3.
obscura. p. 126. 13.
opaca. p. 129. 20.
quadripunctata. p. 131. 24.
* *rugosa*. p. 133. 4.
scabra. p. 129. 17. p. 130. 18.
thoracica. p. 124. 6.
truncatella. p. 137. 7.
undata. p. 127. 15.

PRASOCURIS.

Phellandrii. p. 278. 1.

PROTEINUS.

brachypterus. p. 150. 6.

PSELAPHUS.

Hellwigi. p. 59. 1.
hirticollis. p. 59. 2.

PSOA. p. 60. 68.
* americana. p. 60. 2.
* viennensis. p. 60. 1.

PTILINUS. p. 111.
ater. p. 113. 3.
cylindricus. p. 112. 2.
Dorcatoma. p. 113. 4.
flabellicornis. p. 115. 8.

ns. p. 112.) p. 113. 1.
. 112. 2.
p. 111. 1.
inus. p. 111. 1.
tus. p. 112. 2.
cornis. p. 112. 2.
nis. p. 112. 2.
p. 113.) p. 113. 3.
is. p. 113. 4.

NUS. p. 106. 78.
p. 110. 1.
. p. 109. 8.
. p. 103. 6.
. p. 109. 7.
neloïdes p. 110. 11.
p. 108. 5.
is. p. 109. 7.
is. p. 103. 7.
rnis. 110. 9. p. 113. 3.
p. 107.) p. 106. 2.
. 101. 1.
102. 3.
. p. 101. 1.
us. 103. 6. p. 105. 15.
. 107. 5. p. 108. 5.
. 101. 1.
is. p. 106.) p. 106. 2.
2. p. 108. 5.
ilis. p. 109. 6.
105. 11.
. 109.) p. 108. 5.
n. p. 108. 5.
nis. p. 107.) p. 275. 55.
p. 109. 5.
p. 109. 7.
. 104. 10.
. 109. 7.
rnis. p. 112. 2.
p. 102. 3. p. 103. 7.
. 106. 17.
ens. p. 106. 1.
. 109. 5.
p. 101. 1.
. p. 103. 7.
108. 5.
'p. 105. 15.
. p. 106. 2.

rufo-villosus. p. 101. 1.
rufus. p. 102. 3.
rugosus. p. 102. 3.
(Scotias. p. 110.) p. 110. 1.
Seminulum. p. 110. 1.
serraticornis. p. 113. 3.
(serricornis. p. 110.) p. 113. 4.
* sexpunctatus. p. 107. 4.
similis. p. 110. 8.
(spinicornis. p. 110.) p. 59. 2.
striatus. p. 108. 5.
* sulcatus. p. 110. 10.
tenuicornis. p. 105. 15.
tessellatus. p. 101. 1.
testaceo-villosus. p. 332. 1.
testaceus. p. 104. 10. p. 105. 15. p. 108. 5. p. 109. 5.
unicolor. p. 109. 5.
upsaliensis. p. 105. 15.
* variegatus. p. 107. 3.

PTYOCERUS. p. 115. 86.
* mystacinus. p. 115. 1.

PYROCHROA.
bimaculata. p. 342. 1.
nitida. p. 337. 31.
rufa. p. 333. 1.

RIPIDIUS. p. 115. 87.
* pectinicornis. p. 115. 1.

SAGRA. p. 342. 128.
* dentipes. p. 343. 7. p. 342. 3.
* femorata. p. 342. 1.
* fulgida. p. 342. 5.
* inda. p. 343. 8.
* purpurea. p. 342. 3.
* splendida. p. 342. 2.
* tridentata. p. 342. 4.
* tristis. p. 343. 6.

SANDALUS. p. 111. 80.
* niger. p. 111. 2.
* petrophya. p. 111. 1.

SARROTRIUM. p. 111. 81.
* muticum. 111. 1.

SCAPHIDIUM.
agaricinum. p. 148. 1.
scutellatum. p. 149. 2.

SCARABÆUS.
aquaticus. p. 4. 14.
flavidus. p. 151. 3.

SCOTIAS.
psylloïdes. p. 110. 1.

SCYDMÆUS. p. 59. 67.
Godarti. p. 59. 2.
* Hellwigi. p. 59. 1.
* hirticollis. p. 59. 2.
* minutus. p. 59. 3.

SCYMNUS.
ater. p. 207. 188. p. 207. 190.
auritus. p. 206. 183.
bimaculatus. p. 204. 176. p. 204. 177.
bipunctatus. p. 205. 178.
bipustulatus. p. 204. 176. p. 205. 178.
collaris. p. 206. 183.
didymus. p. 204. 175.
hæmorrhoidalis. p. 207. 184.
nigrinus. p. 207. 190.
pilosus. p. 204. 173.
pubescens. p. 207. 187.
pulchellus. p. 206. 180.
pusillus. p. 207. 189.
quadrimaculatus. p. 206. 180.
4-pustulatus. p. 205. 179. α. β.
sericeus. 207. 187.
suturalis. p. 204. 173.

SERROCERUS.
glaber. p. 114. 1.
striatus. p. 113. 3.

SILPHA. p. 121. 92.
abscissa. p. 130. 21.
ænea. p. 145. 47.
æstiva. p. 138. 14.
* americana. p. 123. 5.
appendiculata. p. 130. 22.
aquatica. p. 39. 1.
* atrata. p. 127. 16. p. 125. 11. p. 126. 13.
biguttata. p. 137. 10.
* bimaculata. p. 132. 29. p. 50. p. 147. 59.
binotata. p. 132. 29.
bipustulata. p. 135. 2.
brunnea. p. 128. 16.
cancellata. p. 127. 15.
* carinata. p. 124. 10.
carnaria. p. 136. 3.
Carolina. p. 119. 4.
cassidoïdea. p. 133. 2.
castanea. p. 98. 14.
cimicoïdes. p. 133. 2.
clavipes. p. 122. 2.
Colon. p. 143. 38.
(dentata. p. 131.) p. 134. 5.
depressa. p. 142. 33.
discoïdea. p. 144. 39.
* dispar. p. 130. 21.
elongata. p. 41. 9.
ferruginea. p. 132. 2. p. 32. p. 290. 17.
flavicans. p. 131. 24.
fusca. p. 128. 16.
germanica. p. 118. 1.
glabrata. p. 140. 22.
* granulata. p. 124. 9. p. 11. p. 127. 15.
* grisea. p. 142. 32.
grossa. p. 132. 1.
grossula. p. 129. 17.
hirta. p. 100. 28. p. 130.
histeroïdes. p. 149. 3.
Humator. p. 119. 2.
* inæqualis. p. 129. 19.
(indica. p. 123.)
* lacrymosa. p. 123. 3.
* lævicollis. p. 124. 7.
* lævigata. p. 126. 14.
* lapponica. p. 129. 18.
* limbata. p. 129. 19.
lincensis. p. 138. 10.
* littoralis. p. 122. 2. p. 126.
(livida. p. 123.) p. 123. 2.
(lunata. p. 129.) p. 124. p. 132. 1.
lutea. p. 139. 19.
maculata. p. 142. 31.
* marginalis. p. 124. 8. p. 124.



hthalma. p. 208. 1.
s. p. 123. 4.
a. p. 132. 27.
um. p. 121. 8.
jor. p. 118. 1. p. 119. 2.
is. p. 98. 14.
. p. 125. 12.
p. 99. 19.
acensis. p. 124. 8.
p. 133. 3.
a. p. 125. 13. p. 127. 15.
p. 129. 20. p. 124. 10.
. 21. p. 130. 22.
ariboa. p. 131. 23.
ntana. 128.) p. 128. 16.
ia. p. 145. 41.
phalos. p. 130. 22.
ea. p. 99. 20.
. 126. 14.
p. 149. 2.
p. 125. 11. p. 127. 16.
16. p. 133. 3.
a. p. 125. 10. p. 149. 3.
tata. p. 121. 24.
125. 10.
ta p. 127. 15.
ata. 122. 2. p. 123. 3.
. 136. 4. p. 144. 40.
p. 128. 17. p. 125.
127. 15. p. 129. 18.
. 129. 17. p. 134. 5.
. 149. 4.
. p. 130. 22. p. 130. 21.
p. 118. 1.
p. 324. 2.
ensis. p. 121. 1.
p. 95. 1. p. 138. 14.
1.
ca. p. 123. 6.
a. p. 129. 20. p. 138. 20.
p. 125. 10.
p. 125. 11.
. p. 125. 10.
p. 131. 26.
r. p. 132. 28. p. 149. 4.
p. 119. 3. p. 120. 7.
8.
. 130. 20.

SITARIS. p. 341. 125.
* apicalis. p. 341. 2.
* humeralis. p. 341. 1.

SPERCHEUS. p. 1. 49.
* emarginatus. p. 1. 1.

SPHÆRIDIUM.
anale. p. 139. 21.
bimaculatum. p. 204. 177.
bipunctatum. p. 204. 176.
bipustulatum. p. 204. 176.
Colon. p. 139. 18. p. 139. 19.
ferrugineum. p. 138. 15.
glabratum. p. 139. 22.
immaculatum. p. 5. 17.
littorale. p. 6. 27.
luteum. p. 139. 19.
obscurum. p. 139. 20.
pilosum. p. 138. 15.
plagiatum. p. 204. 173.
pulicarium. p. 148. 2.
rubrum. p. 113. 4.
rufipes. p. 140. 25. p. 206. 183.

STAPHYLINUS.
Quenseli. p. 149. 2.

STENUS.
conicus. p. 150. 9.
spissicornis. p. 150. 8.

STEROPES. p. 54. 64.
* caspius. p. 54. 1.

STRONGYLUS. p. 208. 100.
abbreviatus. p. 149. 2.
æstivus. p. 138. 15.
ater. p. 140. 22.
chrysomeloïdes. p. 203. 3.
* Litura. p. 208. 3.
luteus. p. 139. 19.
* pectoralis. p. 208. 2.
psyllius. p. 145. 47.
4 punctatus. p. 139. 18.
5-punctatus. p. 208. 1.
* scutellatus. p. 208. 1.
strigatus. p. 141. 28.
variegatus. p. 139. 19.

TELEPHORUS.
æneus. p. 76. 3.
ater. p. 67. 31.
bimaculatus. p. 68. 39. p. 71. 60.
biguttatus. p. 74. 4. p. 75. 5.
bipunctatus. p. 70. 48.
bipustulatus. p. 77. 4.
fasciatus. p. 74. 3. p. 82. 29.
flavipes. p. 69. 45.
flavus. p. 62. 4.
fuscicornis. p. 71. 61.
fuscus. p. 60. 1. p. 61. 2.
lateralis. p. 68. 36.
lividus. p. 62. 4.
melanocephalus. p. 69. 46.
melanurus. p. 71. 60.
minimus. p. 74. 1. p. 75. 7.
niger. p. 67. 34.
nigricans. p. 65. 17.
obscurus. p. 64. 15.
opacus. p. 61. 3.
pallidus. p. 68. 42. p. 71. 67.
pallipes. p. 69. 42.
pensylvanicus. p. 68. 39.
pulicarius. p. 67. 33.
rufus. p. 63. 7.
smaragdulus. p. 66. 25.
testaceus. p. 72. 69. α. β. p. 63. 9.
thoracicus. p. 67. 34.

TENENRIO.
Bovistæ. p. 324. 1.
coccineus. p. 324. 2.
cruciatus. p. 325. 3.
dermestoïdes. p. 51. 2.
dubius. p. 331. 5.
femoratus. p. 342. 1.
flavus. p. 334. 5.
hirticornis. p. 111. 1.
latipes. p. 270. 154.
pallens. p. 98. 14. p. 99. 14. p. 99. 15.
rugosus. p. 239. 9.
viridis. p. 342. 1.

THANASIMUS.
formicarius. p. 44. 5.

THYMALUS.
ferrugineus. p. 133. 2.

TILLUS. p. 45. 59.
(ambulans. p. 46.) p. 45. 1.
(elamicornis. p. 46.) p. 47. 3.
* elongatus. p. 45. 1.
formicarius. p. 44. 5.
(serraticornis. p. 46.) p. 46. 1.
* unifasciatus. p. 46. 2.
(Weberi. p. 46.) 47. 2.

TRICHODES. p. 47. 61.
* alvearius. p. 49. 8.
* Ammios. p. 48. 5.
* apiarius. p. 48. 6. p. 49. 8.
* bifasciatus. p. 47. 3.
* crabroniformis. p. 49. 11.
* cyaneus. p. 49. 9.
* fasciculatus. p. 50. 13.
* favarius. p. 49. 7.
* leucopsideus. p. 49. 9.
* octopunctatus. p. 47. 1.
* sipulus. p. 48. 4.
* tricolor. p. 47. 2.
* umbellatarius. p. 49. 12.

TRITOMA.
flavipes. p. 207. 187.

TRIXAGUS. p. 96. 75.
* Adstrictor. p. 96. 1.
fumatus. p. 95. 1.
fuscus. p. 92. 33.
tomentosus. p. 96. 1.

TROSCUS.
Adstrictor. p. 96. 1.
dermestoïdes. p. 96. 1.

VOLVOXIS.
morio. p. 140. 22.

ZONITIS. p. 339. 124.
* angulata. p. 339. 3.
* *atra*. p. 340. 12.
* *bifasciata*. p. 340. 13.
* chrysomelina. p. 340. 6.
* flava. p. 340. 7.
* fulvipennis. p. 340. 5.

malia

hia. p. 340. 4.
nutica. p. 340. 4.
ripennis. p. 339. 2.
allida. p. 339. 1.
zata. p. 340. 11.
næata. p. 339. 2. α. β.
ostrata. p. 340. 10.
* sexmaculata. p. 340. 8.
* viridipennis. p. 340. 9.
* vittata. p. 340. 11.

ZYGIA. p. 339. 123.
* oblonga. p. 339. 1.

Explicatio Tabulæ.

Tab. 4.

1. *Hyphydrus lyratus.* a. magnit. aucta. b. magnit. naturalis.
2. — *nigro-lineatus.* a. magn. aucta. b. magn. natur.
3. — *lepidus.* a. magn. aucta. b. magn. natur.
4. *Coccinella crucigera.*
5. — *hamata.* a. magn. aucta. b. magn. natur.
6. — *connectens.* a. magn. aucta. b. magn. natur.
7. *Notoxus Illigeri.* a. magn. aucta. b. magn. natur.
8. *Chrysomela liturata.* a. magn. aucta. b. magn. natur.
9. *Galleruca affinis.* a. magn. aucta. b. magn. natur.
10. — *nebulosa.* a. magn. aucta. b. magn. natur.
11. *Haltica octoguttata.* a. magn. aucta. b. magn. natur.
12. *Cassida Swartzi.* a. magn. aucta. b. magn. natur.

Corrigenda.

Pag.	Num.	Lin.	
19.	49.	1.	*Biguttatus.* "*Leg.*" Biguttatus.
23.	68.	5.	*Del.*" *Dyt. bilineatus*, var. *β.* ° DeGeer
26.	Not.	3.	*Del.*" an-
28.	Not.	4.	suspicor quam "*Leg.*" suspicor quum
		9.	reduxisset, "*Leg.*" reduxisse,
29.	Not.	6.	angulas "*Leg.*" angulos
33.	17.	7.	*Del.*" ?
45.	1. *β.*	1.	*Leg.*" *δ. l. var. β.* ° Payk. Fn. Sv. &c.
46.	Not. *c*).	2.	quadri "*Leg.*" quatuor
58.	36.	1.	Mant. II. "*Leg.*" Ross. Mant. II.
68.	40.	1.	Barbara. "*Leg.*" Barbara.
70.	Not. *v*)	2.	thoraceque abdomineque "*Leg.*" thorace abdom
85.	Not. *h*)	4.	punctato-stiata "*Leg.*" punctato-striata
88.	Not	4.	in Lusitania "*Leg.*" in Lusitaniæ
99.	Not. *m*)	6.	pilis appressa "*Leg.*" pilis ... cessis,
121.		37.	N:o SILPHA. "*Leg.*" N:o SILPHA.
157.	Not. *s*)	8.	Tab. 4. fig. 3. "*Leg.*" Tab. 4. fig. 6.
159.	Not.	2.	propriore, "*Leg.*" propiore,
198.	Not.	1.	latæ "*Leg.*" late
205.	Not.	6.	flavesens, "*Leg.*" flavescens,
213.	Not.	1.	exploratnm "*Leg.*" exploratum
275.	39.	2.	*Crioc. albicornis.* "*Leg.*" *Galler. albic*
281.	Not.	3.	Canton "*Leg.*" Cantonæ
285.	Not. *s*)	1.2.	genus "*Leg.*" generi
286.	Not.	1.	amandandus "*Leg.*" amandandæ
301.	2.	1.	Saliciens. *Colasp. saliciens.* "*Leg.*" Sal. *Colasp. saliens.*
369.	79.	1.	Bifasciatis. "*Leg.*" Bifasciatus.
377.	Col. 1.	1.	Synegesiæ. "*Leg.*" Syngenesiæ.
		14.	CANTHARIS. "*Adde:*" p. 60. 69.
380.	Col. 1.	21.	rutescens. "*Leg.*" rufescens.
		38.	p. 230. 71. "*Leg.*" p. 220. 71.
	Col 2.		CATERETES. "*Adde:*" p. 148. 97.
381.			...ta. "*Leg.*" aucta.
382			... cærulea. Betulæ. "*Leg.*" cærulea Betulæ.
		5.	cruenrata. "*Leg.*" cruentata.
		43.	p. 395. 27. "*Leg.*" p. 305. 27.

Tab. 4.

JWP. del. et sc.